



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2023 – 02:09 PM JST

PDB ID : 5F17
Title : Structure of EAV NSP11 K170A mutant at 3.19A
Authors : Zhang, M.F.; Chen, Z.Z.
Deposited on : 2015-11-30
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	
1	B	219	
1	C	219	
1	D	219	
1	E	219	
1	F	219	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9879 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Non-structural protein 11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	219	Total 1690	C 1088	N 280	O 311	S 11	0	0	0
1	B	219	Total 1667	C 1073	N 277	O 307	S 10	0	0	0
1	C	219	Total 1674	C 1076	N 278	O 309	S 11	0	0	0
1	D	209	Total 1609	C 1040	N 265	O 293	S 11	0	0	0
1	E	211	Total 1628	C 1049	N 270	O 298	S 11	0	0	0
1	F	209	Total 1611	C 1041	N 264	O 296	S 10	0	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	170	ALA	LYS	engineered mutation	UNP P19811
B	170	ALA	LYS	engineered mutation	UNP P19811
C	170	ALA	LYS	engineered mutation	UNP P19811
D	170	ALA	LYS	engineered mutation	UNP P19811
E	170	ALA	LYS	engineered mutation	UNP P19811
F	170	ALA	LYS	engineered mutation	UNP P19811


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Non-structural protein 11



- Molecule 1: Non-structural protein 11




- Molecule 1: Non-structural protein 11




- Molecule 1: Non-structural protein 11






• Molecule 1: Non-structural protein 11



• Molecule 1: Non-structural protein 11



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	249.18Å 249.18Å 226.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 3.20 48.72 – 3.19	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.00-3.20) 99.6 (48.72-3.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 3.19Å)	Xtrriage
Refinement program	PHENIX 1.8_1069	Depositor
R, R_{free}	0.215 , 0.243 0.214 , 0.244	Depositor DCC
R_{free} test set	2102 reflections (4.70%)	wwPDB-VP
Wilson B-factor (Å ²)	95.5	Xtrriage
Anisotropy	0.466	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 66.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	9879	wwPDB-VP
Average B, all atoms (Å ²)	112.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/1742	0.44	0/2380
1	B	0.24	0/1718	0.44	0/2352
1	C	0.23	0/1726	0.43	0/2362
1	D	0.26	0/1660	0.47	0/2269
1	E	0.28	0/1678	0.47	0/2291
1	F	0.27	0/1662	0.46	0/2271
All	All	0.25	0/10186	0.45	0/13925

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1690	0	1634	14	0
1	B	1667	0	1588	12	0
1	C	1674	0	1597	19	0
1	D	1609	0	1522	19	0
1	E	1628	0	1564	27	0
1	F	1611	0	1527	22	0
All	All	9879	0	9432	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:2:ASN:O	1:D:4:ILE:N	2.22	0.73
1:E:9:ARG:HD3	1:E:160:VAL:HG11	1.70	0.72
1:C:56:CYS:SG	1:C:57:GLU:N	2.66	0.69
1:E:208:MET:HB2	1:E:216:TYR:HB2	1.85	0.59
1:F:9:ARG:NH2	1:F:106:GLU:OE2	2.37	0.57
1:B:11:ALA:HB1	1:B:39:VAL:HG11	1.87	0.57
1:E:13:ASN:HD21	1:E:160:VAL:HG22	1.70	0.57
1:C:189:PRO:HD2	1:C:211:ARG:HG3	1.86	0.57
1:A:117:GLU:HG3	1:A:180:ALA:HB3	1.87	0.56
1:C:132:ILE:HD11	1:C:168:ALA:HB3	1.86	0.56
1:C:88:VAL:HG11	1:C:93:ARG:HH12	1.70	0.56
1:C:117:GLU:HG3	1:C:180:ALA:HB3	1.88	0.56
1:A:72:VAL:HG21	1:A:106:GLU:HG3	1.89	0.55
1:A:163:SER:HB2	1:E:68:VAL:HG21	1.90	0.54
1:A:194:ARG:HG2	1:A:196:TYR:CZ	2.43	0.54
1:F:16:TYR:HB3	1:F:39:VAL:HG22	1.91	0.53
1:F:206:ARG:HB2	1:F:218:GLN:HB3	1.90	0.53
1:F:117:GLU:HG3	1:F:181:PRO:HD3	1.89	0.53
1:E:218:GLN:HG3	1:E:219:GLU:HG3	1.90	0.53
1:D:191:THR:OG1	1:D:192:LEU:N	2.41	0.52
1:F:133:ASN:H	1:F:136:THR:HG22	1.76	0.51
1:C:52:LEU:H	1:C:52:LEU:HD12	1.74	0.51
1:D:131:GLU:H	1:D:140:SER:HB3	1.75	0.51
1:A:104:ARG:HA	1:A:107:THR:HG22	1.92	0.51
1:B:48:LEU:HD11	1:B:84:LEU:HG	1.92	0.51
1:F:131:GLU:HA	1:F:217:VAL:H	1.76	0.50
1:F:99:LEU:N	1:F:199:MET:O	2.34	0.50
1:C:72:VAL:HG21	1:C:106:GLU:HG3	1.93	0.50
1:D:30:LYS:H	1:D:30:LYS:CD	2.24	0.50
1:E:146:GLN:H	1:E:146:GLN:CD	2.16	0.49
1:F:218:GLN:HG3	1:F:219:GLU:HG3	1.94	0.49
1:E:31:GLU:OE2	1:E:31:GLU:N	2.38	0.49
1:E:5:SER:HB2	1:E:22:LEU:HD13	1.95	0.49
1:D:30:LYS:H	1:D:30:LYS:HD3	1.78	0.49
1:E:20:PRO:HD3	1:E:38:VAL:HG21	1.94	0.49
1:D:107:THR:HG22	1:D:109:SER:HB3	1.94	0.48
1:B:19:SER:HB2	1:B:39:VAL:HG23	1.95	0.48
1:A:56:CYS:SG	1:A:57:GLU:N	2.86	0.48
1:F:127:ALA:HA	1:F:214:THR:HG22	1.95	0.48
1:C:194:ARG:HG2	1:C:196:TYR:CZ	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:16:TYR:HB3	1:D:39:VAL:HG22	1.96	0.48
1:D:2:ASN:HD22	1:D:52:LEU:HD13	1.79	0.48
1:B:110:ARG:HD3	1:B:143:ILE:HG12	1.96	0.47
1:E:117:GLU:HG3	1:E:180:ALA:HB3	1.96	0.47
1:F:44:TYR:HB2	1:F:47:CYS:HB3	1.94	0.47
1:F:148:LEU:HD13	1:F:152:LEU:HD21	1.96	0.47
1:F:213:ALA:HB1	1:F:214:THR:HG23	1.97	0.47
1:B:5:SER:HB2	1:B:22:LEU:HD22	1.96	0.47
1:E:54:GLN:HG3	1:E:59:SER:HB2	1.96	0.47
1:D:60:LYS:HE3	1:D:97:ASP:HA	1.97	0.47
1:D:22:LEU:HA	1:D:23:PRO:HD3	1.78	0.46
1:F:113:LEU:HD12	1:F:179:TYR:HD1	1.80	0.46
1:F:64:ALA:HB2	1:F:100:PHE:HB3	1.98	0.46
1:F:36:TRP:CG	1:F:37:PRO:HD2	2.51	0.46
1:A:107:THR:HG23	1:A:109:SER:H	1.80	0.46
1:A:29:PRO:HG2	1:A:32:LEU:HB2	1.98	0.45
1:D:10:VAL:HG13	1:D:202:PHE:HD1	1.81	0.45
1:C:104:ARG:HB3	1:C:143:ILE:HD13	1.99	0.45
1:D:104:ARG:HB2	1:D:177:ASP:OD1	2.15	0.45
1:D:157:VAL:HG23	1:D:174:SER:HA	1.98	0.45
1:C:46:ASN:ND2	1:C:89:ASP:OD1	2.50	0.45
1:D:115:GLU:HG2	1:D:119:LYS:HD3	1.99	0.45
1:E:173:CYS:SG	1:E:174:SER:N	2.90	0.45
1:B:105:PHE:CE1	1:B:177:ASP:HB2	2.52	0.44
1:E:20:PRO:HD3	1:E:38:VAL:CG2	2.46	0.44
1:C:58:LEU:HD22	1:C:94:ALA:HB2	1.98	0.44
1:F:26:CYS:HA	1:F:27:PRO:HD3	1.87	0.44
1:E:113:LEU:HD12	1:E:179:TYR:CD1	2.52	0.44
1:C:88:VAL:HG11	1:C:93:ARG:NH1	2.32	0.44
1:E:206:ARG:HB2	1:E:218:GLN:HB3	1.99	0.44
1:A:74:VAL:HG22	1:A:107:THR:HG21	1.99	0.44
1:A:91:LYS:HE2	1:A:91:LYS:HB3	1.70	0.44
1:A:41:ASN:ND2	1:A:50:ILE:O	2.44	0.43
1:C:34:GLU:O	1:C:45:PRO:HG2	2.18	0.43
1:F:117:GLU:HG3	1:F:180:ALA:HB3	2.01	0.43
1:D:209:VAL:HG12	1:D:215:PHE:HB3	1.99	0.43
1:F:36:TRP:CD2	1:F:37:PRO:HD2	2.54	0.43
1:E:176:VAL:HG12	1:E:178:VAL:H	1.84	0.42
1:C:105:PHE:CE1	1:C:177:ASP:HB2	2.54	0.42
1:B:60:LYS:HA	1:B:61:PRO:HD3	1.89	0.42
1:D:107:THR:O	1:D:108:ASN:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:140:SER:HA	1:B:145:SER:HB3	2.02	0.42
1:D:44:TYR:HB2	1:D:47:CYS:HB3	2.00	0.42
1:E:198:ILE:HD13	1:E:207:LEU:HD22	2.02	0.42
1:F:113:LEU:HD12	1:F:179:TYR:CD1	2.55	0.42
1:E:203:LYS:HA	1:E:204:PRO:HD3	1.91	0.42
1:B:43:ARG:NH2	1:B:90:GLY:O	2.52	0.41
1:E:22:LEU:HD21	1:E:41:ASN:OD1	2.19	0.41
1:D:214:THR:OG1	1:D:215:PHE:N	2.53	0.41
1:B:117:GLU:HG3	1:B:180:ALA:HB3	2.02	0.41
1:C:30:LYS:HE2	1:C:30:LYS:H	1.85	0.41
1:F:208:MET:H	1:F:208:MET:HG2	1.47	0.41
1:A:113:LEU:HD12	1:A:179:TYR:CD1	2.56	0.41
1:A:189:PRO:HD2	1:A:211:ARG:HG3	2.01	0.41
1:B:194:ARG:HG2	1:B:196:TYR:CZ	2.56	0.41
1:C:7:LEU:HA	1:C:8:PRO:HD3	1.91	0.41
1:E:208:MET:H	1:E:208:MET:HG2	1.63	0.41
1:A:14:LEU:HD12	1:A:14:LEU:HA	1.80	0.41
1:F:37:PRO:HA	1:F:46:ASN:O	2.20	0.41
1:E:44:TYR:HB2	1:E:47:CYS:HB3	2.03	0.41
1:E:113:LEU:HD12	1:E:179:TYR:HD1	1.86	0.41
1:F:22:LEU:HA	1:F:23:PRO:HD3	1.72	0.41
1:B:153:PRO:HG2	1:B:158:ALA:HB1	2.03	0.41
1:C:48:LEU:HD11	1:C:84:LEU:HD22	2.02	0.41
1:E:197:LYS:HE2	1:E:197:LYS:HB2	1.95	0.41
1:C:105:PHE:CD2	1:C:143:ILE:HD12	2.56	0.41
1:C:37:PRO:HA	1:C:46:ASN:O	2.21	0.40
1:D:158:ALA:HA	1:D:175:VAL:O	2.21	0.40
1:E:36:TRP:CG	1:E:37:PRO:HD2	2.56	0.40
1:E:110:ARG:NH1	1:E:150:PRO:O	2.55	0.40
1:E:49:GLN:HG2	1:E:51:THR:HG23	2.04	0.40
1:E:161:GLY:N	1:E:203:LYS:HD2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/219 (99%)	206 (95%)	10 (5%)	1 (0%)	29	67
1	B	217/219 (99%)	205 (94%)	12 (6%)	0	100	100
1	C	217/219 (99%)	205 (94%)	12 (6%)	0	100	100
1	D	205/219 (94%)	190 (93%)	11 (5%)	4 (2%)	7	38
1	E	207/219 (94%)	191 (92%)	16 (8%)	0	100	100
1	F	205/219 (94%)	191 (93%)	14 (7%)	0	100	100
All	All	1268/1314 (96%)	1188 (94%)	75 (6%)	5 (0%)	34	69

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	3	LYS
1	A	134	LYS
1	D	213	ALA
1	D	2	ASN
1	D	130	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/184 (98%)	163 (90%)	18 (10%)	8	30
1	B	175/184 (95%)	159 (91%)	16 (9%)	9	34
1	C	177/184 (96%)	167 (94%)	10 (6%)	21	57
1	D	170/184 (92%)	151 (89%)	19 (11%)	6	25
1	E	175/184 (95%)	157 (90%)	18 (10%)	7	29
1	F	170/184 (92%)	153 (90%)	17 (10%)	7	30
All	All	1048/1104 (95%)	950 (91%)	98 (9%)	8	33

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	14	LEU
1	A	32	LEU
1	A	39	VAL
1	A	52	LEU
1	A	57	GLU
1	A	88	VAL
1	A	115	GLU
1	A	132	ILE
1	A	151	LEU
1	A	155	ASP
1	A	157	VAL
1	A	167	LYS
1	A	177	ASP
1	A	187	LEU
1	A	195	VAL
1	A	199	MET
1	A	217	VAL
1	B	32	LEU
1	B	50	ILE
1	B	55	VAL
1	B	70	GLN
1	B	84	LEU
1	B	88	VAL
1	B	115	GLU
1	B	129	LEU
1	B	131	GLU
1	B	151	LEU
1	B	157	VAL
1	B	173	CYS
1	B	187	LEU
1	B	191	THR
1	B	195	VAL
1	B	214	THR
1	C	30	LYS
1	C	46	ASN
1	C	48	LEU
1	C	132	ILE
1	C	157	VAL
1	C	191	THR
1	C	192	LEU
1	C	195	VAL
1	C	214	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	217	VAL
1	D	14	LEU
1	D	30	LYS
1	D	39	VAL
1	D	52	LEU
1	D	72	VAL
1	D	83	TRP
1	D	88	VAL
1	D	89	ASP
1	D	106	GLU
1	D	109	SER
1	D	140	SER
1	D	151	LEU
1	D	157	VAL
1	D	175	VAL
1	D	176	VAL
1	D	191	THR
1	D	208	MET
1	D	214	THR
1	D	217	VAL
1	E	1	SER
1	E	7	LEU
1	E	14	LEU
1	E	47	CYS
1	E	48	LEU
1	E	52	LEU
1	E	53	GLN
1	E	72	VAL
1	E	83	TRP
1	E	115	GLU
1	E	129	LEU
1	E	132	ILE
1	E	140	SER
1	E	155	ASP
1	E	157	VAL
1	E	160	VAL
1	E	175	VAL
1	E	187	LEU
1	F	9	ARG
1	F	14	LEU
1	F	39	VAL
1	F	47	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	72	VAL
1	F	83	TRP
1	F	106	GLU
1	F	124	HIS
1	F	129	LEU
1	F	143	ILE
1	F	151	LEU
1	F	175	VAL
1	F	187	LEU
1	F	195	VAL
1	F	197	LYS
1	F	208	MET
1	F	218	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	53	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	219/219 (100%)	0.30	3 (1%) 75 63	87, 101, 122, 154	0
1	B	219/219 (100%)	0.52	17 (7%) 13 7	92, 122, 148, 171	0
1	C	219/219 (100%)	0.34	8 (3%) 41 26	95, 118, 145, 163	0
1	D	209/219 (95%)	0.27	3 (1%) 75 63	85, 102, 127, 148	0
1	E	211/219 (96%)	0.30	5 (2%) 59 44	90, 108, 140, 157	0
1	F	209/219 (95%)	0.29	2 (0%) 82 72	84, 108, 139, 179	0
All	All	1286/1314 (97%)	0.34	38 (2%) 50 34	84, 110, 141, 179	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	137	VAL	3.3
1	B	4	ILE	3.2
1	B	50	ILE	3.1
1	C	4	ILE	3.0
1	C	2	ASN	2.8
1	D	162	ALA	2.7
1	C	55	VAL	2.6
1	B	16	TYR	2.6
1	A	40	SER	2.6
1	B	40	SER	2.5
1	F	113	LEU	2.5
1	C	183	PHE	2.5
1	B	42	ASP	2.4
1	F	52	LEU	2.4
1	B	43	ARG	2.3
1	E	187	LEU	2.3
1	D	187	LEU	2.3
1	C	215	PHE	2.3
1	D	52	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	18	TYR	2.2
1	B	51	THR	2.2
1	B	39	VAL	2.2
1	A	21	ASP	2.2
1	A	113	LEU	2.2
1	C	39	VAL	2.2
1	B	92	ALA	2.1
1	E	142	PHE	2.1
1	E	213	ALA	2.1
1	B	178	VAL	2.1
1	B	6	CYS	2.1
1	B	64	ALA	2.1
1	E	192	LEU	2.1
1	E	1	SER	2.1
1	B	113	LEU	2.1
1	B	82	TYR	2.0
1	C	18	TYR	2.0
1	B	67	MET	2.0
1	B	59	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.