

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 13, 2024 - 06:06 pm BST

PDB ID	:	5I25
Title	:	human recombinant coagulation FXI in complex with a peptide derived from
		human high molecular weight kininogen (HKP)
Authors	:	Hall, G.A.F.; Wong, S.S.; Emsley, J.
Deposited on	:	2016-02-08
Resolution	:	2.85  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	164625	1268 (2.88-2.84)
Clashscore	180529	1351 (2.88-2.84)
Ramachandran outliers	177936	1318 (2.88-2.84)
Sidechain outliers	177891	1319 (2.88-2.84)
RSRZ outliers	164620	1269 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of chain	
1	А	607	2% <b>5</b> 5%	36%	7% •
2	В	8	38%	50%	12%



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 4842 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Coagulation factor XI.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	596	Total 4684	C 2950	N 815	0 878	S 41	0	0	0

• Molecule 2 is a protein called ASN-PRO-ILE-SER-ASP-PHE-PRO-ASP.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
2	В	8	Total 63	C 40	N 9	0 14	0	0	0

• Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total         C         N         O           14         8         1         5	0	0
3	А	1	Total         C         N         O           14         8         1         5	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	А	1	Total 14	C 8	N 1	O 5	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	51	$\begin{array}{cc} \text{Total} & \text{O} \\ 51 & 51 \end{array}$	0	0
4	В	2	Total O 2 2	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Coagulation factor XI





#### 5I25

## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants	80.59Å 80.59Å 251.81Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	39.79 - 2.85	Depositor
Resolution (A)	39.79 - 2.85	EDS
% Data completeness	99.6 (39.79-2.85)	Depositor
(in resolution range)	99.6 (39.79-2.85)	EDS
$R_{merge}$	0.08	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.48 (at $2.85$ Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
B B.	0.226 , $0.288$	Depositor
II, II, <i>free</i>	0.219 , $0.279$	DCC
$R_{free}$ test set	2057 reflections $(10.18%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	73.1	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, $55.1$	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4842	wwPDB-VP
Average B, all atoms $(Å^2)$	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.37% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
IVIOI		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.56	1/4793~(0.0%)	0.71	2/6490~(0.0%)	
2	В	0.52	0/65	0.60	0/89	
All	All	0.56	1/4858~(0.0%)	0.71	2/6579~(0.0%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	А	452	ASP	CB-CG	5.20	1.62	1.51

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	А	580	GLY	N-CA-C	-5.90	98.36	113.10
1	А	460	GLY	N-CA-C	5.42	126.64	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4684	0	4571	226	0
2	В	63	0	52	7	0
3	А	42	0	39	3	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:452:ASP:OD1	1:A:453:GLN:HG2	1.53	1.09	
1:A:579:GLU:HG3	1:A:579:GLU:O	1.42	1.05	
1:A:541:ILE:HD11	1:A:592:ASN:CG	1.78	1.03	
1:A:9:ASP:OD1	1:A:74:THR:HA	1.60	1.01	
1:A:189:ASN:HD22	1:A:254:SER:HA	1.37	0.90	
1:A:377:VAL:HG22	1:A:378:ARG:H	1.45	0.81	
1:A:189:ASN:ND2	1:A:254:SER:HA	1.97	0.80	
1:A:407:TRP:CE2	1:A:604:THR:HG22	2.17	0.79	
1:A:433:GLN:O	1:A:436:ILE:HG13	1.82	0.77	
1:A:83:LYS:HB3	1:A:354:ARG:HD3	1.68	0.76	
1:A:474:TYR:CZ	1:A:480:PRO:HG3	2.21	0.76	
1:A:187:PHE:N	1:A:187:PHE:HD2	1.83	0.76	
1:A:384:GLN:HE22	1:A:560:PRO:HD3	1.51	0.76	
1:A:472:VAL:HG12	1:A:478:GLN:NE2	2.02	0.75	
1:A:582:ALA:C	1:A:585:GLU:HA	2.07	0.75	
1:A:187:PHE:N	1:A:187:PHE:CD2	2.50	0.75	
1:A:405:ASN:O	1:A:472:VAL:HG23	1.86	0.75	
1:A:511:GLN:HE21	1:A:512:ASN:H	1.36	0.74	
1:A:354:ARG:NH2	4:A:1001:HOH:O	2.20	0.74	
1:A:505:LYS:HD2	1:A:506:LEU:H	1.50	0.74	
1:A:522:VAL:HG13	1:A:543:ALA:HA	1.70	0.74	
1:A:283:PHE:O	1:A:331:LYS:HE3	1.87	0.73	
1:A:461:TYR:CD1	1:A:461:TYR:N	2.52	0.72	
1:A:72:ASN:ND2	3:A:901:NAG:O5	2.23	0.72	
1:A:40:LEU:HD12	1:A:61:LYS:HB2	1.70	0.71	
1:A:432:ASN:ND2	3:A:903:NAG:O5	2.24	0.71	
1:A:92:CYS:SG	1:A:175:CYS:N	2.64	0.70	
1:A:293:ALA:HB3	1:A:314:TYR:HE1	1.57	0.70	
1:A:473:ASN:O	1:A:478:GLN:NE2	2.23	0.70	
1:A:196:ASN:OD1	1:A:238:LEU:HD13	1.91	0.69	
1:A:452:ASP:CG	1:A:453:GLN:HG2	2.12	0.69	



Chain Non-H H(added) Clashes Symm-Clashes Mol H(model) 51  $\mathbf{2}$ 0 4А 0 0 4 В 2 0 0 2 0 All All 0 0 48424662227

Continued from previous page...

	louo pugom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:384:GLN:HE21	1:A:384:GLN:HA	1.57	0.69	
1:A:541:ILE:HD11	1:A:592:ASN:CB	2.22	0.68	
1:A:371:VAL:O	1:A:371:VAL:HG23	1.93	0.68	
1:A:384:GLN:NE2	1:A:560:PRO:HG3	2.09	0.68	
1:A:227:GLU:O	1:A:255:LYS:HD3	1.93	0.67	
1:A:387:LEU:HD13	1:A:426:VAL:HG13	1.76	0.67	
1:A:511:GLN:HE21	1:A:512:ASN:N	1.91	0.67	
1:A:389:THR:O	1:A:394:GLN:HA	1.93	0.67	
1:A:580:GLY:O	1:A:581:CYS:C	2.32	0.67	
1:A:469:GLU:HB2	1:A:470:THR:HG22	1.77	0.66	
1:A:250:ARG:O	1:A:250:ARG:HG2	1.95	0.66	
1:A:197:ILE:O	1:A:198:ASP:HB2	1.95	0.65	
1:A:122:CYS:O	1:A:128:CYS:HB3	1.96	0.65	
1:A:503:TYR:HE1	1:A:506:LEU:HA	1.61	0.65	
1:A:51:ASP:OD2	1:A:51:ASP:N	2.20	0.64	
1:A:322:ASN:OD1	1:A:323:GLU:HG3	1.98	0.64	
1:A:510:ILE:HG23	1:A:511:GLN:N	2.12	0.64	
1:A:370:ILE:HD12	1:A:371:VAL:H	1.62	0.64	
1:A:360:ASN:ND2	1:A:362:CYS:SG	2.71	0.64	
1:A:540:MET:C	1:A:541:ILE:HD13	2.18	0.63	
1:A:401:SER:OG	1:A:560:PRO:HB3	1.99	0.63	
1:A:531:TYR:OH	1:A:587:PRO:O	2.17	0.63	
1:A:461:TYR:H	1:A:461:TYR:HD1	1.45	0.62	
1:A:280:ASP:OD1	1:A:344:GLY:HA2	1.99	0.62	
1:A:424:LEU:CD1	1:A:448:ILE:HD11	2.29	0.62	
1:A:514:LEU:HD12	1:A:515:GLN:N	2.14	0.62	
1:A:541:ILE:HD11	1:A:592:ASN:ND2	2.15	0.62	
1:A:456:MET:O	1:A:459:SER:HB2	2.00	0.62	
1:A:198:ASP:OD1	1:A:199:SER:N	2.32	0.61	
1:A:384:GLN:NE2	1:A:560:PRO:HD3	2.15	0.61	
1:A:443:PHE:CZ	1:A:472:VAL:HG13	2.35	0.61	
1:A:385:VAL:HG21	1:A:408:ILE:HD12	1.81	0.61	
1:A:564:LYS:HB2	1:A:569:TRP:CZ3	2.35	0.61	
1:A:424:LEU:HD11	1:A:448:ILE:HD11	1.82	0.61	
1:A:436:ILE:HG22	1:A:440:THR:HG21	1.83	0.60	
1:A:384:GLN:HA	1:A:384:GLN:NE2	2.15	0.60	
1:A:188:PRO:HA	1:A:257:LEU:HG	1.83	0.60	
1:A:187:PHE:HD2	1:A:187:PHE:H	1.50	0.60	
1:A:576:SER:OG	1:A:577:TRP:CD1	2.54	0.60	
1:A:405:ASN:O	1:A:472:VAL:CG2	2.49	0.60	
1:A:182:CYS:SG	1:A:264:SER:HB3	2.42	0.59	



		Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:372:GLY:O	1:A:516:LYS:CE	2.50	0.59	
1:A:299:CYS:SG	1:A:314:TYR:HB2	2.43	0.59	
1:A:576:SER:OG	1:A:577:TRP:HD1	1.85	0.59	
1:A:532:ARG:HH22	1:A:586:ARG:NH2	2.00	0.58	
1:A:23:PRO:HB2	1:A:97:TYR:CE2	2.38	0.58	
1:A:116:GLN:O	1:A:120:GLU:HG3	2.03	0.58	
1:A:380:GLU:OE2	1:A:516:LYS:NZ	2.34	0.58	
1:A:407:TRP:CD2	1:A:604:THR:HG22	2.38	0.58	
1:A:377:VAL:HA	1:A:431:LEU:HD13	1.85	0.58	
1:A:444:GLY:HA3	1:A:469:GLU:HG3	1.85	0.58	
1:A:579:GLU:O	1:A:579:GLU:CG	2.30	0.58	
1:A:206:PHE:O	1:A:210:ARG:HG3	2.05	0.57	
1:A:492:ILE:N	1:A:492:ILE:HD12	2.19	0.57	
1:A:196:ASN:OD1	1:A:240:LYS:HD2	2.04	0.57	
1:A:564:LYS:HB2	1:A:569:TRP:CH2	2.40	0.57	
1:A:511:GLN:NE2	1:A:512:ASN:H	2.00	0.57	
1:A:461:TYR:N	1:A:461:TYR:HD1	1.97	0.56	
1:A:522:VAL:HG22	1:A:542:CYS:HB2	1.86	0.56	
1:A:318:GLN:HA	1:A:318:GLN:NE2	2.19	0.56	
1:A:272:PHE:HB3	1:A:355:LEU:HB3	1.87	0.56	
1:A:427:TYR:CE2	1:A:442:PHE:HB3	2.40	0.56	
1:A:503:TYR:CE1	1:A:506:LEU:HA	2.40	0.55	
1:A:511:GLN:HE21	1:A:511:GLN:CA	2.20	0.55	
1:A:517:ALA:HB2	1:A:554:LYS:HE2	1.89	0.55	
1:A:534:HIS:N	1:A:534:HIS:ND1	2.53	0.55	
1:A:294:LYS:HE2	1:A:325:LYS:HE2	1.88	0.55	
1:A:432:ASN:O	1:A:435:GLU:HB3	2.06	0.55	
1:A:43:PHE:CE2	1:A:56:PHE:HA	2.42	0.55	
1:A:293:ALA:HB3	1:A:314:TYR:CE1	2.41	0.54	
1:A:40:LEU:CD1	1:A:61:LYS:HB2	2.37	0.54	
1:A:535:LYS:HG3	1:A:536:ILE:N	2.22	0.53	
1:A:531:TYR:HD2	1:A:536:ILE:HD11	1.72	0.53	
1:A:108:ASN:HD21	3:A:902:NAG:C5	2.21	0.53	
1:A:505:LYS:CD	1:A:506:LEU:H	2.20	0.53	
1:A:540:MET:O	1:A:541:ILE:HD13	2.08	0.53	
1:A:377:VAL:HG22	1:A:378:ARG:N	2.18	0.53	
1:A:106:ASN:HB2	2:B:4:ILE:HB	1.90	0.52	
1:A:426:VAL:HG23	1:A:443:PHE:O	2.09	0.52	
1:A:148:LEU:HG	1:A:150:LYS:HE2	1.92	0.52	
1:A:143:HIS:CD2	2:B:8:PRO:CD	2.93	0.52	
1:A:396:HIS:HB3	1:A:510:ILE:HD11	1.91	0.52	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:46:GLU:OE1	1:A:162:LYS:HE3	2.09	0.52	
1:A:298:ALA:O	1:A:302:LEU:HD23	2.09	0.52	
1:A:110:SER:HB2	1:A:121:ARG:NH1	2.24	0.52	
1:A:191:VAL:HG22	1:A:251:ILE:HB	1.92	0.51	
1:A:426:VAL:HG23	1:A:443:PHE:HB2	1.92	0.51	
1:A:42:THR:HG22	1:A:42:THR:O	2.09	0.51	
1:A:223:PHE:O	1:A:256:ALA:HA	2.10	0.51	
1:A:6:LEU:C	1:A:7:LEU:HD23	2.30	0.51	
1:A:252:LYS:O	1:A:253:LYS:HG2	2.10	0.51	
1:A:501:TRP:O	1:A:511:GLN:HB2	2.10	0.51	
1:A:514:LEU:HD12	1:A:515:GLN:H	1.74	0.51	
1:A:21:PHE:O	1:A:157:PRO:HD2	2.11	0.51	
1:A:106:ASN:ND2	4:B:101:HOH:O	2.41	0.51	
1:A:532:ARG:NH2	1:A:586:ARG:NH2	2.58	0.51	
1:A:541:ILE:HD11	1:A:592:ASN:HB2	1.93	0.51	
1:A:490:ASN:N	1:A:490:ASN:OD1	2.43	0.50	
1:A:284:LEU:HD12	1:A:340:LYS:HB3	1.93	0.50	
1:A:382:PRO:HB2	1:A:479:ARG:H	1.77	0.50	
1:A:504:ARG:CG	1:A:504:ARG:HH11	2.25	0.50	
1:A:46:GLU:HG3	1:A:55:TRP:CZ3	2.47	0.50	
1:A:46:GLU:HA	1:A:55:TRP:CD1	2.47	0.49	
1:A:29:GLN:HG3	1:A:41:PHE:CE2	2.47	0.49	
1:A:382:PRO:HB2	1:A:479:ARG:N	2.27	0.49	
1:A:101:ASP:OD1	1:A:103:LYS:HE2	2.13	0.49	
1:A:143:HIS:NE2	2:B:8:PRO:HD3	2.28	0.49	
1:A:372:GLY:O	1:A:516:LYS:NZ	2.46	0.49	
1:A:577:TRP:O	1:A:577:TRP:CD2	2.66	0.49	
2:B:6:ASP:OD2	4:B:101:HOH:O	2.20	0.48	
1:A:200:VAL:HG22	1:A:237:CYS:HB3	1.95	0.48	
1:A:449:ILE:HG21	1:A:603:LYS:HD2	1.94	0.48	
1:A:451:HIS:HD2	1:A:453:GLN:H	1.60	0.48	
1:A:35:HIS:CG	1:A:36:PRO:HD2	2.48	0.48	
1:A:384:GLN:NE2	1:A:560:PRO:CD	2.76	0.48	
1:A:47:SER:HB2	1:A:48:PRO:HD2	1.96	0.48	
1:A:432:ASN:OD1	1:A:513:THR:HA	2.14	0.48	
1:A:451:HIS:CD2	1:A:453:GLN:H	2.32	0.47	
1:A:423:ILE:O	1:A:423:ILE:HG13	2.13	0.47	
1:A:475:THR:O	1:A:478:GLN:N	2.47	0.47	
1:A:136:ARG:O	1:A:138:PHE:N	2.47	0.47	
1:A:384:GLN:NE2	1:A:560:PRO:CG	2.77	0.47	
1:A:143:HIS:CD2	2:B:8:PRO:HD3	2.50	0.47	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:408:ILE:HB	1:A:466:LEU:HB2	1.96	0.47
1:A:410:THR:OG1	1:A:411:ALA:N	2.48	0.47
1:A:530:ARG:NE	1:A:545:TYR:OH	2.48	0.47
1:A:106:ASN:OD1	1:A:106:ASN:N	2.48	0.46
1:A:9:ASP:OD1	1:A:74:THR:CA	2.49	0.46
1:A:149:LEU:C	1:A:150:LYS:HG2	2.36	0.46
1:A:269:ILE:HG13	1:A:271:VAL:HG23	1.96	0.46
1:A:148:LEU:H	1:A:148:LEU:HD23	1.78	0.46
1:A:357:LYS:HA	1:A:357:LYS:HD3	1.38	0.46
1:A:154:THR:O	1:A:216:PRO:HG2	2.16	0.46
1:A:387:LEU:CD1	1:A:426:VAL:HG13	2.42	0.46
1:A:109:SER:HB2	2:B:4:ILE:CG2	2.45	0.46
1:A:136:ARG:C	1:A:138:PHE:N	2.69	0.46
1:A:46:GLU:HA	1:A:55:TRP:CG	2.51	0.46
1:A:29:GLN:HG3	1:A:41:PHE:HE2	1.81	0.45
1:A:200:VAL:CG2	1:A:237:CYS:HB3	2.45	0.45
1:A:1:GLU:OE2	1:A:1:GLU:HA	2.16	0.45
1:A:377:VAL:HA	1:A:431:LEU:CD1	2.46	0.45
1:A:210:ARG:NH2	4:A:1003:HOH:O	2.49	0.45
1:A:41:PHE:CE2	1:A:79:GLY:HA3	2.51	0.45
1:A:289:ASP:OD1	1:A:290:ILE:N	2.50	0.45
1:A:110:SER:O	1:A:146:ILE:HA	2.17	0.44
1:A:100:LEU:HD12	1:A:100:LEU:HA	1.80	0.44
1:A:290:ILE:HD13	1:A:329:TYR:CE1	2.53	0.44
1:A:383:TRP:CE2	1:A:481:ILE:HD12	2.52	0.44
1:A:422:LYS:HA	1:A:422:LYS:HD3	1.79	0.44
1:A:396:HIS:HB3	1:A:510:ILE:CD1	2.48	0.43
1:A:403:ILE:HD13	1:A:409:LEU:HB2	1.99	0.43
1:A:111:VAL:HA	1:A:145:ASN:O	2.18	0.43
1:A:278:TYR:N	1:A:349:SER:O	2.48	0.43
1:A:577:TRP:CD1	1:A:577:TRP:N	2.86	0.43
1:A:361:GLU:O	1:A:364:THR:HG23	2.19	0.43
1:A:475:THR:C	1:A:477:SER:N	2.71	0.43
1:A:6:LEU:HD23	1:A:6:LEU:N	2.33	0.43
1:A:577:TRP:O	1:A:577:TRP:CG	2.70	0.43
1:A:32:CYS:O	1:A:38:CYS:HB3	2.18	0.43
1:A:215:HIS:HA	1:A:216:PRO:HD3	1.84	0.43
1:A:436:ILE:O	1:A:436:ILE:HD12	2.19	0.43
1:A:504:ARG:CG	1:A:504:ARG:NH1	2.82	0.43
1:A:505:LYS:HD2	1:A:506:LEU:N	2.26	0.42
1:A:520:PRO:HD2	1:A:544:GLY:O	2.19	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:206:PHE:N	1:A:206:PHE:CD1	2.86	0.42
1:A:332:LEU:C	1:A:332:LEU:HD12	2.39	0.42
1:A:46:GLU:HG3	1:A:55:TRP:CE3	2.54	0.42
1:A:74:THR:O	1:A:75:ALA:HB3	2.19	0.42
1:A:109:SER:HB2	2:B:4:ILE:HG23	2.01	0.42
1:A:500:GLY:H	1:A:514:LEU:HD11	1.84	0.42
1:A:475:THR:O	1:A:477:SER:N	2.52	0.42
1:A:424:LEU:HD12	1:A:448:ILE:HD11	2.01	0.42
1:A:544:GLY:O	1:A:545:TYR:HB2	2.20	0.42
1:A:21:PHE:HA	1:A:56:PHE:O	2.19	0.42
1:A:65:THR:C	1:A:66:GLU:HG3	2.40	0.42
1:A:444:GLY:O	1:A:469:GLU:HG2	2.20	0.42
1:A:56:PHE:CZ	1:A:100:LEU:HD11	2.54	0.41
1:A:511:GLN:NE2	1:A:511:GLN:CA	2.83	0.41
1:A:280:ASP:CG	1:A:344:GLY:HA2	2.41	0.41
1:A:578:GLY:HA3	1:A:588:GLY:HA2	2.01	0.41
1:A:191:VAL:CG1	1:A:253:LYS:HB2	2.50	0.41
1:A:220:PHE:HA	1:A:260:PHE:HA	2.02	0.41
1:A:280:ASP:OD2	1:A:346:GLY:HA2	2.21	0.41
1:A:231:GLU:OE2	1:A:232:SER:HA	2.20	0.41
1:A:8:LYS:O	1:A:9:ASP:C	2.59	0.41
1:A:377:VAL:CG2	1:A:378:ARG:H	2.23	0.41
1:A:411:ALA:HB3	1:A:414:CYS:SG	2.61	0.41
1:A:458:GLU:HG3	1:A:577:TRP:CD2	2.56	0.41
1:A:524:ASN:O	1:A:527:CYS:N	2.54	0.41
1:A:517:ALA:HB2	1:A:554:LYS:CE	2.49	0.41
1:A:371:VAL:O	1:A:371:VAL:CG2	2.65	0.40
1:A:185:ASP:O	1:A:187:PHE:HE2	2.04	0.40
1:A:72:ASN:OD1	1:A:72:ASN:N	2.49	0.40
1:A:210:ARG:HD2	1:A:274:HIS:CE1	2.56	0.40
1:A:333:SER:OG	1:A:334:SER:N	2.53	0.40
1:A:509:LYS:HE2	1:A:509:LYS:HB2	1.83	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	590/607~(97%)	567~(96%)	22~(4%)	1 (0%)	44 63
2	В	6/8~(75%)	6 (100%)	0	0	100 100
All	All	596/615~(97%)	573~(96%)	22~(4%)	1 (0%)	44 63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	377	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Pe	rce	nti	$\mathbf{les}$
1	А	528/535~(99%)	462 (88%)	66 (12%)		3	7	
2	В	8/8 (100%)	5~(62%)	3 (38%)		0	0	
All	All	536/543~(99%)	467 (87%)	69 (13%)		3	6	

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	40	LEU
1	А	42	THR
1	А	49	SER
1	А	51	ASP
1	А	57	THR
1	А	63	SER
1	А	72	ASN
1	А	84	GLN
1	А	89	ILE
1	А	95	ASP
1	А	106	ASN



Mol	Chain	Res	Type
1	А	110	SER
1	А	111	VAL
1	А	140	SER
1	А	147	CYS
1	А	175	CYS
1	А	180	LEU
1	А	187	PHE
1	А	190	THR
1	А	191	VAL
1	А	197	ILE
1	А	231	GLU
1	А	240	LYS
1	А	249	THR
1	А	250	ARG
1	А	254	SER
1	А	264	SER
1	А	290	ILE
1	А	315	THR
1	А	318	GLN
1	А	320	SER
1	А	323	GLU
1	А	329	TYR
1	А	331	LYS
1	А	337	SER
1	А	357	LYS
1	А	391	SER
1	А	423	ILE
1	А	426	VAL
1	А	439	ASP
1	А	441	SER
1	А	450	ILE
1	А	452	ASP
1	А	461	TYR
1	А	470	THR
1	A	472	VAL
1	A	485	SER
1	A	490	ASN
1	A	504	ARG
1	A	506	LEU
1	A	509	LYS
1	A	510	ILE
1	A	511	GLN



Mol	Chain	Res	Type
1	А	522	VAL
1	А	523	THR
1	А	526	GLU
1	А	530	ARG
1	А	532	ARG
1	А	534	HIS
1	А	541	ILE
1	А	545	TYR
1	А	553	CYS
1	А	556	ASP
1	А	576	SER
1	A	594	VAL
1	А	598	ASP
2	В	2	ASN
2	В	5	SER
2	В	6	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	143	HIS
1	А	189	ASN
1	А	318	GLN
1	А	384	GLN
1	А	451	HIS
1	А	511	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



## 5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	L Tune Chain Bag		Tink	Bond lengths			B	ond ang	les	
IVIOI	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
3	NAG	A	903	-	14,14,15	0.51	0	17,19,21	0.65	0
3	NAG	А	901	-	14,14,15	0.57	0	17,19,21	0.98	0
3	NAG	А	902	-	14,14,15	0.81	0	17,19,21	1.87	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	А	903	-	-	3/6/23/26	0/1/1/1
3	NAG	А	901	-	-	1/6/23/26	0/1/1/1
3	NAG	А	902	-	-	5/6/23/26	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	А	902	NAG	C1-O5-C5	3.13	116.44	112.19
3	А	902	NAG	C2-N2-C7	3.07	127.28	122.90
3	А	902	NAG	O5-C1-C2	2.69	115.54	111.29
3	А	902	NAG	O3-C3-C2	2.24	114.09	109.47
3	А	902	NAG	O7-C7-C8	-2.20	117.97	122.06
3	А	902	NAG	O5-C5-C6	2.13	110.54	107.20

There are no chirality outliers.

All (9) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	А	902	NAG	C8-C7-N2-C2
3	А	902	NAG	O7-C7-N2-C2
3	А	903	NAG	O7-C7-N2-C2
3	А	903	NAG	C8-C7-N2-C2
3	А	902	NAG	O5-C5-C6-O6
3	А	902	NAG	C4-C5-C6-O6
3	А	902	NAG	C1-C2-N2-C7
3	А	901	NAG	O5-C5-C6-O6
3	А	903	NAG	O5-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	903	NAG	1	0
3	А	901	NAG	1	0
3	А	902	NAG	1	0

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	596/607~(98%)	-0.09	13 (2%) 62 59	38, 70, 112, 145	0
2	В	8/8 (100%)	0.46	0 100 100	89, 100, 119, 127	0
All	All	604/615~(98%)	-0.08	13 (2%) 62 59	38, 70, 112, 145	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	371	VAL	4.4
1	А	366	ILE	4.2
1	А	452	ASP	3.8
1	А	374	THR	3.7
1	А	582	ALA	3.5
1	А	370	ILE	3.2
1	А	384	GLN	3.2
1	А	368	PRO	2.8
1	А	513	THR	2.7
1	А	506	LEU	2.5
1	А	373	GLY	2.1
1	А	531	TYR	2.0
1	А	372	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
3	NAG	А	903	14/15	0.18	0.14	105,124,127,128	0
3	NAG	А	901	14/15	0.62	0.14	103,119,128,128	0
3	NAG	А	902	14/15	0.68	0.16	55,76,84,87	0

## 6.5 Other polymers (i)

There are no such residues in this entry.

