

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 19, 2024 – 12:05 PM EDT

PDB ID	:	5KAQ
Title	:	Crystal structure of broadly neutralizing Influenza A antibody 31.a.83 in com-
		plex with Hemagglutinin Hong Kong 1968.
Authors	:	Joyce, M.G.; Thomas, P.V.; Wheatley, A.K.; McDermott, A.B.; Mascola, J.R.;
		Kwong, P.D.
Deposited on	:	2016-06-01
Resolution	:	3.51  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 3.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	164625	1089 (3.58-3.46)
Clashscore	180529	1165 (3.58-3.46)
Ramachandran outliers	177936	1150 (3.58-3.46)
Sidechain outliers	177891	1151 (3.58-3.46)
RSRZ outliers	164620	1088 (3.58-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	Δ	519	% •	100/	00/
	Π	512	/5%	19%	• 6%
1	В	512	74%	18%	• 6%
1	C	512	% 	20%	• 6%
-	0	012	8%	2070	• • • •
2	F	236	65%	29%	••
2	Н	236	74%	23%	



Conti	nued from	n previous	page		
Mol	Chain	Length	Quality of chain		
2	Q	236	72%	25%	••
3	G	214	12%	20%	•
3	L	214	78%	20%	•
3	R	214	74%	24%	•

 $\overline{}$ 



#### 5KAQ

#### $\mathbf{2}$ Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 21766 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Λ	491	Total	С	Ν	0	$\mathbf{S}$	1	0	0
	A	401	3786	2362	662	743	19	L	0	0
1	С	482	Total	С	Ν	0	S	1	0	0
	U		3797	2368	666	744	19	L	0	0
1	В	480	Total	С	Ν	0	S	0	0	0
	D	400	3788	2363	664	742	19	0	U	0

• Molecule 1 is a protein called Hemagglutinin.

Th€	ere ai	re 21	dise	cre	pai	ncie	5 1	bet	tw	een	the	modelled	and	refere	nce	sequen	ces:
	D											~			0		

Chain	Residue	Modelled	Actual	Comment	Reference
А	506	SER	-	expression tag	UNP E1AFM4
А	507	GLY	-	expression tag	UNP E1AFM4
А	508	ARG	-	expression tag	UNP E1AFM4
А	509	LEU	-	expression tag	UNP E1AFM4
А	510	VAL	-	expression tag	UNP E1AFM4
А	511	PRO	-	expression tag	UNP E1AFM4
А	512	ARG	-	expression tag	UNP E1AFM4
С	506	SER	-	expression tag	UNP E1AFM4
С	507	GLY	-	expression tag	UNP E1AFM4
С	508	ARG	-	expression tag	UNP E1AFM4
С	509	LEU	-	expression tag	UNP E1AFM4
С	510	VAL	-	expression tag	UNP E1AFM4
С	511	PRO	-	expression tag	UNP E1AFM4
С	512	ARG	-	expression tag	UNP E1AFM4
В	506	SER	-	expression tag	UNP E1AFM4
В	507	GLY	-	expression tag	UNP E1AFM4
В	508	ARG	-	expression tag	UNP E1AFM4
В	509	LEU	-	expression tag	UNP E1AFM4
В	510	VAL	-	expression tag	UNP E1AFM4
В	511	PRO	-	expression tag	UNP E1AFM4
В	512	ARG	-	expression tag	UNP E1AFM4

<sup>•</sup> Molecule 2 is a protein called ANTIBODY 31.A.83 FAB HEAVY CHAIN.



Mol	Chain	Residues		Ate	oms		ZeroOcc	AltConf	Trace		
9	F	030	Total	С	Ν	0	S	1	0	0	
	T,	232	1733	1093	285	347	8	L I	0	0	
0	Ц	022	Total	С	Ν	0	S	0	0	0	
	11	200	1742	1098	286	350	8	0	0	0	
0	0	022	Total	С	Ν	0	S	0	0	0	
	Q	233	1742	1098	286	350	8		0	0	

• Molecule 3 is a protein called ANTIBODY 31.A.83 FAB LIGHT CHAIN.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
2	С	012	Total	С	Ν	0	$\mathbf{S}$	0	0	0
0	G	215	1642	1025	279	332	6	0	0	
9	т	012	Total	С	Ν	0	S	0	0	0
Ð	L	213	1642	1025	279	332	6	0	0	0
9	D	012	Total	С	Ν	0	S	0	0	0
0	n	213	1642	1025	279	332	6	0	U	U

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C N O 14 8 1 5	0	0
4	А	1	Total         C         N         O           14         8         1         5	0	0
4	А	1	Total         C         N         O           14         8         1         5	0	0



Continued from previous page...

Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
4	٨	1	Total	С	Ν	0	0	0	
4	A	1	14	8	1	5	0	0	
4	٨	1	Total	С	Ν	0	0	0	
4	A	1	14	8	1	5	0	0	
4	Δ	1	Total	С	Ν	0	0	0	
4	A	1	14	8	1	5	0	0	
4	С	1	Total	С	Ν	0	0	0	
4	U	1	14	8	1	5	0	0	
4	С	1	Total	С	Ν	0	0	0	
т	U	I	14	8	1	5	0	0	
4	С	1	Total	С	Ν	Ο	0	0	
	0	Ĩ	14	8	1	5	0	0	
4	С	1	Total	С	Ν	Ο	0	0	
1		1	14	8	1	5	0	0	
4	С	1	Total	С	Ν	Ο	0	0	
		1	14	8	1	5	0		
4	С	1	Total	С	Ν	Ο	0	0	
		1	14	8	1	5	0		
4	В	1	Total	С	Ν	Ο	0	0	
		-	14	8	1	5	Ŭ		
4	В	1	Total	С	Ν	Ο	0	0	
		-	14	8	1	5	Ŭ		
4	В	1	Total	С	Ν	0	0	0	
		-	14	8	1	5	Ŭ,		
4	В	1	Total	С	Ν	0	0	0	
		-	14	8	1	5			
4	В	1	Total	С	Ν	0 -	0	0	
		-	14	8	1	5		Ŭ	
4	В	1	Total	С	Ν	O	0	0	
		-	14	8	1	5	, č	Ň	



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Hemagglutinin







#### • Molecule 3: ANTIBODY 31.A.83 FAB LIGHT CHAIN





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	279.44Å 154.28Å 157.94Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $116.86^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	41.88 - 3.51	Depositor
Resolution (A)	41.88 - 3.51	EDS
% Data completeness	78.9(41.88-3.51)	Depositor
(in resolution range)	78.8 (41.88-3.51)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.40 (at 3.48 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
P. P.	0.270 , $0.313$	Depositor
$n, n_{free}$	0.273 , $0.315$	DCC
$R_{free}$ test set	3783 reflections $(5.08%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	125.2	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 139.2	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.47, < L^2>=0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	21766	wwPDB-VP
Average B, all atoms $(Å^2)$	171.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	Bond lengths		angles
	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.24	0/3865	0.42	0/5242
1	В	0.24	0/3867	0.41	0/5244
1	С	0.24	0/3876	0.41	0/5256
2	F	0.27	0/1776	0.48	0/2423
2	Н	0.26	0/1784	0.46	0/2432
2	Q	0.26	0/1784	0.47	0/2432
3	G	0.24	0/1676	0.45	0/2274
3	L	0.25	0/1676	0.43	0/2274
3	R	0.24	0/1676	0.44	0/2274
All	All	0.25	0/21980	0.43	0/29851

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	Q	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	Q	30	ARG	Peptide



### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3786	0	3637	60	0
1	В	3788	0	3645	65	0
1	С	3797	0	3654	65	0
2	F	1733	0	1684	46	0
2	Н	1742	0	1692	40	0
2	Q	1742	0	1692	35	0
3	G	1642	0	1591	31	0
3	L	1642	0	1591	33	0
3	R	1642	0	1591	35	0
4	А	84	0	78	0	0
4	В	84	0	78	0	0
4	С	84	0	78	0	0
All	All	21766	0	21011	378	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (378) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom_1	Atom_2	Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:C:449:GLU:OE2	1:C:453:ARG:NH1	1.78	1.16
1:B:449:GLU:OE2	1:B:453:ARG:NH1	1.82	1.10
1:A:449:GLU:OE2	1:A:453:ARG:NH1	1.86	1.08
2:Q:98:LYS:NZ	2:Q:100:GLU:OE1	2.13	0.81
3:R:30:ARG:NH2	3:R:91:TYR:OH	2.15	0.79
1:C:57:ARG:HH12	1:C:59:LEU:HD13	1.49	0.78
3:L:189:HIS:O	3:L:211:ARG:NH1	2.16	0.77
1:B:234:TRP:HE3	1:B:234:TRP:H	1.32	0.76
3:R:30:ARG:HH21	3:R:91:TYR:HH	1.33	0.74
2:F:157:GLY:HA2	2:F:199:VAL:HG12	1.69	0.74
2:H:52:SER:HB3	2:H:112:TYR:HD1	1.52	0.74
3:L:32:ASN:HB3	3:L:91:TYR:HB3	1.69	0.73
2:F:153:THR:HG22	2:F:201:THR:HG22	1.70	0.72
1:C:387:LYS:O	1:C:389:ASN:N	2.21	0.71
1:A:306:PRO:HA	1:A:388:THR:HG21	1.71	0.71



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:99:PRO:HA	1:B:224:ARG:HH21	1.53	0.71
2:F:164:PHE:HB2	2:F:193:LEU:HB3	1.71	0.70
1:B:300:ILE:HG13	1:B:397:LYS:HD2	1.72	0.70
2:H:1:GLU:OE2	2:H:3:GLN:N	2.16	0.70
1:B:141:ARG:HG2	1:B:146:GLY:HA3	1.74	0.70
2:H:57:ALA:HA	2:H:58:THR:HG22	1.74	0.70
3:G:29:VAL:HG21	3:G:90:GLN:HB2	1.74	0.69
1:C:50:LYS:HG2	1:C:273:PRO:HG2	1.73	0.69
1:A:99:PRO:HA	1:A:224:ARG:HH21	1.57	0.69
3:R:29:VAL:HG21	3:R:90:GLN:HB2	1.75	0.68
1:A:72:GLY:O	1:A:141:ARG:NH2	2.25	0.68
2:F:186:ALA:HB2	2:F:196:LEU:HB2	1.75	0.68
3:G:92:ASN:O	3:G:93:HIS:ND1	2.27	0.68
3:L:106:ILE:HB	3:L:166:GLN:HE22	1.57	0.67
3:R:78:LEU:HD11	3:R:104:LEU:HD21	1.75	0.67
3:R:37:GLN:HB2	3:R:47:LEU:HD11	1.77	0.66
1:A:389:ASN:HB2	1:A:391:LYS:HE2	1.77	0.66
1:A:50:LYS:HG2	1:A:273:PRO:HG2	1.78	0.66
2:F:169:THR:HB	2:F:217:ASN:HB2	1.76	0.66
1:C:326:LYS:HD3	1:C:340:GLU:HG2	1.77	0.66
2:F:51:ILE:HA	2:F:57:ALA:HB3	1.79	0.65
1:A:420:LEU:O	1:A:424:ASN:ND2	2.30	0.65
1:A:405:ARG:NH2	1:C:410:GLU:OE2	2.26	0.65
1:C:318:THR:HG22	1:C:381:LEU:HD11	1.79	0.65
3:L:78:LEU:HD11	3:L:104:LEU:HD21	1.78	0.65
1:A:35:GLU:OE2	1:A:322:ASN:ND2	2.30	0.65
1:A:397:LYS:HG2	1:A:414:GLU:HG2	1.80	0.64
1:B:275:ASP:OD1	1:B:276:THR:N	2.30	0.64
2:H:28:THR:HG21	2:H:98:LYS:NZ	2.13	0.64
1:C:275:ASP:OD1	1:C:276:THR:N	2.31	0.64
2:Q:63:THR:O	2:Q:67:ARG:NH2	2.30	0.64
1:B:403:GLU:HB2	1:B:407:GLN:HB2	1.80	0.63
2:Q:51:ILE:HA	2:Q:57:ALA:HB3	1.79	0.63
1:A:15:LEU:HD11	1:A:451:THR:HG21	1.81	0.62
3:G:37:GLN:HB2	3:G:47:LEU:HD11	1.81	0.62
2:F:142:LEU:HD22	3:G:118:PHE:HB3	1.81	0.61
3:L:37:GLN:HB2	3:L:47:LEU:HD11	1.81	0.61
3:R:106:ILE:HB	3:R:166:GLN:HE22	1.65	0.61
3:G:78:LEU:HD11	3:G:104:LEU:HD21	1.81	0.61
1:A:68:ASP:OD1	1:A:100:TYR:OH	2.14	0.61
1:B:56:HIS:NE2	1:B:280:GLU:OE1	2.33	0.60



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:99:PRO:HA	1:C:224:ARG:HH21	1.66	0.60
1:B:72:GLY:HA3	1:B:149:SER:H	1.65	0.60
2:F:130:SER:HB3	2:F:164:PHE:HZ	1.66	0.60
2:F:139:VAL:HG22	2:F:160:VAL:HG22	1.84	0.60
3:R:54:ARG:HB2	3:R:58:ILE:HD11	1.83	0.60
2:Q:91:THR:HG23	2:Q:128:THR:HA	1.82	0.59
2:F:30:ARG:NH1	2:F:72:ARG:HG3	2.16	0.59
2:F:200:VAL:HG22	2:F:201:THR:H	1.67	0.59
1:C:14:CYS:HA	1:C:466:CYS:HA	1.84	0.59
1:A:283:THR:OG1	1:A:286:GLY:O	2.20	0.59
2:F:184:PHE:HB2	2:F:196:LEU:HD11	1.83	0.58
1:B:50:LYS:HG2	1:B:273:PRO:HG2	1.84	0.58
1:A:14:CYS:HA	1:A:466:CYS:HA	1.84	0.58
1:C:402:VAL:HG11	1:B:111:LEU:HD13	1.84	0.58
2:Q:57:ALA:HA	2:Q:58:THR:OG1	2.04	0.58
2:F:137:PRO:HD2	2:F:223:THR:HB	1.87	0.57
2:H:71:SER:HB3	2:H:80:TYR:HB2	1.86	0.57
1:A:283:THR:HG22	1:A:301:THR:HG22	1.87	0.57
2:H:112:TYR:CE2	2:H:114:THR:HA	2.40	0.56
1:A:57:ARG:NH1	1:A:83:THR:O	2.37	0.56
2:F:130:SER:HB3	2:F:164:PHE:CZ	2.39	0.56
2:Q:30:ARG:NH1	2:Q:72:ARG:HG3	2.20	0.56
3:R:32:ASN:HA	3:R:50:GLY:HA2	1.87	0.56
2:F:57:ALA:HA	2:F:58:THR:OG1	2.05	0.56
3:L:198:HIS:HB3	3:L:201:LEU:HB2	1.87	0.56
1:B:183:HIS:HB2	1:B:252:ILE:HD11	1.87	0.56
2:F:202:VAL:HG12	2:F:203:PRO:HD2	1.87	0.56
3:R:36:TYR:HE2	3:R:89:GLN:HG2	1.70	0.55
2:F:148:SER:O	2:F:150:SER:N	2.40	0.55
2:F:162:ASP:H	2:F:195:SER:HB2	1.71	0.55
1:A:275:ASP:OD1	1:A:276:THR:N	2.40	0.55
3:R:39:LYS:HG3	3:R:84:ALA:HB2	1.89	0.55
1:A:455:LEU:HD13	1:A:459:ALA:HB3	1.87	0.55
1:A:148:PHE:HB2	1:A:151:LEU:HB2	1.89	0.55
1:B:14:CYS:HA	1:B:466:CYS:HA	1.89	0.55
2:H:4:LEU:HD23	2:H:98:LYS:HE2	1.89	0.55
1:C:311:GLN:HE22	1:C:422:SER:HB3	1.72	0.54
1:C:283:THR:HG22	1:C:301:THR:HG22	1.89	0.54
1:B:389:ASN:HB2	1:B:391:LYS:HE2	1.89	0.54
3:G:54:ARG:HB2	3:G:58:ILE:HD11	1.90	0.54
2:H:47:TRP:CD1	3:L:96:ARG:NH1	2.75	0.54



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:457:GLU:OE1	1:A:499:ARG:NH1	2.33	0.54
2:H:1:GLU:OE2	2:H:3:GLN:HB2	2.08	0.54
2:H:28:THR:HG21	2:H:98:LYS:HZ1	1.72	0.54
1:B:384:VAL:HG23	1:B:428:LEU:HD21	1.90	0.53
1:B:384:VAL:HG13	1:B:385:ILE:HG23	1.89	0.53
1:B:71:LEU:HD11	1:B:232:ILE:HG13	1.91	0.53
2:H:91:THR:HG23	2:H:128:THR:HA	1.90	0.53
3:L:30:ARG:H	3:L:91:TYR:HE1	1.57	0.53
3:R:186:TYR:O	3:R:192:TYR:OH	2.25	0.53
3:R:68:GLY:O	3:R:70:GLU:N	2.40	0.53
1:A:381:LEU:HD21	2:Q:104:ILE:HG13	1.89	0.53
1:A:402:VAL:HG11	1:C:111:LEU:HD13	1.91	0.52
1:B:195:TYR:O	1:B:197:GLN:N	2.40	0.52
1:B:301:THR:HB	1:B:305:CYS:SG	2.49	0.52
1:B:457:GLU:HB3	1:B:499:ARG:NH1	2.24	0.52
1:C:41:GLU:OE2	1:C:313:THR:HA	2.10	0.52
1:B:357:ASN:ND2	1:B:475:ASN:OD1	2.40	0.52
2:Q:34:LEU:HD23	2:Q:98:LYS:HA	1.91	0.52
2:F:22:CYS:HB3	2:F:79:LEU:HB3	1.90	0.52
2:F:142:LEU:HD12	2:F:157:GLY:HA3	1.91	0.52
1:B:41:GLU:OE2	1:B:313:THR:HA	2.10	0.52
2:H:51:ILE:HG23	2:H:72:ARG:HH21	1.74	0.52
3:L:186:TYR:O	3:L:192:TYR:OH	2.27	0.52
1:A:410:GLU:OE2	1:B:405:ARG:NH2	2.43	0.52
3:L:48:ILE:HA	3:L:54:ARG:HA	1.91	0.52
1:A:195:TYR:O	1:A:197:GLN:N	2.41	0.51
1:B:283:THR:HG22	1:B:301:THR:HG22	1.92	0.51
2:Q:148:SER:O	2:Q:150:SER:N	2.42	0.51
1:C:195:TYR:O	1:C:197:GLN:N	2.42	0.51
3:L:39:LYS:HG3	3:L:84:ALA:HB2	1.93	0.51
1:A:57:ARG:NH2	1:A:82:GLU:OE1	2.41	0.51
3:L:147:GLN:HB2	3:L:195:GLU:HB3	1.91	0.51
2:H:112:TYR:HE2	2:H:114:THR:HA	1.75	0.51
1:A:301:THR:HB	1:A:305:CYS:SG	2.50	0.50
2:H:47:TRP:HZ3	3:L:95:LEU:HG	1.77	0.50
1:B:102:VAL:HG22	1:B:232:ILE:HB	1.93	0.50
1:B:387:LYS:HB2	3:L:30:ARG:HG2	1.94	0.50
2:H:148:SER:O	2:H:150:SER:N	2.45	0.50
1:C:457:GLU:HB3	1:C:499:ARG:HH12	1.77	0.50
1:C:357:ASN:ND2	1:C:475:ASN:OD1	2.41	0.50
3:G:198:HIS:HB3	3:G:201:LEU:HB2	1.94	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:110:SER:HG	1:B:393:HIS:HE2	1.58	0.50
3:R:147:GLN:HB2	3:R:195:GLU:HB3	1.94	0.50
1:C:350:TRP:HB2	1:C:370:THR:HG23	1.93	0.49
1:C:457:GLU:HB3	1:C:499:ARG:NH1	2.26	0.49
2:F:71:SER:HB3	2:F:80:TYR:HB2	1.93	0.49
1:B:283:THR:OG1	1:B:286:GLY:O	2.24	0.49
2:Q:157:GLY:HA3	2:Q:199:VAL:HG12	1.92	0.49
2:H:60:TYR:CE1	2:H:70:ILE:HD13	2.48	0.49
3:L:54:ARG:HB2	3:L:58:ILE:HD11	1.94	0.49
1:A:86:LEU:HD21	1:A:268:MET:HE1	1.93	0.49
1:A:453:ARG:HE	1:B:463:GLY:HA2	1.77	0.49
3:G:106:ILE:HG22	3:G:107:LYS:HG3	1.95	0.49
2:Q:4:LEU:HD13	2:Q:22:CYS:SG	2.52	0.49
3:R:147:GLN:O	3:R:195:GLU:N	2.46	0.49
1:B:110:SER:OG	1:B:393:HIS:NE2	2.42	0.49
3:R:33:LEU:HD13	3:R:71:PHE:CG	2.47	0.49
1:B:79:PHE:HA	1:B:82:GLU:HG3	1.95	0.49
3:L:33:LEU:HD12	3:L:51:ALA:HA	1.94	0.49
1:A:97:CYS:SG	1:A:98:TYR:N	2.83	0.49
1:C:323:VAL:HG21	1:C:336:ALA:HB2	1.94	0.49
2:F:5:LEU:HB3	2:F:123:LYS:HE3	1.95	0.49
2:F:206:SER:HA	2:F:209:THR:HG22	1.95	0.49
2:F:164:PHE:HD2	2:F:193:LEU:HA	1.77	0.49
2:F:170:VAL:HG23	2:F:216:VAL:HG22	1.95	0.48
1:B:311:GLN:HE22	1:B:422:SER:HB3	1.79	0.48
1:C:57:ARG:NH1	1:C:59:LEU:HD13	2.24	0.48
3:G:33:LEU:HD22	3:G:71:PHE:CD1	2.48	0.48
2:H:144:PRO:HD2	2:H:231:PRO:HA	1.94	0.48
2:H:217:ASN:HA	2:H:224:LYS:HG2	1.95	0.48
3:R:51:ALA:O	3:R:53:THR:N	2.45	0.48
1:B:84:TRP:HZ3	1:B:118:LEU:HG	1.79	0.48
2:Q:39:GLN:OE1	3:R:38:GLN:NE2	2.34	0.48
3:G:1:GLU:HB2	3:G:93:HIS:NE2	2.28	0.48
1:C:301:THR:HB	1:C:305:CYS:SG	2.53	0.48
1:C:300:ILE:HG13	1:C:397:LYS:HD3	1.95	0.48
1:B:97:CYS:SG	1:B:98:TYR:N	2.85	0.48
2:F:65:LYS:HZ1	3:G:94:TRP:HH2	1.61	0.48
2:Q:39:GLN:O	2:Q:39:GLN:HG3	2.13	0.48
1:C:113:ALA:HB1	1:C:267:ILE:HB	1.95	0.47
2:F:163:TYR:CZ	2:F:168:VAL:HG22	2.49	0.47
3:R:30:ARG:HD2	3:R:91:TYR:HH	1.79	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:H:37:VAL:HG22	2:H:47:TRP:HA	1.96	0.47
2:H:131:SER:O	2:H:133:SER:N	2.47	0.47
2:H:206:SER:HA	2:H:209:THR:HG22	1.95	0.47
1:C:84:TRP:CE2	1:C:116:GLY:HA2	2.49	0.47
1:C:102:VAL:HG22	1:C:232:ILE:HB	1.96	0.47
2:F:171:SER:O	2:F:215:ASN:N	2.46	0.47
3:G:93:HIS:O	3:G:93:HIS:CG	2.68	0.47
2:H:118:MET:HE3	3:L:96:ARG:NH1	2.30	0.47
2:Q:57:ALA:HB1	2:Q:58:THR:O	2.15	0.47
1:A:218:GLU:OE2	1:C:203:THR:OG1	2.27	0.47
1:A:310:LYS:HB2	1:A:310:LYS:NZ	2.30	0.47
1:C:338:PHE:HD1	1:C:338:PHE:H	1.63	0.47
3:G:147:GLN:HB2	3:G:195:GLU:HB3	1.97	0.47
2:Q:59:TYR:CE2	3:R:94:TRP:HB2	2.50	0.47
3:R:198:HIS:HB3	3:R:201:LEU:HB2	1.97	0.47
2:Q:141:PRO:HD3	2:Q:227:LYS:HG2	1.96	0.47
1:A:314:LEU:HB3	1:A:429:VAL:HG11	1.97	0.47
1:C:126:THR:HG22	1:C:128:THR:HG23	1.97	0.46
1:A:457:GLU:HG3	1:B:499:ARG:HH21	1.79	0.46
1:C:73:ASP:OD1	1:C:74:PRO:HD2	2.15	0.46
2:F:35:SER:OG	2:F:99:ASP:OD2	2.29	0.46
3:R:80:SER:HA	3:R:106:ILE:HG12	1.97	0.46
3:G:36:TYR:HE2	3:G:89:GLN:HG2	1.81	0.46
1:C:389:ASN:HB2	1:C:391:LYS:HE2	1.97	0.46
3:G:47:LEU:HB3	3:G:48:ILE:HD12	1.98	0.46
2:Q:153:THR:HA	2:Q:203:PRO:HA	1.96	0.46
1:B:84:TRP:CE2	1:B:116:GLY:HA2	2.51	0.46
3:R:122:ASP:HA	3:R:125:LEU:HD12	1.97	0.46
3:G:140:TYR:CG	3:G:141:PRO:HA	2.51	0.46
1:C:283:THR:OG1	1:C:286:GLY:O	2.27	0.46
2:F:199:VAL:HG21	3:G:135:LEU:HD13	1.98	0.46
1:B:449:GLU:OE2	1:B:453:ARG:HD2	2.15	0.45
2:Q:164:PHE:HA	2:Q:165:PRO:HA	1.74	0.45
1:A:102:VAL:HG22	1:A:232:ILE:HB	1.97	0.45
3:L:12:SER:HA	3:L:105:GLU:HB2	1.99	0.45
2:F:91:THR:HG23	2:F:128:THR:HA	1.97	0.45
2:H:39:GLN:HB2	2:H:45:LEU:HD13	1.98	0.45
1:A:41:GLU:OE2	1:A:313:THR:HA	2.17	0.45
1:C:70:LEU:HD22	1:C:112:VAL:HG21	1.99	0.45
3:G:39:LYS:HG3	3:G:84:ALA:HB2	1.99	0.45
3:L:91:TYR:HB2	3:L:92:ASN:HB3	1.98	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:Q:83:MET:HB3	2:Q:86:LEU:HD21	1.98	0.45
1:B:73:ASP:OD1	1:B:75:HIS:N	2.50	0.45
1:A:310:LYS:HB2	1:A:310:LYS:HZ2	1.81	0.45
2:Q:22:CYS:HB3	2:Q:79:LEU:HB3	1.99	0.45
1:A:449:GLU:OE2	1:A:453:ARG:HD2	2.17	0.45
2:F:162:ASP:HA	2:F:193:LEU:HD13	1.97	0.45
1:B:87:PHE:HB3	1:B:267:ILE:HG13	1.98	0.45
1:B:343:TRP:CH2	1:B:354:ARG:NH1	2.85	0.45
3:R:66:GLY:HA3	3:R:71:PHE:CD2	2.52	0.45
1:A:126:THR:HG22	1:A:128:THR:HG23	1.98	0.45
1:A:470:TYR:HB3	1:A:498:ASN:HB2	1.97	0.45
1:C:455:LEU:HD13	1:C:459:ALA:HB3	1.99	0.44
3:G:48:ILE:HA	3:G:54:ARG:HA	1.99	0.44
1:B:325:GLU:OE2	1:B:341:ASN:ND2	2.50	0.44
1:A:244:VAL:HG21	1:B:221:PRO:HG3	1.99	0.44
1:B:152:ASN:HB2	1:B:255:ARG:HG2	1.99	0.44
1:A:35:GLU:HG2	1:A:322:ASN:HB3	1.99	0.44
1:C:397:LYS:HG2	1:C:414:GLU:HG2	2.00	0.44
3:G:91:TYR:HB2	3:G:92:ASN:HB2	1.99	0.44
1:A:71:LEU:HB3	1:A:148:PHE:HD2	1.82	0.44
2:Q:51:ILE:HD13	2:Q:72:ARG:HB2	2.00	0.44
2:Q:118:MET:HG3	2:Q:121:TRP:CZ2	2.53	0.44
2:Q:146:SER:OG	2:Q:147:LYS:N	2.50	0.44
1:C:59:LEU:HD12	1:C:59:LEU:HA	1.91	0.44
1:C:405:ARG:NH1	1:B:410:GLU:OE1	2.51	0.44
2:H:30:ARG:NH1	2:H:72:ARG:HG3	2.32	0.44
2:H:228:LYS:HZ2	2:H:230:GLU:HB3	1.82	0.44
2:H:231:PRO:O	2:H:233:SER:N	2.51	0.44
2:Q:71:SER:HB3	2:Q:80:TYR:HB2	2.00	0.44
1:A:357:ASN:ND2	1:A:475:ASN:OD1	2.50	0.44
1:B:318:THR:HB	2:H:107:LEU:HD22	1.99	0.44
2:H:4:LEU:HD11	2:H:96:CYS:O	2.18	0.44
3:R:32:ASN:HB2	3:R:91:TYR:HB3	1.99	0.44
3:R:106:ILE:HG22	3:R:107:LYS:HG3	1.98	0.44
2:F:184:PHE:N	2:F:184:PHE:CD1	2.86	0.44
1:C:79:PHE:HA	1:C:82:GLU:HG3	1.99	0.43
2:H:1:GLU:OE2	2:H:2:VAL:N	2.51	0.43
1:A:314:LEU:HD22	1:A:429:VAL:HG21	2.00	0.43
1:C:218:GLU:HG3	1:B:203:THR:HG21	2.00	0.43
1:C:457:GLU:O	1:C:499:ARG:NH1	2.52	0.43
1:C:460:GLU:OE2	1:B:492:ARG:NH2	2.48	0.43



		Interatomic	Clash	
Atom-1	Atom-1 Atom-2		overlap (Å)	
2:F:34:LEU:HD23	2:F:98:LYS:HA	2.00	0.43	
2:H:47:TRP:CZ3	3:L:95:LEU:HG	2.53	0.43	
1:B:241:ASP:OD1	1:B:242:VAL:N	2.50	0.43	
2:H:137:PRO:HB3	2:H:163:TYR:HB3	2.01	0.43	
2:Q:137:PRO:HB3	2:Q:163:TYR:HB3	2.01	0.43	
1:A:74:PRO:HD3	1:A:97:CYS:HB2	2.00	0.43	
3:G:149:LYS:HE2	3:G:154:LEU:HD11	2.00	0.43	
2:H:228:LYS:NZ	2:H:230:GLU:HB3	2.33	0.43	
3:R:35:TRP:CE3	3:R:73:LEU:HD22	2.53	0.43	
1:C:22:ASN:OD1	1:C:22:ASN:N	2.52	0.43	
1:C:207:ARG:HG3	1:C:242:VAL:HG12	1.99	0.43	
3:L:47:LEU:HB3	3:L:48:ILE:HD12	2.01	0.43	
1:A:90:ARG:HB3	1:A:92:LYS:HG2	2.00	0.43	
1:C:403:GLU:HB2	1:C:407:GLN:HB2	2.00	0.43	
2:F:164:PHE:HA	2:F:165:PRO:HA	1.72	0.43	
2:Q:48:VAL:HG13	2:Q:64:VAL:HG21	2.01	0.43	
3:R:61:ARG:HD2	3:R:77:SER:O	2.19	0.43	
3:R:93:HIS:C	3:R:95:LEU:H	2.22	0.43	
3:R:189:HIS:O	3:R:211:ARG:NH1	2.51	0.43	
1:A:241:ASP:OD1	1:A:242:VAL:N	2.51	0.43	
1:C:88:VAL:HA	1:C:268:MET:O	2.18	0.43	
2:F:186:ALA:HB1	2:F:195:SER:H	1.83	0.43	
1:C:470:TYR:HB3	1:C:498:ASN:HB2	2.01	0.43	
1:C:500:PHE:HD1	1:B:496:LEU:HD13	1.83	0.43	
1:A:205:SER:HA	1:A:210:GLN:HA	2.00	0.42	
1:C:25:LEU:HD23	1:C:33:GLN:HB3	2.01	0.42	
3:G:30:ARG:HD2	3:G:91:TYR:OH	2.19	0.42	
3:L:80:SER:HA	3:L:106:ILE:HG12	2.01	0.42	
1:C:394:GLN:CD	1:C:397:LYS:HZ1	2.22	0.42	
3:G:33:LEU:HD13	3:G:71:PHE:CD2	2.54	0.42	
3:R:48:ILE:HA	3:R:54:ARG:HA	2.01	0.42	
1:A:71:LEU:HB3	1:A:148:PHE:CD2	2.54	0.42	
2:F:200:VAL:HG22	2:F:201:THR:N	2.34	0.42	
3:G:35:TRP:CE2	3:G:73:LEU:HB2	2.54	0.42	
2:Q:206:SER:HA	2:Q:209:THR:HG22	2.00	0.42	
1:A:197:GLN:HE21	1:A:248:ASN:HB2	1.83	0.42	
1:A:207:ARG:HG3	1:A:242:VAL:HG12	2.01	0.42	
1:A:499:ARG:HH21	1:C:457:GLU:HG3	1.85	0.42	
1:C:179:ILE:O	1:C:254:PRO:HB3	2.19	0.42	
1:B:310:LYS:HB2	1:B:310:LYS:NZ	2.34	0.42	
2:H:59:TYR:HE2	2:H:112:TYR:CG	2.38	0.42	



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:L:92:ASN:OD1	3:L:92:ASN:N	2.52	0.42
1:A:221:PRO:HG3	1:C:244:VAL:HG21	2.01	0.42
2:F:146:SER:OG	2:F:147:LYS:N	2.51	0.42
3:G:61:ARG:HD2	3:G:77:SER:O	2.20	0.42
2:H:51:ILE:HG21	2:H:79:LEU:HD13	2.02	0.42
2:Q:112:TYR:HE1	2:Q:116:TYR:CD2	2.37	0.42
2:F:158:CYS:HB2	2:F:172:TRP:CZ2	2.55	0.42
3:G:122:ASP:HA	3:G:125:LEU:HD12	2.01	0.42
1:B:126:THR:HG22	1:B:128:THR:HG23	2.00	0.42
1:B:470:TYR:HB3	1:B:498:ASN:HB2	2.01	0.42
2:H:146:SER:OG	2:H:147:LYS:N	2.51	0.42
2:F:63:THR:O	2:F:67:ARG:NH2	2.53	0.42
3:G:2:ILE:HG22	3:G:93:HIS:CE1	2.55	0.42
1:B:207:ARG:HG3	1:B:242:VAL:HG12	2.02	0.42
1:A:17:HIS:HB3	1:A:444:MET:SD	2.60	0.42
2:F:159:LEU:HA	2:F:197:SER:HA	2.02	0.42
1:B:387:LYS:HD3	3:L:30:ARG:HE	1.85	0.42
2:H:160:VAL:HB	2:H:196:LEU:HB3	2.02	0.42
3:R:107:LYS:HD2	3:R:109:THR:N	2.35	0.42
1:C:60:ASP:HA	1:C:88:VAL:HG23	2.01	0.42
1:B:341:ASN:OD1	1:B:341:ASN:N	2.51	0.42
3:L:34:ALA:HB3	3:L:89:GLN:HG2	2.02	0.42
1:A:343:TRP:HB2	1:A:346:MET:HG3	2.02	0.42
1:A:382:ASN:HB2	2:Q:115:TYR:CE2	2.55	0.42
1:C:181:GLY:HA3	1:C:232:ILE:HD13	2.02	0.42
2:F:161:LYS:HA	2:F:195:SER:OG	2.19	0.42
2:F:188:LEU:HD12	2:F:189:GLN:O	2.20	0.42
1:C:378:ASN:HA	1:C:381:LEU:HB2	2.02	0.41
3:L:122:ASP:HA	3:L:125:LEU:HD12	2.01	0.41
2:Q:51:ILE:HB	2:Q:70:ILE:HD13	2.02	0.41
1:A:102:VAL:HB	1:A:105:TYR:HD1	1.86	0.41
1:C:499:ARG:NH2	1:B:457:GLU:OE1	2.53	0.41
3:L:16:GLY:H	3:L:78:LEU:HB3	1.84	0.41
3:L:61:ARG:HD2	3:L:77:SER:O	2.20	0.41
1:A:453:ARG:HG2	1:B:461:ASP:OD2	2.20	0.41
3:G:149:LYS:HD2	3:G:195:GLU:HB2	2.02	0.41
3:L:125:LEU:HD23	3:L:130:ALA:HB2	2.02	0.41
2:Q:24:ALA:HB3	2:Q:30:ARG:HD2	2.01	0.41
2:H:28:THR:HG21	2:H:98:LYS:HZ2	1.85	0.41
2:H:98:LYS:HG3	2:H:120:VAL:HB	2.01	0.41
3:L:30:ARG:N	3:L:91:TYR:HE1	2.18	0.41



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:R:140:TYR:CG	3:R:141:PRO:HA	2.55	0.41
1:C:221:PRO:HG3	1:B:244:VAL:HG21	2.02	0.41
2:F:71:SER:O	2:F:79:LEU:HD12	2.20	0.41
1:B:205:SER:HA	1:B:210:GLN:HA	2.03	0.41
1:B:234:TRP:CE3	1:B:234:TRP:N	2.85	0.41
2:Q:67:ARG:NH1	2:Q:90:ASP:OD2	2.54	0.41
3:L:35:TRP:CE3	3:L:73:LEU:HD22	2.56	0.41
3:R:92:ASN:OD1	3:R:92:ASN:N	2.52	0.41
1:C:307:LYS:HD3	1:C:421:TRP:CE2	2.56	0.41
1:B:57:ARG:NH1	1:B:83:THR:O	2.54	0.41
1:A:120:PHE:CD1	1:A:150:ARG:HD2	2.56	0.41
1:A:311:GLN:HG2	1:A:314:LEU:HD21	2.03	0.41
1:C:84:TRP:CZ3	1:C:118:LEU:HG	2.56	0.41
2:F:144:PRO:HD2	2:F:231:PRO:HA	2.02	0.41
3:G:16:GLY:H	3:G:78:LEU:HB3	1.86	0.41
1:B:95:SER:OG	1:B:224:ARG:NH1	2.54	0.41
1:B:382:ASN:O	1:B:386:GLU:HB2	2.21	0.41
1:C:120:PHE:HZ	1:C:255:ARG:HB2	1.86	0.40
1:C:373:ALA:HB2	1:C:443:GLU:HG3	2.03	0.40
2:F:228:LYS:HZ2	2:F:230:GLU:HB3	1.87	0.40
3:G:32:ASN:HB3	3:G:91:TYR:HB3	2.03	0.40
1:B:132:GLN:O	1:B:152:ASN:ND2	2.54	0.40
2:Q:99:ASP:HB3	2:Q:116:TYR:HB3	2.04	0.40
2:Q:144:PRO:HD2	2:Q:231:PRO:HA	2.02	0.40
3:R:106:ILE:HD13	3:R:166:GLN:HE22	1.86	0.40
3:R:148:TRP:CG	3:R:179:LEU:HD13	2.56	0.40
1:C:97:CYS:SG	1:C:98:TYR:N	2.89	0.40
1:C:62:ILE:H	1:C:62:ILE:HD13	1.86	0.40
3:G:35:TRP:CE3	3:G:73:LEU:HD22	2.57	0.40
1:B:457:GLU:HB3	1:B:499:ARG:HH12	1.86	0.40
2:H:57:ALA:HA	2:H:58:THR:CG2	2.49	0.40
2:H:119:ASP:HA	3:L:46:LEU:HD22	2.04	0.40
3:L:29:VAL:HG23	3:L:91:TYR:CD1	2.57	0.40
1:C:477:CYS:O	1:C:480:SER:OG	2.28	0.40
2:Q:11:LEU:HD12	2:Q:165:PRO:HG3	2.03	0.40

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	centiles
1	А	477/512~(93%)	453 (95%)	21 (4%)	3 (1%)	22	55
1	В	476/512~(93%)	450 (94%)	21 (4%)	5 (1%)	12	44
1	С	478/512~(93%)	450 (94%)	23~(5%)	5 (1%)	13	45
2	F	230/236~(98%)	209 (91%)	18 (8%)	3(1%)	10	40
2	Н	229/236~(97%)	209 (91%)	15 (7%)	5 (2%)	5	30
2	Q	229/236~(97%)	209 (91%)	17 (7%)	3(1%)	10	40
3	G	209/214~(98%)	189 (90%)	17 (8%)	3 (1%)	9	39
3	L	209/214~(98%)	190 (91%)	15 (7%)	4 (2%)	6	33
3	R	209/214~(98%)	188 (90%)	18 (9%)	3 (1%)	9	39
All	All	2746/2886 (95%)	2547 (93%)	165 (6%)	34 (1%)	11	42

All (34) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	С	388	THR
3	L	94	TRP
3	R	94	TRP
1	А	62	ILE
1	С	337	GLY
1	В	387	LYS
2	Н	232	LYS
3	L	76	SER
2	Q	149	THR
3	R	76	SER
1	С	304	ALA
2	F	133	SER
2	F	149	THR
3	G	76	SER
2	Н	149	THR
3	L	51	ALA



Mol	Chain	Res	Type
1	С	324	PRO
2	F	185	PRO
3	G	51	ALA
3	G	138	ASN
2	Н	162	ASP
3	L	138	ASN
3	R	138	ASN
1	А	324	PRO
1	В	62	ILE
1	В	324	PRO
2	Q	162	ASP
1	С	143	PRO
1	В	143	PRO
2	Н	53	GLY
1	A	143	PRO
1	В	72	GLY
2	Н	165	PRO
2	Q	165	PRO

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	421/447~(94%)	406 (96%)	15~(4%)	30 58
1	В	422/447~(94%)	409~(97%)	13 (3%)	35 62
1	$\mathbf{C}$	422/447~(94%)	412 (98%)	10 (2%)	44 68
2	$\mathbf{F}$	195/198~(98%)	176~(90%)	19 (10%)	6 27
2	Н	196/198~(99%)	189~(96%)	7 (4%)	30 58
2	$\mathbf{Q}$	196/198~(99%)	185~(94%)	11 (6%)	17 45
3	G	186/187~(100%)	178~(96%)	8 (4%)	25 53
3	L	186/187~(100%)	182~(98%)	4 (2%)	47 69
3	R	186/187~(100%)	184 (99%)	2 (1%)	70 83
All	All	2410/2496~(97%)	2321 (96%)	89 (4%)	29 58



All (	89)	residues	with a	non-rotar	neric	sidechain	are l	isted	below:	
-------	-----	----------	--------	-----------	-------	-----------	-------	-------	--------	--

Mol	Chain	Res	Type
1	А	18	HIS
1	А	64	CYS
1	А	73	ASP
1	А	117	THR
1	А	137	ASN
1	А	165	ASN
1	А	172	ASP
1	А	175	ASP
1	А	269	ARG
1	А	276	THR
1	А	388	THR
1	А	390	GLU
1	А	400	SER
1	А	455	LEU
1	A	493	ASP
1	С	62	ILE
1	С	64	CYS
1	С	172	ASP
1	С	175	ASP
1	С	276	THR
1	С	312	ASN
1	С	338	PHE
1	С	340	GLU
1	С	405	ARG
1	С	493	ASP
2	F	4	LEU
2	F	28	THR
2	F	29	PHE
2	F	58	THR
2	F	108	MET
2	F	112	TYR
2	F	118	MET
2	F	128	THR
2	F	138	SER
2	F	156	LEU
2	F	158	CYS
2	F	159	LEU
2	F	162	ASP
2	F	168	VAL
2	F	170	VAL
2	F	171	SER
2	F	184	PHE



Mol	Chain	Res	Type
2	F	191	SER
2	F	193	LEU
3	G	30	ARG
3	G	33	LEU
3	G	58	ILE
3	G	89	GLN
3	G	90	GLN
3	G	159	SER
3	G	164	THR
3	G	190	LYS
1	В	18	HIS
1	В	71	LEU
1	В	73	ASP
1	В	172	ASP
1	В	175	ASP
1	В	234	TRP
1	В	276	THR
1	В	278	ILE
1	В	299	LYS
1	В	341	ASN
1	В	389	ASN
1	В	455	LEU
1	В	493	ASP
2	Н	1	GLU
2	Н	2	VAL
2	Н	28	THR
2	Н	29	PHE
2	Н	58	THR
2	Н	108	MET
2	Η	156	LEU
3	L	29	VAL
3	L	33	LEU
3	L	58	ILE
3	L	90	GLN
2	Q	3	GLN
2	Q	13	GLN
2	Q	18	LEU
2	Q	19	ARG
2	Q	28	THR
2	Q	29	PHE
2	Q	112	TYR
2	Q	118	MET



Continued from previous page...

Mol	Chain	Res	Type
2	Q	166	GLU
2	Q	190	SER
2	Q	234	CYS
3	R	30	ARG
3	R	90	GLN

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such side chains are listed below:

Mol	Chain	Res	Type
1	А	132	GLN
1	А	382	ASN
3	L	166	GLN
3	R	166	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry (i)

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Mol Type Cha		in Res	Link	Bo	ond leng	$_{\rm ths}$	Bond angles		
	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	С	601	-	14,14,15	0.23	0	17,19,21	0.42	0
4	NAG	В	603	1	14,14,15	0.25	0	17,19,21	0.45	0
4	NAG	В	606	1	14,14,15	0.27	0	17,19,21	0.46	0
4	NAG	С	605	1	14,14,15	0.29	0	17,19,21	0.46	0
4	NAG	С	602	1	14,14,15	0.35	0	17,19,21	0.55	0
4	NAG	А	601	1	14,14,15	0.58	0	17,19,21	0.79	0
4	NAG	А	606	1	14,14,15	0.29	0	17,19,21	0.42	0
4	NAG	А	605	1	14,14,15	0.53	0	17,19,21	0.72	1 (5%)
4	NAG	В	601	1	14,14,15	0.38	0	17,19,21	0.51	0
4	NAG	В	602	1	14,14,15	0.34	0	17,19,21	0.49	0
4	NAG	С	604	1	14,14,15	0.28	0	17,19,21	0.45	0
4	NAG	В	605	1	14,14,15	0.28	0	17,19,21	0.45	0
4	NAG	А	602	1	14,14,15	0.34	0	17,19,21	0.49	0
4	NAG	С	606	1	14,14,15	0.26	0	17,19,21	0.46	0
4	NAG	В	604	1	14,14,15	0.26	0	17,19,21	0.44	0
4	NAG	А	604	1	14,14,15	0.30	0	17,19,21	0.46	0
4	NAG	С	603	1	14,14,15	0.32	0	17,19,21	0.46	0
4	NAG	А	603	1	14,14,15	0.90	1 (7%)	17,19,21	1.30	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	С	601	-	-	4/6/23/26	0/1/1/1
4	NAG	В	603	1	-	2/6/23/26	0/1/1/1
4	NAG	В	606	1	-	0/6/23/26	0/1/1/1
4	NAG	С	605	1	-	2/6/23/26	0/1/1/1
4	NAG	С	602	1	-	0/6/23/26	0/1/1/1
4	NAG	А	601	1	-	4/6/23/26	0/1/1/1
4	NAG	А	606	1	-	0/6/23/26	0/1/1/1
4	NAG	А	605	1	-	2/6/23/26	0/1/1/1
4	NAG	В	601	1	-	4/6/23/26	0/1/1/1
4	NAG	В	602	1	-	0/6/23/26	0/1/1/1
4	NAG	С	604	1	-	0/6/23/26	0/1/1/1
4	NAG	В	605	1	-	2/6/23/26	0/1/1/1
4	NAG	А	602	1	-	0/6/23/26	0/1/1/1
4	NAG	С	606	1	-	0/6/23/26	0/1/1/1
4	NAG	В	604	1	-	0/6/23/26	0/1/1/1
4	NAG	А	604	1	-	0/6/23/26	0/1/1/1



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	С	603	1	-	2/6/23/26	0/1/1/1
4	NAG	А	603	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	603	NAG	O5-C1	3.21	1.49	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	603	NAG	C1-O5-C5	5.13	119.06	112.19
4	А	605	NAG	C1-O5-C5	2.48	115.50	112.19

There are no chirality outliers.

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	А	601	NAG	O5-C5-C6-O6
4	А	605	NAG	O5-C5-C6-O6
4	С	603	NAG	O5-C5-C6-O6
4	А	603	NAG	O5-C5-C6-O6
4	С	601	NAG	O5-C5-C6-O6
4	А	605	NAG	C4-C5-C6-O6
4	С	601	NAG	C4-C5-C6-O6
4	С	603	NAG	C4-C5-C6-O6
4	В	601	NAG	O5-C5-C6-O6
4	В	603	NAG	O5-C5-C6-O6
4	В	605	NAG	O5-C5-C6-O6
4	А	603	NAG	C4-C5-C6-O6
4	С	601	NAG	C8-C7-N2-C2
4	С	601	NAG	O7-C7-N2-C2
4	В	601	NAG	C8-C7-N2-C2
4	В	601	NAG	O7-C7-N2-C2
4	В	605	NAG	C4-C5-C6-O6
4	А	601	NAG	C4-C5-C6-O6
4	С	605	NAG	O5-C5-C6-O6
4	С	605	NAG	C4-C5-C6-O6
4	В	603	NAG	C4-C5-C6-O6
4	В	601	NAG	C4-C5-C6-O6
4	А	601	NAG	C1-C2-N2-C7



Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	А	601	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# <b>R</b> S	SRZ:	>2	$OWAB(Å^2)$	Q < 0.9
1	А	481/512~(93%)	0.04	5 (1%)	79	60	73, 139, 208, 368	3~(0%)
1	В	480/512~(93%)	0.02	7 (1%)	71	52	68, 149, 203, 287	0
1	С	482/512~(94%)	0.05	5 (1%)	79	60	87, 160, 221, 275	4 (0%)
2	F	232/236~(98%)	0.44	19 (8%)	19	14	87, 156, 332, 380	2 (0%)
2	Н	233/236~(98%)	0.30	10 (4%)	40	27	122, 188, 276, 437	0
2	Q	233/236~(98%)	0.10	5 (2%)	63	43	75, 134, 278, 392	1 (0%)
3	G	213/214~(99%)	0.86	26 (12%)	) 10	0 7	96, 248, 529, 797	0
3	L	213/214~(99%)	0.20	4 (1%)	66	45	125, 191, 250, 306	1 (0%)
3	R	213/214~(99%)	0.23	10 (4%)	37	25	78, 157, 245, 295	0
All	All	2780/2886~(96%)	0.19	91 (3%)	49	32	68, 159, 296, 797	11 (0%)

All (91) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	G	179	LEU	5.4
3	G	137	ASN	5.3
2	F	214	CYS	4.7
3	G	148	TRP	4.4
3	R	52	SER	4.0
2	F	158	CYS	3.9
2	F	156	LEU	3.9
3	G	135	LEU	3.8
2	Н	34	LEU	3.8
3	R	32	ASN	3.7
3	R	31	SER	3.7
2	Q	150	SER	3.5
3	G	31	SER	3.5
3	G	178	THR	3.5
2	F	197	SER	3.5



Mol	Chain	Res	Type	RSRZ
3	G	194	CYS	3.3
3	L	92	ASN	3.3
2	F	220	PRO	3.3
3	G	142	ARG	3.2
2	Н	121	TRP	3.2
3	G	174	SER	3.2
1	А	338	PHE	3.1
2	F	54	ASN	3.1
1	А	386	GLU	3.0
3	G	92	ASN	3.0
3	G	186	TYR	2.9
3	G	176	SER	2.9
1	В	338	PHE	2.8
3	L	75	ILE	2.8
3	R	92	ASN	2.8
3	R	91	TYR	2.8
3	R	204	PRO	2.8
2	F	216	VAL	2.8
3	G	144	ALA	2.7
3	L	113	PRO	2.7
2	Q	223	THR	2.7
1	В	458	ASN	2.7
2	F	229	VAL	2.6
2	Н	53	GLY	2.6
3	G	180	THR	2.6
2	F	157	GLY	2.6
2	Q	167	PRO	2.6
3	R	183	LYS	2.6
3	G	181	LEU	2.6
1	А	337	GLY	2.6
2	F	142	LEU	2.5
2	F	116	TYR	2.5
2	F	137	PRO	2.5
2	Q	158	CYS	2.5
2	F	101	SER	2.5
2	F	225	VAL	2.5
2	Н	169	THR	2.4
3	G	141	PRO	2.4
1	А	71	LEU	2.4
2	Q	104	ILE	2.4
1	С	338	PHE	2.4
3	G	103	LYS	2.4



Mol	Chain	Res	Type	RSRZ
1	С	179	ILE	2.3
2	Н	97	ALA	2.3
1	В	454	GLN	2.3
3	G	165	GLU	2.3
1	С	318	THR	2.3
2	Н	51	ILE	2.3
3	G	134	CYS	2.2
1	А	356	GLN	2.2
1	В	459	ALA	2.2
3	R	184	ALA	2.2
1	В	404	GLY	2.2
2	F	227	LYS	2.2
2	Н	9	GLY	2.2
2	F	183	THR	2.2
1	С	340	GLU	2.2
3	G	52	SER	2.2
3	L	52	SER	2.2
2	Н	144	PRO	2.1
1	С	339	ILE	2.1
3	G	93	HIS	2.1
2	F	215	ASN	2.1
2	Н	166	GLU	2.1
3	G	161	GLU	2.1
3	R	12	SER	2.1
3	G	136	LEU	2.1
2	F	164	PHE	2.1
3	R	93	HIS	2.1
1	В	16	GLY	2.1
2	Н	56	GLY	2.1
2	F	178	THR	2.0
3	G	164	THR	2.0
3	G	120	PRO	2.0
1	В	448	PHE	2.0
3	G	119	PRO	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B$ -factors( $Å^2$ )	Q<0.9
4	NAG	В	601	14/15	0.28	0.12	198,209,219,222	0
4	NAG	С	601	14/15	0.37	0.12	254,256,258,258	0
4	NAG	А	601	14/15	0.54	0.13	204,213,226,229	0
4	NAG	С	603	14/15	0.65	0.10	165,174,183,187	0
4	NAG	В	605	14/15	0.67	0.10	154,169,175,179	0
4	NAG	А	605	14/15	0.68	0.12	186,198,199,200	0
4	NAG	А	603	14/15	0.69	0.11	137,150,157,165	0
4	NAG	С	606	14/15	0.69	0.14	137,147,159,168	0
4	NAG	А	606	14/15	0.71	0.14	132,150,158,158	0
4	NAG	В	604	14/15	0.72	0.10	154,165,185,188	0
4	NAG	А	604	14/15	0.76	0.08	133,144,153,155	0
4	NAG	С	605	14/15	0.76	0.10	173,187,203,215	0
4	NAG	С	602	14/15	0.79	0.12	125,145,176,179	0
4	NAG	В	602	14/15	0.82	0.10	117,137,147,159	0
4	NAG	В	606	14/15	0.82	0.10	136,152,170,178	0
4	NAG	A	602	14/15	0.85	0.11	105,131,148,157	0
4	NAG	С	604	14/15	0.85	0.09	147,159,166,176	0
4	NAG	B	603	14/15	0.85	0.07	153,161,167,168	0

#### 6.5 Other polymers (i)

There are no such residues in this entry.

