



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2024 – 04:01 pm GMT

PDB ID : 5L9E  
Title : CRYSTAL STRUCTURE OF HUMAN CARBONIC ANHYDRASE II IN  
COMPLEX WITH A QUINOLINE OLIGOAMIDE FOLDAMER  
Authors : Vallade, M.; Langlois d'Estaintot, B.; Granier, T.; Huc, I.  
Deposited on : 2016-06-10  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	2335 (2.90-2.90)
Clashscore	180529	2564 (2.90-2.90)
Ramachandran outliers	177936	2514 (2.90-2.90)
Sidechain outliers	177891	2516 (2.90-2.90)
RSRZ outliers	164620	2337 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	 10% 98%
1	B	260	 9% 98%
1	C	260	 9% 98%
1	D	260	 19% 97%
2	E	6	 17% 67% 17%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	6	 17% 50% 33%
2	G	6	 17% 67% 17%
2	H	6	 17% 67% 17%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	259	2003	1287	340	374	2	0	0	0
1	B	259	2005	1289	340	374	2	0	0	0
1	C	257	1968	1273	330	363	2	0	0	0
1	D	256	1933	1248	325	358	2	0	0	0

- Molecule 2 is a protein called Aromatic foldamer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	E	6	95	65	11	18	1	0	0	0
2	F	6	95	65	11	18	1	0	0	0
2	G	6	96	66	11	18	1	0	0	0
2	H	6	95	65	11	18	1	0	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	Zn	0	0
			10	10		
3	B	5	Total	Zn	0	0
			5	5		
3	C	6	Total	Zn	0	0
			6	6		
3	D	6	Total	Zn	0	0
			6	6		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	45	Total O 45 45	0	0
5	B	31	Total O 31 31	0	0
5	C	43	Total O 43 43	0	0
5	D	36	Total O 36 36	0	0
5	E	2	Total O 2 2	0	0
5	F	2	Total O 2 2	0	0
5	G	1	Total O 1 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Carbonic anhydrase 2




- Molecule 1: Carbonic anhydrase 2



- Molecule 1: Carbonic anhydrase 2




- Molecule 1: Carbonic anhydrase 2





- Molecule 2: Aromatic foldamer









- Molecule 2: Aromatic foldamer



- Molecule 2: Aromatic foldamer



- Molecule 2: Aromatic foldamer



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	125.97Å 75.14Å 141.10Å 90.00° 100.08° 90.00°	Depositor
Resolution (Å)	85.39 – 2.90 85.39 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.1 (85.39-2.90) 98.4 (85.39-2.90)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.42 (at 2.91Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, $R_{free}$	0.242 , 0.273 0.250 , 0.277	Depositor DCC
$R_{free}$ test set	1394 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	42.3	Xtrriage
Anisotropy	0.771	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 71.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	8501	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.71% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4SO, QUJ, QVE, A1IJ4, ZN, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/2064	0.68	3/2815 (0.1%)
1	B	0.44	0/2067	0.68	1/2821 (0.0%)
1	C	0.43	0/2028	0.63	0/2767
1	D	0.43	0/1993	0.63	0/2725
All	All	0.44	0/8152	0.65	4/11128 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	E	0	1
2	F	0	2
2	G	0	1
2	H	0	1
All	All	0	5

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	4	HIS	N-CA-CB	8.03	125.05	110.60
1	A	4	HIS	N-CA-CB	5.85	121.13	110.60
1	A	3	HIS	N-CA-C	5.82	126.70	111.00
1	A	189	ASP	CB-CG-OD1	5.13	122.92	118.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	E	303	QUJ	Peptide
2	F	303	QUJ	Peptide
2	F	304	QVE	Peptide
2	G	303	QUJ	Peptide
2	H	303	QUJ	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2003	0	1874	0	0
1	B	2005	0	1864	0	0
1	C	1968	0	1835	1	0
1	D	1933	0	1763	1	0
2	E	95	0	6	0	0
2	F	95	0	6	0	0
2	G	96	0	6	0	0
2	H	95	0	6	0	0
3	A	10	0	0	0	0
3	B	5	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
4	A	6	0	8	0	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
4	D	6	0	8	0	0
5	A	45	0	0	0	0
5	B	31	0	0	0	0
5	C	43	0	0	0	0
5	D	36	0	0	0	0
5	E	2	0	0	0	0
5	F	2	0	0	0	0
5	G	1	0	0	0	0
All	All	8501	0	7392	2	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (2) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:158:LYS:NZ	1:D:176:THR:O	2.44	0.51
1:C:158:LYS:NZ	1:C:176:THR:O	2.45	0.50

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/260 (99%)	246 (96%)	11 (4%)	0	100	100
1	B	257/260 (99%)	245 (95%)	11 (4%)	1 (0%)	30	60
1	C	255/260 (98%)	245 (96%)	10 (4%)	0	100	100
1	D	254/260 (98%)	243 (96%)	11 (4%)	0	100	100
All	All	1023/1040 (98%)	979 (96%)	43 (4%)	1 (0%)	48	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	3	HIS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/225 (91%)	203 (99%)	2 (1%)	73	91

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	204/225 (91%)	203 (100%)	1 (0%)	86	96
1	C	196/225 (87%)	195 (100%)	1 (0%)	86	96
1	D	187/225 (83%)	184 (98%)	3 (2%)	58	84
All	All	792/900 (88%)	785 (99%)	7 (1%)	75	92

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	THR
1	A	216	SER
1	B	216	SER
1	C	216	SER
1	D	9	LYS
1	D	216	SER
1	D	224	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	229	ASN
1	B	254	GLN
1	C	229	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

20 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	QUJ	F	305	2	17,17,20	1.86	2 (11%)	20,23,28	2.77	8 (40%)
2	A1IJ4	G	302	2	16,16,17	1.11	1 (6%)	17,18,20	1.27	1 (5%)
2	QVE	G	304	2	19,19,20	1.74	2 (10%)	23,26,28	2.99	7 (30%)
2	QVE	H	306	2,3	20,20,20	2.07	2 (10%)	27,28,28	1.88	8 (29%)
2	QUJ	E	305	2	17,17,20	1.80	2 (11%)	20,23,28	2.79	8 (40%)
2	QVE	G	306	2,3	20,20,20	2.03	2 (10%)	27,28,28	1.66	7 (25%)
2	QUJ	H	303	2	15,15,20	2.14	1 (6%)	19,21,28	2.64	5 (26%)
2	QVE	F	306	2,3	20,20,20	2.09	2 (10%)	27,28,28	2.57	5 (18%)
2	QVE	E	304	2	19,19,20	1.93	2 (10%)	23,26,28	3.23	8 (34%)
2	A1IJ4	E	302	2	16,16,17	1.25	2 (12%)	17,18,20	1.20	1 (5%)
2	QUJ	F	303	2	15,15,20	2.08	2 (13%)	19,21,28	3.14	5 (26%)
2	QUJ	E	303	2	15,15,20	2.20	2 (13%)	19,21,28	2.92	5 (26%)
2	QVE	F	304	2	19,19,20	2.04	2 (10%)	23,26,28	3.65	10 (43%)
2	QVE	E	306	2,3	20,20,20	2.01	2 (10%)	27,28,28	1.88	9 (33%)
2	QVE	H	304	2	19,19,20	1.87	2 (10%)	23,26,28	2.86	6 (26%)
2	QUJ	H	305	2	17,17,20	1.95	1 (5%)	20,23,28	3.31	8 (40%)
2	A1IJ4	F	302	2	16,16,17	1.17	2 (12%)	17,18,20	1.69	1 (5%)
2	A1IJ4	H	302	2	16,16,17	1.05	2 (12%)	17,18,20	1.05	1 (5%)
2	QUJ	G	303	2	15,15,20	2.18	2 (13%)	19,21,28	2.85	5 (26%)
2	QUJ	G	305	2	18,18,20	1.97	2 (11%)	21,24,28	2.97	7 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QUJ	F	305	2	-	3/5/5/9	0/2/2/2
2	A1IJ4	G	302	2	-	4/10/10/11	0/1/1/1
2	QVE	G	304	2	-	6/7/7/9	0/2/2/2
2	QVE	H	306	2,3	-	6/9/9/9	0/2/2/2
2	QUJ	E	305	2	-	2/5/5/9	0/2/2/2
2	QVE	G	306	2,3	-	8/9/9/9	0/2/2/2
2	QUJ	H	303	2	-	2/2/2/9	0/2/2/2
2	QVE	F	306	2,3	-	7/9/9/9	0/2/2/2
2	QVE	E	304	2	-	5/7/7/9	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1IJ4	E	302	2	-	0/10/10/11	0/1/1/1
2	QUJ	F	303	2	-	2/2/2/9	0/2/2/2
2	QUJ	E	303	2	-	2/2/2/9	0/2/2/2
2	QVE	F	304	2	-	6/7/7/9	0/2/2/2
2	QVE	E	306	2,3	-	8/9/9/9	0/2/2/2
2	QVE	H	304	2	-	6/7/7/9	0/2/2/2
2	QUJ	H	305	2	-	4/5/5/9	0/2/2/2
2	A1IJ4	F	302	2	-	3/10/10/11	0/1/1/1
2	A1IJ4	H	302	2	-	5/10/10/11	0/1/1/1
2	QUJ	G	303	2	-	2/2/2/9	0/2/2/2
2	QUJ	G	305	2	-	4/6/6/9	0/2/2/2

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	306	QVE	CA-C	-8.43	1.39	1.50
2	H	306	QVE	CA-C	-8.16	1.39	1.50
2	G	306	QVE	CA-C	-8.13	1.39	1.50
2	E	306	QVE	CA-C	-7.90	1.39	1.50
2	F	304	QVE	CA-C	-7.78	1.40	1.48
2	G	303	QUJ	CA-C	-7.59	1.40	1.48
2	E	303	QUJ	CA-C	-7.57	1.40	1.48
2	H	303	QUJ	CA-C	-7.37	1.40	1.48
2	G	305	QUJ	CA-C	-7.30	1.41	1.48
2	H	305	QUJ	CA-C	-7.17	1.41	1.48
2	F	303	QUJ	CA-C	-6.98	1.41	1.48
2	E	304	QVE	CA-C	-6.97	1.41	1.48
2	F	305	QUJ	CA-C	-6.40	1.41	1.48
2	H	304	QVE	CA-C	-6.34	1.42	1.48
2	E	305	QUJ	CA-C	-5.73	1.42	1.48
2	G	304	QVE	CA-C	-5.51	1.42	1.48
2	H	304	QVE	CA-N11	3.95	1.37	1.33
2	G	304	QVE	CA-N11	3.69	1.37	1.33
2	E	305	QUJ	CA-N11	3.48	1.36	1.33
2	G	302	A1IJ4	C128-C127	-3.34	1.39	1.51
2	E	304	QVE	CA-N11	3.31	1.36	1.33
2	F	302	A1IJ4	C128-C127	-3.23	1.40	1.51
2	H	302	A1IJ4	C128-C127	-3.10	1.40	1.51
2	E	302	A1IJ4	C128-C127	-3.03	1.40	1.51
2	H	306	QVE	OXT-C	-2.98	1.21	1.30

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	302	A1IJ4	C-N31	2.77	1.38	1.33
2	G	305	QUJ	CA-N11	2.70	1.36	1.33
2	F	305	QUJ	CA-N11	2.57	1.35	1.33
2	F	303	QUJ	CA-N11	2.53	1.35	1.33
2	E	306	QVE	OXT-C	-2.52	1.22	1.30
2	F	304	QVE	CA-N11	2.35	1.35	1.33
2	G	306	QVE	OXT-C	-2.32	1.23	1.30
2	E	303	QUJ	CA-N11	2.28	1.35	1.33
2	F	306	QVE	OXT-C	-2.25	1.23	1.30
2	G	303	QUJ	CA-N11	2.21	1.35	1.33
2	F	302	A1IJ4	C-N31	2.19	1.37	1.33
2	H	302	A1IJ4	C-N31	2.05	1.37	1.33

All (115) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	306	QVE	CG-OB-C8	10.78	129.23	116.95
2	F	304	QVE	CG-OB-C8	10.53	128.94	116.95
2	G	305	QUJ	CA-N11-C7	9.93	125.64	118.11
2	H	305	QUJ	CA-N11-C7	9.86	125.59	118.11
2	G	304	QVE	CA-N11-C7	9.38	125.22	118.11
2	H	304	QVE	CA-N11-C7	9.30	125.17	118.11
2	F	304	QVE	CA-N11-C7	9.21	125.10	118.11
2	E	304	QVE	CA-N11-C7	9.13	125.03	118.11
2	F	303	QUJ	CA-N11-C7	9.05	124.97	118.11
2	E	305	QUJ	CA-N11-C7	8.75	124.74	118.11
2	E	303	QUJ	CA-N11-C7	8.61	124.64	118.11
2	F	305	QUJ	CA-N11-C7	7.95	124.14	118.11
2	E	304	QVE	CG-OB-C8	7.64	125.65	116.95
2	G	303	QUJ	CA-N11-C7	7.57	123.85	118.11
2	E	304	QVE	O-C-CA	-7.11	117.48	124.22
2	F	304	QVE	O-C-CA	-7.06	117.53	124.22
2	H	303	QUJ	CA-N11-C7	6.60	123.12	118.11
2	F	303	QUJ	C-CA-N11	6.35	120.88	114.66
2	H	305	QUJ	C9-CA-C	6.24	126.62	121.23
2	F	302	A1IJ4	O-C-N31	-6.16	118.67	124.89
2	G	303	QUJ	C-CA-N11	5.96	120.50	114.66
2	G	303	QUJ	O-C-CA	-5.65	118.87	124.22
2	F	303	QUJ	O-C-CA	-5.64	118.88	124.22
2	G	305	QUJ	C9-CA-C	5.57	126.04	121.23
2	G	304	QVE	O-C-CA	-5.55	118.97	124.22
2	G	304	QVE	CG-OB-C8	5.53	123.25	116.95

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	303	QUJ	O-C-CA	-5.43	119.08	124.22
2	H	303	QUJ	O-C-CA	-5.42	119.09	124.22
2	H	303	QUJ	C-CA-N11	5.29	119.84	114.66
2	H	304	QVE	O-C-CA	-5.22	119.28	124.22
2	H	304	QVE	C-CA-N11	5.21	119.77	114.66
2	H	305	QUJ	CG-OB-C8	5.20	123.48	118.01
2	F	305	QUJ	O-C-CA	-5.19	119.31	124.22
2	H	305	QUJ	O-C-CA	-5.04	119.45	124.22
2	G	304	QVE	C-CA-N11	4.94	119.50	114.66
2	E	305	QUJ	O-C-CA	-4.91	119.57	124.22
2	E	306	QVE	C-CA-N11	4.75	123.86	116.28
2	G	305	QUJ	O-C-CA	-4.72	119.75	124.22
2	G	302	A1IJ4	O-C-N31	-4.51	120.34	124.89
2	E	303	QUJ	C-CA-N11	4.33	118.91	114.66
2	H	306	QVE	CG-OB-C8	4.27	121.81	116.95
2	E	305	QUJ	C9-CA-C	4.11	124.78	121.23
2	E	303	QUJ	C3-C2-N	4.09	128.55	120.36
2	F	306	QVE	C-CA-N11	3.99	122.64	116.28
2	H	303	QUJ	C3-C2-N	3.90	128.16	120.36
2	F	303	QUJ	C3-C2-N	3.87	128.11	120.36
2	H	306	QVE	C-CA-N11	3.84	122.40	116.28
2	G	303	QUJ	C3-C2-N	3.77	127.90	120.36
2	F	305	QUJ	CG-OB-C8	3.73	121.94	118.01
2	E	306	QVE	CG-OB-C8	3.68	121.14	116.95
2	H	304	QVE	CG-OB-C8	3.64	121.09	116.95
2	G	306	QVE	CG-OB-C8	3.60	121.05	116.95
2	G	306	QVE	C-CA-N11	3.57	121.97	116.28
2	H	302	A1IJ4	O-C-N31	-3.55	121.31	124.89
2	F	304	QVE	C-CA-N11	3.54	118.13	114.66
2	F	305	QUJ	C-CA-N11	3.47	118.06	114.66
2	E	304	QVE	C-CA-N11	3.42	118.01	114.66
2	F	305	QUJ	C9-CA-C	3.40	124.17	121.23
2	E	303	QUJ	C7-C2-N	-3.34	111.71	118.07
2	E	305	QUJ	C-CA-N11	3.27	117.86	114.66
2	E	302	A1IJ4	O-C-N31	-3.21	121.64	124.89
2	F	304	QVE	OB-C8-C6	3.11	123.72	115.01
2	H	305	QUJ	C3-C2-N	3.07	126.49	120.36
2	H	306	QVE	C2-C7-N11	3.02	121.62	118.64
2	G	305	QUJ	C3-C2-N	2.98	126.32	120.36
2	H	306	QVE	OXT-C-CA	2.93	121.35	114.69
2	F	304	QVE	C3-C2-N	2.92	126.19	120.36
2	F	303	QUJ	C7-C2-N	-2.91	112.53	118.07

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	306	QVE	C2-C7-N11	2.89	121.50	118.64
2	E	306	QVE	OB-C8-C6	2.88	123.06	115.01
2	H	306	QVE	OB-C8-C6	2.84	122.94	115.01
2	E	306	QVE	CA-N11-C7	2.83	123.21	117.24
2	G	304	QVE	C2-C7-N11	2.80	121.41	118.64
2	F	304	QVE	C9-CA-C	2.77	123.62	121.23
2	G	306	QVE	OB-C8-C6	2.74	122.66	115.01
2	E	305	QUJ	C3-C2-N	2.73	125.81	120.36
2	G	306	QVE	CA-N11-C7	2.71	122.95	117.24
2	F	305	QUJ	C3-C2-N	2.71	125.78	120.36
2	E	304	QVE	C9-CA-C	2.70	123.56	121.23
2	H	306	QVE	CA-N11-C7	2.63	122.78	117.24
2	H	304	QVE	C2-C7-N11	2.63	121.24	118.64
2	G	305	QUJ	C6-C7-N11	-2.56	117.50	122.78
2	E	304	QVE	C3-C2-N	2.56	125.47	120.36
2	G	303	QUJ	C7-C2-N	-2.55	113.20	118.07
2	H	304	QVE	C6-C7-N11	-2.54	117.54	122.78
2	G	305	QUJ	C3-C2-C7	-2.51	116.12	120.06
2	F	304	QVE	OB-C8-C9	-2.50	116.52	124.69
2	E	304	QVE	C6-C7-N11	-2.46	117.70	122.78
2	F	304	QVE	C6-C7-N11	-2.44	117.74	122.78
2	F	306	QVE	CA-N11-C7	2.43	122.35	117.24
2	E	306	QVE	C6-C7-N11	-2.39	117.85	122.78
2	H	305	QUJ	OB-C8-C6	2.37	121.65	115.01
2	E	306	QVE	C2-C7-N11	2.37	120.98	118.64
2	H	303	QUJ	C7-C2-N	-2.36	113.56	118.07
2	G	304	QVE	C6-C7-N11	-2.36	117.91	122.78
2	H	306	QVE	C6-C7-N11	-2.36	117.92	122.78
2	F	305	QUJ	OB-C8-C6	2.35	121.58	115.01
2	G	306	QVE	C3-C2-N	2.31	124.98	120.36
2	E	305	QUJ	C3-C2-C7	-2.31	116.44	120.06
2	G	304	QVE	C9-CA-C	2.30	123.21	121.23
2	F	304	QVE	C3-C2-C7	-2.26	116.50	120.06
2	F	306	QVE	C6-C7-N11	-2.26	118.11	122.78
2	E	306	QVE	OXT-C-CA	2.23	119.77	114.69
2	E	306	QVE	C9-CA-N11	-2.17	119.22	124.50
2	G	305	QUJ	OB-C8-C6	2.16	121.04	115.01
2	H	306	QVE	OB-C8-C9	-2.14	117.71	124.69
2	G	306	QVE	C6-C7-N11	-2.13	118.39	122.78
2	H	305	QUJ	C6-C7-N11	-2.12	118.41	122.78
2	G	306	QVE	C9-CA-N11	-2.09	119.41	124.50
2	E	306	QVE	OB-C8-C9	-2.08	117.90	124.69

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	305	QUJ	C3-C2-C7	-2.06	116.82	120.06
2	H	305	QUJ	C3-C2-C7	-2.04	116.86	120.06
2	E	305	QUJ	C6-C7-N11	-2.01	118.64	122.78
2	E	305	QUJ	OB-C8-C6	2.01	120.62	115.01
2	E	304	QVE	C3-C2-C7	-2.00	116.92	120.06

There are no chirality outliers.

All (85) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	303	QUJ	O-C-CA-C9
2	E	303	QUJ	O-C-CA-N11
2	F	303	QUJ	O-C-CA-C9
2	F	303	QUJ	O-C-CA-N11
2	G	303	QUJ	O-C-CA-C9
2	G	303	QUJ	O-C-CA-N11
2	H	303	QUJ	O-C-CA-C9
2	H	303	QUJ	O-C-CA-N11
2	E	304	QVE	O-C-CA-N11
2	F	304	QVE	O-C-CA-N11
2	F	304	QVE	O-C-CA-C9
2	H	304	QVE	O-C-CA-N11
2	H	304	QVE	O-C-CA-C9
2	G	305	QUJ	O-C-CA-C9
2	G	305	QUJ	O-C-CA-N11
2	H	305	QUJ	O-C-CA-C9
2	H	305	QUJ	O-C-CA-N11
2	E	306	QVE	O-C-CA-N11
2	E	306	QVE	O-C-CA-C9
2	E	306	QVE	OXT-C-CA-N11
2	E	306	QVE	OXT-C-CA-C9
2	F	306	QVE	O-C-CA-N11
2	F	306	QVE	O-C-CA-C9
2	F	306	QVE	OXT-C-CA-N11
2	F	306	QVE	OXT-C-CA-C9
2	G	306	QVE	O-C-CA-N11
2	G	306	QVE	OXT-C-CA-N11
2	G	306	QVE	OXT-C-CA-C9
2	H	306	QVE	O-C-CA-N11
2	H	306	QVE	O-C-CA-C9
2	H	306	QVE	OXT-C-CA-N11
2	H	306	QVE	OXT-C-CA-C9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	E	304	QVE	OE2-CD-CG-OB
2	E	304	QVE	OE1-CD-CG-OB
2	G	304	QVE	C9-C8-OB-CG
2	H	306	QVE	C9-C8-OB-CG
2	G	304	QVE	C6-C8-OB-CG
2	H	306	QVE	C6-C8-OB-CG
2	G	305	QUJ	C9-C8-OB-CG
2	G	306	QVE	O-C-CA-C9
2	H	302	A1IJ4	N31-C118-C119-C120
2	H	304	QVE	C9-C8-OB-CG
2	E	305	QUJ	C9-C8-OB-CG
2	F	306	QVE	OE2-CD-CG-OB
2	F	306	QVE	OE1-CD-CG-OB
2	F	304	QVE	C6-C8-OB-CG
2	H	304	QVE	C6-C8-OB-CG
2	E	305	QUJ	C6-C8-OB-CG
2	G	305	QUJ	C6-C8-OB-CG
2	F	305	QUJ	C6-C8-OB-CG
2	F	304	QVE	C9-C8-OB-CG
2	H	305	QUJ	C9-C8-OB-CG
2	H	305	QUJ	C6-C8-OB-CG
2	F	305	QUJ	C9-C8-OB-CG
2	G	306	QVE	OE2-CD-CG-OB
2	G	302	A1IJ4	C119-C120-C121-O71
2	H	302	A1IJ4	C119-C120-C121-O71
2	F	304	QVE	OE2-CD-CG-OB
2	G	306	QVE	OE1-CD-CG-OB
2	H	302	A1IJ4	C123-C122-O71-C121
2	H	302	A1IJ4	C124-C122-O71-C121
2	F	304	QVE	OE1-CD-CG-OB
2	F	302	A1IJ4	C118-C119-C120-C121
2	H	304	QVE	OE2-CD-CG-OB
2	H	302	A1IJ4	C120-C121-O71-C122
2	F	302	A1IJ4	C119-C118-N31-C
2	H	304	QVE	OE1-CD-CG-OB
2	F	305	QUJ	CD-CG-OB-C8
2	E	306	QVE	OE1-CD-CG-OB
2	E	306	QVE	OE2-CD-CG-OB
2	G	304	QVE	OE2-CD-CG-OB
2	G	304	QVE	OE1-CD-CG-OB
2	E	304	QVE	O-C-CA-C9
2	F	302	A1IJ4	C119-C120-C121-O71

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	G	302	A1IJ4	C123-C122-O71-C121
2	G	302	A1IJ4	C124-C122-O71-C121
2	G	302	A1IJ4	C119-C118-N31-C
2	G	306	QVE	C6-C8-OB-CG
2	G	306	QVE	C9-C8-OB-CG
2	E	306	QVE	C9-C8-OB-CG
2	E	306	QVE	C6-C8-OB-CG
2	G	304	QVE	CD-CG-OB-C8
2	G	304	QVE	O-C-CA-N11
2	F	306	QVE	CD-CG-OB-C8
2	E	304	QVE	C9-C8-OB-CG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 31 ligands modelled in this entry, 27 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	GOL	C	306	-	5,5,5	0.28	0	5,5,5	0.07	0
4	GOL	A	309	-	5,5,5	0.30	0	5,5,5	0.32	0
4	GOL	B	306	-	5,5,5	0.33	0	5,5,5	0.33	0
4	GOL	D	306	-	5,5,5	0.25	0	5,5,5	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	306	-	-	2/4/4/4	-
4	GOL	A	309	-	-	2/4/4/4	-
4	GOL	B	306	-	-	2/4/4/4	-
4	GOL	D	306	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	309	GOL	O1-C1-C2-C3
4	B	306	GOL	O1-C1-C2-C3
4	C	306	GOL	C1-C2-C3-O3
4	A	309	GOL	O1-C1-C2-O2
4	B	306	GOL	O1-C1-C2-O2
4	C	306	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	259/260 (99%)	1.08	26 (10%) 14 12	46, 61, 75, 124	0
1	B	259/260 (99%)	1.04	24 (9%) 16 14	46, 62, 77, 124	0
1	C	257/260 (98%)	0.93	23 (8%) 17 14	48, 65, 79, 91	0
1	D	256/260 (98%)	1.24	50 (19%) 4 3	52, 71, 90, 107	0
2	E	0/6	-	-	-	-
2	F	0/6	-	-	-	-
2	G	0/6	-	-	-	-
2	H	0/6	-	-	-	-
All	All	1031/1064 (96%)	1.07	123 (11%) 10 9	46, 64, 84, 124	0

All (123) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	SER	6.9
1	B	2	SER	6.8
1	D	52	ASP	5.1
1	A	3	HIS	4.9
1	C	252	ASN	4.6
1	D	82	GLY	4.4
1	B	260	LYS	4.3
1	D	252	ASN	4.1
1	D	48	SER	3.7
1	D	47	LEU	3.7
1	A	46	PRO	3.6
1	B	10	HIS	3.6
1	B	234	GLY	3.5
1	D	99	SER	3.5
1	C	260	LYS	3.5
1	A	234	GLY	3.5
1	A	189	ASP	3.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	48	SER	3.3
1	B	3	HIS	3.3
1	B	46	PRO	3.1
1	A	152	ALA	3.1
1	C	234	GLY	3.1
1	B	40	TYR	3.1
1	A	85	ASP	3.1
1	D	42	PRO	3.1
1	D	85	ASP	3.1
1	D	234	GLY	3.0
1	A	72	ASP	3.0
1	A	47	LEU	3.0
1	D	44	LEU	3.0
1	A	187	SER	3.0
1	D	50	SER	2.9
1	C	82	GLY	2.9
1	A	186	GLU	2.9
1	D	87	THR	2.8
1	B	213	GLU	2.8
1	B	252	ASN	2.8
1	B	135	GLN	2.8
1	C	115	ALA	2.8
1	D	138	ASP	2.7
1	D	190	TYR	2.7
1	C	42	PRO	2.7
1	D	79	LEU	2.6
1	C	75	ASP	2.6
1	A	151	SER	2.6
1	B	189	ASP	2.6
1	B	85	ASP	2.6
1	D	75	ASP	2.6
1	D	143	LEU	2.6
1	D	46	PRO	2.6
1	A	36	HIS	2.5
1	B	52	ASP	2.5
1	B	75	ASP	2.5
1	B	5	TRP	2.5
1	A	213	GLU	2.5
1	C	128	GLY	2.5
1	D	43	SER	2.5
1	C	72	ASP	2.5
1	C	37	THR	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	87	THR	2.5
1	D	51	TYR	2.5
1	D	129	ASP	2.5
1	A	128	GLY	2.5
1	D	135	GLN	2.4
1	D	74	GLN	2.4
1	C	44	LEU	2.4
1	D	73	SER	2.4
1	B	45	LYS	2.4
1	D	209	ILE	2.4
1	C	51	TYR	2.3
1	C	46	PRO	2.3
1	A	162	VAL	2.3
1	D	238	GLU	2.3
1	B	48	SER	2.3
1	D	205	CYS	2.3
1	D	49	VAL	2.3
1	D	45	LYS	2.3
1	D	7	TYR	2.3
1	D	63	GLY	2.3
1	C	73	SER	2.3
1	D	114	TYR	2.2
1	A	77	ALA	2.2
1	C	47	LEU	2.2
1	D	84	LEU	2.2
1	A	260	LYS	2.2
1	D	161	ASP	2.2
1	D	189	ASP	2.2
1	D	36	HIS	2.2
1	A	27	ARG	2.2
1	D	27	ARG	2.2
1	A	18	LYS	2.2
1	C	177	ASN	2.2
1	D	177	ASN	2.2
1	D	196	SER	2.2
1	C	74	GLN	2.1
1	B	18	LYS	2.1
1	C	90	LEU	2.1
1	C	257	ALA	2.1
1	D	188	LEU	2.1
1	C	52	ASP	2.1
1	D	17	HIS	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	100	LEU	2.1
1	D	126	LYS	2.1
1	D	38	ALA	2.1
1	A	49	VAL	2.1
1	A	150	GLY	2.1
1	B	58	ARG	2.1
1	D	259	PHE	2.1
1	A	103	GLN	2.1
1	B	156	LEU	2.1
1	D	40	TYR	2.1
1	B	124	ASN	2.1
1	C	80	LYS	2.1
1	D	71	ASP	2.0
1	D	257	ALA	2.0
1	D	186	GLU	2.0
1	A	243	ASN	2.0
1	B	90	LEU	2.0
1	B	176	THR	2.0
1	A	38	ALA	2.0
1	D	187	SER	2.0
1	B	185	PRO	2.0
1	A	57	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	QUJ	H	305	16/19	0.79	0.19	81,89,96,99	0
2	QUJ	H	303	14/19	0.82	0.17	78,83,89,91	0
2	QUJ	G	305	17/19	0.84	0.17	76,82,90,91	0
2	QUJ	E	305	16/19	0.84	0.19	70,74,77,79	0
2	QUJ	G	303	14/19	0.87	0.16	75,78,82,84	0
2	QVE	H	304	18/19	0.89	0.14	72,76,78,79	0
2	QUJ	F	305	16/19	0.89	0.16	68,72,76,77	0
2	A1IJ4	H	302	16/17	0.90	0.14	56,64,80,82	0
2	QUJ	F	303	14/19	0.90	0.16	66,69,72,74	0
2	A1IJ4	E	302	16/17	0.90	0.15	49,54,66,67	0
2	A1IJ4	F	302	16/17	0.91	0.14	49,55,65,67	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	QVE	E	304	18/19	0.91	0.13	68,69,70,73	0
2	QVE	F	304	18/19	0.91	0.15	64,66,67,67	0
2	QUJ	E	303	14/19	0.91	0.13	67,70,73,75	0
2	QVE	G	304	18/19	0.92	0.14	69,73,75,75	0
2	A1IJ4	G	302	16/17	0.92	0.13	52,59,74,76	0
2	QVE	F	306	19/19	0.95	0.13	72,75,77,78	0
2	QVE	H	306	19/19	0.95	0.14	83,88,91,92	0
2	QVE	G	306	19/19	0.96	0.13	80,84,87,87	0
2	QVE	E	306	19/19	0.96	0.12	75,78,80,83	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	C	307	1/1	0.78	0.35	124,124,124,124	1
3	ZN	A	304	1/1	0.80	0.14	77,77,77,77	1
3	ZN	B	304	1/1	0.82	0.15	77,77,77,77	1
3	ZN	C	304	1/1	0.83	0.13	80,80,80,80	1
4	GOL	D	306	6/6	0.86	0.35	124,124,124,124	0
4	GOL	B	306	6/6	0.87	0.35	124,124,124,124	0
3	ZN	D	304	1/1	0.88	0.18	85,85,85,85	1
3	ZN	A	308	1/1	0.89	0.21	73,73,73,73	1
4	GOL	A	309	6/6	0.90	0.36	124,124,124,124	0
4	GOL	C	306	6/6	0.91	0.27	124,124,124,124	0
3	ZN	D	307	1/1	0.93	0.14	124,124,124,124	1
3	ZN	A	311	1/1	0.94	0.15	124,124,124,124	1
3	ZN	B	303	1/1	0.94	0.09	77,77,77,77	0
3	ZN	D	303	1/1	0.94	0.09	89,89,89,89	0
3	ZN	A	305	1/1	0.94	0.10	80,80,80,80	0
3	ZN	D	305	1/1	0.94	0.08	99,99,99,99	0
3	ZN	A	303	1/1	0.95	0.08	76,76,76,76	0
3	ZN	C	303	1/1	0.95	0.08	82,82,82,82	0
3	ZN	A	307	1/1	0.96	0.07	66,66,66,66	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	A	310	1/1	0.96	0.07	77,77,77,77	0
3	ZN	A	306	1/1	0.97	0.06	78,78,78,78	0
3	ZN	B	305	1/1	0.98	0.08	81,81,81,81	0
3	ZN	C	302	1/1	0.99	0.04	58,58,58,58	0
3	ZN	D	302	1/1	0.99	0.03	60,60,60,60	0
3	ZN	B	302	1/1	0.99	0.06	55,55,55,55	0
3	ZN	A	302	1/1	0.99	0.03	57,57,57,57	0
3	ZN	C	305	1/1	0.99	0.06	84,84,84,84	0
3	ZN	A	301	1/1	1.00	0.03	45,45,45,45	0
3	ZN	B	301	1/1	1.00	0.03	45,45,45,45	0
3	ZN	D	301	1/1	1.00	0.03	51,51,51,51	0
3	ZN	C	301	1/1	1.00	0.02	47,47,47,47	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.