



Full wwPDB X-ray Structure Validation Report i

Apr 20, 2024 – 01:58 pm BST

PDB ID : 5LLX
Title : Bacteriophytochrome activated diguanylyl cyclase from Idiomarina species A28L with GTP bound
Authors : Gourinchas, G.; Winkler, A.
Deposited on : 2016-07-28
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 10805 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Diguanylate cyclase (GGDEF) domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	667	Total	C	N	O	S	0	0	0
			5373	3386	960	1004	23			
1	B	654	Total	C	N	O	S	0	0	0
			5274	3326	942	983	23			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP F7RW09
A	0	ALA	-	expression tag	UNP F7RW09
A	1	MET	-	expression tag	UNP F7RW09
A	2	ALA	-	expression tag	UNP F7RW09
B	-1	GLY	-	expression tag	UNP F7RW09
B	0	ALA	-	expression tag	UNP F7RW09
B	1	MET	-	expression tag	UNP F7RW09
B	2	ALA	-	expression tag	UNP F7RW09

- Molecule 2 is 3-[2-[(Z)-[3-(2-carboxyethyl)-5-[(Z)-(4-ethenyl-3-methyl-5-oxidanylidene-pyrro- l-2-ylidene)methyl]-4-methyl-pyrrol-1-iun -2-ylidene]methyl]-5-[(Z)-[(3E)-3-ethylidene-4-me thyl-5-oxidanylidene-pyrrolidin-2-ylidene]methyl]-4-methyl-1H-pyrrol-3- yl]propanoic acid (three-letter code: LBV) (formula: C₃₃H₃₇N₄O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	O	0
			43	33	4	6	0


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	N	O	0
			43	33	4	6	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Cl		0	0
			1	1			

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	Cl		0	0
			1	1			

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total C N O P					0	0
			32 10 5 14 3						
4	B	1	Total C N O P					0	0
			32 10 5 14 3						

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total Mg		0	0
			1 1			
5	B	1	Total Mg		0	0
			1 1			

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total O		0	0
			2 2			
6	B	2	Total O		0	0
			2 2			


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Diguanylate cyclase (GGDEF) domain-containing protein



- Molecule 1: Diguanylate cyclase (GGDEF) domain-containing protein





4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	50.73Å 78.64Å 452.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.08 – 2.80 48.08 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.5 (48.08-2.80) 97.5 (48.08-2.80)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.10 (at 2.81Å)	Xtriage
Refinement program	PHENIX	Depositor
R , R_{free}	0.223 , 0.270 0.223 , 0.270	Depositor DCC
R_{free} test set	2245 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	78.2	Xtriage
Anisotropy	0.346	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 50.4	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10805	wwPDB-VP
Average B, all atoms (Å ²)	92.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: LBV, MG, CL, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.28	1/5488 (0.0%)	0.49	0/7433
1	B	0.27	0/5387	0.49	1/7297 (0.0%)
All	All	0.28	1/10875 (0.0%)	0.49	1/14730 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	20	GLU	C-N	5.11	1.44	1.34

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	454	LEU	CA-CB-CG	5.59	128.15	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5373	0	5289	81	1
1	B	5274	0	5179	82	1
2	A	43	0	34	1	0
2	B	43	0	33	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	1	0	0	0	0
3	B	1	0	0	1	0
4	A	32	0	12	2	0
4	B	32	0	12	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	2	0	0	0	0
6	B	2	0	0	0	0
All	All	10805	0	10559	153	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:HIS:HD1	1:A:369:THR:HG1	1.35	0.74
1:B:420:LEU:HD23	1:B:436:LEU:HD12	1.72	0.70
1:A:501:ILE:HD12	1:B:497:ARG:NH1	2.07	0.70
1:A:547:GLU:OE2	1:A:614:PRO:HB3	1.93	0.68
1:B:452:GLU:HB3	1:B:454:LEU:CD1	2.24	0.68
1:A:450:LYS:HZ3	1:A:473:TRP:HE1	1.38	0.67
1:A:500:LEU:HD23	1:B:501:ILE:HD13	1.76	0.67
1:A:298:VAL:HG12	1:A:299:ARG:HH12	1.61	0.66
1:A:330:LEU:HD21	1:A:351:TRP:HZ2	1.62	0.65
1:A:164:ARG:HG3	1:A:183:VAL:HG22	1.78	0.65
1:B:663:ASP:OD1	1:B:667:LYS:HE3	1.96	0.65
1:B:527:SER:OG	1:B:539:ARG:NH1	2.31	0.64
1:A:38:GLU:HB3	1:A:41:THR:HB	1.81	0.63
1:A:442:ASN:HB3	1:A:476:GLU:OE2	1.99	0.62
1:A:579:ILE:HG23	1:A:640:LEU:HD22	1.80	0.61
1:B:41:THR:OG1	1:B:233:GLN:NE2	2.33	0.61
1:B:571:VAL:HG11	1:B:583:ILE:HD12	1.84	0.60
1:A:20:GLU:HA	1:A:460:THR:HG21	1.84	0.60
1:A:501:ILE:HD13	1:B:500:LEU:HD23	1.83	0.59
1:B:396:PHE:HB3	1:B:422:ILE:HD13	1.84	0.59
1:B:298:VAL:HG12	1:B:299:ARG:HH12	1.67	0.59
1:A:303:PHE:HD1	1:B:303:PHE:HD1	1.50	0.59
1:B:595:LEU:HD11	1:B:611:ILE:HD13	1.83	0.59
1:B:632:VAL:HG11	1:B:645:ILE:HG23	1.85	0.59
1:B:14:ILE:HG12	1:B:464:LEU:HD22	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:298:VAL:HG12	1:A:299:ARG:NH1	2.18	0.58
1:B:579:ILE:HG23	1:B:640:LEU:HD22	1.86	0.58
1:B:343:ILE:HD12	1:B:502:VAL:HG11	1.86	0.57
1:A:270:PHE:HB2	1:B:140:ARG:HH22	1.69	0.57
1:B:493:ARG:HH11	1:B:493:ARG:HG3	1.70	0.56
1:A:569:LYS:HE3	4:A:703:GTP:H5'	1.87	0.56
1:A:532:THR:HG22	1:A:534:ILE:H	1.70	0.56
1:B:356:ARG:HH12	1:B:485:ARG:HD2	1.70	0.56
1:B:561:LEU:HB2	1:B:611:ILE:HB	1.87	0.56
1:A:632:VAL:HG11	1:A:645:ILE:HG23	1.89	0.55
1:A:646:SER:OG	1:A:677:ARG:O	2.21	0.55
1:A:140:ARG:HH22	1:B:270:PHE:HB2	1.72	0.55
1:A:378:THR:O	1:A:382:LYS:HG2	2.07	0.55
1:A:103:SER:HB2	1:A:120:TYR:HB2	1.88	0.54
1:B:532:THR:HG22	1:B:534:ILE:H	1.72	0.54
1:B:575:TYR:HB3	1:B:579:ILE:HD12	1.89	0.54
1:A:199:ASP:OD1	1:A:467:ARG:NH1	2.41	0.54
1:A:566:ASP:OD1	1:A:646:SER:OG	2.26	0.53
1:B:298:VAL:HG12	1:B:299:ARG:NH1	2.23	0.53
1:A:673:LYS:HB3	1:A:677:ARG:HH11	1.73	0.53
1:B:168:TYR:CZ	1:B:176:GLY:HA3	2.43	0.53
1:A:561:LEU:HG	1:A:649:VAL:HG22	1.90	0.52
1:B:569:LYS:HE3	4:B:703:GTP:H5'	1.91	0.52
1:A:398:HIS:HA	1:A:419:LEU:O	2.09	0.52
1:B:537:ARG:O	1:B:541:GLU:HG3	2.10	0.52
1:B:218:ASP:HB3	1:B:221:ALA:HB2	1.93	0.51
1:A:577:HIS:ND1	1:B:659:ASP:OD2	2.41	0.51
1:B:158:GLU:HA	1:B:184:ARG:HH22	1.76	0.51
1:B:45:VAL:HG23	1:B:46:TYR:CD1	2.47	0.50
1:A:23:HIS:HB2	1:A:239:ASN:OD1	2.12	0.50
1:A:396:PHE:HB3	1:A:422:ILE:HD13	1.93	0.50
1:A:62:ILE:HD13	1:A:68:ILE:HG12	1.93	0.50
1:A:298:VAL:O	1:A:302:GLU:HG3	2.12	0.50
1:B:298:VAL:O	1:B:302:GLU:HG3	2.12	0.50
1:B:164:ARG:HD3	1:B:166:MET:SD	2.52	0.50
1:B:45:VAL:HG23	1:B:46:TYR:HD1	1.76	0.49
1:A:168:TYR:CZ	1:A:176:GLY:HA3	2.46	0.49
1:A:45:VAL:HG23	1:A:46:TYR:CD2	2.47	0.49
1:B:557:GLN:HG3	1:B:651:GLU:OE2	2.12	0.49
1:A:558:PHE:HB2	1:A:614:PRO:HA	1.94	0.49
1:B:36:ILE:HB	1:B:46:TYR:HB2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:398:HIS:HA	1:B:419:LEU:O	2.12	0.49
1:B:91:GLU:HG2	1:B:108:ARG:NH1	2.27	0.49
1:B:253:MET:O	1:B:257:ARG:HG3	2.13	0.49
1:B:637:HIS:O	1:B:640:LEU:HB2	2.13	0.49
1:A:346:GLU:HG2	1:A:347:HIS:CE1	2.48	0.48
1:B:163:ASP:CG	1:B:185:GLN:HG3	2.33	0.48
1:A:538:ARG:NH1	1:B:530:ASP:OD2	2.38	0.48
1:A:136:PHE:O	1:A:140:ARG:HB2	2.13	0.48
1:B:493:ARG:HG3	1:B:493:ARG:NH1	2.29	0.48
1:B:531:LEU:HD11	1:B:581:ASP:HB3	1.95	0.48
1:B:560:ILE:HD12	1:B:662:ILE:HD13	1.96	0.48
1:A:571:VAL:HG11	1:A:583:ILE:HD12	1.96	0.48
1:A:563:PHE:CZ	1:A:609:PHE:HB2	2.49	0.47
1:B:524:LYS:HA	1:B:528:PHE:HD2	1.80	0.47
1:B:136:PHE:O	1:B:140:ARG:HB2	2.14	0.47
1:A:673:LYS:HB3	1:A:677:ARG:NH1	2.30	0.47
1:B:595:LEU:CD2	1:B:601:PHE:HB2	2.45	0.47
1:A:160:SER:O	1:A:287:ARG:NH2	2.43	0.46
1:A:45:VAL:HG23	1:A:46:TYR:HD2	1.81	0.46
1:B:294:ARG:NH1	3:B:702:CL:CL	2.81	0.46
1:B:341:HIS:ND1	1:B:369:THR:OG1	2.31	0.46
1:B:579:ILE:O	1:B:583:ILE:HG13	2.16	0.46
1:A:253:MET:O	1:A:257:ARG:HG3	2.16	0.46
1:A:398:HIS:HB3	1:A:420:LEU:HD13	1.98	0.46
1:A:374:THR:CG2	1:A:380:ILE:HD11	2.46	0.46
1:A:434:LEU:HD23	1:A:496:ALA:HB2	1.97	0.46
1:B:673:LYS:HB3	1:B:677:ARG:NH1	2.30	0.45
1:B:629:ARG:NH1	1:B:678:ASN:HD21	2.14	0.45
1:A:417:ALA:HB2	1:A:440:ALA:HB2	1.99	0.45
1:A:659:ASP:OD2	1:B:576:GLY:HA2	2.16	0.45
1:B:266:SER:HA	1:B:279:VAL:O	2.17	0.45
1:B:452:GLU:HB3	1:B:454:LEU:HD13	1.98	0.45
1:B:534:ILE:HG13	1:B:602:GLY:HA2	1.98	0.45
1:A:134:ARG:NH2	1:A:158:GLU:OE1	2.51	0.44
1:A:538:ARG:HG2	1:A:539:ARG:HH12	1.81	0.44
1:A:445:ARG:O	1:A:474:GLN:HA	2.16	0.44
1:A:399:SER:O	1:A:418:GLY:HA2	2.17	0.44
1:A:525:LEU:HB3	1:B:525:LEU:HD23	1.99	0.44
1:B:96:TRP:CE2	1:B:291:ARG:HD2	2.53	0.44
1:A:252:HIS:NE2	2:A:701:LBV:HBC1	2.32	0.44
1:A:346:GLU:HG2	1:A:347:HIS:ND1	2.33	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:434:LEU:HD12	1:A:435:LEU:H	1.83	0.44
1:B:138:LYS:HD2	1:B:155:LEU:HD21	2.00	0.44
1:A:157:GLN:OE1	1:A:182:SER:HB3	2.18	0.44
1:A:199:ASP:CG	1:A:467:ARG:HH12	2.21	0.44
1:B:629:ARG:NH1	1:B:678:ASN:ND2	2.65	0.44
1:A:560:ILE:HD12	1:A:662:ILE:HD13	2.00	0.43
1:B:346:GLU:HG2	1:B:347:HIS:CD2	2.53	0.43
1:B:330:LEU:HD22	1:B:498:ASP:HB3	2.00	0.43
1:A:13:LEU:HD23	1:A:13:LEU:HA	1.91	0.43
1:A:186:LEU:HD13	1:A:284:THR:HG21	2.01	0.43
1:B:91:GLU:HG2	1:B:108:ARG:HH11	1.84	0.43
1:A:270:PHE:HB2	1:B:140:ARG:NH2	2.33	0.43
1:A:395:LEU:O	1:A:423:PRO:HD2	2.18	0.43
1:A:629:ARG:HD2	1:A:678:ASN:OD1	2.19	0.43
1:B:167:ILE:HD13	1:B:279:VAL:HG22	2.00	0.43
1:A:420:LEU:HD23	1:A:436:LEU:HD12	2.00	0.42
1:B:417:ALA:HB2	1:B:440:ALA:HB2	2.00	0.42
1:A:539:ARG:HD3	1:A:539:ARG:HA	1.86	0.42
1:B:158:GLU:HA	1:B:184:ARG:NH2	2.34	0.42
1:B:595:LEU:HD22	1:B:601:PHE:HB2	2.00	0.42
1:B:215:ILE:HG13	1:B:265:THR:HG23	2.00	0.42
1:B:537:ARG:NH1	1:B:604:TRP:CE2	2.88	0.42
1:B:38:GLU:HB3	1:B:41:THR:HB	2.02	0.42
1:B:53:GLU:O	1:B:119:ARG:NH2	2.52	0.42
1:A:266:SER:HA	1:A:279:VAL:O	2.20	0.42
1:A:421:ALA:HA	1:A:434:LEU:O	2.20	0.42
1:A:42:GLN:HG3	1:A:73:ILE:HD11	2.02	0.42
1:A:56:SER:HA	1:A:59:ASP:O	2.19	0.42
1:B:327:ARG:HD2	1:B:494:ASP:HB3	2.02	0.42
1:A:390:ASN:OD1	1:A:392:LYS:HG3	2.20	0.42
1:A:473:TRP:CH2	1:A:475:ASP:HB3	2.55	0.42
1:A:583:ILE:HG21	1:A:643:VAL:HG21	2.03	0.41
1:A:14:ILE:HG23	1:A:198:SER:HB3	2.02	0.41
1:B:160:SER:HB3	1:B:297:LEU:HD21	2.00	0.41
1:A:537:ARG:NH1	1:A:604:TRP:CE2	2.89	0.41
1:A:55:PHE:CZ	1:A:117:VAL:HG21	2.56	0.41
1:B:270:PHE:HE1	1:B:275:LEU:HD13	1.84	0.41
1:B:527:SER:CB	1:B:539:ARG:HH11	2.33	0.41
1:B:624:LEU:HA	1:B:627:ARG:HD2	2.03	0.41
1:B:13:LEU:HB3	1:B:464:LEU:HB2	2.03	0.41
1:B:591:VAL:HG22	1:B:628:VAL:HG13	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:420:LEU:HB3	1:B:436:LEU:HB2	2.02	0.40
1:A:441:GLN:OE1	1:A:482:GLN:HG2	2.21	0.40
1:A:37:VAL:HB	1:A:113:TYR:HB2	2.04	0.40
1:A:603:ARG:NH2	4:A:703:GTP:O6	2.48	0.40
2:B:701:LBV:N_D	2:B:701:LBV:HMC1	2.37	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:ARG:NH1	1:B:64:GLU:OE2[4_557]	1.83	0.37

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	663/685 (97%)	644 (97%)	19 (3%)	0	100 100
1	B	646/685 (94%)	624 (97%)	22 (3%)	0	100 100
All	All	1309/1370 (96%)	1268 (97%)	41 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	579/591 (98%)	574 (99%)	5 (1%)	78	94
1	B	568/591 (96%)	562 (99%)	6 (1%)	73	92
All	All	1147/1182 (97%)	1136 (99%)	11 (1%)	76	93

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	140	ARG
1	A	259	PHE
1	A	320	MET
1	A	396	PHE
1	A	475	ASP
1	B	100	ASP
1	B	140	ARG
1	B	259	PHE
1	B	313	SER
1	B	396	PHE
1	B	657	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	193	HIS
1	B	233	GLN
1	B	347	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GTP	B	703	5	26,34,34	1.19	1 (3%)	32,54,54	1.43	4 (12%)
2	LBV	B	701	1	42,46,46	2.84	22 (52%)	47,67,67	1.72	12 (25%)
4	GTP	A	703	5	26,34,34	1.28	1 (3%)	32,54,54	1.25	4 (12%)
2	LBV	A	701	1	42,46,46	2.91	17 (40%)	47,67,67	1.74	10 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	B	703	5	-	1/18/38/38	0/3/3/3
2	LBV	B	701	1	-	13/26/74/74	0/4/4/4
4	GTP	A	703	5	-	2/18/38/38	0/3/3/3
2	LBV	A	701	1	-	9/26/74/74	0/4/4/4

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	701	LBV	C2A-C1A	-7.82	1.42	1.51
2	B	701	LBV	C2A-C1A	-7.53	1.42	1.51
2	B	701	LBV	CAB-C3B	-6.91	1.41	1.52
2	A	701	LBV	CAB-C3B	-6.90	1.41	1.52
2	A	701	LBV	C2A-C3A	-6.48	1.43	1.51
2	B	701	LBV	C2A-C3A	-6.30	1.43	1.51
2	A	701	LBV	CHC-C1C	5.99	1.40	1.35
2	B	701	LBV	CMB-C2B	-4.94	1.41	1.51
2	A	701	LBV	CMB-C2B	-4.75	1.41	1.51
2	B	701	LBV	CMD-C2D	-4.52	1.41	1.50
2	A	701	LBV	CMD-C2D	-4.31	1.41	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	LBV	CMC-C3C	-4.26	1.41	1.50
2	A	701	LBV	CMC-C3C	-4.06	1.42	1.50
4	A	703	GTP	C5-C6	-4.02	1.39	1.47
2	B	701	LBV	CHC-C1C	3.94	1.38	1.35
2	B	701	LBV	CBB-CGB	-3.85	1.41	1.50
2	A	701	LBV	CMA-C2A	-3.71	1.42	1.53
2	A	701	LBV	CBB-CGB	-3.61	1.42	1.50
2	B	701	LBV	CMA-C2A	-3.43	1.42	1.53
4	B	703	GTP	C5-C6	-3.38	1.40	1.47
2	B	701	LBV	CAC-C2C	-3.18	1.43	1.51
2	A	701	LBV	CAC-C2C	-3.15	1.43	1.51
2	A	701	LBV	CBC-CGC	-3.10	1.43	1.50
2	B	701	LBV	CBC-CGC	-2.98	1.43	1.50
2	A	701	LBV	CAA-C3A	2.76	1.41	1.33
2	A	701	LBV	CBC-CAC	-2.63	1.43	1.52
2	B	701	LBV	CBC-CAC	-2.61	1.43	1.52
2	B	701	LBV	C1D-C2D	-2.58	1.40	1.45
2	B	701	LBV	CAA-C3A	2.43	1.40	1.33
2	A	701	LBV	C1D-C2D	-2.42	1.40	1.45
2	B	701	LBV	C4A-C3A	-2.36	1.40	1.45
2	A	701	LBV	O2B-CGB	-2.32	1.22	1.30
2	B	701	LBV	CAD-C3D	-2.21	1.41	1.47
2	A	701	LBV	CHB-C4A	2.18	1.38	1.34
2	B	701	LBV	C3D-C4D	-2.17	1.41	1.47
2	B	701	LBV	C1C-C2C	-2.12	1.42	1.45
2	B	701	LBV	CAB-CBB	-2.08	1.42	1.52
2	A	701	LBV	CAB-CBB	-2.07	1.42	1.52
2	B	701	LBV	O2B-CGB	-2.06	1.23	1.30
2	B	701	LBV	O1C-CGC	-2.05	1.23	1.30
2	B	701	LBV	CBA-CAA	-2.00	1.42	1.49

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	LBV	C4B-CHC-C1C	6.95	137.12	128.81
2	A	701	LBV	C4B-CHC-C1C	6.80	136.93	128.81
4	B	703	GTP	O4'-C1'-C2'	-3.70	101.52	106.93
4	B	703	GTP	O6-C6-C5	3.42	131.06	124.37
4	B	703	GTP	O6-C6-N1	-3.18	116.89	120.65
4	A	703	GTP	O6-C6-C5	3.02	130.26	124.37
2	A	701	LBV	O-A-C1A-C2A	2.87	129.06	126.28
4	A	703	GTP	O6-C6-N1	-2.77	117.38	120.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	701	LBV	CBB-CAB-C3B	-2.71	108.00	112.62
2	B	701	LBV	O-A-C1A-N-A	-2.68	121.69	124.94
2	A	701	LBV	C2C-C1C-N-C	-2.51	106.39	110.05
2	B	701	LBV	CHC-C1C-N-C	-2.47	125.39	128.83
2	A	701	LBV	O-A-C1A-N-A	-2.44	121.99	124.94
2	A	701	LBV	CHC-C1C-N-C	-2.33	125.59	128.83
4	A	703	GTP	C2-N1-C6	-2.31	120.84	125.10
4	A	703	GTP	O4'-C1'-C2'	-2.31	103.55	106.93
2	B	701	LBV	O-A-C1A-C2A	2.24	128.44	126.28
2	A	701	LBV	CMD-C2D-C1D	-2.22	121.39	124.17
2	B	701	LBV	C2C-C1C-N-C	-2.21	106.83	110.05
2	A	701	LBV	O-D-C4D-N-D	-2.20	119.97	125.08
2	A	701	LBV	O-D-C4D-C3D	2.19	134.43	129.46
2	B	701	LBV	CBB-CAB-C3B	-2.19	108.89	112.62
4	B	703	GTP	C2-N1-C6	-2.17	121.10	125.10
2	B	701	LBV	O-D-C4D-N-D	-2.15	120.07	125.08
2	B	701	LBV	O2B-CGB-O1B	2.05	128.40	123.30
2	B	701	LBV	O-D-C4D-C3D	2.04	134.08	129.46
2	A	701	LBV	O2C-CGC-CBC	-2.04	116.54	123.08
2	B	701	LBV	CAB-CBB-CGB	-2.04	108.05	113.76
2	B	701	LBV	CMD-C2D-C1D	-2.02	121.64	124.17
2	B	701	LBV	O1B-CGB-CBB	-2.00	116.65	123.08

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	LBV	C-N-C4C-CHD-C1D
2	B	701	LBV	C3B-C4B-CHC-C1C
2	B	701	LBV	B-N-C4B-CHC-C1C
2	B	701	LBV	C3C-C4C-CHD-C1D
2	B	701	LBV	C-N-C4C-CHD-C1D
2	A	701	LBV	C3C-C4C-CHD-C1D
2	B	701	LBV	C-N-C1C-CHC-C4B
2	B	701	LBV	C4D-C3D-CAD-CBD
2	B	701	LBV	C2D-C3D-CAD-CBD
2	B	701	LBV	C2C-C1C-CHC-C4B
2	A	701	LBV	D-N-C1D-CHD-C4C
4	A	703	GTP	PB-O3B-PG-O3G
2	A	701	LBV	C2D-C1D-CHD-C4C
2	A	701	LBV	CAC-CBC-CGC-O1C
2	A	701	LBV	CAB-CBB-CGB-O2B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	701	LBV	CAC-CBC-CGC-O2C
2	A	701	LBV	CAB-CBB-CGB-O1B
2	A	701	LBV	A-N-C4A-CHB-C1B
2	B	701	LBV	CAC-CBC-CGC-O1C
2	B	701	LBV	CAB-CBB-CGB-O2B
2	B	701	LBV	CAC-CBC-CGC-O2C
2	B	701	LBV	CAB-CBB-CGB-O1B
4	A	703	GTP	PA-O3A-PB-O2B
4	B	703	GTP	PB-O3A-PA-O2A
2	B	701	LBV	D-N-C1D-CHD-C4C


There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	703	GTP	1	0
2	B	701	LBV	1	0
4	A	703	GTP	2	0
2	A	701	LBV	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	667/685 (97%)	0.16	16 (2%) 59 49	56, 90, 135, 175	0
1	B	654/685 (95%)	0.17	15 (2%) 60 51	55, 86, 135, 169	0
All	All	1321/1370 (96%)	0.16	31 (2%) 60 51	55, 89, 135, 175	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	10	ILE	4.6
1	A	412	ASP	4.4
1	A	384	VAL	4.0
1	B	361	GLY	3.9
1	A	366	GLU	3.8
1	A	383	LEU	3.6
1	A	460	THR	3.3
1	B	453	LYS	3.2
1	B	360	ILE	3.1
1	A	453	LYS	3.0
1	B	362	TYR	2.9
1	B	634	LYS	2.8
1	A	364	ARG	2.8
1	B	435	LEU	2.7
1	B	628	VAL	2.5
1	A	363	LEU	2.5
1	B	437	PHE	2.3
1	B	412	ASP	2.3
1	A	367	GLU	2.3
1	A	241	SER	2.2
1	B	383	LEU	2.2
1	B	621	LEU	2.2
1	A	368	LEU	2.2
1	B	395	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	362	TYR	2.1
1	A	381	ASN	2.1
1	A	402	LEU	2.0
1	A	671	ARG	2.0
1	B	368	LEU	2.0
1	B	433	TYR	2.0
1	B	434	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	LBV	A	701	43/43	0.93	0.23	61,80,96,110	0
3	CL	B	702	1/1	0.93	0.12	60,60,60,60	0
2	LBV	B	701	43/43	0.94	0.18	30,61,101,105	0
5	MG	B	704	1/1	0.94	0.07	100,100,100,100	0
4	GTP	A	703	32/32	0.95	0.16	57,71,95,112	0
4	GTP	B	703	32/32	0.95	0.14	68,102,117,125	0
5	MG	A	704	1/1	0.95	0.08	89,89,89,89	0
3	CL	A	702	1/1	0.95	0.23	67,67,67,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.