



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 25, 2023 – 05:02 AM EDT

PDB ID : 5WJ6  
Title : Crystal structure of glutaminase C in complex with inhibitor 2-phenyl-N-{5-[4-({5-[(phenylacetyl)amino]-1,3,4-thiadiazol-2-yl}amino)piperidin-1-yl]-1,3,4-thiadiazol-2-yl}acetamide (UPGL-00004)  
Authors : Huang, Q.; Cerione, R.A.  
Deposited on : 2017-07-21  
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	 5% 65% 11% • 24%
1	C	539	 6% 63% 12% • 24%
1	D	539	 6% 65% 10% • 24%
2	B	539	 5% 64% 11% • 24%

## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 13503 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutaminase kidney isoform, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	410	3194	2036	540	590	28	1	0	0
1	C	410	3197	2037	540	592	28	1	0	0
1	D	410	3195	2035	540	592	28	2	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	MET	-	expression tag	UNP O94925
A	61	ARG	-	expression tag	UNP O94925
A	62	GLY	-	expression tag	UNP O94925
A	63	SER	-	expression tag	UNP O94925
A	64	HIS	-	expression tag	UNP O94925
A	65	HIS	-	expression tag	UNP O94925
A	66	HIS	-	expression tag	UNP O94925
A	67	HIS	-	expression tag	UNP O94925
A	68	HIS	-	expression tag	UNP O94925
A	69	HIS	-	expression tag	UNP O94925
A	70	GLY	-	expression tag	UNP O94925
A	71	SER	-	expression tag	UNP O94925
A	268	ALA	VAL	conflict	UNP O94925
C	60	MET	-	expression tag	UNP O94925
C	61	ARG	-	expression tag	UNP O94925
C	62	GLY	-	expression tag	UNP O94925
C	63	SER	-	expression tag	UNP O94925
C	64	HIS	-	expression tag	UNP O94925
C	65	HIS	-	expression tag	UNP O94925
C	66	HIS	-	expression tag	UNP O94925
C	67	HIS	-	expression tag	UNP O94925
C	68	HIS	-	expression tag	UNP O94925
C	69	HIS	-	expression tag	UNP O94925

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	70	GLY	-	expression tag	UNP O94925
C	71	SER	-	expression tag	UNP O94925
C	268	ALA	VAL	conflict	UNP O94925
D	60	MET	-	expression tag	UNP O94925
D	61	ARG	-	expression tag	UNP O94925
D	62	GLY	-	expression tag	UNP O94925
D	63	SER	-	expression tag	UNP O94925
D	64	HIS	-	expression tag	UNP O94925
D	65	HIS	-	expression tag	UNP O94925
D	66	HIS	-	expression tag	UNP O94925
D	67	HIS	-	expression tag	UNP O94925
D	68	HIS	-	expression tag	UNP O94925
D	69	HIS	-	expression tag	UNP O94925
D	70	GLY	-	expression tag	UNP O94925
D	71	SER	-	expression tag	UNP O94925
D	268	ALA	VAL	conflict	UNP O94925

- Molecule 2 is a protein called Glutaminase kidney isoform, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	410	3193	2035	540	590	28	0	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	60	MET	-	expression tag	UNP O94925
B	61	ARG	-	expression tag	UNP O94925
B	62	GLY	-	expression tag	UNP O94925
B	63	SER	-	expression tag	UNP O94925
B	64	HIS	-	expression tag	UNP O94925
B	65	HIS	-	expression tag	UNP O94925
B	66	HIS	-	expression tag	UNP O94925
B	67	HIS	-	expression tag	UNP O94925
B	68	HIS	-	expression tag	UNP O94925
B	69	HIS	-	expression tag	UNP O94925
B	70	GLY	-	expression tag	UNP O94925
B	71	SER	-	expression tag	UNP O94925
B	205	ASN	GLN	conflict	UNP O94925
B	268	ALA	VAL	conflict	UNP O94925

- Molecule 3 is 2-phenyl-N- $\{5-[4-(\{5-[(\text{phenylacetyl})\text{amino}]-1,3,4\text{-thiadiazol-2-yl})\text{amino}]piperi$

din-1-yl]-1,3,4-thiadiazol-2-yl}acetamide (three-letter code: B4A) (formula: C<sub>25</sub>H<sub>26</sub>N<sub>8</sub>O<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	S	0	0
			37	25	8	2	2		
3	C	1	Total	C	N	O	S	0	0
			37	25	8	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	138	Total	O	0	0
			138	138		
4	B	161	Total	O	0	0
			161	161		
4	C	171	Total	O	0	0
			171	171		
4	D	180	Total	O	0	0
			180	180		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutaminase kidney isoform, mitochondrial




- Molecule 1: Glutaminase kidney isoform, mitochondrial



• Molecule 1: Glutaminase kidney isoform, mitochondrial



• Molecule 2: Glutaminase kidney isoform, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.65Å 138.01Å 175.77Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.05 – 2.44 48.83 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.3 (47.05-2.44) 99.4 (48.83-2.45)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	0.14	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.36 (at 2.45Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, $R_{free}$	0.180 , 0.223 0.182 , 0.224	Depositor DCC
$R_{free}$ test set	2000 reflections (2.28%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.7	Xtrriage
Anisotropy	0.116	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 45.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	13503	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.12 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8677e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B4A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/3266	0.63	1/4408 (0.0%)
1	C	0.45	0/3269	0.60	0/4412
1	D	0.46	0/3267	0.61	0/4409
2	B	0.47	0/3265	0.61	1/4407 (0.0%)
All	All	0.45	0/13067	0.61	2/17636 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	383	GLU	N-CA-CB	-5.36	100.95	110.60
2	B	540	LEU	CA-CB-CG	5.11	127.06	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	317	ARG	Peptide
1	C	317	ARG	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3194	0	3170	36	0
1	C	3197	0	3172	52	0
1	D	3195	0	3165	73	0
2	B	3193	0	3168	69	0
3	A	37	0	0	0	0
3	C	37	0	0	1	0
4	A	138	0	0	2	0
4	B	161	0	0	3	0
4	C	171	0	0	4	0
4	D	180	0	0	6	0
All	All	13503	0	12675	196	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (196) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:529:ASN:ND2	1:C:529:ASN:OD1	1.81	1.13
1:D:153:LYS:HE2	1:D:196:ASP:HB3	1.46	0.97
1:D:152:GLU:OE1	1:D:153:LYS:HG3	1.69	0.92
1:D:152:GLU:CD	1:D:153:LYS:HG3	1.91	0.89
2:B:317:ARG:CB	1:D:318:PHE:HE2	1.86	0.87
2:B:255:LYS:HD3	2:B:256:PHE:H	1.43	0.83
1:D:317:ARG:NH2	1:D:318:PHE:CZ	2.53	0.77
1:C:382:ARG:NH2	1:C:412:ASP:OD1	2.18	0.76
2:B:217:ARG:NH1	2:B:545:GLU:OE1	2.21	0.74
1:C:189:THR:OG1	1:C:193:VAL:HG21	1.88	0.74
2:B:147:ILE:O	2:B:158:LYS:NZ	2.21	0.74
1:D:375:ASN:ND2	4:D:603:HOH:O	2.22	0.72
1:A:153:LYS:HB2	1:A:194:MET:HE2	1.71	0.72
1:A:234:LEU:HD22	1:A:520:ASP:HB3	1.72	0.71
2:B:533:LEU:H	1:D:494:ASN:ND2	1.88	0.71
1:D:189:THR:HG22	1:D:191:ASP:H	1.55	0.71
1:D:234:LEU:HD22	1:D:520:ASP:HB3	1.73	0.70

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:318:PHE:C	1:D:320:LYS:H	1.94	0.69
1:D:153:LYS:HE2	1:D:196:ASP:CB	2.21	0.69
1:A:201:LYS:O	1:A:205:GLN:HG3	1.93	0.68
1:C:498:MET:HE1	1:C:517:PHE:HE1	1.58	0.68
1:D:253:LEU:HD12	4:D:665:HOH:O	1.93	0.68
2:B:255:LYS:HA	2:B:255:LYS:HE2	1.77	0.67
1:C:145:TYR:OH	1:C:197:LYS:NZ	2.22	0.67
1:A:235:TYR:CD2	1:A:275:THR:HG23	2.30	0.66
2:B:533:LEU:H	1:D:494:ASN:HD21	1.42	0.66
2:B:318:PHE:CD1	2:B:321:LEU:HD13	2.32	0.65
1:D:318:PHE:O	1:D:320:LYS:N	2.28	0.65
1:D:317:ARG:CZ	1:D:318:PHE:CE2	2.80	0.65
2:B:317:ARG:HB3	1:D:318:PHE:HE2	1.63	0.64
2:B:317:ARG:CB	1:D:318:PHE:CE2	2.77	0.64
1:D:317:ARG:NH2	1:D:318:PHE:CE2	2.66	0.64
2:B:235:TYR:CD2	2:B:275:THR:HG23	2.33	0.63
2:B:234:LEU:HD22	2:B:520:ASP:HB3	1.80	0.63
1:C:234:LEU:HD22	1:C:520:ASP:HB3	1.79	0.63
2:B:318:PHE:CD1	1:D:317:ARG:NH2	2.65	0.63
2:B:143:LEU:HD22	2:B:200:PHE:HZ	1.64	0.62
2:B:183:ARG:HA	2:B:186:LEU:HD12	1.81	0.62
1:C:151:GLN:NE2	4:C:703:HOH:O	2.31	0.62
1:C:202:LYS:NZ	4:C:704:HOH:O	2.32	0.62
1:A:533:LEU:H	1:C:494:ASN:ND2	1.98	0.62
1:D:313:PRO:HG3	1:D:462:SER:HB2	1.81	0.61
2:B:538:LYS:HD3	2:B:538:LYS:H	1.66	0.61
1:C:181:MET:O	1:C:185:THR:HG23	2.00	0.61
2:B:318:PHE:CE2	1:D:317:ARG:HG3	2.35	0.60
2:B:316:LEU:CD1	1:D:312:GLU:OE1	2.50	0.59
1:D:180:ASP:OD1	1:D:183:ARG:NH1	2.35	0.59
1:D:139:LEU:HB3	1:D:140:GLU:OE1	2.03	0.59
2:B:318:PHE:CE1	1:D:317:ARG:NH2	2.72	0.58
2:B:317:ARG:HB2	1:D:318:PHE:HE2	1.65	0.57
1:D:188:THR:O	4:D:601:HOH:O	2.17	0.57
2:B:143:LEU:CD2	2:B:200:PHE:HZ	2.16	0.57
1:D:317:ARG:C	1:D:317:ARG:HD3	2.25	0.56
1:D:317:ARG:HD3	1:D:318:PHE:N	2.21	0.56
2:B:162:ALA:HB1	2:B:215:PHE:HE1	1.71	0.56
2:B:317:ARG:HG2	1:D:318:PHE:CZ	2.41	0.56
2:B:529:ASN:ND2	4:B:602:HOH:O	2.39	0.56
1:D:317:ARG:CZ	1:D:318:PHE:CZ	2.90	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:169:ARG:HG3	1:D:272:ARG:HG3	1.89	0.55
2:B:317:ARG:HB3	1:D:318:PHE:CE2	2.40	0.55
1:A:182:LEU:O	1:A:186:LEU:HD12	2.07	0.54
1:C:162:ALA:HB1	1:C:215:PHE:HE1	1.71	0.54
2:B:498:MET:HE1	2:B:517:PHE:CE1	2.43	0.54
1:A:162:ALA:HB1	1:A:215:PHE:HE1	1.72	0.54
1:D:152:GLU:OE2	1:D:153:LYS:CB	2.56	0.54
1:A:498:MET:HE1	1:A:517:PHE:CE1	2.43	0.53
1:C:201:LYS:O	1:C:205:GLN:HB3	2.08	0.53
1:A:140:GLU:OE1	1:A:140:GLU:N	2.38	0.53
1:A:249:TYR:CD2	1:A:250:ILE:HG23	2.44	0.53
2:B:139:LEU:HD21	2:B:212:THR:OG1	2.09	0.53
2:B:139:LEU:HD22	2:B:208:ILE:HG13	1.90	0.53
1:D:315:GLY:O	1:D:317:ARG:N	2.42	0.53
1:D:318:PHE:C	1:D:320:LYS:N	2.62	0.53
2:B:346:LYS:HB3	2:B:354:LYS:HG2	1.91	0.53
2:B:138:SER:HB3	2:B:141:ASP:OD2	2.08	0.53
2:B:182:LEU:O	2:B:186:LEU:HD12	2.09	0.53
1:C:480:ALA:HB2	1:C:490:LEU:HD12	1.89	0.53
2:B:217:ARG:HD3	2:B:545:GLU:OE1	2.10	0.52
2:B:316:LEU:HD13	1:D:312:GLU:OE1	2.10	0.52
2:B:316:LEU:HD11	1:D:312:GLU:OE1	2.09	0.52
1:A:172:ASP:OD1	1:A:174:ARG:HD3	2.09	0.51
2:B:318:PHE:CE2	2:B:321:LEU:HD22	2.46	0.51
1:A:479:PRO:HD2	1:A:491:VAL:O	2.11	0.51
1:A:533:LEU:H	1:C:494:ASN:HD21	1.57	0.50
1:C:140:GLU:OE1	1:C:140:GLU:N	2.38	0.50
1:D:152:GLU:OE2	1:D:153:LYS:HG3	2.10	0.50
1:C:507:LYS:N	1:C:507:LYS:HD3	2.26	0.50
1:D:317:ARG:NE	1:D:318:PHE:CE1	2.80	0.49
1:C:265:VAL:HG22	1:C:498:MET:SD	2.52	0.49
1:A:224:PHE:O	1:A:228:THR:HG23	2.13	0.49
1:A:532:ASN:HA	1:C:494:ASN:HD21	1.77	0.49
2:B:317:ARG:HG2	1:D:318:PHE:HZ	1.78	0.49
2:B:538:LYS:H	2:B:538:LYS:CD	2.26	0.49
1:D:152:GLU:OE2	1:D:153:LYS:HB2	2.13	0.49
1:A:477:GLY:O	1:A:529:ASN:HB2	2.13	0.49
2:B:240:LYS:NZ	1:C:523:SER:O	2.46	0.48
2:B:318:PHE:CD2	1:D:317:ARG:NH1	2.80	0.48
2:B:185:THR:HA	2:B:188:THR:OG1	2.14	0.48
1:A:432:ALA:HB1	1:A:441:PRO:HG2	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:317:ARG:HB3	1:D:317:ARG:NH2	2.28	0.48
1:C:172:ASP:OD1	1:C:174:ARG:HD3	2.14	0.48
2:B:141:ASP:O	2:B:144:PHE:HB3	2.14	0.47
2:B:537:ALA:HB2	1:D:450:PRO:HG2	1.96	0.47
1:D:152:GLU:OE1	1:D:153:LYS:CG	2.54	0.47
1:A:192:GLY:HA3	1:A:193:VAL:HA	1.57	0.47
1:C:477:GLY:O	1:C:529:ASN:HB2	2.13	0.47
2:B:479:PRO:HD2	2:B:491:VAL:O	2.14	0.47
2:B:255:LYS:HA	2:B:255:LYS:CE	2.44	0.47
1:A:349:VAL:O	1:A:354:LYS:HE3	2.15	0.47
1:D:148:ALA:O	1:D:150:GLY:N	2.48	0.46
1:D:287:CYS:O	1:D:290:PRO:HD2	2.15	0.46
2:B:224:PHE:O	2:B:228:THR:HG23	2.15	0.46
1:D:152:GLU:OE2	1:D:153:LYS:N	2.48	0.46
2:B:193:VAL:O	2:B:193:VAL:HG23	2.15	0.46
2:B:318:PHE:CZ	2:B:321:LEU:HD22	2.51	0.46
1:A:144:PHE:CE2	1:A:197:LYS:HB2	2.50	0.46
2:B:528:HIS:CD2	1:D:454:ARG:HD2	2.51	0.46
1:D:152:GLU:OE2	1:D:153:LYS:CG	2.64	0.46
2:B:195:LEU:HA	2:B:199:LEU:HD23	1.97	0.46
1:C:432:ALA:HB1	1:C:441:PRO:HG2	1.97	0.46
2:B:317:ARG:CG	1:D:318:PHE:CE2	2.99	0.45
1:C:176:LYS:NZ	1:C:180:ASP:OD2	2.49	0.45
2:B:435:ALA:HB2	2:B:491:VAL:HG13	1.97	0.45
1:C:525:CYS:HA	1:C:540:LEU:O	2.17	0.45
1:C:347:GLN:NE2	1:C:402:PRO:HG2	2.32	0.45
1:C:490:LEU:HD23	1:C:498:MET:HE2	1.99	0.45
4:A:735:HOH:O	1:C:471:GLN:HG2	2.17	0.45
1:C:153:LYS:HB2	1:C:194:MET:HE2	1.98	0.45
1:C:534:ARG:NH2	4:C:715:HOH:O	2.50	0.45
1:D:142:LEU:O	1:D:146:THR:HG23	2.17	0.45
1:D:259:ASP:OD1	4:D:602:HOH:O	2.21	0.44
1:A:189:THR:O	1:A:189:THR:OG1	2.31	0.44
1:C:250:ILE:HB	1:C:380:SER:HB3	1.99	0.44
1:A:379:GLN:O	1:A:383:GLU:HG3	2.17	0.44
1:A:528:HIS:CG	1:C:454:ARG:HD2	2.53	0.44
2:B:314:SER:HB3	2:B:330:HIS:CG	2.52	0.44
2:B:364:LYS:NZ	4:B:612:HOH:O	2.50	0.44
1:C:435:ALA:HB2	1:C:491:VAL:HG13	1.98	0.44
1:D:412:ASP:O	1:D:416:GLN:HG3	2.17	0.44
1:A:143:LEU:O	1:A:147:ILE:HD12	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:176:LYS:NZ	1:D:180:ASP:OD2	2.49	0.44
1:C:234:LEU:CD2	1:C:520:ASP:HB3	2.46	0.44
2:B:317:ARG:CG	1:D:318:PHE:HE2	2.30	0.44
1:C:281:PRO:HA	1:C:422:VAL:O	2.18	0.44
2:B:192:GLY:HA2	2:B:193:VAL:HA	1.83	0.44
1:C:209:VAL:O	1:C:213:GLN:HG3	2.19	0.43
1:C:349:VAL:O	1:C:354:LYS:HE3	2.17	0.43
1:D:281:PRO:HA	1:D:422:VAL:O	2.18	0.43
2:B:450:PRO:HG2	1:D:537:ALA:HB2	2.00	0.43
1:D:182:LEU:O	1:D:186:LEU:HB2	2.19	0.43
2:B:138:SER:O	2:B:142:LEU:HG	2.19	0.43
1:D:143:LEU:HD11	1:D:147:ILE:HD11	2.00	0.43
1:C:459:LEU:HD23	1:C:459:LEU:HA	1.83	0.43
1:C:317:ARG:HA	1:C:319:ASN:CG	2.39	0.43
1:A:479:PRO:HG3	1:C:530:TYR:CE1	2.54	0.43
1:D:317:ARG:NE	1:D:318:PHE:CZ	2.87	0.43
1:D:261:TRP:CE3	1:D:502:SER:HB2	2.54	0.43
2:B:318:PHE:CD2	1:D:317:ARG:CZ	3.02	0.42
1:A:480:ALA:HB2	1:A:490:LEU:HD12	2.01	0.42
1:C:490:LEU:HD23	1:C:498:MET:CE	2.49	0.42
1:D:250:ILE:HG13	1:D:251:PRO:HD2	2.01	0.42
1:C:316:LEU:HA	1:C:316:LEU:HD23	1.87	0.42
2:B:318:PHE:CG	1:D:317:ARG:NH1	2.88	0.42
2:B:364:LYS:HD3	2:B:445:GLU:OE1	2.19	0.42
1:C:153:LYS:HD3	1:C:196:ASP:HB3	2.01	0.42
1:D:140:GLU:HB3	1:D:208:ILE:HG12	2.01	0.42
1:D:250:ILE:HG23	4:D:609:HOH:O	2.18	0.42
1:D:545:GLU:OE1	1:D:545:GLU:N	2.53	0.42
1:C:364:LYS:NZ	4:C:705:HOH:O	2.32	0.42
1:A:454:ARG:HD2	1:C:528:HIS:CG	2.55	0.42
1:C:191:ASP:HB3	1:C:192:GLY:H	1.63	0.42
2:B:317:ARG:HB3	1:D:317:ARG:HH22	1.84	0.42
2:B:446:ARG:HD2	4:B:748:HOH:O	2.20	0.42
1:C:308:TYR:HB3	1:C:340:VAL:CG1	2.50	0.41
2:B:247:ALA:HB2	2:B:484:VAL:HG22	2.02	0.41
1:C:261:TRP:CE3	1:C:502:SER:HB2	2.55	0.41
1:D:202:LYS:NZ	4:D:632:HOH:O	2.52	0.41
1:A:142:LEU:HD23	1:A:142:LEU:HA	1.83	0.41
1:A:281:PRO:HA	1:A:422:VAL:O	2.20	0.41
2:B:528:HIS:CG	1:D:454:ARG:HD2	2.55	0.41
2:B:477:GLY:O	2:B:529:ASN:HB2	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:422:VAL:HG21	1:A:427:ALA:HB2	2.03	0.41
1:A:249:TYR:CE2	1:A:250:ILE:HG23	2.55	0.41
2:B:216:ARG:NE	2:B:216:ARG:HA	2.35	0.41
1:C:347:GLN:HE22	1:C:402:PRO:HG2	1.85	0.41
1:C:148:ALA:HA	1:C:154:ILE:HG12	2.03	0.41
1:C:320:LYS:HD3	3:C:601:B4A:O36	2.20	0.41
1:A:435:ALA:HB2	1:A:491:VAL:HG13	2.03	0.41
1:A:507:LYS:HE2	4:A:723:HOH:O	2.21	0.41
1:A:395:LEU:HB3	1:A:400:CYS:HB2	2.02	0.41
1:A:141:ASP:O	1:A:144:PHE:HB3	2.20	0.40
1:D:307:ARG:O	1:D:328:LYS:HE2	2.21	0.40
2:B:255:LYS:HD3	2:B:256:PHE:N	2.23	0.40
2:B:488:ILE:HD12	2:B:514:GLY:HA3	2.03	0.40
1:C:507:LYS:HB2	1:C:507:LYS:HE2	1.86	0.40
1:C:538:LYS:HA	1:C:538:LYS:HD3	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	408/539 (76%)	399 (98%)	8 (2%)	1 (0%)	47 57
1	C	408/539 (76%)	399 (98%)	7 (2%)	2 (0%)	29 34
1	D	408/539 (76%)	381 (93%)	21 (5%)	6 (2%)	10 9
2	B	408/539 (76%)	400 (98%)	7 (2%)	1 (0%)	47 57
All	All	1632/2156 (76%)	1579 (97%)	43 (3%)	10 (1%)	25 29

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	191	ASP
1	D	191	ASP
1	D	316	LEU
1	D	319	ASN
1	C	191	ASP
1	D	149	GLU
1	D	317	ARG
1	A	191	ASP
1	C	192	GLY
1	D	193	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	353/461 (77%)	346 (98%)	7 (2%)	55 67
1	C	354/461 (77%)	351 (99%)	3 (1%)	81 88
1	D	353/461 (77%)	346 (98%)	7 (2%)	55 67
2	B	353/461 (77%)	345 (98%)	8 (2%)	50 63
All	All	1413/1844 (77%)	1388 (98%)	25 (2%)	59 71

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	197	LYS
1	A	198	ASP
1	A	242	SER
1	A	361	PHE
1	A	384	SER
1	A	412	ASP
1	A	507	LYS
2	B	216	ARG
2	B	255	LYS
2	B	256	PHE
2	B	257	SER
2	B	259	ASP

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	B	317	ARG
2	B	361	PHE
2	B	538	LYS
1	C	317	ARG
1	C	361	PHE
1	C	382	ARG
1	D	152	GLU
1	D	248	ASP
1	D	257	SER
1	D	259	ASP
1	D	317	ARG
1	D	361	PHE
1	D	529	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	347	GLN
1	C	494	ASN
1	D	494	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	B4A	C	601	-	32,41,41	1.95	8 (25%)	35,55,55	2.57	12 (34%)
3	B4A	A	601	-	32,41,41	2.05	8 (25%)	35,55,55	2.46	11 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	B4A	C	601	-	-	2/16/34/34	0/5/5/5
3	B4A	A	601	-	-	1/16/34/34	0/5/5/5

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	B4A	C23-N03	6.09	1.41	1.32
3	C	601	B4A	C23-N03	5.54	1.40	1.32
3	A	601	B4A	C13-N12	4.39	1.45	1.35
3	A	601	B4A	C28-N27	4.15	1.44	1.35
3	C	601	B4A	C13-N12	3.93	1.44	1.35
3	C	601	B4A	C28-N27	3.85	1.44	1.35
3	A	601	B4A	C26-N27	3.65	1.43	1.36
3	A	601	B4A	C11-N12	3.51	1.42	1.36
3	C	601	B4A	C11-N12	3.25	1.42	1.36
3	C	601	B4A	C26-N27	3.12	1.42	1.36
3	C	601	B4A	C14-C13	2.47	1.57	1.51
3	A	601	B4A	C14-C13	2.29	1.56	1.51
3	C	601	B4A	C01-C06	-2.18	1.46	1.52
3	A	601	B4A	C06-N07	-2.14	1.41	1.46
3	A	601	B4A	C01-C06	-2.05	1.47	1.52
3	C	601	B4A	N25-N24	-2.01	1.33	1.37

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	601	B4A	C08-N07-C06	-10.15	105.34	124.26

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	B4A	C08-N07-C06	-9.51	106.53	124.26
3	A	601	B4A	C05-C06-N07	-4.77	103.17	110.60
3	C	601	B4A	C04-C05-C06	-4.53	102.55	110.50
3	C	601	B4A	C05-C06-N07	-4.14	104.14	110.60
3	C	601	B4A	C01-C06-N07	4.13	117.03	110.60
3	A	601	B4A	C29-C30-C35	-3.83	115.41	120.89
3	A	601	B4A	C04-C05-C06	-3.60	104.19	110.50
3	C	601	B4A	C26-N27-C28	-3.08	121.22	129.54
3	A	601	B4A	C14-C13-N12	3.05	121.06	114.77
3	A	601	B4A	C11-N12-C13	-3.03	121.35	129.54
3	A	601	B4A	C01-C06-N07	3.03	115.32	110.60
3	C	601	B4A	C05-C04-N03	-2.94	105.04	111.10
3	C	601	B4A	C14-C13-N12	2.67	120.29	114.77
3	A	601	B4A	C30-C29-C28	2.57	120.18	112.57
3	A	601	B4A	C29-C30-C31	2.56	124.55	120.89
3	C	601	B4A	C35-C30-C31	2.46	122.03	118.17
3	C	601	B4A	C29-C28-N27	2.39	119.70	114.77
3	C	601	B4A	C11-N12-C13	-2.21	123.57	129.54
3	A	601	B4A	C02-C01-C06	-2.21	106.63	110.50
3	C	601	B4A	C02-C01-C06	-2.15	106.73	110.50
3	C	601	B4A	O21-C13-N12	-2.10	119.79	123.63
3	A	601	B4A	C26-N27-C28	-2.01	124.11	129.54

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	601	B4A	S37-C23-N03-C04
3	C	601	B4A	S37-C23-N03-C02
3	C	601	B4A	S37-C23-N03-C04


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	601	B4A	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	410/539 (76%)	0.08	27 (6%) 18 14	24, 34, 77, 134	0
1	C	410/539 (76%)	0.04	30 (7%) 15 11	23, 33, 78, 134	1 (0%)
1	D	410/539 (76%)	0.19	31 (7%) 13 11	23, 35, 90, 170	2 (0%)
2	B	410/539 (76%)	0.15	26 (6%) 20 16	22, 34, 81, 153	0
All	All	1640/2156 (76%)	0.11	114 (6%) 16 12	22, 34, 81, 170	3 (0%)

All (114) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	318	PHE	8.1
1	D	546	GLY	7.9
1	C	546	GLY	7.3
1	A	137	PRO	6.9
1	D	192	GLY	6.8
1	D	317	ARG	6.4
1	C	142	LEU	6.3
1	D	148	ALA	6.0
1	A	318	PHE	5.9
1	C	318	PHE	5.7
1	A	138	SER	5.7
1	C	195	LEU	5.4
1	D	145	TYR	5.3
1	A	191	ASP	5.3
1	D	318	PHE	5.2
1	A	195	LEU	5.1
2	B	139	LEU	5.1
1	A	139	LEU	4.9
2	B	193	VAL	4.8
1	A	144	PHE	4.7
1	D	185	THR	4.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	142	LEU	4.6
1	D	137	PRO	4.6
1	C	148	ALA	4.5
1	C	317	ARG	4.4
1	A	193	VAL	4.3
1	D	253	LEU	4.3
1	D	195	LEU	4.2
1	D	191	ASP	4.2
2	B	191	ASP	4.1
1	C	149	GLU	4.1
1	D	142	LEU	4.0
2	B	138	SER	4.0
1	D	143	LEU	3.9
2	B	317	ARG	3.9
1	C	192	GLY	3.9
1	A	186	LEU	3.9
1	C	144	PHE	3.8
1	D	138	SER	3.8
1	C	143	LEU	3.8
1	D	146	THR	3.8
1	D	200	PHE	3.7
1	A	200	PHE	3.7
2	B	253	LEU	3.7
1	D	149	GLU	3.7
2	B	142	LEU	3.7
1	A	316	LEU	3.6
1	C	137	PRO	3.6
1	D	150	GLY	3.6
1	C	141	ASP	3.5
1	D	316	LEU	3.5
1	C	156	VAL	3.4
1	C	193	VAL	3.4
1	A	150	GLY	3.3
1	C	200	PHE	3.3
1	A	204	VAL	3.3
1	D	144	PHE	3.3
2	B	145	TYR	3.3
1	A	192	GLY	3.3
1	D	256	PHE	3.3
1	D	190	SER	3.3
1	C	154	ILE	3.2
1	C	197	LYS	3.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	189	THR	3.1
1	C	145	TYR	3.1
2	B	546	GLY	3.1
2	B	137	PRO	3.1
1	C	138	SER	3.1
1	A	141	ASP	3.0
1	C	150	GLY	3.0
1	A	546	GLY	3.0
2	B	150	GLY	3.0
1	C	146	THR	3.0
1	D	147	ILE	2.9
1	A	143	LEU	2.9
2	B	144	PHE	2.9
2	B	192	GLY	2.9
2	B	256	PHE	2.8
1	A	145	TYR	2.8
1	C	196	ASP	2.8
1	A	152	GLU	2.8
1	A	317	ARG	2.8
2	B	154	ILE	2.8
1	D	205	GLN	2.8
1	D	250	ILE	2.7
1	D	184	LEU	2.6
1	A	149	GLU	2.5
1	D	153	LYS	2.5
2	B	152	GLU	2.5
1	C	147	ILE	2.5
1	D	251	PRO	2.4
2	B	190	SER	2.4
2	B	249	TYR	2.4
2	B	148	ALA	2.4
1	D	154	ILE	2.3
2	B	250	ILE	2.3
2	B	204	VAL	2.3
1	C	213	GLN	2.3
1	A	194	MET	2.3
2	B	195	LEU	2.3
1	C	152	GLU	2.2
1	D	249	TYR	2.2
1	C	151	GLN	2.2
1	C	191	ASP	2.1
1	A	147	ILE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	200	PHE	2.1
1	A	196	ASP	2.1
1	A	151	GLN	2.0
1	C	208	ILE	2.0
1	C	253	LEU	2.0
1	A	146	THR	2.0
2	B	157	HIS	2.0
1	C	187	GLN	2.0
2	B	141	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	B4A	C	601	37/37	0.94	0.16	38,47,60,65	0
3	B4A	A	601	37/37	0.95	0.19	40,46,89,91	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





**Electron density around B4A C 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around B4A A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.