



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 15, 2024 – 08:52 PM EST

PDB ID : 6CQX  
Title : Crystal Structure of Recombinant Human Acetylcholinesterase Inhibited by VX(+)  
Authors : Bester, S.M.; Guelta, M.A.; Pegan, S.D.; Height, J.J.  
Deposited on : 2018-03-16  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 1.21  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	542	 4% 83% 14% ..
1	B	542	 3% 85% 12% ..
2	C	3	 33% 67%
2	D	3	 100%
2	E	3	 67% 33%

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 9401 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetylcholinesterase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	532	Total	C	N	O	S	0	1	0
			4144	2659	724	748	13			
1	B	528	Total	C	N	O	S	0	8	0
			4179	2684	730	752	13			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	D	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	E	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 3 is O-ETHYLMETHYLPHOSPHONIC ACID ESTER GROUP (three-letter code: VX) (formula: C<sub>3</sub>H<sub>9</sub>O<sub>3</sub>P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			6	3	2	1		
3	B	1	Total	C	O	P	0	0
			6	3	2	1		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is 2-(2-(2-(2-(2-(2-ETHOXYETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHOXY)ETHANOL (three-letter code: 7PE) (formula: C<sub>14</sub>H<sub>30</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			21	14	7		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	424	Total	O	0	0
			424	424		
6	B	493	Total	O	0	0
			493	493		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Acetylcholinesterase




- Molecule 1: Acetylcholinesterase



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1  
MAG2  
FUC3

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  67% 33%

MAG1  
MAG2  
FUC3

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.93Å 104.93Å 323.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.23 – 2.40 41.23 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.6 (41.23-2.40) 99.6 (41.23-2.40)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.98 (at 2.39Å)	Xtrriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
R, $R_{free}$	0.155 , 0.187 0.169 , 0.193	Depositor DCC
$R_{free}$ test set	4085 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.4	Xtrriage
Anisotropy	0.588	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 60.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.015 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	9401	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.48% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 7PE, NAG, VX, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.65	0/4269	0.60	0/5833
1	B	0.58	0/4318	0.59	0/5900
All	All	0.62	0/8587	0.60	0/11733

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4144	0	4015	65	0
1	B	4179	0	4056	49	0
2	C	38	0	34	4	0
2	D	38	0	34	2	0
2	E	38	0	34	1	0
3	A	6	0	8	0	0
3	B	6	0	8	0	0
4	A	14	0	13	1	0
5	A	21	0	30	8	0
6	A	424	0	0	10	0
6	B	493	0	0	5	0
All	All	9401	0	8232	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:GLN:HG2	6:A:1059:HOH:O	1.37	1.22
5:A:603:7PE:H172	5:A:603:7PE:H111	1.24	1.20
5:A:603:7PE:H111	5:A:603:7PE:C17	1.92	0.98
1:A:373:LEU:HD13	1:A:539:LEU:HD11	1.46	0.97
1:A:165:ARG:NE	1:A:166:GLU:OE2	2.10	0.84
1:A:289:LEU:HD11	1:A:298:SER:HA	1.61	0.81
1:A:306:ASP:HB2	5:A:603:7PE:H141	1.61	0.81
1:A:291:GLN:HB3	1:A:369:GLN:OE1	1.82	0.80
1:B:294:VAL:HG23	1:B:295:PHE:CD1	2.18	0.78
1:A:373:LEU:CD1	1:A:539:LEU:HD11	2.16	0.75
1:A:45:ARG:NH2	1:A:51:GLU:OE1	2.21	0.72
1:A:295:PHE:HE1	1:A:402:VAL:HG13	1.54	0.71
1:B:45:ARG:NH1	1:B:51[B]:GLU:OE1	2.23	0.71
1:A:306:ASP:HB2	5:A:603:7PE:C14	2.20	0.70
1:A:460:ASP:HB3	1:A:463:ARG:HG3	1.74	0.70
5:A:603:7PE:H172	5:A:603:7PE:C11	2.15	0.67
1:A:165:ARG:HD2	6:A:935:HOH:O	1.95	0.67
1:A:113:PRO:HG3	1:A:485:ARG:HG2	1.77	0.67
1:B:294:VAL:HG23	1:B:295:PHE:CE1	2.31	0.66
1:B:516:ARG:NH2	1:B:519:GLU:OE2	2.29	0.64
1:A:45:ARG:HH21	1:A:51:GLU:CD	2.01	0.64
1:A:539:LEU:C	1:A:539:LEU:HD23	2.19	0.63
1:A:77:TYR:CZ	1:A:348:LYS:HG2	2.34	0.62
1:A:348:LYS:O	1:A:440:PRO:HG3	2.00	0.61
1:A:68:VAL:HG23	1:A:90:ARG:HB2	1.84	0.60
1:A:339:LEU:HD21	1:A:402:VAL:HG21	1.84	0.59
1:B:294:VAL:HG13	1:B:365:VAL:HG12	1.85	0.58
1:A:345:GLY:H	2:C:2:NAG:H81	1.68	0.58
1:A:292:GLU:HA	1:A:292:GLU:OE1	2.03	0.58
6:B:1166:HOH:O	2:D:1:NAG:N2	2.23	0.58
1:B:68:VAL:HG23	1:B:90:ARG:HB2	1.86	0.57
1:B:482:ASN:HD21	1:B:491:GLU:HG2	1.69	0.56
1:A:165:ARG:CD	6:A:935:HOH:O	2.51	0.56
1:B:297:PHE:N	1:B:297:PHE:CD2	2.69	0.56
1:A:347:SER:HB2	2:C:1:NAG:H62	1.87	0.56
1:B:286:TRP:HE3	1:B:296:ARG:HB2	1.70	0.56
1:A:143:ARG:HD2	6:A:996:HOH:O	2.06	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:103:THR:HG21	1:B:190:PHE:HB3	1.89	0.55
5:A:603:7PE:H111	5:A:603:7PE:O16	2.06	0.54
1:B:285:GLU:HG2	1:B:296:ARG:NH2	2.21	0.54
1:B:328:VAL:O	1:B:427:ALA:HA	2.07	0.54
1:B:539:LEU:C	1:B:539:LEU:HD23	2.28	0.53
1:B:433:ARG:NH1	1:B:440:PRO:O	2.42	0.53
1:A:74:ASP:HB2	6:A:894:HOH:O	2.09	0.52
1:A:295:PHE:CE1	1:A:406:ASN:ND2	2.78	0.52
1:A:76:LEU:C	1:A:76:LEU:HD13	2.30	0.52
1:B:286:TRP:CE3	1:B:296:ARG:HB2	2.45	0.52
4:A:602:NAG:C6	6:A:708:HOH:O	2.58	0.51
1:A:68:VAL:HG11	1:A:88:PRO:HB3	1.93	0.51
1:A:161:LEU:HD11	1:A:269:LEU:HD22	1.92	0.51
1:A:146:LEU:HD23	1:A:147:VAL:N	2.25	0.51
1:B:30:SER:HB2	1:B:103:THR:OG1	2.11	0.51
1:A:24:THR:OG1	1:A:140:GLN:HG3	2.11	0.50
2:D:2:NAG:O4	2:D:3:FUC:O3	2.04	0.50
1:B:433:ARG:HD3	6:B:928:HOH:O	2.10	0.49
1:B:482:ASN:ND2	1:B:491:GLU:HG2	2.27	0.49
1:A:305:GLY:HA3	5:A:603:7PE:H51	1.95	0.49
1:B:332:LYS:HE3	6:B:941:HOH:O	2.12	0.49
1:A:195:THR:C	1:A:223:HIS:CE1	2.86	0.49
1:B:177:ARG:CZ	1:B:217:PRO:HB2	2.43	0.49
1:A:76:LEU:HD12	1:A:77:TYR:CD1	2.47	0.48
1:B:113:PRO:HG3	1:B:485:ARG:HG2	1.94	0.48
1:B:294:VAL:HG22	1:B:365:VAL:O	2.14	0.48
1:A:328:VAL:O	1:A:427:ALA:HA	2.14	0.48
1:B:166[A]:GLU:OE1	1:B:274:ARG:NH2	2.46	0.47
1:A:143:ARG:NH1	6:A:712:HOH:O	2.45	0.47
1:B:116:VAL:HG22	1:B:147:VAL:HB	1.96	0.47
1:B:368:PRO:HD2	6:B:878:HOH:O	2.13	0.47
1:A:440:PRO:HD2	1:A:443:MET:SD	2.55	0.47
1:B:408:VAL:HG11	1:B:525:ARG:HG3	1.95	0.47
1:A:235:PRO:HB2	1:A:296:ARG:NH2	2.31	0.46
1:B:104:PRO:HD3	1:B:139:VAL:HG13	1.97	0.45
1:A:143:ARG:NH2	6:A:717:HOH:O	2.48	0.45
1:A:366:GLY:HA3	1:A:402:VAL:HG22	1.98	0.45
1:B:431:GLU:OE2	1:B:521:ARG:NH1	2.48	0.45
1:A:540:LEU:CD2	1:A:540:LEU:C	2.85	0.45
1:A:279:GLN:NE2	6:A:715:HOH:O	2.48	0.45
1:A:76:LEU:HD12	1:A:77:TYR:CE1	2.52	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:LEU:HB2	1:A:328:VAL:HG12	1.99	0.45
1:B:294:VAL:HG13	1:B:365:VAL:CG1	2.46	0.45
1:B:536:LEU:N	1:B:537:PRO:CD	2.80	0.45
1:A:345:GLY:H	2:C:2:NAG:C8	2.30	0.45
1:A:346:PHE:CE2	1:A:398:LEU:HD23	2.53	0.44
1:A:344:PRO:HA	2:C:2:NAG:H81	2.00	0.44
1:B:321:PHE:CD1	1:B:418:LEU:HD23	2.53	0.44
1:B:257:CYS:HA	1:B:258:PRO:HD3	1.80	0.43
1:B:285:GLU:HG2	1:B:296:ARG:HH22	1.83	0.43
1:B:166[A]:GLU:OE1	1:B:274:ARG:NH1	2.52	0.43
1:B:305:GLY:HA2	1:B:309:SER:HA	2.00	0.43
1:A:356:ARG:O	1:A:360:LEU:HG	2.18	0.43
1:B:321:PHE:CE1	1:B:418:LEU:HD23	2.54	0.43
1:A:346:PHE:HA	1:A:352:SER:HB3	1.99	0.43
1:B:528:ALA:O	1:B:531:PHE:HB3	2.18	0.43
1:A:497:ALA:HA	1:A:498:PRO:HD3	1.79	0.42
1:A:289:LEU:HD11	1:A:298:SER:CA	2.42	0.42
1:A:305:GLY:CA	5:A:603:7PE:H51	2.49	0.42
1:B:417:ARG:HD2	1:B:417:ARG:HA	1.78	0.42
1:A:25:PRO:HG3	1:A:461:PRO:HD3	2.02	0.42
1:B:77:TYR:CE1	1:B:348:LYS:HD3	2.55	0.42
1:B:202:GLU:HA	1:B:228:GLN:O	2.20	0.42
1:B:347:SER:HB2	2:E:1:NAG:H62	2.02	0.41
1:A:76:LEU:CD1	1:A:77:TYR:CE1	3.03	0.41
1:B:366:GLY:C	1:B:368:PRO:HD3	2.41	0.41
1:A:540:LEU:C	1:A:540:LEU:HD22	2.41	0.41
1:B:460:ASP:HA	1:B:461:PRO:HD3	1.93	0.41
1:A:200:PHE:CB	1:A:226:VAL:HB	2.50	0.41
1:B:468:GLU:HG2	6:B:1000:HOH:O	2.18	0.41
1:A:245:ARG:HD3	1:B:276:ARG:HD2	2.02	0.41
1:A:413:GLN:O	1:A:413:GLN:HG3	2.14	0.41
1:A:100:ASN:O	1:A:147:VAL:HA	2.21	0.41
1:A:170:ASN:OD1	1:A:301:PRO:HA	2.21	0.41
1:A:458:PRO:HA	1:A:465:TYR:CD2	2.56	0.41
1:A:535:PHE:O	1:A:538:LYS:N	2.48	0.41
1:B:370:VAL:HB	1:B:374:ALA:HB3	2.03	0.40
1:A:24:THR:HG22	1:A:136:ARG:HD3	2.02	0.40
1:A:466:THR:O	1:A:470:LYS:HG3	2.21	0.40
1:B:297:PHE:N	1:B:297:PHE:HD2	2.15	0.40
1:B:329:GLY:HA3	1:B:428:TYR:CZ	2.56	0.40
1:A:107:ARG:HG3	6:A:815:HOH:O	2.20	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:374:ALA:O	1:B:378:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	527/542 (97%)	514 (98%)	13 (2%)	0	100	100
1	B	530/542 (98%)	511 (96%)	19 (4%)	0	100	100
All	All	1057/1084 (98%)	1025 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	431/437 (99%)	418 (97%)	13 (3%)	36	57
1	B	437/437 (100%)	429 (98%)	8 (2%)	54	73
All	All	868/874 (99%)	847 (98%)	21 (2%)	44	64

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	MET
1	A	200	PHE
1	A	268	GLU
1	A	287	HIS
1	A	291	GLN
1	A	294	VAL
1	A	313	GLU
1	A	373	LEU
1	A	380	LEU
1	A	381	HIS
1	A	396	GLU
1	A	413	GLN
1	A	540	LEU
1	B	61	ASP
1	B	200	PHE
1	B	296	ARG
1	B	297	PHE
1	B	313	GLU
1	B	380	LEU
1	B	396	GLU
1	B	539	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	C	1	2,1	14,14,15	0.28	0	17,19,21	0.54	0
2	NAG	C	2	2	14,14,15	0.29	0	17,19,21	0.52	0
2	FUC	C	3	2	10,10,11	0.25	0	14,14,16	0.59	0
2	NAG	D	1	2,1	14,14,15	0.28	0	17,19,21	0.54	0
2	NAG	D	2	2	14,14,15	0.28	0	17,19,21	0.61	0
2	FUC	D	3	2	10,10,11	0.28	0	14,14,16	0.57	0
2	NAG	E	1	2,1	14,14,15	0.28	0	17,19,21	0.54	0
2	NAG	E	2	2	14,14,15	0.29	0	17,19,21	0.52	0
2	FUC	E	3	2	10,10,11	0.26	0	14,14,16	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	3/6/23/26	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	FUC	D	3	2	-	-	0/1/1/1
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	FUC	E	3	2	-	-	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	D	1	NAG	C8-C7-N2-C2
2	D	1	NAG	O7-C7-N2-C2
2	D	2	NAG	C8-C7-N2-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	2	NAG	O7-C7-N2-C2
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
2	E	1	NAG	C8-C7-N2-C2
2	E	1	NAG	O7-C7-N2-C2
2	C	2	NAG	O5-C5-C6-O6


There are no ring outliers.


6 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	NAG	3	0
2	C	1	NAG	1	0
2	D	2	NAG	1	0
2	D	1	NAG	1	0
2	D	3	FUC	1	0
2	E	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	VX	A	601	-	2,5,6	1.98	1 (50%)	1,5,8	0.77	0
3	VX	B	601	1	2,5,6	1.18	0	1,5,8	0.18	0
5	7PE	A	603	-	20,20,20	0.64	0	19,19,19	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	A	602	1	14,14,15	0.29	0	17,19,21	0.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	VX	A	601	-	-	0/1/3/4	-
3	VX	B	601	1	-	0/1/3/4	-
5	7PE	A	603	-	-	14/18/18/18	-
4	NAG	A	602	1	-	3/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	VX	O2-C2	-2.78	1.36	1.44

There are no bond angle outliers.

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	603	7PE	C12-C11-O10-C9
5	A	603	7PE	C11-C12-O13-C14
5	A	603	7PE	O4-C5-C6-O7
4	A	602	NAG	C8-C7-N2-C2
4	A	602	NAG	O7-C7-N2-C2
5	A	603	7PE	O16-C17-C18-O19
5	A	603	7PE	O10-C11-C12-O13
5	A	603	7PE	O13-C14-C15-O16
4	A	602	NAG	O5-C5-C6-O6
5	A	603	7PE	O7-C8-C9-O10
5	A	603	7PE	C21-C20-O19-C18
5	A	603	7PE	C17-C18-O19-C20
5	A	603	7PE	C6-C5-O4-C3
5	A	603	7PE	C2-C3-O4-C5
5	A	603	7PE	C14-C15-O16-C17
5	A	603	7PE	C8-C9-O10-C11
5	A	603	7PE	C15-C14-O13-C12

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	603	7PE	8	0
4	A	602	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	532/542 (98%)	-0.37	21 (3%) 44 41	23, 42, 83, 122	1 (0%)
1	B	528/542 (97%)	-0.43	17 (3%) 50 47	19, 39, 74, 132	8 (1%)
All	All	1060/1084 (97%)	-0.40	38 (3%) 46 43	19, 40, 79, 132	9 (0%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	263	GLY	5.8
1	B	498	PRO	5.5
1	A	497	ALA	5.5
1	B	540	LEU	5.4
1	A	296	ARG	5.3
1	A	491	GLU	5.2
1	B	542	ALA	4.9
1	B	286	TRP	4.8
1	A	291	GLN	4.5
1	A	542	ALA	4.4
1	A	264	GLY	4.4
1	B	259	PRO	4.2
1	A	286	TRP	4.1
1	B	290	PRO	4.0
1	B	337[A]	TYR	3.4
1	B	491	GLU	3.3
1	A	295	PHE	3.3
1	A	540	LEU	3.2
1	A	3	ARG	3.1
1	B	258	PRO	3.0
1	A	290	PRO	3.0
1	A	265	ASN	3.0
1	A	258	PRO	2.9
1	B	380	LEU	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	313	GLU	2.7
1	B	295	PHE	2.7
1	A	289	LEU	2.6
1	A	535	PHE	2.5
1	B	265	ASN	2.5
1	B	294	VAL	2.4
1	A	292	GLU	2.4
1	A	380	LEU	2.3
1	B	289	LEU	2.3
1	B	293	SER	2.3
1	A	537	PRO	2.2
1	B	292	GLU	2.2
1	A	259	PRO	2.1
1	B	541	SER	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	FUC	D	3	10/11	0.29	0.24	130,136,138,139	0
2	NAG	D	2	14/15	0.48	0.19	136,147,150,152	0
2	FUC	C	3	10/11	0.48	0.24	104,107,115,116	0
2	FUC	E	3	10/11	0.51	0.23	97,102,109,117	0
2	NAG	C	2	14/15	0.63	0.17	105,115,123,125	0
2	NAG	E	2	14/15	0.70	0.18	118,125,130,130	0
2	NAG	D	1	14/15	0.73	0.20	112,132,138,139	0
2	NAG	E	1	14/15	0.81	0.15	73,91,102,106	0
2	NAG	C	1	14/15	0.83	0.15	76,94,109,115	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain C:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain D:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	A	602	14/15	0.58	0.15	89,103,109,111	0
5	7PE	A	603	21/21	0.72	0.26	80,91,98,98	0
3	VX	A	601	6/7	0.97	0.11	33,36,50,54	0
3	VX	B	601	6/7	0.99	0.06	34,38,43,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.