

Full wwPDB NMR Structure Validation Report (i)

Jun 23, 2024 – 03:29 AM EDT

| PDB ID | : | 6DL4 |
|--------------|---|-------------------|
| BMRB ID | : | 30471 |
| Title | : | Human Titin ZIg10 |
| Authors | : | Wright, N.T. |
| Deposited on | : | 2018-05-31 |

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/NMRValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

| MolProbity | : | 4.02b-467 |
|--------------------------------|---|--|
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| wwPDB-RCI | : | v 1n 11 5 13 A (Berjanski et al., 2005) |
| PANAV | : | Wang et al. (2010) |
| wwPDB-ShiftChecker | : | v1.2 |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.37.1 |
| | | |

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $SOLUTION\ NMR$

The overall completeness of chemical shifts assignment is 69%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | $egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$ | ${f NMR} \ { m archive} \ (\#{ m Entries})$ |
|-----------------------|--|---|
| Clashscore | 158937 | 12864 |
| Ramachandran outliers | 154571 | 11451 |
| Sidechain outliers | 154315 | 11428 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

| Mol | Chain | Length | G | Quality of chain | | |
|-----|-------|--------|-----|------------------|----|-----|
| 1 | А | 119 | 39% | 30% | 9% | 22% |



2 Ensemble composition and analysis (i)

This entry contains 20 models. Model 9 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

| | Well-defined (core) p | protein residues | |
|-------------------|-----------------------|-------------------|--------------|
| Well-defined core | Residue range (total) | Backbone RMSD (Å) | Medoid model |
| 1 | A:20-A:112 (93) | 0.78 | 9 |

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 5 single-model clusters were found.

| Cluster number | Models |
|-----------------------|----------------------------------|
| 1 | 3, 5, 6, 7, 8, 9, 10, 13, 17, 18 |
| 2 | 1, 2, 11 |
| 3 | 12, 15 |
| Single-model clusters | 4; 14; 16; 19; 20 |



3 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 1960 atoms, of which 976 are hydrogens and 0 are deuteriums.

• Molecule 1 is a protein called Titin.

| Mol | Chain | Residues | | | Aton | ns | | | Trace |
|-----|-------|----------|-------|-----|------|-----|-----|---|-------|
| 1 | Δ | 110 | Total | С | Η | Ν | 0 | S | 0 |
| | A | 119 | 1960 | 619 | 976 | 184 | 178 | 3 | 0 |

There are 8 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------|------------|
| А | 112 | LEU | - | expression tag | UNP Q8WZ42 |
| А | 113 | GLU | - | expression tag | UNP Q8WZ42 |
| А | 114 | HIS | - | expression tag | UNP Q8WZ42 |
| А | 115 | HIS | - | expression tag | UNP Q8WZ42 |
| А | 116 | HIS | - | expression tag | UNP Q8WZ42 |
| А | 117 | HIS | - | expression tag | UNP Q8WZ42 |
| А | 118 | HIS | - | expression tag | UNP Q8WZ42 |
| A | 119 | HIS | - | expression tag | UNP Q8WZ42 |



4 Residue-property plots (i)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: Titin



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

• Molecule 1: Titin



4.2.2 Score per residue for model 2

| Chain A: | 40% | 25% | 11% • | 22% |
|----------|-----|-----|-------|-----|
| | | | | |



Total Mill 179 Mill 171 Mill 1110 Mill 1110 Mill 1111 Mill</t

4.2.3 Score per residue for model 3

• Molecule 1: Titin



- 4.2.4 Score per residue for model 4
- Molecule 1: Titin

| Chain | A: | | | | | | 3 | 7% | 5 | | | | | | | | | | 2 | 4% | 6 | | | | | | 1 | 6% |) | | • | | | | 2 | 2% | 6 | | | | | | | |
|--------------------------|------------|------------|-----|------------|-----|------------|--------------|------|------|------|------|------|------|------|------|------|--------------|------|------|------------|--------------|------|-----|-----|-----|------------|---|-----|----------|-----|-----|-----|-------------|-----|-----|-----|-----|-----|-----|--------------|-----|-----|-----|-----|
| R1 M2 H4 F5 | G6 A7 | L8 19 | G10 | 712 T12 | T13 | D14 015 | к то К 16 | E17 | K18 | Q19 | VCA | 1.25 | | R31 | V32 | L33 | 635 635 | E36 | T37 | A38 200 | R39 | C42 | R43 | V44 | T45 | 640 Y47 | | N53 | W54 | Y55 | N57 | G58 | 059 1 60 | T61 | R62 | K63 | S64 | K65 | R66 | P D/ P AR | V69 | R70 | Y71 | D72 |
| G73 174 H75 D78 | 080 V80 | D81 C82 | K83 | Y85 | D86 | NGG | 0 CM | E102 | H103 | 0014 | K106 | E108 | I109 | Q110 | Q111 | L112 | E113 H114 | H115 | H116 | H117 | H118 u110 | ATTU | | | | | | | | | | | | | | | | | | | | | | |

- 4.2.5 Score per residue for model 5
- Molecule 1: Titin



4.2.6 Score per residue for model 6





4.2.7 Score per residue for model 7

• Molecule 1: Titin



4.2.8 Score per residue for model 8



- 4.2.9 Score per residue for model 9 (medoid)
- Molecule 1: Titin





4.2.10 Score per residue for model 10

• Molecule 1: Titin



4.2.11 Score per residue for model 11

• Molecule 1: Titin



4.2.12 Score per residue for model 12

• Molecule 1: Titin

| C | hε | ir | 1 / | 4: | | | | | | | | | | 45 | % | | | | | | | | | | | | 2 | 25% | 0 | | | | | 7 | % | • | | | | | 22 | ?% | | | | I | | | |
|----------|------|------------|----------|----------|----------|----|------|--------------|------------|------|------|-----|------|-----|------------|---------------|------|------|------|------|------------|-----|-----|-----|-----|-----|-----|-----|---|------------|-----|-----|-----|------------|------------|------------|-----|-----|-----|-----|-----|-----|-----|--------------|------------|-----|-----|-----|-----|
| R1 vo | A3 | H4 | 53 53 | <u>0</u> | L8 L8 | T9 | G10 | V11 T12 | 118 113 | D14 | Q15 | K16 | E17 | K18 | 019 200 | NZ0 | 0.01 | 1.25 | | L33 | A38 D30 | F40 | R41 | C42 | R43 | V44 | T45 | G46 | | W54 V55 | L56 | N57 | G58 | 059 100 | L60 T61 | LOL RG2 | K63 | S64 | K65 | R66 | F67 | K68 | V69 | H/ 0 V7 1 | D/2 C73 | 174 | H75 | Y76 | L77 |
| D78 | T /A | S84 | Y 85 | D80 | N96 | - | 1101 | E102 H103 | DOT II | K106 | L107 | | Q110 | | E113 | H114 114 E | 011U | H117 | H118 | H119 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

4.2.13 Score per residue for model 13

Molecule 1: Titin
Chain A: 35% 29% 13% 22%
Some set of the se

4.2.14 Score per residue for model 14

• Molecule 1: Titin



4.2.15 Score per residue for model 15

• Molecule 1: Titin



4.2.16 Score per residue for model 16

• Molecule 1: Titin



4.2.17 Score per residue for model 17



4.2.18 Score per residue for model 18

• Molecule 1: Titin



4.2.19 Score per residue for model 19

• Molecule 1: Titin

| Chain | A: | | | | | 38% | % | | | | | | | | | | 29 | 9% | | | | | - | 109 | 6 | • | | | 2 | 2% | 5 | | | | | | |
|--------------------------|------------|-------------------|-------------------|-----|------------|------------|-----|--------------|------------|------------|------|--------------|-----|------|--------------|------|------|--------------|-----|-----|------------|---|------------|-----|-----|------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|------------|-----|
| R1 M2 A3 F5 | G6 A7 | 19 19 | V11 V11 | T13 | D14 Q15 | K16 E17 | K18 | 419 | D22 T00 | 123 V24 | L25 | R31 | V32 | L33 | R41 | C42 | R43 | V44 T45 | G46 | Y47 | P48 Q49 | - | V54 Y55 | L56 | N57 | 020 059 | L60 Te1 | 101 | S64 | K65 R66 | F67 | 020 | R70 V71 | D72 | G73 | 174 175 | A76 |
| L77 V80 D81 C82 | 584 584 | Y85 D86 T87 | 107 G88 F89 | 060 | A94 | E95 N96 | | E101 E102 | H103 | L107 | E108 | 1109 0110 | | E113 | H114 H115 | H116 | H117 | H118 H119 | | | | | | | | | | | | | | | | | | | |

4.2.20 Score per residue for model 20

| Chain | A | : - | | | | ; | 32' | % | | | | | | | | | | 3 | 4% | , | | | | | | | 13 | 3% | | | | | 2 | 2% | 6 | | | | | | |
|---------------------------------|----|------|------------|-----|------------|-----|-----|------------|-------------|-----|-----|-----|------------|-----|------------|------|------|------------|------|------|------|------|------------|--------------|------|-------|--------------|------|-----|-----|-----|-------------|------------|-----|-----|-----|------------|-----|-----|-----|-----|
| R1 M2 H4 E5 | G6 | L A | G10 | V11 | T12 T13 | D14 | Q15 | K16 E17 | ст - К18 | q19 | | 123 | 125 L25 | Y26 | 164 V32 | 704 | T37 | A38 200 | F40 | R41 | C42 | R43 | V44 TAE | 046 046 | Y47 | 115 4 | Tev | W54 | Y55 | N57 | G58 | 059 1 60 | 161 161 | R62 | K63 | S64 | 405 Dee | F67 | R68 | V69 | Y71 |
| D72 G73 I74 H75 Y76 | | 08/T | 081 C82 | K83 | 584 Y85 | D86 | | E89 | V92 | T93 | A94 | E95 | DEN | 665 | E102 | K104 | V105 | K106 | L10/ | 1109 | Q110 | Q111 | L112 | E113 H114 | H115 | H116 | п117 Н118 | H119 | | | | | | | | | | | | | |



5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

| Software name | Classification | Version |
|---------------|-----------------------|---------|
| X-PLOR NIH | structure calculation | |

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

| Chemical shift file(s) | working_cs.cif |
|--|----------------|
| Number of chemical shift lists | 1 |
| Total number of shifts | 1016 |
| Number of shifts mapped to atoms | 1016 |
| Number of unparsed shifts | 0 |
| Number of shifts with mapping errors | 0 |
| Number of shifts with mapping warnings | 0 |
| Assignment completeness (well-defined parts) | 69% |



6 Model quality (i)

6.1 Standard geometry (i)

There are no covalent bond-length or bond-angle outliers.

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | Chirality | Planarity |
|-----|-------|---------------|---------------|
| 1 | А | $0.0{\pm}0.0$ | $6.4{\pm}1.3$ |
| All | All | 0 | 128 |

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Group | Models (Total) |
|-----|-------|-----|------|-----------|----------------|
| 1 | А | 68 | ARG | Sidechain | 19 |
| 1 | А | 31 | ARG | Sidechain | 18 |
| 1 | А | 41 | ARG | Sidechain | 17 |
| 1 | А | 70 | ARG | Sidechain | 17 |
| 1 | А | 43 | ARG | Sidechain | 15 |
| 1 | А | 62 | ARG | Sidechain | 15 |
| 1 | А | 39 | ARG | Sidechain | 14 |
| 1 | А | 66 | ARG | Sidechain | 13 |

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes |
|-----|-------|-------|----------|----------|------------|
| 1 | А | 769 | 782 | 782 | 44 ± 7 |
| All | All | 15380 | 15640 | 15640 | 884 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 28.

All unique clashes are listed below, sorted by their clash magnitude.

| Atom 1 | Atom 2 | $Cleah(\lambda)$ | Distance (Å) | Mod | dels |
|------------------|------------------|------------------|--------------|-------|-------|
| Atom-1 | Atom-2 | Clash(A) | Distance(A) | Worst | Total |
| 1:A:60:LEU:HD23 | 1:A:61:ILE:N | 0.81 | 1.91 | 19 | 2 |
| 1:A:25:LEU:HD13 | 1:A:25:LEU:N | 0.77 | 1.95 | 4 | 14 |
| 1:A:64:SER:O | 1:A:66:ARG:N | 0.75 | 2.20 | 12 | 20 |
| 1:A:77:LEU:HD23 | 1:A:77:LEU:N | 0.74 | 1.97 | 19 | 1 |
| 1:A:56:LEU:H | 1:A:56:LEU:HD13 | 0.73 | 1.43 | 20 | 1 |
| 1:A:90:VAL:HG21 | 1:A:107:LEU:HD12 | 0.73 | 1.58 | 19 | 3 |
| 1:A:56:LEU:HD13 | 1:A:56:LEU:N | 0.73 | 1.99 | 20 | 1 |
| 1:A:74:ILE:HD12 | 1:A:74:ILE:N | 0.72 | 1.99 | 3 | 5 |
| 1:A:75:HIS:NE2 | 1:A:77:LEU:HD21 | 0.71 | 2.01 | 12 | 3 |
| 1:A:33:LEU:HD22 | 1:A:33:LEU:N | 0.70 | 2.01 | 10 | 1 |
| 1:A:85:TYR:O | 1:A:85:TYR:CG | 0.68 | 2.47 | 19 | 20 |
| 1:A:75:HIS:CE1 | 1:A:77:LEU:HD22 | 0.68 | 2.23 | 19 | 1 |
| 1:A:106:LYS:C | 1:A:107:LEU:HD12 | 0.67 | 2.09 | 6 | 15 |
| 1:A:54:TRP:HE1 | 1:A:75:HIS:CG | 0.67 | 2.07 | 8 | 6 |
| 1:A:54:TRP:CD2 | 1:A:75:HIS:CE1 | 0.66 | 2.84 | 19 | 2 |
| 1:A:54:TRP:CZ2 | 1:A:75:HIS:CE1 | 0.66 | 2.84 | 13 | 3 |
| 1:A:54:TRP:CD1 | 1:A:75:HIS:ND1 | 0.66 | 2.63 | 15 | 2 |
| 1:A:60:LEU:HD23 | 1:A:61:ILE:H | 0.66 | 1.49 | 19 | 2 |
| 1:A:62:ARG:N | 1:A:62:ARG:HE | 0.66 | 1.89 | 18 | 1 |
| 1:A:54:TRP:CE2 | 1:A:75:HIS:CE1 | 0.66 | 2.83 | 2 | 2 |
| 1:A:54:TRP:O | 1:A:60:LEU:HD12 | 0.66 | 1.90 | 10 | 5 |
| 1:A:33:LEU:HD12 | 1:A:33:LEU:N | 0.65 | 2.06 | 15 | 6 |
| 1:A:26:TYR:O | 1:A:105:VAL:HG21 | 0.65 | 1.91 | 6 | 3 |
| 1:A:109:ILE:HD13 | 1:A:109:ILE:C | 0.65 | 2.12 | 16 | 1 |
| 1:A:62:ARG:N | 1:A:62:ARG:NE | 0.65 | 2.45 | 18 | 1 |
| 1:A:96:ASN:ND2 | 1:A:99:GLY:N | 0.64 | 2.44 | 20 | 1 |
| 1:A:47:TYR:N | 1:A:47:TYR:CD2 | 0.64 | 2.62 | 4 | 1 |
| 1:A:54:TRP:CD2 | 1:A:75:HIS:ND1 | 0.64 | 2.65 | 16 | 1 |
| 1:A:84:SER:O | 1:A:86:ASP:N | 0.64 | 2.31 | 19 | 20 |
| 1:A:90:VAL:CG2 | 1:A:107:LEU:HD12 | 0.64 | 2.22 | 19 | 1 |
| 1:A:54:TRP:CZ2 | 1:A:75:HIS:CD2 | 0.64 | 2.85 | 2 | 3 |
| 1:A:47:TYR:CD1 | 1:A:47:TYR:N | 0.64 | 2.64 | 14 | 2 |
| 1:A:54:TRP:CE2 | 1:A:75:HIS:CD2 | 0.64 | 2.86 | 13 | 2 |
| 1:A:96:ASN:HD21 | 1:A:99:GLY:N | 0.63 | 1.92 | 20 | 1 |
| 1:A:80:VAL:O | 1:A:82:CYS:N | 0.63 | 2.31 | 19 | 13 |
| 1:A:47:TYR:CG | 1:A:96:ASN:ND2 | 0.63 | 2.66 | 4 | 1 |
| 1:A:54:TRP:HE1 | 1:A:75:HIS:CD2 | 0.63 | 2.12 | 11 | 5 |
| 1:A:75:HIS:N | 1:A:75:HIS:ND1 | 0.63 | 2.45 | 17 | 4 |
| 1:A:47:TYR:CD2 | 1:A:47:TYR:N | 0.63 | 2.67 | 17 | 3 |



| 6DL4 | |
|------|--|
|------|--|

| | | . 0 . | . 0 . | | dels |
|------------------|------------------|--------------------------------------|-------------|-------|-------|
| Atom-1 | Atom-2 | $\operatorname{Clash}(\mathrm{\AA})$ | Distance(A) | Worst | Total |
| 1:A:54:TRP:CZ2 | 1:A:75:HIS:NE2 | 0.63 | 2.67 | 18 | 3 |
| 1:A:84:SER:O | 1:A:109:ILE:HD12 | 0.63 | 1.94 | 16 | 1 |
| 1:A:54:TRP:NE1 | 1:A:75:HIS:CG | 0.63 | 2.67 | 14 | 13 |
| 1:A:54:TRP:CG | 1:A:75:HIS:CE1 | 0.63 | 2.86 | 16 | 3 |
| 1:A:54:TRP:CE2 | 1:A:75:HIS:ND1 | 0.63 | 2.67 | 2 | 4 |
| 1:A:110:GLN:HE21 | 1:A:110:GLN:N | 0.63 | 1.92 | 16 | 1 |
| 1:A:54:TRP:N | 1:A:54:TRP:CD1 | 0.62 | 2.68 | 16 | 1 |
| 1:A:62:ARG:HH12 | 1:A:78:ASP:N | 0.62 | 1.93 | 14 | 2 |
| 1:A:49:GLN:NE2 | 1:A:49:GLN:N | 0.62 | 2.47 | 7 | 1 |
| 1:A:56:LEU:N | 1:A:56:LEU:HD12 | 0.61 | 2.10 | 5 | 13 |
| 1:A:62:ARG:NE | 1:A:62:ARG:H | 0.61 | 1.94 | 18 | 1 |
| 1:A:68:ARG:HE | 1:A:70:ARG:HH22 | 0.61 | 1.37 | 4 | 1 |
| 1:A:24:VAL:C | 1:A:25:LEU:HD13 | 0.61 | 2.16 | 10 | 13 |
| 1:A:38:ALA:HB3 | 1:A:79:ILE:HD11 | 0.61 | 1.73 | 15 | 6 |
| 1:A:54:TRP:NE1 | 1:A:75:HIS:ND1 | 0.61 | 2.49 | 15 | 1 |
| 1:A:80:VAL:O | 1:A:80:VAL:HG22 | 0.60 | 1.95 | 1 | 1 |
| 1:A:60:LEU:O | 1:A:61:ILE:HG22 | 0.60 | 1.97 | 6 | 9 |
| 1:A:42:CYS:SG | 1:A:75:HIS:NE2 | 0.60 | 2.75 | 13 | 2 |
| 1:A:42:CYS:SG | 1:A:75:HIS:CE1 | 0.59 | 2.95 | 2 | 2 |
| 1:A:56:LEU:CD2 | 1:A:62:ARG:HE | 0.59 | 2.10 | 5 | 1 |
| 1:A:68:ARG:NH2 | 1:A:76:TYR:CD2 | 0.59 | 2.70 | 5 | 1 |
| 1:A:56:LEU:O | 1:A:58:GLY:N | 0.59 | 2.35 | 16 | 20 |
| 1:A:25:LEU:N | 1:A:25:LEU:CD1 | 0.59 | 2.65 | 15 | 13 |
| 1:A:22:ASP:N | 1:A:45:THR:OG1 | 0.59 | 2.36 | 8 | 2 |
| 1:A:54:TRP:CD1 | 1:A:75:HIS:CG | 0.59 | 2.90 | 12 | 3 |
| 1:A:75:HIS:CD2 | 1:A:75:HIS:N | 0.59 | 2.70 | 18 | 3 |
| 1:A:85:TYR:CZ | 1:A:111:GLN:NE2 | 0.59 | 2.71 | 8 | 2 |
| 1:A:55:TYR:CE1 | 1:A:60:LEU:HD12 | 0.58 | 2.33 | 19 | 1 |
| 1:A:44:VAL:HG22 | 1:A:45:THR:N | 0.58 | 2.13 | 13 | 6 |
| 1:A:62:ARG:HH22 | 1:A:78:ASP:H | 0.58 | 1.39 | 4 | 1 |
| 1:A:53:ASN:ND2 | 1:A:53:ASN:N | 0.58 | 2.52 | 11 | 1 |
| 1:A:53:ASN:ND2 | 1:A:55:TYR:CE2 | 0.58 | 2.72 | 4 | 1 |
| 1:A:55:TYR:N | 1:A:55:TYR:CD2 | 0.58 | 2.71 | 14 | 6 |
| 1:A:56:LEU:CD2 | 1:A:62:ARG:NH2 | 0.57 | 2.67 | 7 | 1 |
| 1:A:84:SER:O | 1:A:109:ILE:HG21 | 0.57 | 2.00 | 20 | 12 |
| 1:A:54:TRP:CD1 | 1:A:62:ARG:NH2 | 0.57 | 2.72 | 3 | 1 |
| 1:A:60:LEU:HD23 | 1:A:60:LEU:H | 0.57 | 1.60 | 13 | 3 |
| 1:A:36:GLU:N | 1:A:36:GLU:OE1 | 0.57 | 2.38 | 8 | 2 |
| 1:A:54:TRP:CD1 | 1:A:75:HIS:CE1 | 0.57 | 2.93 | 15 | 1 |
| 1:A:62:ARG:NH2 | 1:A:78:ASP:O | 0.56 | 2.38 | 4 | 1 |
| 1:A:70:ARG:O | 1:A:74:ILE:O | 0.56 | 2.23 | 20 | 20 |



| 6DL4 |
|------|
|------|

| | tous page | | | Mo | dels |
|------------------|------------------|----------|-------------|-------|-------|
| Atom-1 | Atom-2 | Clash(A) | Distance(A) | Worst | Total |
| 1:A:64:SER:O | 1:A:67:PHE:N | 0.56 | 2.38 | 15 | 9 |
| 1:A:25:LEU:C | 1:A:25:LEU:HD22 | 0.56 | 2.21 | 15 | 3 |
| 1:A:68:ARG:HE | 1:A:70:ARG:NH2 | 0.56 | 1.99 | 4 | 1 |
| 1:A:52:VAL:O | 1:A:71:TYR:CZ | 0.56 | 2.58 | 10 | 3 |
| 1:A:74:ILE:N | 1:A:74:ILE:CD1 | 0.56 | 2.69 | 3 | 2 |
| 1:A:37:THR:N | 1:A:81:ASP:OD1 | 0.56 | 2.39 | 9 | 1 |
| 1:A:26:TYR:CE1 | 1:A:107:LEU:HD21 | 0.56 | 2.35 | 7 | 2 |
| 1:A:38:ALA:HB3 | 1:A:79:ILE:CG2 | 0.56 | 2.31 | 13 | 1 |
| 1:A:56:LEU:HD21 | 1:A:77:LEU:HD22 | 0.56 | 1.78 | 16 | 1 |
| 1:A:44:VAL:HG12 | 1:A:45:THR:N | 0.55 | 2.15 | 9 | 3 |
| 1:A:92:VAL:HG22 | 1:A:103:HIS:ND1 | 0.55 | 2.16 | 14 | 1 |
| 1:A:57:ASN:O | 1:A:57:ASN:ND2 | 0.55 | 2.39 | 15 | 1 |
| 1:A:34:GLU:OE1 | 1:A:85:TYR:N | 0.55 | 2.39 | 10 | 3 |
| 1:A:62:ARG:HH22 | 1:A:78:ASP:N | 0.55 | 2.00 | 4 | 1 |
| 1:A:23:ILE:CG2 | 1:A:103:HIS:NE2 | 0.55 | 2.70 | 8 | 1 |
| 1:A:52:VAL:O | 1:A:53:ASN:ND2 | 0.55 | 2.39 | 13 | 1 |
| 1:A:62:ARG:HH12 | 1:A:78:ASP:H | 0.55 | 1.43 | 17 | 1 |
| 1:A:52:VAL:HG13 | 1:A:54:TRP:CZ2 | 0.55 | 2.36 | 13 | 1 |
| 1:A:62:ARG:NH2 | 1:A:76:TYR:O | 0.55 | 2.40 | 20 | 2 |
| 1:A:103:HIS:N | 1:A:103:HIS:CD2 | 0.55 | 2.75 | 8 | 1 |
| 1:A:64:SER:OG | 1:A:65:LYS:N | 0.55 | 2.40 | 13 | 12 |
| 1:A:85:TYR:CE1 | 1:A:111:GLN:NE2 | 0.55 | 2.75 | 8 | 2 |
| 1:A:96:ASN:ND2 | 1:A:96:ASN:H | 0.54 | 2.00 | 19 | 2 |
| 1:A:31:ARG:NH2 | 1:A:110:GLN:OE1 | 0.54 | 2.41 | 1 | 1 |
| 1:A:54:TRP:CE2 | 1:A:75:HIS:CG | 0.54 | 2.96 | 19 | 3 |
| 1:A:81:ASP:O | 1:A:82:CYS:SG | 0.54 | 2.66 | 9 | 6 |
| 1:A:54:TRP:CZ3 | 1:A:92:VAL:HG22 | 0.54 | 2.37 | 3 | 1 |
| 1:A:62:ARG:NH2 | 1:A:67:PHE:CD2 | 0.54 | 2.75 | 17 | 2 |
| 1:A:98:GLU:OE1 | 1:A:98:GLU:N | 0.54 | 2.41 | 2 | 2 |
| 1:A:75:HIS:NE2 | 1:A:77:LEU:CD2 | 0.54 | 2.71 | 15 | 3 |
| 1:A:66:ARG:NH1 | 1:A:83:LYS:NZ | 0.54 | 2.56 | 16 | 1 |
| 1:A:54:TRP:CD1 | 1:A:75:HIS:CD2 | 0.54 | 2.96 | 17 | 2 |
| 1:A:102:GLU:O | 1:A:103:HIS:ND1 | 0.54 | 2.41 | 20 | 1 |
| 1:A:56:LEU:O | 1:A:59:GLN:N | 0.54 | 2.40 | 18 | 13 |
| 1:A:52:VAL:O | 1:A:71:TYR:CE2 | 0.54 | 2.61 | 18 | 1 |
| 1:A:22:ASP:OD2 | 1:A:22:ASP:N | 0.54 | 2.40 | 1 | 3 |
| 1:A:60:LEU:O | 1:A:61:ILE:CG2 | 0.54 | 2.56 | 6 | 15 |
| 1:A:109:ILE:HD12 | 1:A:110:GLN:N | 0.54 | 2.18 | 4 | 1 |
| 1:A:68:ARG:NH2 | 1:A:76:TYR:CE2 | 0.53 | 2.76 | 5 | 1 |
| 1:A:94:ALA:HB3 | 1:A:101:ILE:CD1 | 0.53 | 2.32 | 19 | 1 |
| 1:A:62:ARG:NH2 | 1:A:78:ASP:H | 0.53 | 2.00 | 4 | 2 |



| | A de D | | \mathbf{D} | Models | | | |
|------------------|-----------------|----------|--------------|--------|-------|--|--|
| Atom-1 | Atom-2 | Clash(A) | Distance(A) | Worst | Total | | |
| 1:A:101:ILE:HG22 | 1:A:103:HIS:NE2 | 0.53 | 2.19 | 8 | 1 | | |
| 1:A:20:LYS:O | 1:A:22:ASP:OD1 | 0.53 | 2.27 | 13 | 2 | | |
| 1:A:77:LEU:N | 1:A:77:LEU:CD2 | 0.53 | 2.72 | 11 | 2 | | |
| 1:A:102:GLU:O | 1:A:103:HIS:CD2 | 0.53 | 2.62 | 4 | 3 | | |
| 1:A:78:ASP:OD2 | 1:A:79:ILE:N | 0.53 | 2.42 | 6 | 1 | | |
| 1:A:54:TRP:NE1 | 1:A:75:HIS:CD2 | 0.53 | 2.77 | 20 | 3 | | |
| 1:A:79:ILE:HG22 | 1:A:80:VAL:N | 0.53 | 2.19 | 2 | 5 | | |
| 1:A:95:GLU:O | 1:A:96:ASN:ND2 | 0.53 | 2.42 | 2 | 2 | | |
| 1:A:101:ILE:HD12 | 1:A:101:ILE:O | 0.53 | 2.04 | 12 | 1 | | |
| 1:A:103:HIS:O | 1:A:103:HIS:CD2 | 0.53 | 2.62 | 14 | 1 | | |
| 1:A:54:TRP:HE1 | 1:A:75:HIS:CB | 0.52 | 2.18 | 6 | 1 | | |
| 1:A:77:LEU:N | 1:A:77:LEU:HD22 | 0.52 | 2.20 | 11 | 1 | | |
| 1:A:103:HIS:CD2 | 1:A:103:HIS:C | 0.52 | 2.83 | 14 | 1 | | |
| 1:A:101:ILE:HG22 | 1:A:102:GLU:N | 0.52 | 2.19 | 9 | 3 | | |
| 1:A:62:ARG:HE | 1:A:63:LYS:H | 0.52 | 1.44 | 8 | 2 | | |
| 1:A:80:VAL:HG22 | 1:A:81:ASP:N | 0.52 | 2.20 | 17 | 3 | | |
| 1:A:62:ARG:NH2 | 1:A:71:TYR:CZ | 0.52 | 2.78 | 3 | 1 | | |
| 1:A:56:LEU:C | 1:A:58:GLY:N | 0.52 | 2.64 | 11 | 20 | | |
| 1:A:32:VAL:CG1 | 1:A:33:LEU:N | 0.52 | 2.73 | 6 | 1 | | |
| 1:A:56:LEU:N | 1:A:56:LEU:CD1 | 0.51 | 2.71 | 20 | 7 | | |
| 1:A:111:GLN:N | 1:A:111:GLN:CD | 0.51 | 2.64 | 9 | 1 | | |
| 1:A:62:ARG:NE | 1:A:63:LYS:H | 0.51 | 2.03 | 10 | 1 | | |
| 1:A:56:LEU:O | 1:A:56:LEU:HD22 | 0.51 | 2.04 | 20 | 1 | | |
| 1:A:62:ARG:NH2 | 1:A:71:TYR:OH | 0.51 | 2.44 | 3 | 1 | | |
| 1:A:96:ASN:N | 1:A:96:ASN:OD1 | 0.51 | 2.43 | 13 | 1 | | |
| 1:A:25:LEU:HD21 | 1:A:92:VAL:HG21 | 0.51 | 1.83 | 16 | 1 | | |
| 1:A:22:ASP:OD1 | 1:A:23:ILE:N | 0.51 | 2.42 | 19 | 1 | | |
| 1:A:60:LEU:HD23 | 1:A:60:LEU:N | 0.51 | 2.20 | 15 | 2 | | |
| 1:A:33:LEU:N | 1:A:33:LEU:CD2 | 0.51 | 2.72 | 10 | 1 | | |
| 1:A:25:LEU:HD13 | 1:A:25:LEU:H | 0.51 | 1.64 | 15 | 1 | | |
| 1:A:84:SER:O | 1:A:109:ILE:CG2 | 0.51 | 2.59 | 6 | 11 | | |
| 1:A:31:ARG:HE | 1:A:110:GLN:NE2 | 0.51 | 2.04 | 20 | 1 | | |
| 1:A:53:ASN:ND2 | 1:A:55:TYR:OH | 0.51 | 2.44 | 5 | 1 | | |
| 1:A:22:ASP:C | 1:A:45:THR:HG1 | 0.51 | 2.09 | 7 | 1 | | |
| 1:A:33:LEU:N | 1:A:33:LEU:CD1 | 0.50 | 2.74 | 8 | 4 | | |
| 1:A:78:ASP:OD2 | 1:A:78:ASP:N | 0.50 | 2.43 | 5 | 1 | | |
| 1:A:54:TRP:CD2 | 1:A:54:TRP:N | 0.50 | 2.79 | 5 | 2 | | |
| 1:A:71:TYR:O | 1:A:72:ASP:OD1 | 0.50 | 2.30 | 19 | 2 | | |
| 1:A:53:ASN:O | 1:A:54:TRP:CE3 | 0.50 | 2.65 | 2 | 2 | | |
| 1:A:62:ARG:NH2 | 1:A:67:PHE:CD1 | 0.50 | 2.79 | 4 | 1 | | |
| 1:A:54:TRP:NE1 | 1:A:75:HIS:CB | 0.50 | 2.74 | 8 | 3 | | |



| 6DL4 |
|------|
|------|

| | Models | | | | | | |
|------------------|------------------|----------|-------------|-------|-------|--|--|
| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Worst | Total | | |
| 1.A.49.GLN.N | 1.A.49.GLN.OE1 | 0.50 | 2.44 | 9 | 1 | | |
| 1:A:54:TRP:CG | 1:A:75:HIS:ND1 | 0.50 | 2.79 | 19 | 2 | | |
| 1:A·106·LYS·C | 1:A:107:LEU:HD22 | 0.50 | 2.26 | 16 | 1 | | |
| 1:A:42:CYS:SG | 1:A:75:HIS:O | 0.50 | 2.68 | 2 | 1 | | |
| 1:A:81:ASP:O | 1:A:82:CYS:CB | 0.50 | 2.59 | 16 | 8 | | |
| 1:A:96:ASN:ND2 | 1:A:96:ASN:N | 0.50 | 2.59 | 14 | 2 | | |
| 1:A:22:ASP:OD2 | 1:A:45:THR:OG1 | 0.50 | 2.30 | 6 | 3 | | |
| 1:A:44:VAL:CG2 | 1:A:45:THR:N | 0.49 | 2.75 | 6 | 6 | | |
| 1:A:80:VAL:HG12 | 1:A:81:ASP:N | 0.49 | 2.21 | 18 | 4 | | |
| 1:A:90:VAL:O | 1:A:105:VAL:O | 0.49 | 2.30 | 15 | 2 | | |
| 1:A:58:GLY:N | 1:A:89:GLU:O | 0.49 | 2.46 | 1 | 5 | | |
| 1:A:47:TYR:CD2 | 1:A:96:ASN:ND2 | 0.49 | 2.80 | 4 | 1 | | |
| 1:A:38:ALA:HB3 | 1:A:79:ILE:CG1 | 0.49 | 2.37 | 18 | 5 | | |
| 1:A:34:GLU:O | 1:A:112:LEU:O | 0.49 | 2.30 | 1 | 1 | | |
| 1:A:111:GLN:O | 1:A:112:LEU:CB | 0.49 | 2.61 | 1 | 1 | | |
| 1:A:55:TYR:CZ | 1:A:60:LEU:HD13 | 0.49 | 2.42 | 7 | 1 | | |
| 1:A:26:TYR:O | 1:A:105:VAL:HG11 | 0.49 | 2.08 | 14 | 1 | | |
| 1:A:71:TYR:CD1 | 1:A:71:TYR:N | 0.49 | 2.80 | 16 | 1 | | |
| 1:A:108:GLU:N | 1:A:108:GLU:CD | 0.49 | 2.66 | 3 | 1 | | |
| 1:A:92:VAL:HG22 | 1:A:103:HIS:CE1 | 0.49 | 2.43 | 14 | 1 | | |
| 1:A:111:GLN:NE2 | 1:A:112:LEU:O | 0.48 | 2.45 | 3 | 1 | | |
| 1:A:56:LEU:C | 1:A:58:GLY:H | 0.48 | 2.12 | 16 | 20 | | |
| 1:A:80:VAL:O | 1:A:80:VAL:CG2 | 0.48 | 2.61 | 1 | 1 | | |
| 1:A:53:ASN:N | 1:A:53:ASN:HD22 | 0.48 | 2.05 | 11 | 1 | | |
| 1:A:86:ASP:O | 1:A:86:ASP:OD1 | 0.48 | 2.31 | 16 | 1 | | |
| 1:A:88:GLY:O | 1:A:107:LEU:O | 0.48 | 2.32 | 19 | 8 | | |
| 1:A:47:TYR:CD2 | 1:A:48:PRO:O | 0.48 | 2.67 | 15 | 1 | | |
| 1:A:76:TYR:C | 1:A:77:LEU:HD23 | 0.48 | 2.28 | 19 | 1 | | |
| 1:A:54:TRP:CH2 | 1:A:75:HIS:CE1 | 0.48 | 3.02 | 18 | 2 | | |
| 1:A:68:ARG:NE | 1:A:70:ARG:NH2 | 0.48 | 2.61 | 4 | 1 | | |
| 1:A:22:ASP:OD1 | 1:A:45:THR:CG2 | 0.48 | 2.61 | 13 | 1 | | |
| 1:A:96:ASN:OD1 | 1:A:96:ASN:N | 0.48 | 2.46 | 16 | 1 | | |
| 1:A:61:ILE:CG2 | 1:A:61:ILE:O | 0.48 | 2.61 | 15 | 1 | | |
| 1:A:102:GLU:N | 1:A:102:GLU:CD | 0.47 | 2.68 | 18 | 2 | | |
| 1:A:112:LEU:HD13 | 1:A:112:LEU:C | 0.47 | 2.30 | 18 | 1 | | |
| 1:A:42:CYS:SG | 1:A:75:HIS:ND1 | 0.47 | 2.87 | 11 | 3 | | |
| 1:A:111:GLN:O | 1:A:112:LEU:C | 0.47 | 2.53 | 4 | 1 | | |
| 1:A:68:ARG:CZ | 1:A:76:TYR:CG | 0.47 | 2.97 | 5 | 1 | | |
| 1:A:61:ILE:O | 1:A:61:ILE:CG2 | 0.47 | 2.62 | 7 | 4 | | |
| 1:A:33:LEU:O | 1:A:36:GLU:OE1 | 0.47 | 2.31 | 8 | 1 | | |
| 1:A:68:ARG:CZ | 1:A:76:TYR:CD2 | 0.47 | 2.98 | 5 | 1 | | |



| 6DL4 |
|------|
|------|

| | to de page | | D1 (8) | Models | |
|------------------|------------------|----------|---------------|--------|-------|
| Atom-1 | Atom-2 | Clash(A) | Distance(A) | Worst | Total |
| 1:A:90:VAL:HG22 | 1:A:107:LEU:HD13 | 0.47 | 1.86 | 6 | 1 |
| 1:A:32:VAL:CG1 | 1:A:109:ILE:HD13 | 0.47 | 2.39 | 7 | 2 |
| 1:A:44:VAL:CG1 | 1:A:45:THR:N | 0.47 | 2.77 | 9 | 1 |
| 1:A:73:GLY:O | 1:A:75:HIS:CE1 | 0.47 | 2.67 | 3 | 2 |
| 1:A:53:ASN:OD1 | 1:A:93:THR:OG1 | 0.47 | 2.33 | 8 | 2 |
| 1:A:94:ALA:HB3 | 1:A:101:ILE:HD11 | 0.47 | 1.86 | 19 | 1 |
| 1:A:52:VAL:HG11 | 1:A:75:HIS:NE2 | 0.47 | 2.24 | 6 | 1 |
| 1:A:32:VAL:HG22 | 1:A:33:LEU:N | 0.47 | 2.25 | 9 | 1 |
| 1:A:110:GLN:N | 1:A:110:GLN:NE2 | 0.47 | 2.60 | 16 | 1 |
| 1:A:81:ASP:O | 1:A:81:ASP:OD2 | 0.47 | 2.33 | 19 | 1 |
| 1:A:48:PRO:O | 1:A:49:GLN:C | 0.47 | 2.52 | 2 | 6 |
| 1:A:81:ASP:C | 1:A:82:CYS:SG | 0.47 | 2.93 | 19 | 2 |
| 1:A:74:ILE:CG2 | 1:A:76:TYR:CE2 | 0.47 | 2.98 | 9 | 1 |
| 1:A:112:LEU:HD13 | 1:A:112:LEU:O | 0.47 | 2.10 | 16 | 1 |
| 1:A:37:THR:N | 1:A:81:ASP:OD2 | 0.47 | 2.48 | 20 | 1 |
| 1:A:85:TYR:O | 1:A:85:TYR:CD2 | 0.46 | 2.68 | 9 | 3 |
| 1:A:60:LEU:H | 1:A:60:LEU:CD2 | 0.46 | 2.21 | 13 | 3 |
| 1:A:32:VAL:HG13 | 1:A:33:LEU:N | 0.46 | 2.26 | 7 | 2 |
| 1:A:31:ARG:NH2 | 1:A:110:GLN:NE2 | 0.46 | 2.63 | 8 | 1 |
| 1:A:69:VAL:O | 1:A:69:VAL:CG2 | 0.46 | 2.64 | 7 | 1 |
| 1:A:60:LEU:CD1 | 1:A:60:LEU:H | 0.46 | 2.24 | 3 | 1 |
| 1:A:42:CYS:O | 1:A:75:HIS:ND1 | 0.46 | 2.45 | 6 | 1 |
| 1:A:78:ASP:OD1 | 1:A:78:ASP:N | 0.46 | 2.48 | 18 | 1 |
| 1:A:44:VAL:O | 1:A:45:THR:OG1 | 0.46 | 2.31 | 16 | 1 |
| 1:A:42:CYS:O | 1:A:75:HIS:CE1 | 0.46 | 2.69 | 13 | 1 |
| 1:A:71:TYR:O | 1:A:72:ASP:OD2 | 0.46 | 2.34 | 9 | 2 |
| 1:A:52:VAL:CG2 | 1:A:75:HIS:NE2 | 0.46 | 2.79 | 1 | 1 |
| 1:A:62:ARG:CZ | 1:A:67:PHE:CD2 | 0.46 | 2.98 | 17 | 1 |
| 1:A:78:ASP:OD1 | 1:A:78:ASP:O | 0.46 | 2.33 | 12 | 1 |
| 1:A:25:LEU:C | 1:A:25:LEU:CD2 | 0.45 | 2.84 | 19 | 12 |
| 1:A:22:ASP:CG | 1:A:45:THR:OG1 | 0.45 | 2.55 | 8 | 1 |
| 1:A:41:ARG:NH1 | 1:A:76:TYR:CZ | 0.45 | 2.85 | 11 | 1 |
| 1:A:34:GLU:CD | 1:A:35:GLY:N | 0.45 | 2.70 | 9 | 2 |
| 1:A:23:ILE:CG2 | 1:A:103:HIS:ND1 | 0.45 | 2.79 | 20 | 1 |
| 1:A:68:ARG:O | 1:A:76:TYR:O | 0.45 | 2.34 | 13 | 4 |
| 1:A:23:ILE:HD11 | 1:A:92:VAL:CG1 | 0.45 | 2.41 | 15 | 1 |
| 1:A:57:ASN:O | 1:A:57:ASN:OD1 | 0.45 | 2.35 | 17 | 2 |
| 1:A:80:VAL:CG2 | 1:A:81:ASP:N | 0.45 | 2.79 | 16 | 1 |
| 1:A:107:LEU:HD12 | 1:A:107:LEU:N | 0.45 | 2.26 | 12 | 6 |
| 1:A:80:VAL:HG22 | 1:A:81:ASP:H | 0.45 | 1.72 | 17 | 2 |
| 1:A:34:GLU:O | 1:A:112:LEU:CD2 | 0.45 | 2.65 | 13 | 1 |



| 6DL4 | |
|------|--|
|------|--|

| | | | | Mo | dels |
|-----------------|------------------|------------------------------------|-------------|-------|-------|
| Atom-1 | Atom-2 | $\operatorname{Clash}(\mathbf{A})$ | Distance(A) | Worst | Total |
| 1:A:109:ILE:C | 1:A:109:ILE:CD1 | 0.45 | 2.85 | 16 | 1 |
| 1:A:22:ASP:OD1 | 1:A:45:THR:O | 0.45 | 2.34 | 15 | 1 |
| 1:A:60:LEU:H | 1:A:60:LEU:HD12 | 0.45 | 1.72 | 3 | 1 |
| 1:A:27:PRO:O | 1:A:28:GLU:OE2 | 0.45 | 2.33 | 10 | 1 |
| 1:A:22:ASP:O | 1:A:45:THR:HG22 | 0.45 | 2.12 | 13 | 1 |
| 1:A:89:GLU:N | 1:A:89:GLU:CD | 0.45 | 2.70 | 8 | 1 |
| 1:A:54:TRP:CH2 | 1:A:75:HIS:NE2 | 0.44 | 2.85 | 18 | 2 |
| 1:A:62:ARG:HH11 | 1:A:78:ASP:N | 0.44 | 2.09 | 7 | 1 |
| 1:A:105:VAL:CG1 | 1:A:106:LYS:N | 0.44 | 2.81 | 9 | 1 |
| 1:A:53:ASN:OD1 | 1:A:53:ASN:N | 0.44 | 2.47 | 17 | 2 |
| 1:A:68:ARG:NE | 1:A:70:ARG:HH22 | 0.44 | 2.10 | 4 | 1 |
| 1:A:62:ARG:NH2 | 1:A:67:PHE:CG | 0.44 | 2.85 | 15 | 1 |
| 1:A:21:PRO:O | 1:A:22:ASP:OD1 | 0.44 | 2.34 | 16 | 1 |
| 1:A:69:VAL:O | 1:A:69:VAL:HG23 | 0.44 | 2.11 | 7 | 1 |
| 1:A:101:ILE:CG2 | 1:A:102:GLU:N | 0.44 | 2.80 | 9 | 1 |
| 1:A:32:VAL:C | 1:A:33:LEU:HD22 | 0.44 | 2.32 | 10 | 1 |
| 1:A:24:VAL:C | 1:A:25:LEU:HD12 | 0.44 | 2.33 | 12 | 1 |
| 1:A:55:TYR:CE2 | 1:A:60:LEU:HD13 | 0.44 | 2.48 | 16 | 1 |
| 1:A:23:ILE:HG21 | 1:A:103:HIS:NE2 | 0.44 | 2.27 | 8 | 1 |
| 1:A:49:GLN:N | 1:A:49:GLN:CD | 0.44 | 2.70 | 9 | 1 |
| 1:A:62:ARG:HH21 | 1:A:78:ASP:H | 0.44 | 1.56 | 2 | 1 |
| 1:A:85:TYR:CE2 | 1:A:111:GLN:NE2 | 0.44 | 2.86 | 5 | 1 |
| 1:A:41:ARG:C | 1:A:42:CYS:SG | 0.44 | 2.96 | 18 | 1 |
| 1:A:24:VAL:O | 1:A:25:LEU:HD12 | 0.44 | 2.12 | 7 | 2 |
| 1:A:26:TYR:CE1 | 1:A:40:PHE:CG | 0.44 | 3.06 | 18 | 1 |
| 1:A:53:ASN:O | 1:A:54:TRP:CD2 | 0.44 | 2.71 | 2 | 1 |
| 1:A:79:ILE:CG2 | 1:A:80:VAL:N | 0.44 | 2.81 | 2 | 3 |
| 1:A:33:LEU:O | 1:A:36:GLU:OE2 | 0.44 | 2.36 | 17 | 2 |
| 1:A:62:ARG:CG | 1:A:63:LYS:N | 0.43 | 2.81 | 5 | 1 |
| 1:A:79:ILE:CG1 | 1:A:80:VAL:N | 0.43 | 2.81 | 13 | 1 |
| 1:A:103:HIS:CD2 | 1:A:105:VAL:HG13 | 0.43 | 2.47 | 14 | 1 |
| 1:A:56:LEU:N | 1:A:59:GLN:O | 0.43 | 2.50 | 5 | 1 |
| 1:A:54:TRP:C | 1:A:55:TYR:CD2 | 0.43 | 2.91 | 20 | 2 |
| 1:A:92:VAL:HG12 | 1:A:93:THR:N | 0.43 | 2.28 | 20 | 1 |
| 1:A:57:ASN:CA | 1:A:89:GLU:O | 0.43 | 2.66 | 15 | 2 |
| 1:A:60:LEU:N | 1:A:60:LEU:CD2 | 0.43 | 2.81 | 15 | 2 |
| 1:A:84:SER:O | 1:A:86:ASP:OD2 | 0.43 | 2.37 | 10 | 1 |
| 1:A:38:ALA:HB3 | 1:A:79:ILE:CD1 | 0.43 | 2.43 | 12 | 2 |
| 1:A:92:VAL:CG2 | 1:A:103:HIS:ND1 | 0.43 | 2.82 | 14 | 1 |
| 1:A:80:VAL:CG1 | 1:A:82:CYS:SG | 0.43 | 3.06 | 7 | 1 |
| 1:A:74:ILE:CG2 | 1:A:76:TYR:CE1 | 0.43 | 3.00 | 17 | 1 |



1:A:82:CYS:SG

| Continued from previous page | | | | | | | | |
|------------------------------|---|----------|-------------|--------|----------|--|--|--|
| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | | | | |
| | | | | Worst | Total | | | |
| 1:A:84:SER:C | 1:A:109:ILE:HG21 | 0.43 | 2.34 | 20 | 2 | | | |
| 1:A:91:LYS:NZ | 1:A:104:LYS:NZ | 0.43 | 2.66 | 14 | 1 | | | |
| 1:A:64:SER:O | 1:A:67:PHE:O | 0.43 | 2.37 | 15 | 1 | | | |
| 1:A:84:SER:O | 1:A:86:ASP:OD1 | 0.43 | 2.37 | 16 | 1 | | | |
| 1:A:53:ASN:O | 1:A:93:THR:O | 0.43 | 2.37 | 18 | 3 | | | |
| 1:A:111:GLN:OE1 | 1:A:111:GLN:O | 0.43 | 2.36 | 20 | 1 | | | |
| 1:A:49:GLN:N | 1:A:49:GLN:HE21 | 0.43 | 2.11 | 7 | 1 | | | |
| 1:A:95:GLU:O | 1:A:95:GLU:OE1 | 0.43 | 2.36 | 8 | 1 | | | |
| 1:A:80:VAL:HG12 | 1:A:81:ASP:H | 0.43 | 1.73 | 20 | 1 | | | |
| 1:A:47:TYR:CE2 | 1:A:96:ASN:CB | 0.43 | 3.01 | 4 | 1 | | | |
| 1:A:95:GLU:C | 1:A:96:ASN:HD22 | 0.42 | 2.18 | 2 | 1 | | | |
| 1:A:40:PHE:CZ | 1:A:107:LEU:HD12 | 0.42 | 2.49 | 16 | 1 | | | |
| 1:A:62:ARG:NE | 1:A:67:PHE:CG | 0.42 | 2.87 | 17 | 1 | | | |
| 1:A:51:LYS:O | 1:A:95:GLU:O | 0.42 | 2.37 | 18 | 2 | | | |
| 1:A:109:ILE:HD12 | 1:A:109:ILE:C | 0.42 | 2.34 | 4 | 1 | | | |
| 1:A:54:TRP:C | 1:A:55:TYR:CD1 | 0.42 | 2.92 | 9 | 1 | | | |
| 1:A:64:SER:C | 1:A:66:ARG:N | 0.42 | 2.72 | 14 | 2 | | | |
| 1:A:62:ARG:NH1 | 1:A:67:PHE:CG | 0.42 | 2.87 | 6 | 1 | | | |
| 1:A:71:TYR:O | 1:A:72:ASP:CG | 0.42 | 2.58 | 5 | 2 | | | |
| 1:A:56:LEU:CD2 | 1:A:62:ARG:NE | 0.42 | 2.81 | 5 | 1 | | | |
| 1:A:106:LYS:O | 1:A:107:LEU:HD12 | 0.42 | 2.14 | 6 | 1 | | | |
| 1:A:80:VAL:CG1 | 1:A:81:ASP:N | 0.42 | 2.82 | 8 | 1 | | | |
| 1:A:36:GLU:OE2 | 1:A:36:GLU:N | 0.42 | 2.53 | 17 | 1 | | | |
| 1:A:92:VAL:O | 1:A:92:VAL:HG23 | 0.42 | 2.14 | 18 | 1 | | | |
| 1:A:72:ASP:O | 1:A:72:ASP:OD2 | 0.42 | 2.37 | 4 | 1 | | | |
| 1:A:86:ASP:O | 1:A:109:ILE:CG2 | 0.42 | 2.68 | 16 | 2 | | | |
| 1:A:34:GLU:N | 1:A:109:ILE:HD11 | 0.42 | 2.29 | 10 | 2 | | | |
| 1:A:71:TYR:CD2 | 1:A:71:TYR:N | 0.42 | 2.84 | 12 | 1 | | | |
| 1:A:25:LEU:HD11 | 1:A:103:HIS:ND1 | 0.42 | 2.30 | 19 | 1 | | | |
| 1:A:105:VAL:HG12 | 1:A:106:LYS:N | 0.42 | 2.29 | 9 | 1 | | | |
| 1:A:110:GLN:C | 1:A:111:GLN:NE2 | 0.42 | 2.74 | 15 | 1 | | | |
| 1:A:23:ILE:HD13 | 1:A:25:LEU:CD1 | 0.42 | 2.45 | 16 | 1 | | | |
| 1:A:53:ASN:OD1 | 1:A:53:ASN:O | 0.41 | 2.38 | 8 | 1 | | | |
| 1:A:112:LEU:C | 1:A:112:LEU:CD1 | 0.41 | 2.88 | 18 | 1 | | | |
| 1:A:84:SEB:0 | 1:A:109:ILE:CG1 | 0.41 | 2.68 | 10 | 2 | | | |
| 1:A:33:LEU:O | 1:A:34:GLU:C | 0.41 | 2.59 | 6 | 1 | | | |
| 1:A:95:GLU:O | $1 \cdot A \cdot 96 \cdot A SN \cdot OD1$ | 0.11 | 2.38 | 7 | 1 | | | |
| 1:A:53:ASN:CG | 1·A·54·TRP·N | 0.41 | 2.73 | 2 | 1 | | | |
| 1·A·31·ARG·NH2 | 1.A.110.GLN.HE22 | 0.11 | 2.13 | 8 | 1 | | | |
| 1:A:32:VAL:CG2 | 1.A.33.LEU.N | 0.11 | 2.10 | 9 | 1 | | | |
| T.T.1.02. VIII.002 | T.T.00.DD0.11 | 0.11 | | | 1 | | | |

Cont

Continued on next page...

7

1

2.78



0.41

1:A:82:CYS:O

| Atom 1 | Atom-2 | $Clash(\lambda)$ | Distance(Å) | Models | |
|-----------------|------------------|------------------|-------------|--------|-------|
| Atom-1 | Atom-2 | Clash(A) | Distance(A) | Worst | Total |
| 1:A:56:LEU:HD12 | 1:A:56:LEU:N | 0.41 | 2.30 | 15 | 1 |
| 1:A:96:ASN:ND2 | 1:A:99:GLY:H | 0.41 | 2.09 | 20 | 1 |
| 1:A:54:TRP:CZ3 | 1:A:93:THR:O | 0.41 | 2.74 | 2 | 1 |
| 1:A:86:ASP:OD2 | 1:A:86:ASP:O | 0.41 | 2.39 | 10 | 1 |
| 1:A:32:VAL:HG12 | 1:A:33:LEU:N | 0.41 | 2.31 | 6 | 1 |
| 1:A:69:VAL:HG13 | 1:A:69:VAL:O | 0.41 | 2.15 | 11 | 1 |
| 1:A:34:GLU:O | 1:A:112:LEU:HD21 | 0.41 | 2.15 | 13 | 1 |
| 1:A:62:ARG:O | 1:A:71:TYR:OH | 0.41 | 2.38 | 13 | 1 |
| 1:A:23:ILE:O | 1:A:23:ILE:HG23 | 0.41 | 2.16 | 14 | 1 |
| 1:A:23:ILE:HG23 | 1:A:101:ILE:HD12 | 0.41 | 1.93 | 3 | 1 |
| 1:A:47:TYR:CD2 | 1:A:47:TYR:C | 0.41 | 2.94 | 13 | 1 |
| 1:A:42:CYS:CB | 1:A:75:HIS:CE1 | 0.41 | 3.04 | 18 | 1 |
| 1:A:95:GLU:C | 1:A:96:ASN:ND2 | 0.40 | 2.75 | 2 | 1 |
| 1:A:43:ARG:O | 1:A:44:VAL:HG23 | 0.40 | 2.16 | 4 | 1 |
| 1:A:67:PHE:CD1 | 1:A:78:ASP:O | 0.40 | 2.75 | 1 | 1 |
| 1:A:64:SER:O | 1:A:65:LYS:C | 0.40 | 2.59 | 16 | 1 |
| 1:A:32:VAL:HG13 | 1:A:109:ILE:HD13 | 0.40 | 1.93 | 4 | 1 |
| 1:A:86:ASP:O | 1:A:109:ILE:HG23 | 0.40 | 2.17 | 4 | 1 |
| 1:A:72:ASP:OD1 | 1:A:72:ASP:O | 0.40 | 2.39 | 13 | 1 |
| 1:A:57:ASN:C | 1:A:89:GLU:O | 0.40 | 2.59 | 16 | 1 |
| 1:A:92:VAL:CG1 | 1:A:93:THR:N | 0.40 | 2.84 | 20 | 1 |
| 1:A:54:TRP:CZ3 | 1:A:92:VAL:CG2 | 0.40 | 3.04 | 3 | 1 |
| 1:A:22:ASP:O | 1:A:45:THR:OG1 | 0.40 | 2.34 | 17 | 1 |
| 1:A:69:VAL:HG23 | 1:A:69:VAL:O | 0.40 | 2.16 | 4 | 1 |
| 1:A:81:ASP:OD2 | 1:A:81:ASP:C | 0.40 | 2.60 | 7 | 1 |
| 1:A:109:ILE:C | 1:A:109:ILE:HD12 | 0.40 | 2.36 | 10 | 1 |
| 1:A:62:ARG:NE | 1:A:67:PHE:CE1 | 0.40 | 2.88 | 12 | 1 |
| 1:A:43:ARG:HG2 | 1:A:44:VAL:N | 0.40 | 2.31 | 14 | 1 |
| 1:A:31:ARG:NE | 1:A:108:GLU:OE1 | 0.40 | 2.53 | 19 | 1 |

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|-----|-------|--------------|------------------|-------------------|-------------------|-------------|
| 1 | А | 93/119~(78%) | 76 ± 1 (82±1%) | $8\pm2~(9\pm2\%)$ | $9\pm2~(9\pm2\%)$ | 1 11 |



Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|-----|-------|-----------------|------------|----------|----------|-------------|
| All | All | 1860/2380~(78%) | 1518 (82%) | 166 (9%) | 176 (9%) | 1 11 |

All 18 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 1 | А | 61 | ILE | 20 |
| 1 | А | 64 | SER | 20 |
| 1 | А | 65 | LYS | 20 |
| 1 | А | 85 | TYR | 20 |
| 1 | А | 57 | ASN | 18 |
| 1 | А | 72 | ASP | 17 |
| 1 | А | 110 | GLN | 11 |
| 1 | А | 81 | ASP | 10 |
| 1 | А | 82 | CYS | 9 |
| 1 | А | 22 | ASP | 8 |
| 1 | А | 49 | GLN | 5 |
| 1 | А | 80 | VAL | 4 |
| 1 | А | 44 | VAL | 3 |
| 1 | А | 46 | GLY | 3 |
| 1 | А | 50 | PRO | 3 |
| 1 | А | 112 | LEU | 2 |
| 1 | А | 48 | PRO | 2 |
| 1 | А | 73 | GLY | 1 |

6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the side chain conformation was analysed and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Perce | entiles |
|-----|-------|-----------------|---------------------|--------------------|-------|---------|
| 1 | А | 85/107~(79%) | $76\pm2~(90\pm3\%)$ | $8\pm2~(10\pm3\%)$ | 11 | 56 |
| All | All | 1700/2140~(79%) | 1530~(90%) | 170 (10%) | 11 | 56 |

All 44 unique residues with a non-rotameric side chain are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 1 | А | 25 | LEU | 18 |



| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 1 | А | 75 | HIS | 17 |
| 1 | А | 47 | TYR | 12 |
| 1 | А | 84 | SER | 12 |
| 1 | А | 54 | TRP | 11 |
| 1 | А | 96 | ASN | 9 |
| 1 | А | 60 | LEU | 8 |
| 1 | А | 32 | VAL | 8 |
| 1 | А | 109 | ILE | 6 |
| 1 | А | 85 | TYR | 6 |
| 1 | А | 61 | ILE | 5 |
| 1 | А | 82 | CYS | 4 |
| 1 | А | 26 | TYR | 3 |
| 1 | А | 37 | THR | 3 |
| 1 | А | 71 | TYR | 3 |
| 1 | А | 49 | GLN | 3 |
| 1 | А | 77 | LEU | 3 |
| 1 | А | 42 | CYS | 2 |
| 1 | А | 108 | GLU | 2 |
| 1 | А | 111 | GLN | 2 |
| 1 | А | 53 | ASN | 2 |
| 1 | А | 22 | ASP | 2 |
| 1 | А | 93 | THR | 2 |
| 1 | А | 103 | HIS | 2 |
| 1 | А | 55 | TYR | 2 |
| 1 | А | 45 | THR | 2 |
| 1 | А | 62 | ARG | 2 |
| 1 | А | 112 | LEU | 2 |
| 1 | А | 63 | LYS | 2 |
| 1 | А | 83 | LYS | 1 |
| 1 | A | 80 | VAL | 1 |
| 1 | А | 101 | ILE | 1 |
| 1 | A | 23 | ILE | 1 |
| 1 | А | 95 | GLU | 1 |
| 1 | А | 104 | LYS | 1 |
| 1 | А | 40 | PHE | 1 |
| 1 | A | 86 | ASP | 1 |
| 1 | А | 20 | LYS | 1 |
| 1 | A | 51 | LYS | 1 |
| 1 | A | 106 | LYS | 1 |
| 1 | A | 65 | LYS | 1 |
| 1 | А | 44 | VAL | 1 |
| 1 | А | 110 | GLN | 1 |



Continued from previous page...

| Mol | Chain | Res | Type | Models (Total) |
|-----|-------|-----|------|----------------|
| 1 | А | 56 | LEU | 1 |

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no monosaccharides in this entry.

6.6 Ligand geometry (i)

There are no ligands in this entry.

6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 69% for the well-defined parts and 60% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: IG10-NMRSTAR_0I2s0pn.txt

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

| Total number of shifts | 1016 |
|---|------|
| Number of shifts mapped to atoms | 1016 |
| Number of unparsed shifts | 0 |
| Number of shifts with mapping errors | 0 |
| Number of shifts with mapping warnings | 0 |
| Number of shift outliers (ShiftChecker) | 8 |

7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

| Nucleus | # values | ${\rm Correction}\pm{\rm precision},ppm$ | Suggested action |
|-------------------|----------|--|----------------------------|
| $^{13}C_{\alpha}$ | 103 | 0.04 ± 0.14 | None needed (< 0.5 ppm) |
| $^{13}C_{\beta}$ | 97 | -0.47 ± 0.20 | None needed (< 0.5 ppm) |
| $^{13}C'$ | 99 | 0.54 ± 0.22 | Should be applied |
| ¹⁵ N | 94 | -0.66 ± 0.75 | None needed (imprecise) |

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 69%, i.e. 941 atoms were assigned a chemical shift out of a possible 1354. 0 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

| | Total | $^{1}\mathbf{H}$ | $^{13}\mathrm{C}$ | $^{15}\mathbf{N}$ |
|-----------|---------------|------------------|-------------------|-------------------|
| Backbone | 435/459~(95%) | 176/186~(95%) | 178/186~(96%) | 81/87~(93%) |
| Sidechain | 494/795~(62%) | 411/512~(80%) | 83/244~(34%) | 0/39~(0%) |



| | Total | $^{1}\mathrm{H}$ | $^{13}\mathbf{C}$ | $^{15}\mathbf{N}$ |
|----------|----------------|------------------|-------------------|-------------------|
| Aromatic | 12/100~(12%) | 12/48~(25%) | 0/49~(0%) | 0/3~(0%) |
| Overall | 941/1354~(69%) | 599/746~(80%) | 261/479~(54%) | 81/129~(63%) |

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 60%, i.e. 1015 atoms were assigned a chemical shift out of a possible 1704. 0 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

| | Total | $^{1}\mathrm{H}$ | $^{13}\mathrm{C}$ | $^{15}\mathbf{N}$ |
|-----------|-----------------|------------------|-------------------|-------------------|
| Backbone | 487/591 (82%) | 191/240~(80%) | 202/238~(85%) | 94/113~(83%) |
| Sidechain | 516/964~(54%) | 419/620~(68%) | 97/298~(33%) | 0/46~(0%) |
| Aromatic | 12/149~(8%) | 12/76~(16%) | 0/63~(0%) | 0/10~(0%) |
| Overall | 1015/1704~(60%) | 622/936~(66%) | 299/599~(50%) | 94/169~(56%) |

7.1.4 Statistically unusual chemical shifts (i)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

| List Id | Chain | Res | Type | Atom | Shift, ppm | Expected range, ppm | Z-score |
|---------|-------|-----|------|------|--------------|---------------------|---------|
| 1 | А | 85 | TYR | C | 114.60 | 165.86 - 185.23 | -31.5 |
| 1 | А | 58 | GLY | Ν | 173.70 | 91.59 - 127.52 | 17.9 |
| 1 | А | 56 | LEU | N | 176.80 | 102.77 - 140.89 | 14.4 |
| 1 | А | 113 | GLU | CB | 42.50 | 21.56 - 38.37 | 7.5 |
| 1 | А | 109 | ILE | CB | 27.30 | 28.63 - 48.45 | -5.7 |
| 1 | А | 77 | LEU | HD21 | -0.80 | -0.65 - 2.13 | -5.5 |
| 1 | А | 77 | LEU | HD22 | -0.80 | -0.65 - 2.13 | -5.5 |
| 1 | А | 77 | LEU | HD23 | -0.80 | -0.65 - 2.13 | -5.5 |

7.1.5 Random Coil Index (RCI) plots (i)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:





