



# Full wwPDB X-ray Structure Validation Report i

Mar 3, 2024 – 08:21 PM EST

PDB ID : 6DWJ  
Title : SAMHD1 Bound to Vidarabine-TP in the Catalytic Pocket  
Authors : Knecht, K.M.; Buzovetsky, O.; Schneider, C.; Thomas, D.; Srikanth, V.; Kaderali, L.; Tofoleanu, F.; Reiss, K.; Ferreiros, N.; Geisslinger, G.; Batista, V.S.; Ji, X.; Cinatl, J.; Keppler, O.T.; Xiong, Y.  
Deposited on : 2018-06-26  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriaage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NA	A	709	-	-	-	X

## 2 Entry composition (i)

There are 9 unique types of molecules in this entry. The entry contains 16328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxynucleoside triphosphate triphosphohydrolase SAMHD1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	D	481	Total	C 3939	N 2520	O 686	S 712	21	0	1	0
1	C	481	Total	C 3939	N 2520	O 686	S 712	21	0	1	0
1	B	481	Total	C 3933	N 2517	O 685	S 711	20	0	0	0
1	A	481	Total	C 3952	N 2529	O 689	S 712	22	0	3	0

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	77	MET	-	initiating methionine	UNP Q9Y3Z3
D	78	GLY	-	expression tag	UNP Q9Y3Z3
D	79	SER	-	expression tag	UNP Q9Y3Z3
D	80	SER	-	expression tag	UNP Q9Y3Z3
D	81	HIS	-	expression tag	UNP Q9Y3Z3
D	82	HIS	-	expression tag	UNP Q9Y3Z3
D	83	HIS	-	expression tag	UNP Q9Y3Z3
D	84	HIS	-	expression tag	UNP Q9Y3Z3
D	85	HIS	-	expression tag	UNP Q9Y3Z3
D	86	HIS	-	expression tag	UNP Q9Y3Z3
D	87	SER	-	expression tag	UNP Q9Y3Z3
D	88	SER	-	expression tag	UNP Q9Y3Z3
D	89	GLY	-	expression tag	UNP Q9Y3Z3
D	90	LEU	-	expression tag	UNP Q9Y3Z3
D	91	VAL	-	expression tag	UNP Q9Y3Z3
D	92	PRO	-	expression tag	UNP Q9Y3Z3
D	93	ARG	-	expression tag	UNP Q9Y3Z3
D	94	GLY	-	expression tag	UNP Q9Y3Z3
D	95	SER	-	expression tag	UNP Q9Y3Z3
D	96	HIS	-	expression tag	UNP Q9Y3Z3
D	97	MET	-	expression tag	UNP Q9Y3Z3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	98	ALA	-	expression tag	UNP Q9Y3Z3
D	99	SER	-	expression tag	UNP Q9Y3Z3
D	100	MET	-	expression tag	UNP Q9Y3Z3
D	101	THR	-	expression tag	UNP Q9Y3Z3
D	102	GLY	-	expression tag	UNP Q9Y3Z3
D	103	GLY	-	expression tag	UNP Q9Y3Z3
D	104	GLN	-	expression tag	UNP Q9Y3Z3
D	105	GLN	-	expression tag	UNP Q9Y3Z3
D	106	MET	-	expression tag	UNP Q9Y3Z3
D	107	GLY	-	expression tag	UNP Q9Y3Z3
D	108	ARG	-	expression tag	UNP Q9Y3Z3
D	109	ASP	-	expression tag	UNP Q9Y3Z3
D	110	PRO	-	expression tag	UNP Q9Y3Z3
D	111	ASN	-	expression tag	UNP Q9Y3Z3
D	112	SER	-	expression tag	UNP Q9Y3Z3
D	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
D	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
C	77	MET	-	initiating methionine	UNP Q9Y3Z3
C	78	GLY	-	expression tag	UNP Q9Y3Z3
C	79	SER	-	expression tag	UNP Q9Y3Z3
C	80	SER	-	expression tag	UNP Q9Y3Z3
C	81	HIS	-	expression tag	UNP Q9Y3Z3
C	82	HIS	-	expression tag	UNP Q9Y3Z3
C	83	HIS	-	expression tag	UNP Q9Y3Z3
C	84	HIS	-	expression tag	UNP Q9Y3Z3
C	85	HIS	-	expression tag	UNP Q9Y3Z3
C	86	HIS	-	expression tag	UNP Q9Y3Z3
C	87	SER	-	expression tag	UNP Q9Y3Z3
C	88	SER	-	expression tag	UNP Q9Y3Z3
C	89	GLY	-	expression tag	UNP Q9Y3Z3
C	90	LEU	-	expression tag	UNP Q9Y3Z3
C	91	VAL	-	expression tag	UNP Q9Y3Z3
C	92	PRO	-	expression tag	UNP Q9Y3Z3
C	93	ARG	-	expression tag	UNP Q9Y3Z3
C	94	GLY	-	expression tag	UNP Q9Y3Z3
C	95	SER	-	expression tag	UNP Q9Y3Z3
C	96	HIS	-	expression tag	UNP Q9Y3Z3
C	97	MET	-	expression tag	UNP Q9Y3Z3
C	98	ALA	-	expression tag	UNP Q9Y3Z3
C	99	SER	-	expression tag	UNP Q9Y3Z3
C	100	MET	-	expression tag	UNP Q9Y3Z3
C	101	THR	-	expression tag	UNP Q9Y3Z3

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	102	GLY	-	expression tag	UNP Q9Y3Z3
C	103	GLY	-	expression tag	UNP Q9Y3Z3
C	104	GLN	-	expression tag	UNP Q9Y3Z3
C	105	GLN	-	expression tag	UNP Q9Y3Z3
C	106	MET	-	expression tag	UNP Q9Y3Z3
C	107	GLY	-	expression tag	UNP Q9Y3Z3
C	108	ARG	-	expression tag	UNP Q9Y3Z3
C	109	ASP	-	expression tag	UNP Q9Y3Z3
C	110	PRO	-	expression tag	UNP Q9Y3Z3
C	111	ASN	-	expression tag	UNP Q9Y3Z3
C	112	SER	-	expression tag	UNP Q9Y3Z3
C	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
C	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
B	77	MET	-	initiating methionine	UNP Q9Y3Z3
B	78	GLY	-	expression tag	UNP Q9Y3Z3
B	79	SER	-	expression tag	UNP Q9Y3Z3
B	80	SER	-	expression tag	UNP Q9Y3Z3
B	81	HIS	-	expression tag	UNP Q9Y3Z3
B	82	HIS	-	expression tag	UNP Q9Y3Z3
B	83	HIS	-	expression tag	UNP Q9Y3Z3
B	84	HIS	-	expression tag	UNP Q9Y3Z3
B	85	HIS	-	expression tag	UNP Q9Y3Z3
B	86	HIS	-	expression tag	UNP Q9Y3Z3
B	87	SER	-	expression tag	UNP Q9Y3Z3
B	88	SER	-	expression tag	UNP Q9Y3Z3
B	89	GLY	-	expression tag	UNP Q9Y3Z3
B	90	LEU	-	expression tag	UNP Q9Y3Z3
B	91	VAL	-	expression tag	UNP Q9Y3Z3
B	92	PRO	-	expression tag	UNP Q9Y3Z3
B	93	ARG	-	expression tag	UNP Q9Y3Z3
B	94	GLY	-	expression tag	UNP Q9Y3Z3
B	95	SER	-	expression tag	UNP Q9Y3Z3
B	96	HIS	-	expression tag	UNP Q9Y3Z3
B	97	MET	-	expression tag	UNP Q9Y3Z3
B	98	ALA	-	expression tag	UNP Q9Y3Z3
B	99	SER	-	expression tag	UNP Q9Y3Z3
B	100	MET	-	expression tag	UNP Q9Y3Z3
B	101	THR	-	expression tag	UNP Q9Y3Z3
B	102	GLY	-	expression tag	UNP Q9Y3Z3
B	103	GLY	-	expression tag	UNP Q9Y3Z3
B	104	GLN	-	expression tag	UNP Q9Y3Z3
B	105	GLN	-	expression tag	UNP Q9Y3Z3

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	106	MET	-	expression tag	UNP Q9Y3Z3
B	107	GLY	-	expression tag	UNP Q9Y3Z3
B	108	ARG	-	expression tag	UNP Q9Y3Z3
B	109	ASP	-	expression tag	UNP Q9Y3Z3
B	110	PRO	-	expression tag	UNP Q9Y3Z3
B	111	ASN	-	expression tag	UNP Q9Y3Z3
B	112	SER	-	expression tag	UNP Q9Y3Z3
B	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
B	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3
A	77	MET	-	initiating methionine	UNP Q9Y3Z3
A	78	GLY	-	expression tag	UNP Q9Y3Z3
A	79	SER	-	expression tag	UNP Q9Y3Z3
A	80	SER	-	expression tag	UNP Q9Y3Z3
A	81	HIS	-	expression tag	UNP Q9Y3Z3
A	82	HIS	-	expression tag	UNP Q9Y3Z3
A	83	HIS	-	expression tag	UNP Q9Y3Z3
A	84	HIS	-	expression tag	UNP Q9Y3Z3
A	85	HIS	-	expression tag	UNP Q9Y3Z3
A	86	HIS	-	expression tag	UNP Q9Y3Z3
A	87	SER	-	expression tag	UNP Q9Y3Z3
A	88	SER	-	expression tag	UNP Q9Y3Z3
A	89	GLY	-	expression tag	UNP Q9Y3Z3
A	90	LEU	-	expression tag	UNP Q9Y3Z3
A	91	VAL	-	expression tag	UNP Q9Y3Z3
A	92	PRO	-	expression tag	UNP Q9Y3Z3
A	93	ARG	-	expression tag	UNP Q9Y3Z3
A	94	GLY	-	expression tag	UNP Q9Y3Z3
A	95	SER	-	expression tag	UNP Q9Y3Z3
A	96	HIS	-	expression tag	UNP Q9Y3Z3
A	97	MET	-	expression tag	UNP Q9Y3Z3
A	98	ALA	-	expression tag	UNP Q9Y3Z3
A	99	SER	-	expression tag	UNP Q9Y3Z3
A	100	MET	-	expression tag	UNP Q9Y3Z3
A	101	THR	-	expression tag	UNP Q9Y3Z3
A	102	GLY	-	expression tag	UNP Q9Y3Z3
A	103	GLY	-	expression tag	UNP Q9Y3Z3
A	104	GLN	-	expression tag	UNP Q9Y3Z3
A	105	GLN	-	expression tag	UNP Q9Y3Z3
A	106	MET	-	expression tag	UNP Q9Y3Z3
A	107	GLY	-	expression tag	UNP Q9Y3Z3
A	108	ARG	-	expression tag	UNP Q9Y3Z3
A	109	ASP	-	expression tag	UNP Q9Y3Z3

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
A	110	PRO	-	expression tag	UNP Q9Y3Z3
A	111	ASN	-	expression tag	UNP Q9Y3Z3
A	112	SER	-	expression tag	UNP Q9Y3Z3
A	206	ARG	HIS	engineered mutation	UNP Q9Y3Z3
A	207	ASN	ASP	engineered mutation	UNP Q9Y3Z3

- Molecule 2 is 9-{5-O-[(S)-hydroxy{[(R)-hydroxy(phosphonooxy)phosphoryl]oxy}phosphoryl]-beta-D-arabinofuranosyl}-9H-purin-6-amine (three-letter code: HEJ) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>14</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	N	O	P		
			32	10	5	14	3	0	0
3	D	1	Total	C	N	O	P		
			32	10	5	14	3	0	0
3	C	1	Total	C	N	O	P		
			32	10	5	14	3	0	0
3	B	1	Total	C	N	O	P		
			32	10	5	14	3	0	0

- Molecule 4 is 2'-DEOXYADENOSINE 5'-TRIPHOSPHATE (three-letter code: DTP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C 30	N 10	O 5	P 12	3	0
4	C	1	Total	C 30	N 10	O 5	P 12	3	0
4	B	1	Total	C 30	N 10	O 5	P 12	3	0
4	A	1	Total	C 30	N 10	O 5	P 12	3	0


- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	3	Total Mg 3 3		0	0
5	C	2	Total Mg 2 2		0	0
5	B	2	Total Mg 2 2		0	0
5	A	3	Total Mg 3 3		0	0

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	4	Total Na 4 4		0	0
6	C	4	Total Na 4 4		0	0
6	B	4	Total Na 4 4		0	0
6	A	5	Total Na 5 5		0	0

- Molecule 7 is GLYCINE (three-letter code: GLY) (formula: C<sub>2</sub>H<sub>5</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	1	Total C N O 5 2 1 2	0	0

- Molecule 8 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total O P 5 4 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	D	54	Total O 54 54	0	0
9	C	35	Total O 35 35	0	0
9	B	34	Total O 34 34	0	0
9	A	33	Total O 33 33	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1




- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1



- Molecule 1: Deoxynucleoside triphosphate triphosphohydrolase SAMHD1





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.86 Å    146.72 Å    99.59 Å 90.00°    114.45°    90.00°	Depositor
Resolution (Å)	50.00 – 2.50 47.48 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.3 (50.00-2.50) 96.3 (47.48-2.50)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.38 (at 2.51 Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
$R$ , $R_{free}$	0.175 , 0.208 0.173 , 0.202	Depositor DCC
$R_{free}$ test set	3793 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	53.9	Xtriage
Anisotropy	0.782	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 43.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	16328	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.48% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PO4, MG, DTP, GTP, HEJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.95	9/4050 (0.2%)	0.99	11/5465 (0.2%)
1	B	0.95	8/4025 (0.2%)	1.01	11/5433 (0.2%)
1	C	0.96	4/4031 (0.1%)	1.00	10/5441 (0.2%)
1	D	1.04	10/4031 (0.2%)	1.03	14/5441 (0.3%)
All	All	0.97	31/16137 (0.2%)	1.01	46/21780 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	193	GLU	CD-OE2	10.22	1.36	1.25
1	C	161	SER	CB-OG	8.57	1.53	1.42
1	B	145	ARG	CZ-NH1	-7.68	1.23	1.33
1	A	161	SER	CB-OG	7.57	1.52	1.42
1	A	193	GLU	CD-OE1	6.93	1.33	1.25
1	A	449	GLU	CD-OE2	6.74	1.33	1.25
1	D	449	GLU	CD-OE1	6.67	1.32	1.25
1	A	429	GLU	CD-OE2	6.39	1.32	1.25
1	D	299	GLU	CD-OE2	6.35	1.32	1.25
1	D	449	GLU	CD-OE2	6.30	1.32	1.25
1	B	507	TYR	CE1-CZ	6.19	1.46	1.38
1	B	145	ARG	CZ-NH2	-6.13	1.25	1.33
1	B	326	GLN	CG-CD	6.09	1.65	1.51
1	B	193	GLU	CG-CD	5.80	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	449	GLU	CD-OE2	5.79	1.32	1.25
1	A	372	ARG	CZ-NH2	5.74	1.40	1.33
1	D	184	GLU	CD-OE2	5.73	1.31	1.25
1	D	193	GLU	CG-CD	5.63	1.60	1.51
1	A	193	GLU	CG-CD	5.57	1.60	1.51
1	D	450	TYR	CZ-OH	5.56	1.47	1.37
1	B	166	GLU	CD-OE2	5.56	1.31	1.25
1	C	543	GLU	CD-OE1	5.54	1.31	1.25
1	B	372	ARG	CZ-NH2	5.47	1.40	1.33
1	D	447	GLN	CG-CD	5.42	1.63	1.51
1	A	326	GLN	CG-CD	5.39	1.63	1.51
1	B	328	ASN	CG-ND2	5.36	1.46	1.32
1	C	543	GLU	CG-CD	5.33	1.59	1.51
1	D	299	GLU	CD-OE1	5.32	1.31	1.25
1	A	255	GLU	CD-OE2	5.29	1.31	1.25
1	D	450	TYR	CB-CG	5.28	1.59	1.51
1	D	452	ASN	CB-CG	-5.06	1.39	1.51

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	206	ARG	NE-CZ-NH2	-9.02	115.79	120.30
1	B	366	ARG	NE-CZ-NH2	-8.70	115.95	120.30
1	D	120	ASP	CB-CG-OD2	8.29	125.76	118.30
1	A	120	ASP	CB-CG-OD2	8.18	125.66	118.30
1	B	120	ASP	CB-CG-OD2	8.01	125.50	118.30
1	B	534	LYS	CD-CE-NZ	7.91	129.89	111.70
1	B	442	ARG	NE-CZ-NH1	7.72	124.16	120.30
1	D	442	ARG	NE-CZ-NH1	7.68	124.14	120.30
1	B	388	ASP	CB-CG-OD1	-7.65	111.42	118.30
1	C	206	ARG	NE-CZ-NH2	-7.23	116.68	120.30
1	A	330	ASP	CB-CG-OD2	7.17	124.75	118.30
1	B	145	ARG	NE-CZ-NH2	6.94	123.77	120.30
1	A	372	ARG	NE-CZ-NH1	-6.88	116.86	120.30
1	C	120	ASP	CB-CG-OD2	6.86	124.47	118.30
1	D	566	ARG	NE-CZ-NH2	-6.84	116.88	120.30
1	C	442	ARG	NE-CZ-NH1	6.79	123.69	120.30
1	A	442	ARG	NE-CZ-NH2	-6.44	117.08	120.30
1	B	206	ARG	NE-CZ-NH2	-6.43	117.08	120.30
1	B	566	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	D	115	MET	N-CA-C	-6.23	94.17	111.00
1	D	311	ASP	CB-CG-OD1	6.17	123.85	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	164	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	C	559	ARG	CB-CA-C	5.99	122.38	110.40
1	C	528	ARG	CG-CD-NE	5.98	124.36	111.80
1	A	488	LEU	CA-CB-CG	5.97	129.02	115.30
1	B	388	ASP	CB-CG-OD2	5.75	123.48	118.30
1	A	442	ARG	NE-CZ-NH1	5.75	123.17	120.30
1	B	311	ASP	CB-CG-OD1	5.69	123.42	118.30
1	C	305	ARG	NE-CZ-NH2	5.65	123.13	120.30
1	A	113	ASP	CB-CG-OD1	5.64	123.38	118.30
1	D	302	SER	N-CA-CB	-5.62	102.07	110.50
1	A	206	ARG	NE-CZ-NH1	5.61	123.11	120.30
1	C	185	LYS	CA-CB-CG	5.60	125.73	113.40
1	D	447	GLN	CA-CB-CG	5.59	125.69	113.40
1	A	451	ARG	NE-CZ-NH2	5.54	123.07	120.30
1	A	377	LYS	CD-CE-NZ	5.48	124.31	111.70
1	B	204	LEU	CA-CB-CG	5.47	127.88	115.30
1	C	540	LEU	CA-CB-CG	5.44	127.82	115.30
1	D	206	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	C	204	LEU	CA-CB-CG	5.33	127.56	115.30
1	D	555	LYS	CD-CE-NZ	-5.13	99.90	111.70
1	D	319	ASP	CB-CG-OD2	-5.11	113.70	118.30
1	D	316	PHE	CB-CG-CD1	5.04	124.33	120.80
1	A	204	LEU	CA-CB-CG	5.01	126.83	115.30
1	C	206	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	D	566	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	598	TRP	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3952	0	3946	20	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3933	0	3920	14	0
1	C	3939	0	3925	13	0
1	D	3939	0	3924	17	0
2	A	31	0	0	4	0
2	B	31	0	0	1	0
2	C	31	0	0	2	0
2	D	31	0	0	0	0
3	B	32	0	12	1	0
3	C	32	0	12	0	0
3	D	64	0	24	2	0
4	A	30	0	12	0	0
4	B	30	0	12	0	0
4	C	30	0	12	0	0
4	D	30	0	12	0	0
5	A	3	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	3	0	0	0	0
6	A	5	0	0	0	0
6	B	4	0	0	0	0
6	C	4	0	0	0	0
6	D	4	0	0	0	0
7	B	5	0	2	0	0
8	B	5	0	0	0	0
9	A	33	0	0	1	0
9	B	34	0	0	3	0
9	C	35	0	0	0	0
9	D	54	0	0	5	0
All	All	16328	0	15813	58	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (58) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:469:LYS:HE3	1:A:469:LYS:HA	1.32	1.09
1:A:469:LYS:HA	1:A:469:LYS:CE	2.10	0.81
1:D:114:THR:HG21	9:D:852:HOH:O	1.86	0.76
1:C:586:VAL:HG11	1:A:522[A]:CYS:SG	2.28	0.74
1:B:534:LYS:HE3	1:B:542:PRO:O	1.89	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:215:HIS:NE2	2:C:701:HEJ:O2A	2.25	0.69
1:B:305:ARG:HD3	9:B:804:HOH:O	1.96	0.64
1:D:507:TYR:OH	9:D:801:HOH:O	2.12	0.64
1:D:543:GLU:HG3	1:B:543:GLU:HG3	1.78	0.64
1:D:114:THR:CG2	9:D:852:HOH:O	2.46	0.61
1:B:305:ARG:NE	1:B:348:ARG:HH11	2.00	0.58
3:D:705:GTP:O2G	1:C:523:LYS:NZ	2.35	0.56
1:A:374:TYR:CE2	2:A:703:HEJ:O31	2.60	0.54
1:C:215:HIS:HE2	2:C:701:HEJ:PA	2.31	0.53
1:D:328:ASN:OD1	1:D:328:ASN:N	2.38	0.53
1:C:543:GLU:HG3	1:A:543:GLU:CG	2.38	0.52
1:D:522[A]:CYS:SG	1:B:586:VAL:HG11	2.50	0.51
1:D:326:GLN:HG2	1:B:327:ASN:O	2.11	0.50
1:D:487:VAL:HG23	1:D:591:ILE:HD11	1.94	0.49
1:D:351:ALA:O	1:D:520:PHE:HA	2.14	0.47
1:A:215:HIS:NE2	2:A:703:HEJ:O1A	2.44	0.47
1:A:351:ALA:O	1:A:520:PHE:HA	2.15	0.47
1:D:118:ILE:HD11	3:D:705:GTP:C8	2.49	0.46
1:B:348:ARG:NE	9:B:804:HOH:O	2.46	0.46
1:B:369:LEU:HB3	1:B:374:TYR:CE2	2.50	0.46
1:A:251:LYS:HB2	1:A:252:PRO:HD3	1.97	0.46
1:C:543:GLU:HG3	1:A:543:GLU:HG3	1.97	0.46
1:B:351:ALA:O	1:B:520:PHE:HA	2.15	0.46
1:B:175:ALA:HB1	1:B:199:VAL:HG12	1.98	0.46
1:A:322:HIS:HE1	9:A:822:HOH:O	1.98	0.46
1:A:597:GLU:H	1:A:597:GLU:CD	2.18	0.46
1:B:251:LYS:HB2	1:B:252:PRO:HD3	1.98	0.45
1:A:126:ILE:HD13	1:A:126:ILE:HG21	1.63	0.45
1:C:351:ALA:O	1:C:520:PHE:HA	2.16	0.45
1:A:588:ALA:HB1	1:A:591:ILE:HG12	1.99	0.44
1:C:381:ILE:HD12	1:C:381:ILE:HA	1.91	0.44
1:D:346:GLU:HA	9:D:803:HOH:O	2.17	0.44
1:A:215:HIS:HE2	2:A:703:HEJ:PA	2.40	0.44
1:D:428:LEU:CD1	1:A:425:ASN:HB2	2.48	0.44
1:A:175:ALA:HB1	1:A:199:VAL:HG12	1.99	0.44
1:D:126:ILE:HG21	1:D:126:ILE:HD13	1.54	0.44
1:A:478:LYS:HA	1:A:478:LYS:HE2	2.01	0.43
2:A:703:HEJ:O1G	2:A:703:HEJ:O1B	2.37	0.43
1:C:175:ALA:HB1	1:C:199:VAL:HG12	2.00	0.43
1:C:118:ILE:HD11	3:B:704:GTP:C8	2.54	0.42
1:D:175:ALA:HB1	1:D:199:VAL:HG12	2.00	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:447:GLN:HG2	9:D:851:HOH:O	2.18	0.42
1:B:374:TYR:CE2	2:B:703:HEJ:O31	2.73	0.42
1:A:371[A]:ARG:HH11	1:A:371[A]:ARG:HD3	1.73	0.41
1:D:331:TYR:C	1:D:331:TYR:CD1	2.93	0.41
1:C:241:PHE:O	1:C:245:ILE:HG12	2.21	0.41
1:D:251:LYS:HB2	1:D:252:PRO:HD3	2.02	0.41
1:A:331:TYR:CD1	1:A:331:TYR:C	2.93	0.41
1:C:325:ILE:HD13	1:C:325:ILE:HG21	1.86	0.40
1:B:327:ASN:HA	9:B:803:HOH:O	2.20	0.40
1:B:331:TYR:CD1	1:B:331:TYR:C	2.94	0.40
1:C:331:TYR:CD1	1:C:331:TYR:C	2.94	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	480/550 (87%)	472 (98%)	8 (2%)	0	100 100
1	B	477/550 (87%)	471 (99%)	6 (1%)	0	100 100
1	C	478/550 (87%)	471 (98%)	7 (2%)	0	100 100
1	D	478/550 (87%)	471 (98%)	7 (2%)	0	100 100
All	All	1913/2200 (87%)	1885 (98%)	28 (2%)	0	100 100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	430/488 (88%)	405 (94%)	25 (6%)	20	38
1	B	427/488 (88%)	404 (95%)	23 (5%)	22	42
1	C	428/488 (88%)	406 (95%)	22 (5%)	24	45
1	D	428/488 (88%)	405 (95%)	23 (5%)	22	42
All	All	1713/1952 (88%)	1620 (95%)	93 (5%)	22	42

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	114	THR
1	D	118	ILE
1	D	185	LYS
1	D	230	LYS
1	D	262	GLU
1	D	277	GLU
1	D	284	LEU
1	D	315	TYR
1	D	326	GLN
1	D	328	ASN
1	D	388	ASP
1	D	392	LYS
1	D	439	LYS
1	D	469	LYS
1	D	484	LYS
1	D	490	ASP
1	D	492	LYS
1	D	510	GLN
1	D	528	ARG
1	D	540	LEU
1	D	544	LYS
1	D	577	ASN
1	D	596	LYS
1	C	118	ILE
1	C	185	LYS
1	C	230	LYS
1	C	262	GLU
1	C	277	GLU
1	C	284	LEU
1	C	305	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	315	TYR
1	C	331	TYR
1	C	392	LYS
1	C	405	LYS
1	C	437	LYS
1	C	439	LYS
1	C	452	ASN
1	C	469	LYS
1	C	478	LYS
1	C	490	ASP
1	C	492	LYS
1	C	510	GLN
1	C	544	LYS
1	C	577	ASN
1	C	596	LYS
1	B	118	ILE
1	B	262	GLU
1	B	284	LEU
1	B	295	SER
1	B	305	ARG
1	B	315	TYR
1	B	331	TYR
1	B	342	GLU
1	B	368	SER
1	B	369	LEU
1	B	388	ASP
1	B	392	LYS
1	B	405	LYS
1	B	439	LYS
1	B	440	ASP
1	B	469	LYS
1	B	478	LYS
1	B	486	LYS
1	B	490	ASP
1	B	510	GLN
1	B	577	ASN
1	B	594	GLN
1	B	596	LYS
1	A	118	ILE
1	A	130	PRO
1	A	262	GLU
1	A	277	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	315	TYR
1	A	326	GLN
1	A	331	TYR
1	A	342	GLU
1	A	368	SER
1	A	388	ASP
1	A	392	LYS
1	A	405	LYS
1	A	439	LYS
1	A	452	ASN
1	A	469	LYS
1	A	478	LYS
1	A	484	LYS
1	A	486	LYS
1	A	488	LEU
1	A	490	ASP
1	A	492	LYS
1	A	528	ARG
1	A	577	ASN
1	A	596	LYS
1	A	599	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	322	HIS
1	C	571	GLN
1	A	321	HIS

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 41 ligands modelled in this entry, 27 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEJ	A	703	5	26,33,33	3.76	8 (30%)	31,52,52	1.93	7 (22%)
3	GTP	D	702	5	26,34,34	1.28	4 (15%)	32,54,54	1.66	7 (21%)
4	DTP	A	702	5	26,32,32	0.98	2 (7%)	30,50,50	1.28	2 (6%)
2	HEJ	D	701	5	26,33,33	4.23	9 (34%)	31,52,52	1.80	8 (25%)
2	HEJ	B	703	5	26,33,33	3.84	8 (30%)	31,52,52	1.79	9 (29%)
3	GTP	B	704	5	26,34,34	1.75	5 (19%)	32,54,54	1.74	7 (21%)
3	GTP	C	702	5	26,34,34	1.79	4 (15%)	32,54,54	2.06	10 (31%)
4	DTP	C	704	5	26,32,32	1.22	2 (7%)	30,50,50	1.77	8 (26%)
2	HEJ	C	701	5	26,33,33	3.57	7 (26%)	31,52,52	2.13	8 (25%)
8	PO4	B	711	-	4,4,4	0.76	0	6,6,6	0.65	0
4	DTP	B	701	5	26,32,32	0.99	2 (7%)	30,50,50	1.87	8 (26%)
3	GTP	D	705	5	26,34,34	1.70	6 (23%)	32,54,54	1.44	5 (15%)
7	GLY	B	710	-	4,4,4	1.14	0	3,4,4	1.23	0
4	DTP	D	703	5	26,32,32	1.55	4 (15%)	30,50,50	1.52	7 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEJ	A	703	5	-	5/18/38/38	0/3/3/3
3	GTP	D	702	5	-	1/18/38/38	0/3/3/3
4	DTP	A	702	5	-	2/18/34/34	0/3/3/3
2	HEJ	D	701	5	-	5/18/38/38	0/3/3/3
2	HEJ	B	703	5	-	8/18/38/38	0/3/3/3
3	GTP	B	704	5	-	6/18/38/38	0/3/3/3

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GTP	C	702	5	-	6/18/38/38	0/3/3/3
4	DTP	C	704	5	-	6/18/34/34	0/3/3/3
2	HEJ	C	701	5	-	5/18/38/38	0/3/3/3
4	DTP	B	701	5	-	3/18/34/34	0/3/3/3
3	GTP	D	705	5	-	4/18/38/38	0/3/3/3
7	GLY	B	710	-	-	0/2/2/2	-
4	DTP	D	703	5	-	3/18/34/34	0/3/3/3

All (61) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	701	HEJ	O4'-C1'	14.17	1.60	1.41
2	B	703	HEJ	O4'-C1'	13.13	1.59	1.41
2	A	703	HEJ	O4'-C1'	11.94	1.57	1.41
2	C	701	HEJ	O4'-C1'	9.69	1.54	1.41
2	C	701	HEJ	C2'-C3'	-9.58	1.27	1.53
2	A	703	HEJ	C2'-C3'	-9.36	1.27	1.53
2	B	703	HEJ	C2'-C3'	-9.22	1.28	1.53
2	D	701	HEJ	C2'-C3'	-9.13	1.28	1.53
2	C	701	HEJ	O4'-C4'	-8.61	1.25	1.45
2	D	701	HEJ	O4'-C4'	-8.49	1.26	1.45
2	A	703	HEJ	O4'-C4'	-7.86	1.27	1.45
2	B	703	HEJ	O4'-C4'	-7.58	1.28	1.45
2	D	701	HEJ	C3'-C4'	6.75	1.70	1.53
3	C	702	GTP	C6-N1	-5.92	1.29	1.37
3	D	705	GTP	C6-N1	-5.50	1.29	1.37
2	B	703	HEJ	C3'-C4'	5.10	1.66	1.53
3	B	704	GTP	C6-N1	-4.78	1.30	1.37
2	C	701	HEJ	C3'-C4'	4.77	1.65	1.53
2	A	703	HEJ	C3'-C4'	4.69	1.65	1.53
2	A	703	HEJ	C2-N3	4.08	1.38	1.32
2	B	703	HEJ	C2-N3	3.64	1.38	1.32
2	A	703	HEJ	O31-C2'	3.60	1.51	1.43
4	D	703	DTP	C2-N3	3.59	1.37	1.32
2	C	701	HEJ	C2-N3	3.53	1.37	1.32
2	D	701	HEJ	O31-C2'	3.37	1.50	1.43
2	C	701	HEJ	C6-N6	3.33	1.46	1.34
3	C	702	GTP	C2'-C1'	-3.31	1.48	1.53
3	C	702	GTP	O4'-C1'	3.25	1.45	1.41
2	D	701	HEJ	C6-N6	3.21	1.45	1.34
4	D	703	DTP	C8-N7	3.19	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	703	HEJ	PA-O5'	3.08	1.71	1.59
4	C	704	DTP	C2-N3	2.96	1.36	1.32
3	B	704	GTP	C2-N3	2.92	1.40	1.33
3	D	702	GTP	PB-O2B	-2.90	1.41	1.55
2	B	703	HEJ	C6-N6	2.87	1.44	1.34
4	C	704	DTP	C4-N3	-2.85	1.31	1.35
2	D	701	HEJ	PA-O5'	2.80	1.70	1.59
4	B	701	DTP	C5-N7	-2.72	1.29	1.39
3	D	705	GTP	C5-C4	2.70	1.50	1.43
4	D	703	DTP	C5-C4	2.69	1.48	1.40
2	D	701	HEJ	PB-O1B	2.65	1.60	1.50
2	B	703	HEJ	O31-C2'	2.65	1.49	1.43
2	C	701	HEJ	PA-O5'	2.62	1.69	1.59
4	D	703	DTP	PB-O2B	-2.58	1.43	1.55
3	D	705	GTP	PB-O1B	2.57	1.60	1.50
3	B	704	GTP	PB-O2B	2.55	1.67	1.55
3	D	705	GTP	C8-N7	2.43	1.39	1.35
2	B	703	HEJ	PA-O5'	2.35	1.68	1.59
3	D	705	GTP	PA-O2A	-2.34	1.44	1.55
2	D	701	HEJ	PG-O1G	-2.30	1.46	1.54
3	B	704	GTP	C2-N2	2.30	1.39	1.34
4	A	702	DTP	PA-O2A	-2.27	1.44	1.55
2	A	703	HEJ	C6-N6	2.26	1.42	1.34
3	D	702	GTP	C5-C4	2.14	1.48	1.43
3	D	702	GTP	PB-O1B	2.14	1.58	1.50
3	B	704	GTP	C8-N7	-2.09	1.31	1.35
3	D	705	GTP	C4-N3	-2.05	1.32	1.37
3	D	702	GTP	PG-O1G	-2.05	1.43	1.50
3	C	702	GTP	C5-C4	2.04	1.48	1.43
4	A	702	DTP	C5-C4	2.04	1.46	1.40
4	B	701	DTP	PA-O2A	-2.01	1.45	1.55

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	701	HEJ	C3'-C2'-C1'	7.02	111.54	100.98
2	A	703	HEJ	C3'-C2'-C1'	5.40	109.11	100.98
2	B	703	HEJ	C3'-C2'-C1'	5.23	108.84	100.98
3	D	702	GTP	PA-O3A-PB	-4.83	116.26	132.83
2	A	703	HEJ	N3-C2-N1	-4.74	121.26	128.68
3	C	702	GTP	C3'-C2'-C1'	4.55	107.83	100.98
2	D	701	HEJ	N3-C2-N1	-4.45	121.72	128.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	702	GTP	PA-O3A-PB	-4.40	117.74	132.83
2	C	701	HEJ	O4'-C1'-C2'	-4.22	100.77	106.93
4	B	701	DTP	O3G-PG-O2G	4.15	123.50	107.64
2	D	701	HEJ	C3'-C2'-C1'	4.10	107.15	100.98
4	C	704	DTP	O3G-PG-O2G	4.10	123.29	107.64
4	B	701	DTP	N3-C2-N1	-3.98	122.46	128.68
3	D	705	GTP	PA-O3A-PB	-3.85	119.62	132.83
4	C	704	DTP	N6-C6-N1	3.84	126.55	118.57
3	B	704	GTP	PA-O3A-PB	-3.84	119.66	132.83
4	B	701	DTP	N6-C6-N1	3.69	126.23	118.57
2	C	701	HEJ	PB-O3B-PG	-3.67	120.22	132.83
4	A	702	DTP	O3G-PG-O1G	3.66	125.01	110.68
3	B	704	GTP	C3'-C2'-C1'	3.60	106.40	100.98
2	D	701	HEJ	O4'-C1'-C2'	-3.60	101.67	106.93
3	C	702	GTP	O2G-PG-O1G	3.59	124.72	110.68
2	C	701	HEJ	N3-C2-N1	-3.49	123.22	128.68
4	D	703	DTP	C2-N1-C6	3.44	124.64	118.75
4	D	703	DTP	N3-C2-N1	-3.43	123.31	128.68
2	A	703	HEJ	PB-O3B-PG	-3.33	121.40	132.83
3	C	702	GTP	C8-N7-C5	3.26	109.21	102.99
4	C	704	DTP	C4-C5-N7	3.23	112.77	109.40
2	A	703	HEJ	O4'-C1'-C2'	-3.18	102.28	106.93
4	A	702	DTP	PA-O3A-PB	-3.15	122.02	132.83
4	C	704	DTP	C5-C6-N6	-3.12	115.62	120.35
3	B	704	GTP	C5-C6-N1	3.04	119.32	113.95
3	C	702	GTP	O3G-PG-O3B	3.03	114.80	104.64
3	D	702	GTP	O3G-PG-O2G	3.03	119.21	107.64
3	D	702	GTP	PB-O3B-PG	-2.94	122.74	132.83
2	C	701	HEJ	PB-O3A-PA	-2.92	122.81	132.83
4	B	701	DTP	C2'-C1'-N9	2.91	120.99	114.27
2	C	701	HEJ	C5-C6-N6	-2.87	115.99	120.35
3	C	702	GTP	PB-O3B-PG	-2.86	123.00	132.83
4	B	701	DTP	O3B-PG-O1G	-2.84	95.42	111.19
2	B	703	HEJ	C5-C6-N6	-2.81	116.08	120.35
4	C	704	DTP	O2A-PA-O1A	2.77	125.95	112.24
3	B	704	GTP	PB-O3B-PG	-2.77	123.33	132.83
2	A	703	HEJ	O1G-PG-O2G	2.71	118.00	107.64
3	B	704	GTP	O2G-PG-O1G	2.70	121.26	110.68
3	D	705	GTP	C3'-C2'-C1'	2.69	105.03	100.98
3	B	704	GTP	O2'-C2'-C1'	-2.68	100.94	110.85
4	C	704	DTP	O3B-PG-O1G	-2.68	96.32	111.19
3	D	705	GTP	O3G-PG-O3B	2.65	113.54	104.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	701	HEJ	C5-C6-N6	-2.65	116.32	120.35
2	A	703	HEJ	C2'-C3'-C4'	2.63	107.74	102.64
3	C	702	GTP	O6-C6-C5	2.60	129.45	124.37
4	C	704	DTP	O2G-PG-O3B	-2.58	95.97	104.64
3	C	702	GTP	O5'-PA-O1A	-2.57	99.02	109.07
2	B	703	HEJ	C2'-C3'-C4'	2.57	107.63	102.64
2	B	703	HEJ	PB-O3B-PG	-2.50	124.25	132.83
3	C	702	GTP	O6-C6-N1	-2.49	117.71	120.65
3	D	702	GTP	O4'-C4'-C3'	-2.47	100.23	105.11
2	D	701	HEJ	N6-C6-N1	2.47	123.70	118.57
3	C	702	GTP	O2A-PA-O5'	2.44	119.09	107.75
4	D	703	DTP	O2A-PA-O1A	2.40	124.11	112.24
2	A	703	HEJ	PB-O3A-PA	-2.38	124.64	132.83
2	D	701	HEJ	O1G-PG-O3G	-2.38	101.37	110.68
2	D	701	HEJ	O1G-PG-O3B	2.34	112.50	104.64
4	D	703	DTP	O3G-PG-O2G	2.33	116.55	107.64
4	D	703	DTP	O3G-PG-O3B	-2.32	96.86	104.64
2	B	703	HEJ	O2G-PG-O3B	2.30	112.35	104.64
4	B	701	DTP	C2-N1-C6	2.27	122.64	118.75
3	D	702	GTP	O3'-C3'-C2'	2.27	119.16	111.82
2	B	703	HEJ	N3-C2-N1	-2.27	125.14	128.68
2	C	701	HEJ	N6-C6-N1	2.25	123.25	118.57
4	B	701	DTP	O2G-PG-O3B	-2.24	97.11	104.64
3	D	705	GTP	PB-O3B-PG	-2.20	125.29	132.83
3	D	702	GTP	O6-C6-N1	2.18	123.22	120.65
2	D	701	HEJ	PB-O3B-PG	-2.16	125.42	132.83
3	D	702	GTP	C3'-C2'-C1'	2.15	104.22	100.98
2	B	703	HEJ	C5'-C4'-C3'	-2.13	107.20	115.18
4	B	701	DTP	C5-C6-N6	-2.13	117.12	120.35
2	C	701	HEJ	C4-C5-N7	-2.11	107.20	109.40
4	D	703	DTP	O3'-C3'-C2'	-2.11	103.36	110.90
2	B	703	HEJ	O1A-PA-O2A	2.08	122.50	112.24
4	C	704	DTP	C2'-C1'-N9	2.05	118.99	114.27
3	D	705	GTP	O2B-PB-O1B	2.04	122.35	112.24
4	D	703	DTP	O4'-C4'-C5'	2.03	116.06	109.37
3	B	704	GTP	O3G-PG-O3B	2.01	111.38	104.64
2	B	703	HEJ	C4-C5-N7	-2.01	107.31	109.40

There are no chirality outliers.

All (54) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	701	HEJ	C4'-C5'-O5'-PA
2	D	701	HEJ	C5'-O5'-PA-O2A
2	C	701	HEJ	C4'-C5'-O5'-PA
2	C	701	HEJ	C5'-O5'-PA-O2A
2	C	701	HEJ	C5'-O5'-PA-O1A
2	B	703	HEJ	C5'-O5'-PA-O1A
2	A	703	HEJ	C4'-C5'-O5'-PA
2	A	703	HEJ	C5'-O5'-PA-O2A
3	C	702	GTP	PB-O3B-PG-O3G
4	C	704	DTP	PB-O3B-PG-O3G
4	B	701	DTP	PB-O3B-PG-O3G
4	A	702	DTP	PB-O3B-PG-O3G
2	B	703	HEJ	C4'-C5'-O5'-PA
3	C	702	GTP	PG-O3B-PB-O1B
3	B	704	GTP	C4'-C5'-O5'-PA
2	D	701	HEJ	PB-O3A-PA-O5'
2	C	701	HEJ	PB-O3A-PA-O5'
2	B	703	HEJ	PB-O3A-PA-O5'
2	A	703	HEJ	PB-O3A-PA-O5'
4	D	703	DTP	PB-O3B-PG-O1G
4	A	702	DTP	PB-O3B-PG-O1G
3	B	704	GTP	PB-O3B-PG-O3G
4	C	704	DTP	PB-O3B-PG-O2G
2	D	701	HEJ	C5'-O5'-PA-O3A
2	C	701	HEJ	C5'-O5'-PA-O3A
2	A	703	HEJ	C5'-O5'-PA-O3A
3	D	705	GTP	PB-O3A-PA-O1A
3	C	702	GTP	PG-O3B-PB-O2B
2	D	701	HEJ	C5'-O5'-PA-O1A
2	A	703	HEJ	C5'-O5'-PA-O1A
2	B	703	HEJ	C3'-C4'-C5'-O5'
2	B	703	HEJ	PG-O3B-PB-O2B
3	C	702	GTP	PB-O3A-PA-O2A
3	B	704	GTP	PG-O3B-PB-O2B
4	C	704	DTP	PB-O3A-PA-O2A
3	D	702	GTP	C4'-C5'-O5'-PA
3	C	702	GTP	PB-O3B-PG-O1G
3	B	704	GTP	PB-O3B-PG-O1G
3	C	702	GTP	C4'-C5'-O5'-PA
4	C	704	DTP	PB-O3B-PG-O1G
4	D	703	DTP	PB-O3B-PG-O2G
4	D	703	DTP	PB-O3B-PG-O3G
4	B	701	DTP	PB-O3B-PG-O2G

Continued on next page...

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	B	703	HEJ	C5'-O5'-PA-O3A
2	B	703	HEJ	O4'-C4'-C5'-O5'
3	D	705	GTP	PG-O3B-PB-O2B
3	D	705	GTP	PB-O3A-PA-O2A
3	B	704	GTP	PB-O3A-PA-O1A
3	B	704	GTP	PB-O3A-PA-O2A
4	C	704	DTP	PG-O3B-PB-O2B
4	C	704	DTP	PB-O3A-PA-O1A
4	B	701	DTP	PB-O3A-PA-O1A
3	D	705	GTP	C4'-C5'-O5'-PA
2	B	703	HEJ	C5'-O5'-PA-O2A



There are no ring outliers.


5 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	703	HEJ	4	0
2	B	703	HEJ	1	0
3	B	704	GTP	1	0
2	C	701	HEJ	2	0
3	D	705	GTP	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	481/550 (87%)	0.22	30 (6%) 20 21	41, 74, 124, 173	0
1	B	481/550 (87%)	0.06	19 (3%) 38 41	40, 71, 120, 168	0
1	C	481/550 (87%)	-0.02	16 (3%) 46 50	38, 70, 114, 167	0
1	D	481/550 (87%)	-0.11	3 (0%) 89 90	40, 65, 103, 134	0
All	All	1924/2200 (87%)	0.04	68 (3%) 44 47	38, 70, 116, 173	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	488	LEU	7.0
1	B	491	VAL	6.6
1	B	490	ASP	6.5
1	C	488	LEU	6.1
1	A	491	VAL	5.6
1	B	488	LEU	5.5
1	A	466	ILE	5.3
1	B	560	LYS	5.2
1	A	465	GLN	4.9
1	B	276	LEU	4.9
1	B	486	LYS	4.9
1	A	598	TRP	4.7
1	C	490	ASP	4.4
1	A	490	ASP	4.3
1	A	468	ILE	4.3
1	A	487	VAL	4.2
1	A	476	LEU	4.2
1	A	486	LYS	4.1
1	C	489	LEU	4.1
1	C	485	PRO	3.9
1	C	487	VAL	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	489	LEU	3.7
1	B	113	ASP	3.7
1	B	114	THR	3.5
1	A	560	LYS	3.4
1	C	276	LEU	3.4
1	D	113	ASP	3.4
1	B	489	LEU	3.2
1	C	590	LEU	3.2
1	C	465	GLN	3.1
1	A	345	ASN	3.1
1	A	498	PHE	3.0
1	A	481	ALA	3.0
1	A	591	ILE	3.0
1	C	486	LYS	2.9
1	A	472	ASP	2.9
1	B	591	ILE	2.9
1	A	529	ALA	2.8
1	C	403	GLY	2.8
1	A	578	PHE	2.8
1	D	465	GLN	2.7
1	C	591	ILE	2.7
1	A	562	LEU	2.7
1	A	328	ASN	2.7
1	B	277	GLU	2.7
1	A	343	VAL	2.7
1	A	584	GLY	2.7
1	B	485	PRO	2.5
1	C	491	VAL	2.5
1	B	563	TYR	2.4
1	A	480	VAL	2.4
1	A	276	LEU	2.4
1	C	405	LYS	2.4
1	B	556	LYS	2.4
1	A	493	LEU	2.4
1	C	325	ILE	2.4
1	A	563	TYR	2.4
1	B	498	PHE	2.3
1	C	326	GLN	2.3
1	A	327	ASN	2.3
1	A	585	ASP	2.3
1	B	326	GLN	2.2
1	D	466	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	590	LEU	2.2
1	A	494	LYS	2.1
1	B	121	PRO	2.1
1	B	487	VAL	2.1
1	C	345	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	NA	B	709	1/1	0.56	0.14	82,82,82,82	0
7	GLY	B	710	5/5	0.73	0.26	69,73,86,90	0
6	NA	A	709	1/1	0.75	0.40	77,77,77,77	0
6	NA	D	711	1/1	0.81	0.72	95,95,95,95	0
6	NA	B	708	1/1	0.85	0.42	84,84,84,84	0
6	NA	C	709	1/1	0.87	0.27	79,79,79,79	0
6	NA	A	706	1/1	0.89	0.38	63,63,63,63	0
8	PO4	B	711	5/5	0.90	0.17	104,115,126,133	0
6	NA	A	710	1/1	0.91	0.47	77,77,77,77	0
6	NA	C	708	1/1	0.92	0.32	82,82,82,82	0
6	NA	A	708	1/1	0.92	0.25	62,62,62,62	0
6	NA	D	709	1/1	0.92	0.22	76,76,76,76	0
6	NA	D	708	1/1	0.93	0.25	68,68,68,68	0
2	HEJ	A	703	31/31	0.94	0.12	59,67,81,89	0
6	NA	C	706	1/1	0.94	0.46	73,73,73,73	0
5	MG	A	701	1/1	0.94	0.14	52,52,52,52	0
5	MG	D	706	1/1	0.95	0.06	69,69,69,69	0
5	MG	C	703	1/1	0.95	0.18	56,56,56,56	0


*Continued on next page...*


*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	NA	D	710	1/1	0.95	0.19	66,66,66,66	0
5	MG	B	705	1/1	0.95	0.10	69,69,69,69	0
2	HEJ	B	703	31/31	0.95	0.12	59,66,78,90	0
6	NA	A	707	1/1	0.96	0.44	69,69,69,69	0
2	HEJ	C	701	31/31	0.96	0.12	53,65,74,88	0
6	NA	B	706	1/1	0.96	0.24	66,66,66,66	0
5	MG	D	704	1/1	0.96	0.20	48,48,48,48	0
6	NA	C	707	1/1	0.96	0.19	66,66,66,66	0
2	HEJ	D	701	31/31	0.96	0.10	56,77,82,87	0
5	MG	A	704	1/1	0.97	0.19	62,62,62,62	0
5	MG	D	707	1/1	0.97	0.20	53,53,53,53	0
6	NA	B	707	1/1	0.97	0.22	57,57,57,57	0
5	MG	A	705	1/1	0.98	0.08	74,74,74,74	0
5	MG	B	702	1/1	0.98	0.17	59,59,59,59	0
3	GTP	C	702	32/32	0.99	0.12	46,50,58,59	0
3	GTP	B	704	32/32	0.99	0.13	47,51,57,57	0
5	MG	C	705	1/1	0.99	0.08	75,75,75,75	0
4	DTP	D	703	30/30	0.99	0.13	39,45,49,50	0
4	DTP	C	704	30/30	0.99	0.17	43,47,52,54	0
4	DTP	B	701	30/30	0.99	0.13	42,46,49,51	0
4	DTP	A	702	30/30	0.99	0.14	46,47,51,52	0
3	GTP	D	702	32/32	0.99	0.12	41,45,54,56	0
3	GTP	D	705	32/32	0.99	0.14	45,49,58,61	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

















## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.