



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 22, 2024 – 03:28 PM EDT

PDB ID : 6G26
Title : The crystal structure of the Burkholderia pseudomallei HicAB complex
Authors : Winter, A.J.; Isupov, M.N.; Williams, C.; Crump, M.P.
Deposited on : 2018-03-22
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	142	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 11%, green 82%, grey 87%);"></div> <div style="margin-left: 10px;"> <p>82% 11% . .</p> </div> </div>
1	B	142	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 8%, green 87%, grey 92%);"></div> <div style="margin-left: 10px;"> <p>87% 8% . .</p> </div> </div>
1	C	142	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, orange 3%, yellow 11%, green 85%, grey 96%);"></div> <div style="margin-left: 10px;"> <p>85% 11% . .</p> </div> </div>
1	D	142	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 11%, green 82%, grey 94%);"></div> <div style="margin-left: 10px;"> <p>82% 11% . . .</p> </div> </div>
2	E	64	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 78%, yellow 16%, grey 94%);"></div> <div style="margin-left: 10px;"> <p>78% 16% . 5%</p> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	64	 88% 5% • 6%
2	G	64	 2% 89% • • 6%
2	H	64	 3% 73% 14% 5% • 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	C	202	-	-	-	X
5	PGE	D	206	-	-	X	-

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 6648 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HicB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	137	1087	688	183	213	3	0	5	0
1	B	136	1076	682	179	212	3	0	5	0
1	C	136	1080	685	181	211	3	0	5	0
1	D	136	1084	687	182	212	3	0	6	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q63NA5
A	136	LYS	VAL	conflict	UNP Q63NA5
A	137	HIS	ARG	conflict	UNP Q63NA5
A	139	HIS	-	expression tag	UNP Q63NA5
A	140	HIS	-	expression tag	UNP Q63NA5
A	141	HIS	-	expression tag	UNP Q63NA5
A	142	HIS	-	expression tag	UNP Q63NA5
B	1	MET	-	initiating methionine	UNP Q63NA5
B	136	LYS	VAL	conflict	UNP Q63NA5
B	137	HIS	ARG	conflict	UNP Q63NA5
B	139	HIS	-	expression tag	UNP Q63NA5
B	140	HIS	-	expression tag	UNP Q63NA5
B	141	HIS	-	expression tag	UNP Q63NA5
B	142	HIS	-	expression tag	UNP Q63NA5
C	1	MET	-	initiating methionine	UNP Q63NA5
C	136	LYS	VAL	conflict	UNP Q63NA5
C	137	HIS	ARG	conflict	UNP Q63NA5
C	139	HIS	-	expression tag	UNP Q63NA5
C	140	HIS	-	expression tag	UNP Q63NA5
C	141	HIS	-	expression tag	UNP Q63NA5
C	142	HIS	-	expression tag	UNP Q63NA5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	-	initiating methionine	UNP Q63NA5
D	136	LYS	VAL	conflict	UNP Q63NA5
D	137	HIS	ARG	conflict	UNP Q63NA5
D	139	HIS	-	expression tag	UNP Q63NA5
D	140	HIS	-	expression tag	UNP Q63NA5
D	141	HIS	-	expression tag	UNP Q63NA5
D	142	HIS	-	expression tag	UNP Q63NA5

- Molecule 2 is a protein called HicA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	E	61	Total	C	N	O	S	0	2	0
			492	317	93	81	1			
2	F	60	Total	C	N	O	S	0	2	0
			479	306	90	81	2			
2	G	60	Total	C	N	O	S	0	2	0
			485	312	92	80	1			
2	H	60	Total	C	N	O	S	0	4	0
			489	312	94	81	2			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	-4	GLY	-	expression tag	UNP Q63NA6
E	-3	ILE	-	expression tag	UNP Q63NA6
E	-2	ASP	-	expression tag	UNP Q63NA6
E	-1	PRO	-	expression tag	UNP Q63NA6
E	0	PHE	-	expression tag	UNP Q63NA6
E	1	THR	-	expression tag	UNP Q63NA6
E	24	ALA	HIS	conflict	UNP Q63NA6
F	-4	GLY	-	expression tag	UNP Q63NA6
F	-3	ILE	-	expression tag	UNP Q63NA6
F	-2	ASP	-	expression tag	UNP Q63NA6
F	-1	PRO	-	expression tag	UNP Q63NA6
F	0	PHE	-	expression tag	UNP Q63NA6
F	1	THR	-	expression tag	UNP Q63NA6
F	24	ALA	HIS	conflict	UNP Q63NA6
G	-4	GLY	-	expression tag	UNP Q63NA6
G	-3	ILE	-	expression tag	UNP Q63NA6
G	-2	ASP	-	expression tag	UNP Q63NA6
G	-1	PRO	-	expression tag	UNP Q63NA6
G	0	PHE	-	expression tag	UNP Q63NA6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	THR	-	expression tag	UNP Q63NA6
G	24	ALA	HIS	conflict	UNP Q63NA6
H	-4	GLY	-	expression tag	UNP Q63NA6
H	-3	ILE	-	expression tag	UNP Q63NA6
H	-2	ASP	-	expression tag	UNP Q63NA6
H	-1	PRO	-	expression tag	UNP Q63NA6
H	0	PHE	-	expression tag	UNP Q63NA6
H	1	THR	-	expression tag	UNP Q63NA6
H	24	ALA	HIS	conflict	UNP Q63NA6

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	66	Total	O	0	0
			66	66		
6	B	44	Total	O	0	0
			44	44		
6	C	34	Total	O	0	0
			34	34		
6	D	53	Total	O	0	0
			53	53		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	E	28	Total 28	O 28	0	0
6	F	26	Total 26	O 26	0	0
6	G	7	Total 7	O 7	0	0
6	H	11	Total 11	O 11	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HicB




- Molecule 1: HicB





- Molecule 1: HicB




- Molecule 1: HicB




- Molecule 2: HicA





- Molecule 2: HicA

Chain F:  88% 5% • 6%




• Molecule 2: HicA

Chain G:  89% 2% • • 6%



• Molecule 2: HicA

Chain H:  73% 3% 14% 5% • 6%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.14Å 74.19Å 85.31Å 90.00° 90.05° 90.00°	Depositor
Resolution (Å)	34.02 – 2.49 38.15 – 2.49	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.02-2.49) 99.9 (38.15-2.49)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 2.48Å)	Xtrriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.187 , 0.233 0.187 , 0.233	Depositor DCC
R_{free} test set	1722 reflections (4.60%)	wwPDB-VP
Wilson B-factor (Å ²)	51.8	Xtrriage
Anisotropy	0.320	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 41.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.005 for l,k,-h 0.034 for h,-k,-l 0.024 for l,-k,h	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6648	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, SO4, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/1124	0.85	2/1527 (0.1%)
1	B	0.62	0/1113	0.78	0/1513
1	C	0.62	0/1118	0.79	2/1520 (0.1%)
1	D	0.67	0/1124	0.83	3/1527 (0.2%)
2	E	0.69	0/511	0.90	1/685 (0.1%)
2	F	0.67	0/493	0.89	0/661
2	G	0.63	0/503	0.84	0/674
2	H	0.70	0/512	0.99	2/686 (0.3%)
All	All	0.65	0/6498	0.84	10/8793 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	10	LEU	CB-CG-CD2	6.62	122.26	111.00
1	D	41	ARG	NE-CZ-NH2	5.73	123.16	120.30
2	H	10	LEU	CB-CG-CD1	-5.44	101.76	111.00
1	A	115[A]	ARG	CG-CD-NE	-5.41	100.45	111.80
1	A	115[B]	ARG	CG-CD-NE	-5.41	100.45	111.80
1	D	115	ARG	NE-CZ-NH1	5.34	122.97	120.30
2	E	10	LEU	CB-CG-CD2	-5.29	102.00	111.00
1	D	1	MET	CA-CB-CG	5.15	122.06	113.30
1	C	12[A]	ASP	CB-CG-OD1	5.07	122.86	118.30
1	C	12[B]	ASP	CB-CG-OD1	5.07	122.86	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1087	0	1078	19	0
1	B	1076	0	1065	11	0
1	C	1080	0	1067	11	0
1	D	1084	0	1078	16	0
2	E	492	0	534	9	0
2	F	479	0	515	5	0
2	G	485	0	527	4	0
2	H	489	0	534	10	0
3	A	10	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
4	A	28	0	42	5	0
4	B	16	0	24	2	0
4	C	8	0	12	0	0
4	D	16	0	24	1	0
4	H	4	0	6	0	0
5	D	10	0	14	8	0
6	A	66	0	0	1	0
6	B	44	0	0	0	0
6	C	34	0	0	1	0
6	D	53	0	0	0	0
6	E	28	0	0	0	0
6	F	26	0	0	1	0
6	G	7	0	0	0	0
6	H	11	0	0	0	0
All	All	6648	0	6520	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:23:SER:HB2	2:H:41:PRO:HD2	1.53	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1:MET:HA	1:D:62:CYS:SG	2.12	0.89
1:B:17:GLY:HA3	2:E:49:THR:HG21	1.68	0.75
1:C:17:GLY:HA3	2:G:49:THR:HG21	1.72	0.71
2:H:23:SER:HB2	2:H:41:PRO:CD	2.19	0.71
1:A:17:GLY:HA3	2:F:49:THR:HG21	1.71	0.70
1:A:1:MET:HA	1:A:62:CYS:SG	2.34	0.67
1:B:1:MET:HA	1:B:62:CYS:SG	2.34	0.67
1:C:1:MET:HA	1:C:62:CYS:SG	2.34	0.67
1:D:17:GLY:HA3	2:H:49:THR:HG21	1.79	0.65
2:H:40:HIS:O	2:H:41:PRO:C	2.36	0.62
1:D:27:HIS:HE1	2:H:52:SER:OG	1.85	0.59
1:A:69:VAL:HG11	1:C:81:LEU:HD12	1.86	0.58
1:D:55:GLY:HA2	5:D:206:PGE:H12	1.88	0.56
1:C:136:LYS:HG2	6:C:334:HOH:O	2.06	0.56
2:E:9:MET:CE	2:E:59:LEU:HD13	2.36	0.55
1:D:52:ILE:HA	5:D:206:PGE:H1	1.89	0.55
1:B:24:PRO:HA	4:B:204:EDO:H22	1.90	0.54
1:A:17:GLY:CA	2:F:49:THR:HG21	2.39	0.53
1:A:52:ILE:HG22	4:A:204:EDO:H11	1.90	0.53
1:B:17:GLY:CA	2:E:49:THR:HG21	2.37	0.52
1:A:28:SER:OG	4:A:203:EDO:H12	2.10	0.52
1:A:1:MET:CA	1:A:62:CYS:SG	2.98	0.52
2:H:1:THR:HG21	2:H:42:LYS:C	2.30	0.52
1:A:91:SER:H	4:A:204:EDO:H12	1.74	0.51
1:A:106:HIS:HD2	5:D:206:PGE:H32	1.76	0.51
1:C:9:HIS:HB2	2:G:49:THR:HG22	1.92	0.51
2:E:2:ASN:HB3	2:E:5:LYS:HG3	1.93	0.50
1:B:1:MET:CA	1:B:62:CYS:SG	3.00	0.49
1:B:9:HIS:HB2	2:E:49:THR:HG22	1.94	0.49
1:C:1:MET:CA	1:C:62:CYS:SG	2.99	0.49
1:A:118:THR:HA	6:A:322:HOH:O	2.13	0.49
1:D:57:ASP:HB3	5:D:206:PGE:H6	1.95	0.49
1:A:24:PRO:HA	4:A:206:EDO:H22	1.95	0.48
1:C:17:GLY:CA	2:G:49:THR:HG21	2.42	0.48
2:E:9:MET:HE3	2:E:59:LEU:HD13	1.94	0.48
1:A:97:ASN:ND2	1:D:97:ASN:OD1	2.47	0.48
2:H:11:GLU:O	2:H:16[B]:ARG:NH2	2.47	0.47
1:B:1:MET:N	1:B:62:CYS:SG	2.86	0.47
1:B:97:ASN:HD21	1:C:97:ASN:HD21	1.62	0.47
1:C:1:MET:N	1:C:62:CYS:SG	2.87	0.47
1:D:52:ILE:HG22	4:D:202:EDO:H22	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:2:ASN:HB3	2:G:5[B]:LYS:HD2	1.98	0.46
1:A:1:MET:N	1:A:62:CYS:SG	2.85	0.45
1:D:57:ASP:CB	5:D:206:PGE:H6	2.46	0.45
1:D:52:ILE:HA	5:D:206:PGE:C1	2.46	0.45
2:F:33:PRO:HD2	6:F:107:HOH:O	2.17	0.45
1:D:2:MET:HG2	1:D:85:ASP:HA	1.99	0.44
2:H:1:THR:HG21	2:H:42:LYS:O	2.18	0.44
1:D:57:ASP:CA	5:D:206:PGE:H6	2.49	0.43
1:D:17:GLY:CA	2:H:49:THR:HG21	2.46	0.43
1:B:69:VAL:HG11	1:D:81:LEU:HD12	2.01	0.43
1:D:28:SER:HA	2:H:39:PRO:HB3	2.01	0.43
1:A:9:HIS:HB2	2:F:49:THR:HG22	2.02	0.42
1:A:106:HIS:HB2	5:D:206:PGE:H42	2.01	0.42
4:B:203:EDO:H12	2:E:23:SER:H	1.84	0.42
1:C:2:MET:HG2	1:C:85:ASP:HA	2.02	0.41
2:E:9:MET:HE2	2:E:59:LEU:HD13	2.02	0.41
1:A:21:PRO:HA	4:A:206:EDO:H21	2.03	0.41
1:A:2:MET:HG2	1:A:85:ASP:HA	2.03	0.40
1:A:29:TRP:CD2	2:F:41:PRO:HB3	2.56	0.40
2:E:6:LEU:HD12	2:E:9:MET:HE1	2.03	0.40
1:B:2:MET:HG2	1:B:85:ASP:HA	2.03	0.40
1:B:78:VAL:HG21	1:D:78:VAL:HG21	2.04	0.40
1:A:78:VAL:HG21	1:C:78:VAL:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/142 (99%)	137 (98%)	3 (2%)	0	100	100
1	B	139/142 (98%)	137 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	139/142 (98%)	136 (98%)	3 (2%)	0	100	100
1	D	140/142 (99%)	137 (98%)	3 (2%)	0	100	100
2	E	61/64 (95%)	60 (98%)	1 (2%)	0	100	100
2	F	60/64 (94%)	60 (100%)	0	0	100	100
2	G	60/64 (94%)	60 (100%)	0	0	100	100
2	H	62/64 (97%)	59 (95%)	0	3 (5%)	2	2
All	All	801/824 (97%)	786 (98%)	12 (2%)	3 (0%)	34	54

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	42	LYS
2	H	41	PRO
2	H	40	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	120/120 (100%)	113 (94%)	7 (6%)	20	38
1	B	119/120 (99%)	113 (95%)	6 (5%)	24	46
1	C	119/120 (99%)	113 (95%)	6 (5%)	24	46
1	D	120/120 (100%)	110 (92%)	10 (8%)	11	22
2	E	56/56 (100%)	51 (91%)	5 (9%)	9	19
2	F	54/56 (96%)	52 (96%)	2 (4%)	34	60
2	G	55/56 (98%)	54 (98%)	1 (2%)	59	81
2	H	56/56 (100%)	50 (89%)	6 (11%)	6	13
All	All	699/704 (99%)	656 (94%)	43 (6%)	22	35

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	58	VAL
1	A	62	CYS
1	A	69	VAL
1	A	97	ASN
1	A	114[A]	SER
1	A	114[B]	SER
1	B	58	VAL
1	B	62	CYS
1	B	69	VAL
1	B	114[A]	SER
1	B	114[B]	SER
1	B	133	GLU
1	C	58	VAL
1	C	62	CYS
1	C	69	VAL
1	C	95	ARG
1	C	114	SER
1	C	133	GLU
1	D	1	MET
1	D	58	VAL
1	D	62	CYS
1	D	69	VAL
1	D	95[A]	ARG
1	D	95[B]	ARG
1	D	97	ASN
1	D	114[A]	SER
1	D	114[B]	SER
1	D	115	ARG
2	E	19	ARG
2	E	28	LYS
2	E	31[A]	LYS
2	E	31[B]	LYS
2	E	49	THR
2	F	28	LYS
2	F	49	THR
2	G	49	THR
2	H	9[A]	MET
2	H	9[B]	MET
2	H	19[A]	ARG
2	H	19[B]	ARG
2	H	41	PRO
2	H	49	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	HIS
1	C	97	ASN
1	D	27	HIS
2	H	40	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	D	203	-	3,3,3	0.55	0	2,2,2	0.36	0
4	EDO	A	204	-	3,3,3	0.47	0	2,2,2	0.64	0
4	EDO	D	204	-	3,3,3	0.43	0	2,2,2	0.60	0
4	EDO	B	204	-	3,3,3	0.37	0	2,2,2	0.65	0
4	EDO	B	202	-	3,3,3	0.29	0	2,2,2	0.94	0
5	PGE	D	206	-	9,9,9	0.53	0	8,8,8	0.38	0
4	EDO	A	208	-	3,3,3	0.50	0	2,2,2	0.76	0
3	SO4	A	202	-	4,4,4	0.39	0	6,6,6	1.27	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	201	-	4,4,4	0.38	0	6,6,6	0.66	0
4	EDO	A	206	-	3,3,3	0.41	0	2,2,2	0.38	0
4	EDO	H	101	-	3,3,3	0.50	0	2,2,2	0.50	0
4	EDO	A	207	-	3,3,3	0.57	0	2,2,2	0.99	0
4	EDO	A	205	-	3,3,3	0.62	0	2,2,2	0.26	0
4	EDO	B	205	-	3,3,3	0.65	0	2,2,2	0.26	0
3	SO4	C	201	-	4,4,4	0.45	0	6,6,6	0.45	0
4	EDO	C	203	-	3,3,3	0.38	0	2,2,2	0.75	0
4	EDO	D	202	-	3,3,3	0.39	0	2,2,2	0.66	0
3	SO4	A	201	-	4,4,4	0.36	0	6,6,6	0.83	0
4	EDO	A	203	-	3,3,3	0.74	0	2,2,2	0.81	0
4	EDO	D	205	-	3,3,3	0.57	0	2,2,2	0.27	0
4	EDO	A	209	-	3,3,3	0.67	0	2,2,2	0.40	0
4	EDO	B	203	-	3,3,3	0.58	0	2,2,2	0.78	0
3	SO4	D	201	-	4,4,4	0.19	0	6,6,6	0.99	0
4	EDO	C	202	-	3,3,3	0.88	0	2,2,2	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	D	203	-	-	0/1/1/1	-
4	EDO	A	204	-	-	1/1/1/1	-
4	EDO	D	204	-	-	1/1/1/1	-
4	EDO	B	204	-	-	1/1/1/1	-
4	EDO	B	202	-	-	1/1/1/1	-
5	PGE	D	206	-	-	5/7/7/7	-
4	EDO	A	208	-	-	0/1/1/1	-
4	EDO	A	206	-	-	1/1/1/1	-
4	EDO	H	101	-	-	0/1/1/1	-
4	EDO	A	207	-	-	0/1/1/1	-
4	EDO	A	205	-	-	1/1/1/1	-
4	EDO	B	205	-	-	0/1/1/1	-
4	EDO	C	203	-	-	1/1/1/1	-
4	EDO	D	202	-	-	0/1/1/1	-
4	EDO	A	203	-	-	1/1/1/1	-
4	EDO	D	205	-	-	1/1/1/1	-
4	EDO	A	209	-	-	1/1/1/1	-
4	EDO	B	203	-	-	1/1/1/1	-
4	EDO	C	202	-	-	0/1/1/1	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	202	SO4	O3-S-O1	-2.25	97.78	109.56

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	206	EDO	O1-C1-C2-O2
4	B	204	EDO	O1-C1-C2-O2
5	D	206	PGE	O3-C5-C6-O4
4	A	209	EDO	O1-C1-C2-O2
4	B	203	EDO	O1-C1-C2-O2
5	D	206	PGE	O2-C3-C4-O3
4	B	202	EDO	O1-C1-C2-O2
5	D	206	PGE	C4-C3-O2-C2
5	D	206	PGE	C6-C5-O3-C4
4	C	203	EDO	O1-C1-C2-O2
4	A	204	EDO	O1-C1-C2-O2
5	D	206	PGE	C1-C2-O2-C3
4	D	204	EDO	O1-C1-C2-O2
4	D	205	EDO	O1-C1-C2-O2
4	A	203	EDO	O1-C1-C2-O2
4	A	205	EDO	O1-C1-C2-O2

There are no ring outliers.

7 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	204	EDO	2	0
4	B	204	EDO	1	0
5	D	206	PGE	8	0
4	A	206	EDO	2	0
4	D	202	EDO	1	0
4	A	203	EDO	1	0
4	B	203	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	137/142 (96%)	-0.17	1 (0%) 87 89	30, 43, 78, 157	0
1	B	136/142 (95%)	-0.12	2 (1%) 73 75	33, 55, 96, 129	0
1	C	136/142 (95%)	-0.05	4 (2%) 51 55	39, 57, 95, 142	0
1	D	136/142 (95%)	-0.13	1 (0%) 87 89	34, 46, 78, 124	0
2	E	61/64 (95%)	-0.18	0 100 100	34, 46, 66, 116	0
2	F	60/64 (93%)	-0.01	0 100 100	27, 41, 65, 105	0
2	G	60/64 (93%)	0.07	1 (1%) 70 72	47, 68, 102, 133	0
2	H	60/64 (93%)	-0.07	2 (3%) 46 50	38, 59, 95, 122	0
All	All	786/824 (95%)	-0.10	11 (1%) 75 77	27, 51, 93, 157	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	134	GLY	4.9
1	C	133	GLU	3.9
2	G	0	PHE	3.6
1	D	134	GLY	3.5
1	A	137	HIS	3.1
1	C	136	LYS	3.0
1	C	135	LYS	3.0
2	H	0	PHE	2.7
1	B	1	MET	2.6
2	H	41	PRO	2.5
1	B	12[A]	ASP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	D	205	4/4	0.71	0.30	83,88,105,118	0
4	EDO	B	203	4/4	0.74	0.30	65,68,76,111	0
4	EDO	C	202	4/4	0.78	0.41	64,66,78,92	0
4	EDO	D	204	4/4	0.80	0.45	74,82,84,90	0
4	EDO	B	205	4/4	0.80	0.26	72,73,99,130	0
4	EDO	C	203	4/4	0.81	0.23	74,86,87,93	0
4	EDO	A	209	4/4	0.83	0.25	47,56,67,77	0
5	PGE	D	206	10/10	0.84	0.33	41,55,64,76	10
4	EDO	A	208	4/4	0.86	0.21	59,74,77,85	0
4	EDO	A	205	4/4	0.86	0.21	62,69,79,101	0
4	EDO	A	207	4/4	0.86	0.23	54,64,71,81	0
4	EDO	D	202	4/4	0.87	0.26	69,70,86,89	0
4	EDO	D	203	4/4	0.88	0.16	88,92,94,98	0
4	EDO	B	202	4/4	0.88	0.17	63,81,82,89	0
4	EDO	H	101	4/4	0.90	0.28	69,78,80,88	0
4	EDO	A	204	4/4	0.92	0.19	67,68,78,97	0
4	EDO	A	203	4/4	0.92	0.34	43,65,79,107	0
4	EDO	A	206	4/4	0.95	0.22	37,44,69,84	0
3	SO4	B	201	5/5	0.97	0.12	70,72,83,85	0
3	SO4	A	201	5/5	0.97	0.16	39,44,47,58	0
4	EDO	B	204	4/4	0.97	0.46	46,49,75,92	0
3	SO4	C	201	5/5	0.98	0.12	65,67,76,79	0
3	SO4	D	201	5/5	0.99	0.10	43,45,54,58	0
3	SO4	A	202	5/5	1.00	0.12	28,36,41,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.