



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 22, 2024 – 11:27 PM EDT

PDB ID : 6H80  
Title : Dengue-RdRp3-inhibitor complex co-crystallisation  
Authors : Talapatra, S.K.; Kozielski, F.  
Deposited on : 2018-07-31  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	635	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ZN	A	1003	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4747 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	558	4529	2865	814	819	31	0	3	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	266	GLY	-	expression tag	UNP Q6YMS4
A	267	SER	-	expression tag	UNP Q6YMS4
A	268	HIS	-	expression tag	UNP Q6YMS4
A	269	MET	-	expression tag	UNP Q6YMS4
A	270	LEU	-	expression tag	UNP Q6YMS4
A	271	ASP	-	expression tag	UNP Q6YMS4
A	366	LEU	MET	variant	UNP Q6YMS4
A	372	VAL	ALA	variant	UNP Q6YMS4
A	480	VAL	ALA	variant	UNP Q6YMS4
A	603	VAL	LEU	variant	UNP Q6YMS4

- Molecule 2 is 2-(4-methoxy-3-thiophen-2-yl-phenyl)ethanoic acid (three-letter code: 5V5) (formula: C<sub>13</sub>H<sub>12</sub>O<sub>3</sub>S).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
2	A	1	17	13	3	1	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
3	A	2	2	2	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	164	Total O 164 164	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Genome polyprotein



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	165.08Å 181.25Å 57.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	52.70 – 2.30 56.74 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (52.70-2.30) 99.9 (56.74-2.30)	Depositor EDS
$R_{merge}$	0.03	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.82 (at 2.29Å)	Xtrriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, $R_{free}$	0.191 , 0.236 0.231 , 0.244	Depositor DCC
$R_{free}$ test set	1946 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	48.8	Xtrriage
Anisotropy	0.645	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 48.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4747	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	61.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 5V5, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.18	13/4642 (0.3%)	0.95	18/6293 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	18

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	437	GLU	CD-OE2	-10.67	1.14	1.25
1	A	437	GLU	CD-OE1	-7.80	1.17	1.25
1	A	653	GLU	CD-OE1	-6.31	1.18	1.25
1	A	549	GLU	CD-OE1	-6.18	1.18	1.25
1	A	397	GLU	CD-OE2	-5.71	1.19	1.25
1	A	712	HIS	CE1-NE2	-5.66	1.19	1.32
1	A	715	GLU	CD-OE1	-5.65	1.19	1.25
1	A	437	GLU	CB-CG	5.62	1.62	1.52
1	A	549	GLU	CD-OE2	-5.57	1.19	1.25
1	A	623	GLU	CD-OE2	-5.20	1.20	1.25
1	A	653	GLU	CD-OE2	-5.16	1.20	1.25
1	A	396	GLU	CD-OE1	-5.11	1.20	1.25
1	A	437	GLU	CG-CD	5.03	1.59	1.51

All (18) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	712	HIS	CA-CB-CG	9.62	129.96	113.60
1	A	441	HIS	CB-CA-C	9.57	129.55	110.40
1	A	728	CYS	CA-CB-SG	9.27	130.68	114.00
1	A	714	HIS	CA-CB-CG	9.20	129.24	113.60
1	A	441	HIS	CA-CB-CG	8.65	128.31	113.60
1	A	714	HIS	CB-CA-C	8.52	127.44	110.40
1	A	449	CYS	CB-CA-C	8.15	126.70	110.40
1	A	437	GLU	CB-CG-CD	7.95	135.68	114.20
1	A	437	GLU	OE1-CD-OE2	-7.72	114.03	123.30
1	A	452	ASN	CB-CA-C	-6.92	96.56	110.40
1	A	728	CYS	N-CA-CB	6.55	122.39	110.60
1	A	437	GLU	N-CA-CB	6.45	122.20	110.60
1	A	449	CYS	CA-CB-SG	6.42	125.55	114.00
1	A	712	HIS	ND1-CG-CD2	-6.30	97.17	106.00
1	A	712	HIS	CB-CA-C	6.18	122.76	110.40
1	A	441	HIS	ND1-CG-CD2	-5.88	97.77	106.00
1	A	728	CYS	CB-CA-C	5.62	121.64	110.40
1	A	714	HIS	ND1-CG-CD2	-5.52	98.27	106.00

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	361	ARG	Sidechain
1	A	364	ARG	Sidechain
1	A	389	ARG	Sidechain
1	A	395	ARG	Sidechain
1	A	403	ARG	Sidechain
1	A	419	ASP	Peptide
1	A	436	ARG	Sidechain
1	A	471	ARG	Sidechain
1	A	547[A]	HIS	Mainchain
1	A	561	ARG	Sidechain
1	A	594	ARG	Sidechain
1	A	739	ARG	Sidechain
1	A	773	ARG	Sidechain
1	A	785	VAL	Mainchain
1	A	786[A]	HIS	Mainchain
1	A	792	ARG	Sidechain
1	A	815	ARG	Sidechain
1	A	842	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4529	0	4355	158	1
2	A	17	0	0	0	0
3	A	2	0	0	2	0
4	A	35	0	50	2	0
5	A	164	0	0	14	0
All	All	4747	0	4405	159	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:712:HIS:HD2	1:A:714:HIS:NE2	1.25	1.30
1:A:764[A]:LEU:HD23	1:A:809:MET:CE	1.64	1.27
1:A:712:HIS:CD2	3:A:1003:ZN:ZN	1.22	1.23
1:A:712:HIS:NE2	1:A:728:CYS:HB3	1.54	1.21
1:A:712:HIS:CD2	1:A:714:HIS:NE2	2.08	1.20
1:A:437:GLU:OE1	1:A:447:GLY:N	1.78	1.16
1:A:437:GLU:OE2	1:A:448:SER:OG	1.64	1.14
1:A:495:HIS:ND1	5:A:1103:HOH:O	1.81	1.13
1:A:712:HIS:CD2	1:A:728:CYS:HB2	1.82	1.11
1:A:712:HIS:CE1	1:A:728:CYS:HB3	1.85	1.10
1:A:371:LYS:NZ	1:A:638:LEU:O	1.83	1.10
1:A:728:CYS:SG	1:A:839:LEU:HD11	1.91	1.09
1:A:764[A]:LEU:HD23	1:A:809:MET:HE3	1.33	1.08
1:A:484:GLU:OE1	1:A:572:TYR:OH	1.70	1.08
1:A:712:HIS:NE2	1:A:728:CYS:CB	2.18	1.06
1:A:863:ILE:HG21	1:A:883:MET:CE	1.85	1.05
1:A:307:SER:HB2	1:A:589:MET:O	1.54	1.04
1:A:764[A]:LEU:CD2	1:A:809:MET:CE	2.36	1.03
1:A:441:HIS:NE2	1:A:567:ILE:HD13	1.75	1.02
1:A:764[A]:LEU:CD2	1:A:809:MET:HE3	1.88	1.01
1:A:746:TRP:HE3	1:A:750:GLU:OE1	1.43	1.01
1:A:712:HIS:HD2	1:A:714:HIS:CD2	1.83	0.96

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:441:HIS:CE1	1:A:566:ALA:C	2.39	0.95
1:A:441:HIS:CD2	5:A:1151:HOH:O	2.19	0.95
1:A:712:HIS:CD2	1:A:714:HIS:CD2	2.55	0.93
1:A:507:GLU:OE1	5:A:1103:HOH:O	1.87	0.91
1:A:712:HIS:CD2	1:A:728:CYS:CB	2.51	0.90
1:A:301:THR:HB	1:A:359:ASP:OD1	1.73	0.88
1:A:712:HIS:NE2	3:A:1003:ZN:ZN	1.37	0.87
1:A:863:ILE:HG21	1:A:883:MET:HE1	1.58	0.85
1:A:863:ILE:CG2	1:A:883:MET:CE	2.55	0.84
1:A:863:ILE:CG2	1:A:883:MET:HE2	2.07	0.84
1:A:746:TRP:CE3	1:A:750:GLU:OE1	2.33	0.82
1:A:441:HIS:NE2	1:A:567:ILE:CD1	2.43	0.81
1:A:437:GLU:CD	1:A:448:SER:H	1.83	0.81
1:A:437:GLU:OE1	1:A:448:SER:N	2.14	0.79
1:A:764[A]:LEU:HD23	1:A:809:MET:HE2	1.66	0.78
1:A:712:HIS:CE1	1:A:728:CYS:CB	2.60	0.78
1:A:712:HIS:NE2	1:A:847:CYS:SG	2.57	0.77
1:A:441:HIS:CE1	1:A:567:ILE:N	2.53	0.77
1:A:307:SER:CB	1:A:589:MET:O	2.33	0.76
1:A:437:GLU:OE1	1:A:447:GLY:CA	2.32	0.76
1:A:441:HIS:HE1	1:A:566:ALA:C	1.89	0.76
1:A:437:GLU:CD	1:A:448:SER:HG	1.85	0.76
1:A:448:SER:HB3	1:A:476:MET:CE	2.18	0.73
1:A:746:TRP:CE3	1:A:750:GLU:CD	2.61	0.73
1:A:437:GLU:CD	1:A:448:SER:N	2.42	0.73
1:A:728:CYS:SG	1:A:839:LEU:CD1	2.76	0.72
1:A:401:LYS:HE3	1:A:493:GLU:OE2	1.88	0.72
1:A:302:TRP:CE3	1:A:592:ILE:HG13	2.25	0.71
1:A:712:HIS:CE1	1:A:729:ARG:N	2.58	0.70
1:A:437:GLU:CD	1:A:448:SER:OG	2.28	0.70
1:A:712:HIS:ND1	1:A:728:CYS:C	2.46	0.70
1:A:302:TRP:CZ3	1:A:594:ARG:HG2	2.27	0.69
1:A:441:HIS:HE1	1:A:566:ALA:O	1.76	0.69
1:A:441:HIS:HD2	5:A:1151:HOH:O	1.62	0.69
1:A:441:HIS:CE1	1:A:567:ILE:HA	2.27	0.69
1:A:770:ARG:HD3	1:A:851:ILE:HD13	1.74	0.69
1:A:863:ILE:HG21	1:A:883:MET:HE2	1.68	0.69
1:A:395:ARG:HD2	1:A:431:TRP:CD2	2.28	0.68
1:A:420:SER:O	1:A:420:SER:OG	2.09	0.68
1:A:429:GLU:OE1	1:A:429:GLU:N	2.27	0.68
1:A:746:TRP:HE3	1:A:750:GLU:CD	1.97	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:437:GLU:OE2	1:A:448:SER:CB	2.42	0.67
1:A:441:HIS:CE1	1:A:566:ALA:O	2.48	0.67
1:A:656:LYS:NZ	5:A:1104:HOH:O	2.23	0.67
1:A:712:HIS:CE1	1:A:728:CYS:C	2.68	0.67
1:A:471:ARG:N	1:A:471:ARG:HD2	2.10	0.66
1:A:389:ARG:HH12	1:A:557:ASP:CG	1.98	0.65
1:A:296:GLU:HG2	1:A:296:GLU:O	1.95	0.65
1:A:403:ARG:HH21	1:A:426:GLU:CD	2.00	0.65
1:A:422:LYS:O	1:A:426:GLU:HG2	1.97	0.65
1:A:716:LEU:HD21	1:A:839:LEU:HD23	1.79	0.65
1:A:302:TRP:CE2	1:A:594:ARG:HD2	2.32	0.64
1:A:437:GLU:OE2	1:A:448:SER:N	2.31	0.64
1:A:301:THR:CB	1:A:359:ASP:OD1	2.44	0.64
1:A:798:HIS:HD2	5:A:1155:HOH:O	1.80	0.64
1:A:441:HIS:ND1	1:A:566:ALA:HB1	2.14	0.63
1:A:441:HIS:HD1	1:A:570:LEU:HD12	1.63	0.62
1:A:448:SER:HB3	1:A:476:MET:HE3	1.81	0.62
1:A:764[A]:LEU:CD2	1:A:809:MET:HE1	2.26	0.61
1:A:448:SER:HB3	1:A:476:MET:HE2	1.81	0.61
1:A:792:ARG:HD3	1:A:795:TRP:CE2	2.36	0.60
1:A:441:HIS:CE1	1:A:567:ILE:HD13	2.34	0.60
1:A:441:HIS:CE1	1:A:567:ILE:CA	2.84	0.59
1:A:712:HIS:HD2	1:A:714:HIS:CE1	2.09	0.59
1:A:293:TYR:CE1	1:A:304:TYR:CD2	2.91	0.59
1:A:293:TYR:CE1	1:A:304:TYR:HD2	2.20	0.59
1:A:764[A]:LEU:HD21	1:A:809:MET:CE	2.31	0.59
1:A:336:MET:HE2	1:A:340:MET:HG3	1.84	0.59
1:A:441:HIS:HE1	1:A:567:ILE:HA	1.68	0.58
1:A:395:ARG:HD2	1:A:431:TRP:CE2	2.37	0.58
1:A:712:HIS:CD2	1:A:847:CYS:SG	2.97	0.58
1:A:437:GLU:O	1:A:441:HIS:N	2.22	0.58
1:A:547[A]:HIS:CE1	5:A:1124:HOH:O	2.57	0.57
1:A:401:LYS:CE	1:A:493:GLU:OE2	2.51	0.57
1:A:879:PHE:HA	5:A:1112:HOH:O	2.03	0.57
1:A:871:ARG:HG2	1:A:879:PHE:CE2	2.40	0.57
1:A:712:HIS:HE2	1:A:728:CYS:HB3	1.61	0.56
1:A:279:ARG:HB2	5:A:1136:HOH:O	2.06	0.55
1:A:389:ARG:NH1	1:A:557:ASP:OD2	2.39	0.55
1:A:680:ALA:O	1:A:684:MET:HG3	2.07	0.55
1:A:403:ARG:NH2	1:A:426:GLU:OE2	2.31	0.55
1:A:747:SER:OG	1:A:750:GLU:HG3	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:336:MET:CE	1:A:340:MET:HG3	2.37	0.54
1:A:851:ILE:HA	1:A:856:ARG:HD2	1.90	0.54
1:A:871:ARG:HG2	1:A:879:PHE:CD2	2.43	0.54
1:A:329:LYS:N	1:A:330:PRO:CD	2.71	0.53
1:A:779:ILE:O	1:A:783:VAL:HG13	2.08	0.53
1:A:277:GLY:O	1:A:281:LYS:HG2	2.09	0.52
1:A:559:GLU:H	1:A:559:GLU:CD	2.12	0.52
1:A:863:ILE:N	1:A:864:PRO:CD	2.73	0.52
1:A:290:THR:O	1:A:290:THR:OG1	2.24	0.51
1:A:441:HIS:HE1	1:A:567:ILE:CA	2.23	0.51
1:A:287:HIS:O	1:A:291:TRP:HB2	2.12	0.50
1:A:587:THR:C	1:A:588:VAL:CG1	2.79	0.49
1:A:294:ASP:OD1	1:A:296:GLU:HB3	2.12	0.49
1:A:289:SER:C	1:A:290:THR:CG2	2.81	0.49
1:A:441:HIS:CE1	1:A:566:ALA:CB	2.95	0.49
1:A:600:SER:OG	1:A:601:GLY:N	2.45	0.49
1:A:292:HIS:N	1:A:292:HIS:ND1	2.59	0.49
1:A:654:ARG:HH12	4:A:1007:PEG:H42	1.79	0.48
1:A:869:GLN:O	1:A:873:LEU:HD12	2.13	0.48
1:A:792:ARG:HD3	1:A:795:TRP:CZ2	2.48	0.48
1:A:302:TRP:CZ2	1:A:594:ARG:HD2	2.50	0.47
1:A:426:GLU:HA	1:A:426:GLU:OE1	2.14	0.47
1:A:286:GLU:O	1:A:286:GLU:HG3	2.13	0.47
1:A:289:SER:C	1:A:290:THR:HG23	2.37	0.45
1:A:550:GLU:OE1	1:A:573:GLN:NE2	2.43	0.45
1:A:746:TRP:CZ3	1:A:750:GLU:OE2	2.69	0.45
1:A:705:GLN:NE2	5:A:1113:HOH:O	2.43	0.45
1:A:701:HIS:ND1	5:A:1108:HOH:O	2.35	0.45
1:A:437:GLU:OE1	1:A:447:GLY:C	2.55	0.44
1:A:441:HIS:NE2	1:A:567:ILE:CG1	2.80	0.44
1:A:851:ILE:HD12	1:A:856:ARG:CZ	2.48	0.44
1:A:389:ARG:HD2	5:A:1249:HOH:O	2.18	0.44
1:A:388:LYS:HG3	5:A:1128:HOH:O	2.17	0.44
1:A:334:VAL:HA	1:A:335:PRO:HD3	1.85	0.43
1:A:728:CYS:SG	1:A:768:HIS:CE1	3.12	0.43
1:A:550:GLU:O	1:A:553:ILE:HB	2.19	0.43
1:A:764[A]:LEU:HD21	1:A:809:MET:HE3	1.87	0.43
1:A:774:LEU:HD22	1:A:859:TRP:CH2	2.54	0.42
1:A:481:ARG:HD3	1:A:481:ARG:HA	1.87	0.42
1:A:448:SER:HB2	1:A:476:MET:HG2	2.01	0.42
1:A:441:HIS:CE1	1:A:566:ALA:HB1	2.55	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:429:GLU:OE1	1:A:429:GLU:CA	2.69	0.41
1:A:594:ARG:HE	1:A:594:ARG:HB2	1.65	0.41
4:A:1007:PEG:H12	5:A:1218:HOH:O	2.20	0.41
1:A:635:ASN:HA	1:A:636:PRO:HD3	1.82	0.41
1:A:728:CYS:SG	1:A:768:HIS:HE1	2.43	0.41
1:A:863:ILE:HD13	1:A:863:ILE:HA	1.96	0.41
1:A:712:HIS:CE1	1:A:728:CYS:CA	3.02	0.41
1:A:289:SER:O	1:A:290:THR:HG22	2.19	0.41
1:A:448:SER:CB	1:A:476:MET:CE	2.95	0.41
1:A:728:CYS:SG	1:A:769:ARG:HD3	2.61	0.41
1:A:297:ASN:HA	1:A:298:PRO:HD3	1.86	0.40
1:A:768:HIS:CD2	1:A:768:HIS:H	2.38	0.40
1:A:575:LYS:O	1:A:593:SER:HA	2.22	0.40
1:A:689:LYS:HE2	1:A:689:LYS:HB2	1.49	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:VAL:CG2	1:A:333:VAL:CG2[3_654]	1.82	0.38

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	549/635 (86%)	535 (97%)	14 (3%)	0	<a href="#">100</a> <a href="#">100</a>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	473/552 (86%)	437 (92%)	36 (8%)	<b>13</b> <b>16</b>

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	272	ASN
1	A	288	ASN
1	A	292	HIS
1	A	326	LEU
1	A	333	VAL
1	A	361	ARG
1	A	364	ARG
1	A	389	ARG
1	A	395	ARG
1	A	405	ASN
1	A	429	GLU
1	A	442	LYS
1	A	446	CYS
1	A	452	ASN
1	A	470	SER
1	A	471	ARG
1	A	473	ILE
1	A	481	ARG
1	A	550	GLU
1	A	575	LYS
1	A	588	VAL
1	A	589	MET
1	A	592	ILE
1	A	689	LYS
1	A	742	GLN
1	A	746	TRP
1	A	783	VAL
1	A	790	THR
1	A	791	SER
1	A	792	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	797	ILE
1	A	851	ILE
1	A	855	SER
1	A	863	ILE
1	A	874	ILE
1	A	876	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	452	ASN
1	A	712	HIS
1	A	768	HIS
1	A	862	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	5V5	A	1001	-	18,18,18	2.02	4 (22%)	19,24,24	2.75	2 (10%)
4	PEG	A	1005	-	6,6,6	0.47	0	5,5,5	0.68	0
4	PEG	A	1006	-	6,6,6	0.50	0	5,5,5	0.55	0
4	PEG	A	1007	-	6,6,6	0.60	0	5,5,5	0.34	0
4	PEG	A	1008	-	6,6,6	0.69	0	5,5,5	0.80	0
4	PEG	A	1004	-	6,6,6	0.48	0	5,5,5	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5V5	A	1001	-	-	0/9/10/10	0/2/2/2
4	PEG	A	1005	-	-	1/4/4/4	-
4	PEG	A	1006	-	-	3/4/4/4	-
4	PEG	A	1007	-	-	2/4/4/4	-
4	PEG	A	1008	-	-	4/4/4/4	-
4	PEG	A	1004	-	-	3/4/4/4	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	5V5	C7-C8	5.82	1.53	1.48
2	A	1001	5V5	C8-S	-3.42	1.69	1.72
2	A	1001	5V5	O1-C5	3.28	1.42	1.37
2	A	1001	5V5	C10-C11	2.18	1.41	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	5V5	C10-C11-S	-10.94	104.10	112.98
2	A	1001	5V5	C2-C1-C	-2.17	107.55	113.71

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1004	PEG	O2-C3-C4-O4
4	A	1008	PEG	O2-C3-C4-O4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	A	1004	PEG	O1-C1-C2-O2
4	A	1006	PEG	O1-C1-C2-O2
4	A	1008	PEG	C1-C2-O2-C3
4	A	1007	PEG	C1-C2-O2-C3
4	A	1008	PEG	C4-C3-O2-C2
4	A	1007	PEG	C4-C3-O2-C2
4	A	1006	PEG	C1-C2-O2-C3
4	A	1004	PEG	C4-C3-O2-C2
4	A	1008	PEG	O1-C1-C2-O2
4	A	1006	PEG	O2-C3-C4-O4
4	A	1005	PEG	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1007	PEG	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	558/635 (87%)	0.27	32 (5%) <span style="border: 1px solid red; padding: 2px;">23</span> <span style="border: 1px solid red; padding: 2px;">30</span>	41, 57, 101, 122	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	441	HIS	8.8
1	A	470	SER	6.3
1	A	319	MET	5.3
1	A	292	HIS	5.2
1	A	592	ILE	5.1
1	A	293	TYR	4.9
1	A	745	GLY	4.6
1	A	296	GLU	4.5
1	A	291	TRP	4.5
1	A	746	TRP	4.5
1	A	471	ARG	3.9
1	A	580	GLN	3.9
1	A	309	GLU	3.9
1	A	579	VAL	3.8
1	A	744	ALA	3.6
1	A	587	THR	3.2
1	A	290	THR	3.2
1	A	310	VAL	3.2
1	A	342	MET	3.1
1	A	436	ARG	3.1
1	A	289	SER	3.0
1	A	591	ILE	3.0
1	A	743	GLY	2.8
1	A	728	CYS	2.8
1	A	304	TYR	2.7
1	A	361	ARG	2.6
1	A	741	SER	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	712	HIS	2.3
1	A	333	VAL	2.2
1	A	288	ASN	2.2
1	A	423	ALA	2.2
1	A	308	TYR	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PEG	A	1008	7/7	0.57	0.27	64,66,74,76	0
4	PEG	A	1007	7/7	0.79	0.36	75,79,80,85	0
4	PEG	A	1005	7/7	0.84	0.16	66,78,79,80	0
4	PEG	A	1004	7/7	0.85	0.20	63,71,75,78	0
4	PEG	A	1006	7/7	0.85	0.15	60,64,72,75	0
3	ZN	A	1003	1/1	0.95	0.04	58,58,58,58	0
2	5V5	A	1001	17/17	0.96	0.15	43,51,65,69	0
3	ZN	A	1002	1/1	0.96	0.13	65,65,65,65	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.