



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2024 – 05:16 pm GMT

PDB ID : 6HZX
Title : Protein-aromatic foldamer complex crystal structure
Authors : Post, S.; Langlois d'Estaintot, B.; Fischer, L.; Granier, T.; Huc, I.
Deposited on : 2018-10-24
Resolution : 2.91 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	2797 (2.94-2.90)
Clashscore	180529	3049 (2.94-2.90)
Ramachandran outliers	177936	2981 (2.94-2.90)
Sidechain outliers	177891	2983 (2.94-2.90)
RSRZ outliers	164620	2799 (2.94-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 91%, green 91%, green 100%);"></div> <div style="margin-left: 10px;"> <p>91% 9%</p> </div> </div>
1	B	257	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 92%, green 92%, green 100%);"></div> <div style="margin-left: 10px;"> <p>92% 8%</p> </div> </div>
2	C	11	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 73%, orange 73%, orange 100%);"></div> <div style="margin-left: 10px;"> <p>73% 27%</p> </div> </div>
2	D	11	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, green 9%, yellow 9%, yellow 73%, orange 73%, orange 100%);"></div> <div style="margin-left: 10px;"> <p>9% 73% 18%</p> </div> </div>
2	E	11	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background: linear-gradient(to right, yellow 82%, orange 82%, orange 100%);"></div> <div style="margin-left: 10px;"> <p>82% 18%</p> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	11	 9% 82% 9%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4687 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	257	1994	1278	339	375	2	0	0	0
1	B	257	2002	1284	340	376	2	0	0	0

- Molecule 2 is a protein called Aromatic foldamer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	11	158	109	22	26	1	0	0	0
2	D	11	162	112	23	26	1	0	0	0
2	E	11	158	109	22	26	1	0	0	0
2	F	11	162	112	23	26	1	0	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
3	A	1	1	1	0	0
3	B	1	1	1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	10	Total O 10 10	0	0
5	B	12	Total O 12 12	0	0
5	E	2	Total O 2 2	0	0
5	F	1	Total O 1 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Carbonic anhydrase 2




- Molecule 1: Carbonic anhydrase 2




- Molecule 2: Aromatic foldamer




- Molecule 2: Aromatic foldamer



- Molecule 2: Aromatic foldamer



- Molecule 2: Aromatic foldamer

Chain F:  9% 82% 9%

4S0311
ALLJ4312
QUK313
ZY9314
QVE315
QV6316
ZY9317
QD0318
ZY9319
QVE320
QUK321

4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	82.64Å 82.64Å 106.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.73 – 2.91 44.73 – 2.91	Depositor EDS
% Data completeness (in resolution range)	99.5 (44.73-2.91) 99.5 (44.73-2.91)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.90Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.171 , 0.210 0.181 , 0.217	Depositor DCC
R_{free} test set	785 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	59.7	Xtrriage
Anisotropy	0.847	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.054 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4687	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 4SO, ZY9, A1IJ4, ZN, QVE, QDD, QUK, QVS, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/2054	0.74	0/2803
1	B	0.64	0/2063	0.73	0/2814
All	All	0.63	0/4117	0.73	0/5617

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	3
2	D	0	2
2	E	0	2
2	F	0	1
All	All	0	8

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	303	QUK	Peptide
2	C	304	ZY9	Peptide
2	C	309	ZY9	Peptide
2	D	313	QUK	Peptide
2	D	319	ZY9	Peptide
2	E	303	QUK	Peptide
2	E	309	ZY9	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	F	316	QVS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1994	0	1874	13	0
1	B	2002	0	1887	12	0
2	C	158	0	5	1	0
2	D	162	0	6	0	0
2	E	158	0	5	1	0
2	F	162	0	6	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	12	0	16	0	0
4	B	12	0	16	0	0
5	A	10	0	0	0	0
5	B	12	0	0	0	0
5	E	2	0	0	0	0
5	F	1	0	0	0	0
All	All	4687	0	3815	25	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (25) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:SER:HA	1:B:222:VAL:HG12	1.92	0.52
1:A:219:SER:HA	1:A:222:VAL:HG12	1.92	0.51
1:A:50:SER:O	1:A:77:ALA:HA	2.11	0.50
1:A:242:ASP:HA	1:A:244:TRP:CD1	2.47	0.50
1:A:60:LEU:HD12	1:A:60:LEU:O	2.13	0.48
1:B:242:ASP:HA	1:B:244:TRP:CD1	2.48	0.48
1:B:89:ARG:O	1:B:122:HIS:HA	2.13	0.48
1:B:198:THR:OG1	2:E:301:4SO:NAG	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ARG:O	1:A:122:HIS:HA	2.13	0.48
1:A:198:THR:OG1	2:C:301:4SO:NAG	2.48	0.47
1:B:14:GLU:HG2	1:B:15:HIS:CD2	2.50	0.47
1:A:60:LEU:HD12	1:A:60:LEU:C	2.36	0.46
1:B:50:SER:O	1:B:77:ALA:HA	2.17	0.45
1:B:60:LEU:HD12	1:B:60:LEU:O	2.16	0.45
1:A:192:THR:HA	1:A:208:TRP:O	2.17	0.45
1:B:192:THR:HA	1:B:208:TRP:O	2.17	0.44
1:B:13:PRO:HA	1:B:16:TRP:CD2	2.53	0.43
1:A:181:ARG:HA	1:A:184:LEU:HD12	2.01	0.43
1:B:60:LEU:HD12	1:B:60:LEU:C	2.38	0.42
1:A:30:PRO:HG3	1:A:106:GLU:HB3	2.02	0.42
1:A:13:PRO:HA	1:A:16:TRP:CD2	2.55	0.41
1:A:60:LEU:O	1:A:66:PHE:HA	2.20	0.41
1:B:133:ALA:O	1:B:139:GLY:HA3	2.20	0.41
1:A:133:ALA:O	1:A:139:GLY:HA3	2.20	0.41
1:B:30:PRO:HG3	1:B:106:GLU:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	255/257 (99%)	243 (95%)	12 (5%)	0	100	100
1	B	255/257 (99%)	243 (95%)	12 (5%)	0	100	100
All	All	510/514 (99%)	486 (95%)	24 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/222 (94%)	207 (100%)	1 (0%)	86	95
1	B	210/222 (95%)	210 (100%)	0	100	100
All	All	418/444 (94%)	417 (100%)	1 (0%)	92	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	186	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	229	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

40 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ZY9	E	309	2	10,10,11	4.23	2 (20%)	11,12,14	2.45	4 (36%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	QVE	C	305	2	19,19,20	2.01	1 (5%)	23,26,28	2.13	6 (26%)
2	QUK	E	303	2	15,15,20	2.35	1 (6%)	19,21,27	2.42	5 (26%)
2	QUK	E	311	2	20,20,20	1.69	2 (10%)	26,27,27	1.58	7 (26%)
2	QVS	C	306	2	15,15,16	2.55	1 (6%)	19,21,23	2.25	5 (26%)
2	QVS	D	316	2	15,15,16	2.34	1 (6%)	19,21,23	2.37	5 (26%)
2	QUK	D	313	2	19,19,20	2.06	2 (10%)	22,25,27	4.59	11 (50%)
2	QUK	F	313	2	19,19,20	2.08	2 (10%)	22,25,27	4.70	11 (50%)
2	QDD	E	308	2	18,18,19	1.77	3 (16%)	22,25,27	2.65	5 (22%)
2	ZY9	F	319	2	10,10,11	3.36	2 (20%)	11,12,14	2.31	6 (54%)
2	ZY9	D	317	2	10,10,11	4.36	2 (20%)	11,12,14	1.86	4 (36%)
2	A1IJ4	C	302	2	16,16,17	0.87	1 (6%)	17,18,20	1.10	2 (11%)
2	ZY9	F	317	2	10,10,11	4.40	2 (20%)	11,12,14	2.24	4 (36%)
2	QVS	E	306	2	15,15,16	2.48	1 (6%)	19,21,23	2.16	5 (26%)
2	QUK	C	311	2	20,20,20	1.84	2 (10%)	26,27,27	1.48	7 (26%)
2	ZY9	E	307	2	10,10,11	3.74	2 (20%)	11,12,14	2.22	5 (45%)
2	A1IJ4	D	312	2	16,16,17	0.85	1 (6%)	17,18,20	1.41	2 (11%)
2	QVE	D	320	2	19,19,20	2.01	1 (5%)	23,26,28	2.37	6 (26%)
2	QDD	C	308	2	18,18,19	2.10	2 (11%)	22,25,27	2.51	6 (27%)
2	ZY9	D	319	2	10,10,11	3.57	2 (20%)	11,12,14	2.29	4 (36%)
2	QVE	F	320	2	19,19,20	1.82	1 (5%)	23,26,28	2.46	8 (34%)
2	QUK	D	321	2	20,20,20	1.95	2 (10%)	26,27,27	1.47	5 (19%)
2	QUK	F	321	2	20,20,20	1.91	2 (10%)	26,27,27	1.60	7 (26%)
2	ZY9	F	314	2	10,10,11	4.37	2 (20%)	11,12,14	2.22	4 (36%)
2	QDD	D	318	2	18,18,19	2.02	3 (16%)	22,25,27	2.18	5 (22%)
2	ZY9	D	314	2	10,10,11	4.47	2 (20%)	11,12,14	1.92	4 (36%)
2	QDD	F	318	2	18,18,19	1.77	2 (11%)	22,25,27	2.26	4 (18%)
2	QUK	C	303	2	15,15,20	1.91	2 (13%)	19,21,27	2.95	6 (31%)
2	ZY9	C	307	2	10,10,11	4.38	2 (20%)	11,12,14	2.14	5 (45%)
2	QVE	D	315	2	19,19,20	2.41	1 (5%)	23,26,28	1.94	4 (17%)
2	ZY9	E	304	2	10,10,11	4.18	2 (20%)	11,12,14	2.40	4 (36%)
2	A1IJ4	E	302	2	16,16,17	0.92	1 (6%)	17,18,20	1.36	1 (5%)
2	ZY9	C	309	2	10,10,11	4.19	2 (20%)	11,12,14	2.62	4 (36%)
2	QVE	F	315	2	19,19,20	2.24	1 (5%)	23,26,28	2.13	6 (26%)
2	QVS	F	316	2	15,15,16	2.36	2 (13%)	19,21,23	2.37	4 (21%)
2	QVE	E	305	2	19,19,20	2.22	1 (5%)	23,26,28	1.93	5 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1IJ4	F	312	2	16,16,17	0.91	1 (6%)	17,18,20	1.20	2 (11%)
2	QVE	E	310	2	19,19,20	1.61	2 (10%)	23,26,28	2.15	5 (21%)
2	ZY9	C	304	2	10,10,11	4.31	2 (20%)	11,12,14	2.26	4 (36%)
2	QVE	C	310	2	19,19,20	1.99	1 (5%)	23,26,28	2.12	7 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZY9	E	309	2	-	2/4/4/6	0/1/1/1
2	QVE	C	305	2	-	4/7/7/9	0/2/2/2
2	QUK	E	303	2	-	0/2/2/9	0/2/2/2
2	QUK	E	311	2	-	3/9/9/9	0/2/2/2
2	QVS	C	306	2	-	2/2/2/4	0/2/2/2
2	QVS	D	316	2	-	2/2/2/4	0/2/2/2
2	QUK	D	313	2	-	3/7/7/9	0/2/2/2
2	QUK	F	313	2	-	2/7/7/9	0/2/2/2
2	QDD	E	308	2	-	2/6/6/8	0/2/2/2
2	ZY9	F	319	2	-	1/4/4/6	0/1/1/1
2	ZY9	D	317	2	-	0/4/4/6	0/1/1/1
2	A1IJ4	C	302	2	-	4/10/10/11	0/1/1/1
2	ZY9	F	317	2	-	0/4/4/6	0/1/1/1
2	QVS	E	306	2	-	1/2/2/4	0/2/2/2
2	QUK	C	311	2	-	4/9/9/9	0/2/2/2
2	ZY9	E	307	2	-	0/4/4/6	0/1/1/1
2	A1IJ4	D	312	2	-	6/10/10/11	0/1/1/1
2	QVE	D	320	2	-	4/7/7/9	0/2/2/2
2	QDD	C	308	2	-	0/6/6/8	0/2/2/2
2	ZY9	D	319	2	-	0/4/4/6	0/1/1/1
2	QVE	F	320	2	-	4/7/7/9	0/2/2/2
2	QUK	D	321	2	-	1/9/9/9	0/2/2/2
2	QUK	F	321	2	-	0/9/9/9	0/2/2/2
2	ZY9	F	314	2	-	0/4/4/6	0/1/1/1
2	QDD	D	318	2	-	2/6/6/8	0/2/2/2
2	ZY9	D	314	2	-	0/4/4/6	0/1/1/1
2	QDD	F	318	2	-	2/6/6/8	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QUK	C	303	2	-	0/2/2/9	0/2/2/2
2	ZY9	C	307	2	-	0/4/4/6	0/1/1/1
2	QVE	D	315	2	-	4/7/7/9	0/2/2/2
2	ZY9	E	304	2	-	0/4/4/6	0/1/1/1
2	A1IJ4	E	302	2	-	4/10/10/11	0/1/1/1
2	ZY9	C	309	2	-	2/4/4/6	0/1/1/1
2	QVE	F	315	2	-	3/7/7/9	0/2/2/2
2	QVS	F	316	2	-	0/2/2/4	0/2/2/2
2	QVE	E	305	2	-	0/7/7/9	0/2/2/2
2	A1IJ4	F	312	2	-	6/10/10/11	0/1/1/1
2	QVE	E	310	2	-	0/7/7/9	0/2/2/2
2	ZY9	C	304	2	-	0/4/4/6	0/1/1/1
2	QVE	C	310	2	-	4/7/7/9	0/2/2/2

All (67) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	314	ZY9	C2-C7	-12.48	1.36	1.51
2	D	314	ZY9	C2-C7	-12.16	1.37	1.51
2	C	304	ZY9	C2-C7	-11.77	1.37	1.51
2	C	307	ZY9	C2-C7	-11.45	1.38	1.51
2	E	309	ZY9	C2-C7	-11.19	1.38	1.51
2	D	317	ZY9	C2-C7	-11.19	1.38	1.51
2	F	317	ZY9	C2-C7	-11.16	1.38	1.51
2	E	304	ZY9	C2-C7	-10.64	1.39	1.51
2	C	309	ZY9	C2-C7	-10.52	1.39	1.51
2	D	315	QVE	CA-C	-9.57	1.38	1.48
2	C	306	QVS	CA-C	-9.40	1.38	1.48
2	D	319	ZY9	C2-C7	-9.18	1.40	1.51
2	E	307	ZY9	C2-C7	-9.05	1.40	1.51
2	F	319	ZY9	C2-C7	-8.92	1.41	1.51
2	F	315	QVE	CA-C	-8.79	1.39	1.48
2	E	306	QVS	CA-C	-8.68	1.39	1.48
2	E	305	QVE	CA-C	-8.46	1.39	1.48
2	E	303	QUK	C10-C	-8.32	1.39	1.48
2	F	316	QVS	CA-C	-8.27	1.39	1.48
2	F	317	ZY9	CA-C	-8.10	1.40	1.48
2	D	316	QVS	CA-C	-8.09	1.40	1.48
2	C	309	ZY9	CA-C	-7.93	1.40	1.48
2	D	317	ZY9	CA-C	-7.89	1.40	1.48
2	D	321	QUK	C10-C	-7.85	1.39	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	307	ZY9	CA-C	-7.74	1.40	1.48
2	E	304	ZY9	CA-C	-7.74	1.40	1.48
2	C	305	QVE	CA-C	-7.63	1.40	1.48
2	C	310	QVE	CA-C	-7.53	1.40	1.48
2	F	321	QUK	C10-C	-7.52	1.40	1.50
2	C	311	QUK	C10-C	-7.43	1.40	1.50
2	F	313	QUK	C10-C	-7.41	1.40	1.48
2	D	320	QVE	CA-C	-7.35	1.40	1.48
2	E	307	ZY9	CA-C	-7.28	1.41	1.48
2	C	308	QDD	C10-C	-7.26	1.41	1.48
2	E	309	ZY9	CA-C	-7.20	1.41	1.48
2	D	314	ZY9	CA-C	-7.15	1.41	1.48
2	F	320	QVE	CA-C	-7.06	1.41	1.48
2	D	313	QUK	C10-C	-6.91	1.41	1.48
2	C	304	ZY9	CA-C	-6.62	1.41	1.48
2	E	311	QUK	C10-C	-6.61	1.41	1.50
2	D	318	QDD	C10-C	-6.59	1.41	1.48
2	D	319	ZY9	CA-C	-6.38	1.41	1.48
2	C	303	QUK	C10-C	-6.28	1.42	1.48
2	F	314	ZY9	CA-C	-5.89	1.42	1.48
2	F	319	ZY9	CA-C	-5.63	1.42	1.48
2	E	308	QDD	C10-C	-5.61	1.42	1.48
2	E	310	QVE	CA-C	-5.33	1.43	1.48
2	F	318	QDD	C10-C	-5.30	1.43	1.48
2	D	313	QUK	C10-N11	5.02	1.38	1.33
2	F	313	QUK	C10-N11	4.46	1.37	1.33
2	E	302	A1IJ4	C128-C127	-3.45	1.39	1.51
2	C	308	QDD	CB-C8	-3.28	1.41	1.52
2	E	308	QDD	CB-C8	-3.01	1.42	1.52
2	C	302	A1IJ4	C128-C127	-3.00	1.40	1.51
2	D	318	QDD	CB-C8	-2.95	1.42	1.52
2	F	312	A1IJ4	C128-C127	-2.95	1.41	1.51
2	F	318	QDD	CB-C8	-2.91	1.42	1.52
2	D	312	A1IJ4	C128-C127	-2.74	1.41	1.51
2	D	318	QDD	C9-C8	2.69	1.42	1.37
2	F	321	QUK	OXT-C	-2.45	1.23	1.30
2	E	310	QVE	CA-N11	2.43	1.35	1.33
2	E	308	QDD	C9-C8	2.39	1.41	1.37
2	C	311	QUK	OXT-C	-2.38	1.23	1.30
2	E	311	QUK	OXT-C	-2.30	1.23	1.30
2	F	316	QVS	CA-N11	2.20	1.35	1.33
2	C	303	QUK	C10-N11	2.18	1.35	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	321	QUK	OXT-C	-2.16	1.23	1.30

All (204) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	313	QUK	C-C10-N11	11.85	126.27	114.66
2	D	313	QUK	C-C10-N11	11.48	125.92	114.66
2	E	308	QDD	C10-N11-C7	8.93	124.89	118.11
2	F	313	QUK	C9-C10-C	-8.89	113.54	121.23
2	D	313	QUK	C7-CA-N	8.81	134.86	118.07
2	F	320	QVE	CA-N11-C7	8.51	124.56	118.11
2	F	313	QUK	C7-CA-N	8.47	134.22	118.07
2	D	313	QUK	C9-C10-C	-8.14	114.19	121.23
2	D	320	QVE	CA-N11-C7	8.10	124.25	118.11
2	C	308	QDD	C10-N11-C7	7.92	124.11	118.11
2	C	305	QVE	CA-N11-C7	7.71	123.96	118.11
2	D	313	QUK	CA-C7-N11	7.63	126.19	118.64
2	F	313	QUK	CA-C7-N11	7.58	126.14	118.64
2	F	318	QDD	C10-N11-C7	7.52	123.81	118.11
2	C	303	QUK	C10-N11-C7	7.51	123.81	118.11
2	D	313	QUK	C3-CA-N	-7.08	106.21	120.36
2	F	313	QUK	C3-CA-N	-6.91	106.56	120.36
2	D	318	QDD	C10-N11-C7	6.82	123.28	118.11
2	C	303	QUK	C-C10-N11	6.74	121.27	114.66
2	D	315	QVE	CA-N11-C7	6.52	123.05	118.11
2	E	310	QVE	CA-N11-C7	6.51	123.05	118.11
2	C	306	QVS	CA-N11-C7	6.47	123.02	118.11
2	F	316	QVS	C-CA-N11	6.33	120.86	114.66
2	F	315	QVE	CA-N11-C7	6.27	122.86	118.11
2	C	310	QVE	CA-N11-C7	6.25	122.85	118.11
2	E	308	QDD	C-C10-N11	6.15	120.69	114.66
2	D	316	QVS	C-CA-N11	6.01	120.55	114.66
2	E	305	QVE	CA-N11-C7	5.85	122.55	118.11
2	C	308	QDD	C-C10-N11	5.80	120.35	114.66
2	F	316	QVS	CA-N11-C7	5.48	122.26	118.11
2	F	313	QUK	O-C-C10	-5.45	119.06	124.22
2	D	316	QVS	CA-N11-C7	5.45	122.24	118.11
2	E	306	QVS	C-CA-N11	5.34	119.89	114.66
2	E	303	QUK	C-C10-N11	5.28	119.83	114.66
2	C	303	QUK	OB-C8-C6	5.26	122.88	116.31
2	F	314	ZY9	O-C-CA	-5.18	119.31	124.22
2	E	304	ZY9	O-C-CA	-5.18	119.32	124.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	303	QUK	O-C-C10	-5.05	119.44	124.22
2	E	306	QVS	CA-N11-C7	5.05	121.94	118.11
2	C	309	ZY9	O-C-CA	-5.03	119.45	124.22
2	E	310	QVE	C-CA-N11	4.94	119.50	114.66
2	D	313	QUK	O-C-C10	-4.87	119.61	124.22
2	F	313	QUK	C10-N11-C7	4.58	121.58	118.11
2	D	318	QDD	C-C10-N11	4.57	119.14	114.66
2	E	309	ZY9	O-C-CA	-4.57	119.90	124.22
2	E	303	QUK	C10-N11-C7	4.54	121.55	118.11
2	C	304	ZY9	O-C-CA	-4.53	119.93	124.22
2	C	306	QVS	C-CA-N11	4.39	118.96	114.66
2	E	303	QUK	OB-C8-C6	4.38	121.78	116.31
2	F	318	QDD	C-C10-N11	4.26	118.84	114.66
2	D	320	QVE	O-C-CA	-4.17	120.27	124.22
2	D	313	QUK	C10-N11-C7	4.14	121.24	118.11
2	C	309	ZY9	C6-C7-N11	-4.13	117.17	122.41
2	F	315	QVE	CG-OB-C8	-4.02	112.37	116.95
2	D	314	ZY9	O-C-CA	-3.98	120.45	124.22
2	E	305	QVE	CG-OB-C8	-3.94	112.46	116.95
2	C	303	QUK	O-C-C10	-3.93	120.50	124.22
2	E	307	ZY9	CA-N11-C7	3.89	124.00	118.41
2	D	316	QVS	O-C-CA	-3.88	120.55	124.22
2	E	302	A1IJ4	O-C-N31	-3.82	121.03	124.89
2	D	319	ZY9	C6-C7-N11	-3.77	117.63	122.41
2	F	315	QVE	C3-C2-N	3.71	127.78	120.36
2	C	307	ZY9	O-C-CA	-3.67	120.74	124.22
2	D	319	ZY9	CA-N11-C7	3.67	123.69	118.41
2	C	304	ZY9	C2-C7-N11	3.63	122.06	115.89
2	D	312	A1IJ4	O-C-N31	-3.63	121.22	124.89
2	C	309	ZY9	CA-N11-C7	3.61	123.61	118.41
2	E	309	ZY9	C6-C7-N11	-3.61	117.83	122.41
2	F	317	ZY9	O-C-CA	-3.60	120.81	124.22
2	F	316	QVS	O-C-CA	-3.58	120.83	124.22
2	E	304	ZY9	C2-C7-N11	3.58	121.98	115.89
2	E	311	QUK	C-C10-N11	3.58	121.98	116.28
2	F	317	ZY9	CA-N11-C7	3.52	123.48	118.41
2	F	319	ZY9	CA-N11-C7	3.52	123.47	118.41
2	E	309	ZY9	C2-C7-N11	3.50	121.84	115.89
2	F	321	QUK	C3-CA-N	3.47	127.31	120.36
2	C	307	ZY9	CA-N11-C7	3.41	123.32	118.41
2	D	319	ZY9	C2-C7-N11	3.39	121.65	115.89
2	F	317	ZY9	C6-C7-N11	-3.37	118.14	122.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	310	QVE	C3-C2-N	3.34	127.04	120.36
2	D	316	QVS	C3-C2-N	3.34	127.03	120.36
2	C	310	QVE	O-C-CA	-3.31	121.08	124.22
2	E	311	QUK	C3-CA-N	3.29	126.94	120.36
2	F	319	ZY9	O-C-CA	-3.27	121.13	124.22
2	D	319	ZY9	O-C-CA	-3.26	121.13	124.22
2	D	313	QUK	C5-C6-C8	-3.26	115.08	122.58
2	D	317	ZY9	O-C-CA	-3.25	121.14	124.22
2	C	310	QVE	C3-C2-N	3.24	126.85	120.36
2	F	315	QVE	O-C-CA	-3.21	121.19	124.22
2	E	309	ZY9	CA-N11-C7	3.16	122.96	118.41
2	C	308	QDD	O-C-C10	-3.16	121.23	124.22
2	F	318	QDD	C9-C10-C	3.16	123.96	121.23
2	F	320	QVE	C3-C2-N	3.15	126.66	120.36
2	E	306	QVS	C3-C2-N	3.14	126.65	120.36
2	F	317	ZY9	C2-C7-N11	3.14	121.23	115.89
2	F	320	QVE	C-CA-N11	3.14	117.74	114.66
2	D	320	QVE	C9-CA-C	3.13	123.94	121.23
2	F	320	QVE	O-C-CA	-3.13	121.25	124.22
2	E	307	ZY9	C6-C7-N11	-3.13	118.43	122.41
2	C	309	ZY9	C2-C7-N11	3.12	121.20	115.89
2	C	307	ZY9	C2-C7-N11	3.10	121.16	115.89
2	C	306	QVS	C3-C2-N	3.04	126.43	120.36
2	F	313	QUK	C5-C6-C8	-3.03	115.61	122.58
2	E	305	QVE	C3-C2-N	3.03	126.41	120.36
2	F	319	ZY9	C9-CA-N11	-3.02	118.14	122.47
2	F	319	ZY9	C2-C7-N11	3.00	120.99	115.89
2	F	321	QUK	C10-N11-C7	3.00	123.56	117.24
2	C	310	QVE	CG-OB-C8	2.97	120.34	116.95
2	F	316	QVS	C3-C2-N	2.97	126.30	120.36
2	C	311	QUK	C3-CA-N	2.97	126.29	120.36
2	C	304	ZY9	CA-N11-C7	2.96	122.67	118.41
2	E	307	ZY9	O-C-CA	-2.93	121.44	124.22
2	E	308	QDD	O-C-C10	-2.93	121.45	124.22
2	D	312	A1IJ4	C122-C124-C127	2.92	122.95	119.73
2	E	310	QVE	O-C-CA	-2.91	121.47	124.22
2	C	311	QUK	C-C10-N11	2.90	120.91	116.28
2	E	306	QVS	O-C-CA	-2.89	121.49	124.22
2	E	307	ZY9	C2-C7-N11	2.88	120.79	115.89
2	D	320	QVE	C3-C2-N	2.87	126.10	120.36
2	C	302	A1IJ4	O-C-N31	-2.86	122.00	124.89
2	F	321	QUK	OXT-C-C10	2.86	121.19	114.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	305	QVE	C3-C2-N	2.85	126.05	120.36
2	D	315	QVE	O-C-CA	-2.84	121.53	124.22
2	D	321	QUK	C3-CA-N	2.83	126.02	120.36
2	F	314	ZY9	CA-N11-C7	2.82	122.47	118.41
2	D	321	QUK	OXT-C-C10	2.80	121.07	114.69
2	F	321	QUK	C7-CA-N	-2.80	112.72	118.07
2	F	312	A1IJ4	O-C-N31	-2.80	122.06	124.89
2	C	310	QVE	C9-CA-C	2.80	123.64	121.23
2	F	314	ZY9	C9-CA-N11	-2.79	118.47	122.47
2	D	315	QVE	C3-C2-N	2.79	125.94	120.36
2	F	315	QVE	C-CA-N11	2.78	117.39	114.66
2	C	308	QDD	C3-C2-N	2.76	125.89	120.36
2	D	315	QVE	C-CA-N11	2.76	117.37	114.66
2	C	311	QUK	C10-N11-C7	2.75	123.04	117.24
2	E	304	ZY9	C6-C7-N11	-2.74	118.94	122.41
2	E	307	ZY9	C9-CA-N11	-2.73	118.56	122.47
2	D	318	QDD	C3-C2-N	2.73	125.81	120.36
2	F	319	ZY9	C6-C7-N11	-2.69	118.99	122.41
2	E	311	QUK	OXT-C-C10	2.68	120.78	114.69
2	D	321	QUK	CE-CD-CG	-2.66	104.12	113.61
2	F	313	QUK	CG-OB-C8	2.65	125.67	117.74
2	E	304	ZY9	CA-N11-C7	2.65	122.23	118.41
2	D	317	ZY9	CA-N11-C7	2.63	122.19	118.41
2	F	319	ZY9	C9-CA-C	2.61	123.52	121.19
2	C	305	QVE	C9-CA-C	2.61	123.48	121.23
2	E	311	QUK	C7-CA-N	-2.58	113.14	118.07
2	F	320	QVE	OB-CG-CD	-2.58	102.54	110.24
2	E	306	QVS	C7-C2-N	-2.58	113.16	118.07
2	C	310	QVE	OB-CG-CD	-2.57	102.57	110.24
2	E	311	QUK	C10-N11-C7	2.57	122.65	117.24
2	C	304	ZY9	C6-C7-N11	-2.56	119.16	122.41
2	F	321	QUK	CE-CD-CG	-2.54	104.55	113.61
2	D	318	QDD	C9-C10-C	2.50	123.39	121.23
2	D	314	ZY9	CA-N11-C7	2.50	122.01	118.41
2	D	321	QUK	C10-N11-C7	2.48	122.47	117.24
2	E	310	QVE	C7-C2-N	-2.48	113.34	118.07
2	F	313	QUK	C6-C7-N11	-2.48	117.67	122.78
2	E	305	QVE	C-CA-N11	2.47	117.09	114.66
2	E	308	QDD	OD1-CG-CB	-2.47	115.98	123.04
2	C	305	QVE	C-CA-N11	2.47	117.08	114.66
2	C	305	QVE	O-C-CA	-2.46	121.89	124.22
2	C	307	ZY9	C9-CA-N11	-2.46	118.95	122.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	317	ZY9	C2-C7-N11	2.46	120.07	115.89
2	D	317	ZY9	C6-C7-N11	-2.46	119.29	122.41
2	D	313	QUK	C6-C7-N11	-2.46	117.71	122.78
2	D	316	QVS	C7-C2-N	-2.44	113.41	118.07
2	E	311	QUK	OXT-C-O	-2.40	118.02	123.35
2	E	311	QUK	C9-C10-N11	-2.39	118.68	124.50
2	D	314	ZY9	C2-C7-N11	2.38	119.94	115.89
2	F	320	QVE	C7-C2-N	-2.36	113.57	118.07
2	F	314	ZY9	C2-C7-N11	2.36	119.89	115.89
2	C	310	QVE	C7-C2-N	-2.35	113.59	118.07
2	C	311	QUK	OXT-C-C10	2.35	120.03	114.69
2	D	318	QDD	OD1-CG-CB	-2.33	116.38	123.04
2	C	307	ZY9	C6-C7-N11	-2.32	119.47	122.41
2	E	305	QVE	C7-C2-N	-2.30	113.69	118.07
2	D	314	ZY9	C9-CA-N11	-2.28	119.20	122.47
2	C	306	QVS	OB-C8-C6	2.28	119.16	116.31
2	C	311	QUK	OXT-C-O	-2.25	118.35	123.35
2	F	320	QVE	C9-CA-C	2.25	123.17	121.23
2	F	315	QVE	C7-C2-N	-2.23	113.81	118.07
2	C	303	QUK	C3-CA-N	2.23	124.81	120.36
2	C	311	QUK	CA-C7-N11	2.22	120.83	118.64
2	F	318	QDD	C3-C2-N	2.22	124.79	120.36
2	F	321	QUK	C9-C10-N11	-2.21	119.12	124.50
2	D	320	QVE	OB-CG-CD	-2.18	103.75	110.24
2	D	320	QVE	C7-C2-N	-2.17	113.92	118.07
2	F	321	QUK	OXT-C-O	-2.17	118.53	123.35
2	E	308	QDD	C3-C2-N	2.16	124.68	120.36
2	E	303	QUK	C3-CA-N	2.15	124.67	120.36
2	C	306	QVS	O-C-CA	-2.13	122.20	124.22
2	C	302	A1IJ4	C122-C124-C127	2.12	122.06	119.73
2	C	311	QUK	C7-CA-N	-2.12	114.03	118.07
2	C	308	QDD	OD1-CG-CB	-2.10	117.04	123.04
2	C	303	QUK	C8-C9-C10	2.09	121.09	119.05
2	C	308	QDD	C7-C2-N	-2.08	114.10	118.07
2	F	313	QUK	OB-C8-C6	2.05	120.75	115.01
2	F	312	A1IJ4	C122-C124-C127	2.03	121.96	119.73
2	D	313	QUK	CG-OB-C8	2.02	123.78	117.74
2	C	305	QVE	C7-C2-N	-2.01	114.23	118.07
2	F	320	QVE	C6-C7-N11	-2.01	118.63	122.78
2	D	321	QUK	C-C10-N11	2.01	119.49	116.28
2	D	313	QUK	C8-C6-C7	2.01	121.83	117.19

There are no chirality outliers.

All (72) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	306	QVS	O-C-CA-C9
2	C	306	QVS	O-C-CA-N11
2	D	316	QVS	O-C-CA-C9
2	E	306	QVS	O-C-CA-C9
2	C	309	ZY9	O-C-CA-N11
2	C	309	ZY9	O-C-CA-C9
2	E	309	ZY9	O-C-CA-N11
2	E	309	ZY9	O-C-CA-C9
2	C	310	QVE	OE1-CD-CG-OB
2	D	320	QVE	OE2-CD-CG-OB
2	D	320	QVE	OE1-CD-CG-OB
2	C	305	QVE	OE1-CD-CG-OB
2	C	310	QVE	OE2-CD-CG-OB
2	C	305	QVE	C6-C8-OB-CG
2	F	315	QVE	C9-C8-OB-CG
2	D	320	QVE	C6-C8-OB-CG
2	D	313	QUK	C6-C8-OB-CG
2	C	310	QVE	C6-C8-OB-CG
2	D	315	QVE	OE1-CD-CG-OB
2	F	320	QVE	OE1-CD-CG-OB
2	F	313	QUK	C6-C8-OB-CG
2	F	315	QVE	C6-C8-OB-CG
2	F	313	QUK	C9-C8-OB-CG
2	C	305	QVE	C9-C8-OB-CG
2	D	315	QVE	C6-C8-OB-CG
2	D	315	QVE	C9-C8-OB-CG
2	D	320	QVE	C9-C8-OB-CG
2	C	305	QVE	OE2-CD-CG-OB
2	D	315	QVE	OE2-CD-CG-OB
2	F	320	QVE	OE2-CD-CG-OB
2	D	313	QUK	C9-C8-OB-CG
2	C	310	QVE	C9-C8-OB-CG
2	E	302	A1IJ4	C119-C120-C121-O71
2	D	312	A1IJ4	C119-C120-C121-O71
2	E	302	A1IJ4	C123-C122-O71-C121
2	E	302	A1IJ4	C124-C122-O71-C121
2	D	313	QUK	CG-CD-CE-N1
2	D	312	A1IJ4	C120-C121-O71-C122
2	C	302	A1IJ4	C123-C122-O71-C121
2	F	312	A1IJ4	C119-C120-C121-O71
2	F	312	A1IJ4	C120-C121-O71-C122
2	C	302	A1IJ4	C124-C122-O71-C121

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	311	QUK	CE-CD-CG-OB
2	E	311	QUK	CG-CD-CE-N1
2	D	312	A1IJ4	C123-C122-O71-C121
2	D	312	A1IJ4	C124-C122-O71-C121
2	D	318	QDD	C9-C8-CB-CG
2	D	318	QDD	C6-C8-CB-CG
2	F	318	QDD	C9-C8-CB-CG
2	F	318	QDD	C6-C8-CB-CG
2	D	312	A1IJ4	C119-C118-N31-C
2	F	312	A1IJ4	C119-C118-N31-C
2	D	321	QUK	CE-CD-CG-OB
2	D	312	A1IJ4	O-C-N31-C118
2	F	312	A1IJ4	O-C-N31-C118
2	F	320	QVE	C6-C8-OB-CG
2	F	320	QVE	C9-C8-OB-CG
2	C	311	QUK	CG-CD-CE-N1
2	C	302	A1IJ4	C119-C120-C121-O71
2	E	302	A1IJ4	C119-C118-N31-C
2	E	308	QDD	C9-C8-CB-CG
2	E	308	QDD	C6-C8-CB-CG
2	C	311	QUK	OXT-C-C10-C9
2	C	311	QUK	OXT-C-C10-N11
2	F	312	A1IJ4	C123-C122-O71-C121
2	C	302	A1IJ4	C119-C118-N31-C
2	F	312	A1IJ4	C124-C122-O71-C121
2	D	316	QVS	O-C-CA-N11
2	F	319	ZY9	O-C-CA-N11
2	F	315	QVE	CD-CG-OB-C8
2	C	311	QUK	O-C-C10-C9
2	E	311	QUK	O-C-C10-C9

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	B	303	-	5,5,5	0.09	0	5,5,5	0.29	0
4	GOL	A	302	-	5,5,5	0.10	0	5,5,5	0.26	0
4	GOL	A	303	-	5,5,5	0.12	0	5,5,5	0.39	0
4	GOL	B	302	-	5,5,5	0.11	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	303	-	-	0/4/4/4	-
4	GOL	A	302	-	-	0/4/4/4	-
4	GOL	A	303	-	-	1/4/4/4	-
4	GOL	B	302	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	303	GOL	C1-C2-C3-O3
4	B	302	GOL	C1-C2-C3-O3
4	B	302	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	257/257 (100%)	-0.50	2 (0%) 82 78	63, 89, 120, 145	0
1	B	257/257 (100%)	-0.53	0 100 100	66, 90, 113, 119	0
2	C	0/11	-	-	-	-
2	D	0/11	-	-	-	-
2	E	0/11	-	-	-	-
2	F	0/11	-	-	-	-
All	All	514/558 (92%)	-0.51	2 (0%) 89 87	63, 89, 115, 145	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	HIS	2.7
1	A	260	LYS	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	QDD	C	308	17/18	0.86	0.10	79,84,102,103	0
2	QUK	F	313	18/19	0.90	0.09	76,80,97,98	0
2	QVE	C	305	18/19	0.91	0.08	73,78,99,99	0
2	QVE	E	305	18/19	0.92	0.07	69,73,91,94	0
2	QUK	C	303	14/19	0.92	0.07	74,78,81,83	0
2	QDD	F	318	17/18	0.92	0.07	74,75,83,84	0
2	QVE	D	320	18/19	0.92	0.08	73,80,99,102	0
2	QUK	F	321	19/19	0.92	0.08	80,83,91,94	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	QUK	D	313	18/19	0.93	0.07	75,79,99,99	0
2	QVE	C	310	18/19	0.93	0.06	78,84,94,96	0
2	QDD	D	318	17/18	0.93	0.07	71,75,86,86	0
2	QUK	D	321	19/19	0.93	0.07	76,81,95,99	0
2	QDD	E	308	17/18	0.93	0.07	73,77,90,90	0
2	ZY9	C	309	10/11	0.94	0.08	77,79,79,79	0
2	A1IJ4	D	312	16/17	0.94	0.11	72,77,81,82	0
2	A1IJ4	C	302	16/17	0.94	0.11	66,69,72,72	0
2	QVE	F	320	18/19	0.94	0.06	76,81,90,92	0
2	QVS	C	306	14/15	0.94	0.08	75,79,81,81	0
2	QUK	E	311	19/19	0.94	0.08	80,82,96,97	0
2	QVS	D	316	14/15	0.94	0.06	73,75,80,80	0
2	QVE	E	310	18/19	0.95	0.06	71,77,86,88	0
2	QVE	D	315	18/19	0.95	0.07	68,73,87,87	0
2	QUK	C	311	19/19	0.95	0.07	84,86,99,100	0
2	ZY9	D	319	10/11	0.96	0.07	71,73,75,75	0
2	ZY9	E	309	10/11	0.96	0.07	70,71,72,73	0
2	ZY9	F	317	10/11	0.96	0.07	73,74,74,75	0
2	A1IJ4	F	312	16/17	0.96	0.09	76,80,86,88	0
2	QUK	E	303	14/19	0.96	0.05	70,72,75,75	0
2	ZY9	C	304	10/11	0.97	0.06	75,77,77,78	0
2	ZY9	D	314	10/11	0.97	0.05	67,71,75,76	0
2	QVE	F	315	18/19	0.97	0.06	70,74,86,86	0
2	ZY9	F	314	10/11	0.97	0.05	71,73,75,75	0
2	A1IJ4	E	302	16/17	0.97	0.08	70,72,74,75	0
2	QVS	E	306	14/15	0.97	0.05	68,70,73,73	0
2	QVS	F	316	14/15	0.97	0.04	74,75,77,78	0
2	ZY9	D	317	10/11	0.97	0.06	65,67,69,70	0
2	ZY9	E	307	10/11	0.98	0.05	68,70,70,71	0
2	ZY9	C	307	10/11	0.98	0.06	73,74,77,78	0
2	ZY9	E	304	10/11	0.98	0.07	69,70,72,72	0
2	ZY9	F	319	10/11	0.98	0.05	76,78,78,79	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	303	6/6	0.93	0.12	85,87,88,89	0
4	GOL	B	303	6/6	0.93	0.14	99,101,103,104	0
4	GOL	B	302	6/6	0.94	0.15	80,82,83,83	0
4	GOL	A	302	6/6	0.97	0.08	69,70,72,73	0
3	ZN	A	301	1/1	1.00	0.02	65,65,65,65	0
3	ZN	B	301	1/1	1.00	0.03	69,69,69,69	0

6.5 Other polymers [i](#)

There are no such residues in this entry.