



# Full wwPDB X-ray Structure Validation Report i

Jun 22, 2024 – 03:22 PM EDT

PDB ID : 6K8V  
Title : Crystal structure of N-domain of bacterial malonyl-CoA reductase  
Authors : Kim, S.; Kim, K.-J.  
Deposited on : 2019-06-13  
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	B	1304	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8556 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NAD-dependent epimerase/dehydratase:Short-chain dehydrogenase/reductase SDR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	545	Total	C 4074	N 2541	O 733	S 784	16	0	0
1	B	545	Total	C 4082	N 2545	O 734	S 787	16	0	1

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	568	LEU	-	expression tag	UNP A0A1A7BFR5
A	569	GLU	-	expression tag	UNP A0A1A7BFR5
A	570	HIS	-	expression tag	UNP A0A1A7BFR5
A	571	HIS	-	expression tag	UNP A0A1A7BFR5
A	572	HIS	-	expression tag	UNP A0A1A7BFR5
A	573	HIS	-	expression tag	UNP A0A1A7BFR5
A	574	HIS	-	expression tag	UNP A0A1A7BFR5
A	575	HIS	-	expression tag	UNP A0A1A7BFR5
B	568	LEU	-	expression tag	UNP A0A1A7BFR5
B	569	GLU	-	expression tag	UNP A0A1A7BFR5
B	570	HIS	-	expression tag	UNP A0A1A7BFR5
B	571	HIS	-	expression tag	UNP A0A1A7BFR5
B	572	HIS	-	expression tag	UNP A0A1A7BFR5
B	573	HIS	-	expression tag	UNP A0A1A7BFR5
B	574	HIS	-	expression tag	UNP A0A1A7BFR5
B	575	HIS	-	expression tag	UNP A0A1A7BFR5


- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $\text{C}_3\text{H}_8\text{O}_3$ ) (labeled as "Ligand")

of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total    C    O 6    3    3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	160	Total    O 160    160	0	0
4	B	169	Total    O 169    169	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NAD-dependent epimerase/dehydratase:Short-chain dehydrogenase/reductase SDR



- Molecule 1: NAD-dependent epimerase/dehydratase:Short-chain dehydrogenase/reductase SDR



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.64 Å   109.07 Å   129.42 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	32.42 – 2.20 32.40 – 2.20	Depositor EDS
% Data completeness (in resolution range)	96.7 (32.42-2.20) 96.7 (32.40-2.20)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.09	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	4.25 (at 2.20 Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
$R$ , $R_{free}$	0.198 , 0.258 0.208 , 0.259	Depositor DCC
$R_{free}$ test set	3029 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	28.3	Xtriage
Anisotropy	0.818	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 34.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.47$ , $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8556	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.33% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.77	0/4145	0.91	0/5623
1	B	0.74	0/4153	0.90	0/5634
All	All	0.76	0/8298	0.90	0/11257

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4074	0	4059	79	0
1	B	4082	0	4062	79	0
2	A	35	0	0	1	0
2	B	30	0	0	2	0
3	B	6	0	8	1	0
4	A	160	0	0	8	0
4	B	169	0	0	4	0
All	All	8556	0	8129	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:GLY:HA3	1:A:155:VAL:HG12	1.24	1.12
1:A:226:SER:HB2	1:A:229:ILE:HG23	1.52	0.92
1:A:85:GLY:CA	1:A:155:VAL:HG12	2.04	0.87
1:A:344:GLN:HG2	1:A:375:LEU:HD11	1.57	0.86
1:A:344:GLN:CG	1:A:375:LEU:HD11	2.08	0.83
1:A:294:HIS:HE1	1:B:297:GLU:H	1.25	0.83
1:B:71:THR:HG23	1:B:73:ALA:H	1.45	0.80
1:A:208:GLU:OE2	1:A:425:THR:HB	1.82	0.78
1:A:85:GLY:HA3	1:A:155:VAL:CG1	2.10	0.77
1:B:243:GLU:HG2	4:B:1404:HOH:O	1.83	0.77
1:B:315:ARG:CZ	1:B:562:ALA:CB	2.64	0.76
1:B:315:ARG:NE	1:B:562:ALA:HB3	2.01	0.75
1:B:397:GLU:OE1	3:B:1301:GOL:H12	1.87	0.74
1:B:223:PRO:HD3	1:B:302:MET:HE3	1.70	0.73
1:A:29:THR:HA	1:A:53:THR:HB	1.70	0.72
1:B:215:ARG:HG2	1:B:291:TYR:O	1.88	0.72
1:B:144:THR:HG22	1:B:147:ASP:H	1.52	0.72
1:B:315:ARG:CZ	1:B:562:ALA:HB3	2.20	0.72
1:A:144:THR:HG22	1:A:147:ASP:H	1.55	0.71
1:B:29:THR:HA	1:B:53:THR:HB	1.71	0.71
1:B:223:PRO:HD3	1:B:302:MET:CE	2.20	0.71
1:A:344:GLN:HG2	1:A:375:LEU:CD1	2.21	0.70
1:B:315:ARG:NH2	1:B:562:ALA:CB	2.55	0.69
1:B:204:GLU:OE1	1:B:479:ILE:HD12	1.92	0.68
1:A:236:MET:O	1:A:240:ARG:HG2	1.97	0.65
1:B:315:ARG:NH2	1:B:562:ALA:HB3	2.11	0.65
1:A:344:GLN:CG	1:A:375:LEU:CD1	2.73	0.65
1:B:223:PRO:CD	1:B:302:MET:CE	2.75	0.64
1:B:223:PRO:HD2	1:B:302:MET:HE1	1.80	0.63
1:B:29:THR:O	1:B:111:ASN:HB3	1.98	0.63
1:A:294:HIS:CE1	1:B:297:GLU:H	2.11	0.63
1:A:425:THR:HG22	4:A:1513:HOH:O	1.98	0.63
1:B:223:PRO:CD	1:B:302:MET:HE1	2.27	0.63
1:A:166:HIS:HD2	4:A:1544:HOH:O	1.81	0.61
1:A:485:ARG:HA	1:A:516:GLN:HE22	1.65	0.61
1:A:490:GLN:HA	1:A:490:GLN:OE1	2.00	0.61
1:A:519:ARG:HG2	1:A:531:THR:HG21	1.82	0.61
1:B:98:VAL:HG11	1:B:105:ILE:CD1	2.31	0.60
1:B:193:VAL:HG22	1:B:194:PRO:HD3	1.83	0.60
1:A:369:ARG:HG3	1:A:369:ARG:HH21	1.64	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:38:HIS:HE1	4:A:1434:HOH:O	1.84	0.59
1:B:466:PHE:CE1	1:B:514:GLY:HA3	2.37	0.59
1:A:180:PHE:HZ	1:A:223:PRO:HB3	1.68	0.58
1:B:315:ARG:NH2	1:B:562:ALA:HB1	2.19	0.58
1:A:134:LEU:O	1:A:137:THR:HB	2.04	0.58
1:B:376:THR:HA	4:B:1516:HOH:O	2.03	0.57
1:B:315:ARG:HE	1:B:562:ALA:HB3	1.67	0.57
1:B:315:ARG:NE	1:B:562:ALA:CB	2.66	0.57
1:B:306:LYS:C	1:B:307:GLU:HG3	2.26	0.56
1:A:193:VAL:HB	1:A:194:PRO:HD3	1.88	0.55
1:B:27:VAL:HG21	1:B:105:ILE:HD12	1.89	0.55
1:A:297:GLU:H	1:B:294:HIS:HE1	1.54	0.55
1:B:40:VAL:HG11	1:B:67:LEU:HD13	1.89	0.54
1:A:143:GLU:HG3	4:A:1457:HOH:O	2.08	0.53
1:B:415:LEU:HB3	1:B:419:GLU:HG2	1.90	0.53
1:A:223:PRO:O	1:A:271:PRO:HD2	2.09	0.53
1:A:370:CYS:O	1:A:374:GLY:N	2.42	0.53
1:A:550:LEU:HD22	1:B:313:LEU:CD1	2.39	0.53
1:A:297:GLU:H	1:B:294:HIS:CE1	2.26	0.52
1:A:344:GLN:NE2	1:A:373:LEU:HD21	2.25	0.52
1:B:485:ARG:HA	1:B:516:GLN:HE22	1.74	0.52
1:A:204:GLU:OE1	1:A:479:ILE:HD13	2.10	0.51
1:B:208:GLU:OE2	1:B:425:THR:OG1	2.25	0.51
1:A:71:THR:C	1:A:73:ALA:H	2.13	0.51
1:A:224:ILE:O	1:A:229:ILE:HG12	2.09	0.51
1:A:310:SER:HB2	1:B:310:SER:OG	2.11	0.51
1:A:537:ARG:HA	1:A:541:LYS:HG3	1.93	0.51
1:A:545:LEU:N	1:A:545:LEU:HD23	2.26	0.51
1:A:164:ALA:HB3	1:A:165:PRO:HD3	1.93	0.50
1:B:354:VAL:CG1	1:B:382:ILE:HD13	2.42	0.49
1:A:421:SER:HB3	4:A:1490:HOH:O	2.12	0.49
1:A:409:ALA:O	1:A:466:PHE:HA	2.13	0.49
1:B:522:ASN:ND2	1:B:524:GLU:OE1	2.43	0.49
1:B:304:VAL:HG12	4:B:1526:HOH:O	2.13	0.48
1:B:223:PRO:CD	1:B:302:MET:HE3	2.39	0.48
1:A:111:ASN:ND2	4:A:1407:HOH:O	2.46	0.48
1:A:527:ASN:O	1:A:531:THR:HG23	2.12	0.48
1:A:344:GLN:HG3	1:A:375:LEU:CD1	2.42	0.47
1:B:396:LEU:HD22	1:B:406:ILE:HD13	1.96	0.47
1:B:98:VAL:HG11	1:B:105:ILE:HD11	1.97	0.47
1:B:299:THR:O	1:B:302:MET:HG3	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLY:HA3	1:A:46:GLU:O	2.15	0.47
1:B:299:THR:HB	1:B:302:MET:HG3	1.96	0.47
1:A:166:HIS:CD2	4:A:1544:HOH:O	2.63	0.47
1:B:85:GLY:HA3	1:B:155:VAL:CG1	2.45	0.46
1:A:121:ILE:O	1:A:448:ARG:HG3	2.15	0.46
1:A:398:GLU:O	1:A:401:ARG:HB2	2.14	0.46
1:A:425:THR:HG22	1:A:425:THR:O	2.16	0.46
1:B:53:THR:HG23	1:B:83:LEU:HB3	1.96	0.46
1:A:369:ARG:HH21	1:A:369:ARG:CG	2.28	0.45
1:A:53:THR:HG23	1:A:83:LEU:HB3	1.98	0.45
1:A:119:GLN:HG3	1:A:123:ASN:O	2.17	0.45
1:B:71:THR:HG23	1:B:73:ALA:CB	2.46	0.45
1:B:315:ARG:HH21	1:B:562:ALA:HB3	1.81	0.45
1:A:150:ARG:O	1:A:155:VAL:HG13	2.17	0.45
1:B:314:ALA:CA	1:B:560:THR:HG22	2.46	0.45
1:A:465:ARG:HA	1:A:513:TRP:O	2.17	0.45
1:A:508:ARG:NH1	1:A:512:GLU:OE2	2.50	0.45
1:A:336:TRP:CZ2	1:A:365:ILE:HG22	2.52	0.44
1:A:344:GLN:HE22	1:A:373:LEU:HD21	1.81	0.44
1:B:189:ALA:O	1:B:193:VAL:HG13	2.16	0.44
1:A:228:ARG:CG	1:A:229:ILE:N	2.81	0.44
1:B:105:ILE:O	1:B:167:ILE:HA	2.17	0.44
1:B:396:LEU:HD22	1:B:406:ILE:CD1	2.48	0.44
1:B:85:GLY:HA3	1:B:155:VAL:HG13	2.00	0.44
1:B:240:ARG:NH2	1:B:242:ASP:OD2	2.51	0.43
1:B:454:TRP:CD1	1:B:460:LEU:HD11	2.53	0.43
1:A:226:SER:HB2	1:A:229:ILE:CG2	2.34	0.43
1:B:161:ARG:HB2	1:B:425:THR:HA	2.01	0.43
1:B:164:ALA:N	1:B:165:PRO:CD	2.81	0.43
1:A:421:SER:HB2	2:A:1307:SO4:O1	2.19	0.43
1:B:408:GLY:HA2	1:B:465:ARG:O	2.18	0.43
1:A:468:PHE:O	1:A:516:GLN:HA	2.19	0.43
1:B:157:TRP:CE3	1:B:201:TRP:CD1	3.07	0.43
1:B:223:PRO:HD2	1:B:302:MET:CE	2.42	0.42
1:A:226:SER:CB	1:A:229:ILE:HG23	2.34	0.42
1:B:144:THR:HG23	1:B:146:ALA:H	1.83	0.42
1:B:57:PRO:O	1:B:61:LYS:HB2	2.19	0.42
1:A:300:HIS:HD2	1:B:290:ALA:HA	1.85	0.42
1:B:215:ARG:NH1	1:B:288:SER:OG	2.53	0.42
1:A:184:PRO:HB3	1:A:497:ASP:CG	2.40	0.42
1:B:115:ALA:O	1:B:191:TYR:HB2	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:467:VAL:HG22	1:B:538:ILE:HG21	2.01	0.42
1:A:56:THR:O	1:A:59:ARG:HB3	2.20	0.42
1:A:255:MET:HG2	1:A:302:MET:HG3	2.02	0.42
1:A:344:GLN:NE2	1:A:373:LEU:CD2	2.82	0.41
1:A:152:ILE:HG23	1:A:195:LYS:HE2	2.02	0.41
1:B:409:ALA:O	1:B:466:PHE:HA	2.20	0.41
1:A:354:VAL:HG22	1:A:399:TYR:CE1	2.55	0.41
1:B:226:SER:HB2	2:B:1304:SO4:O3	2.21	0.41
1:B:71:THR:CG2	1:B:73:ALA:HB3	2.51	0.41
1:A:186:TYR:CD2	1:A:498:GLU:HG2	2.55	0.41
1:B:227:GLU:N	2:B:1304:SO4:O3	2.48	0.41
1:B:458:ASP:HA	4:B:1495:HOH:O	2.19	0.41
1:A:425:THR:CG2	4:A:1513:HOH:O	2.61	0.41
1:A:313:LEU:HD13	1:B:545:LEU:HD12	2.03	0.41
1:A:319:ARG:HB2	1:A:322:ASP:OD2	2.21	0.41
1:A:369:ARG:CG	1:A:369:ARG:NH2	2.81	0.41
1:B:466:PHE:CD1	1:B:514:GLY:HA3	2.56	0.41
1:A:373:LEU:HD12	1:A:373:LEU:HA	1.83	0.41
1:B:474:ASP:O	1:B:476:LYS:HG2	2.21	0.41
1:A:68:LEU:O	1:A:71:THR:O	2.39	0.40
1:A:369:ARG:CZ	1:A:369:ARG:HB2	2.50	0.40
1:A:127:SER:HB2	1:A:129:GLU:OE1	2.22	0.40
1:B:189:ALA:HB2	1:B:494:ILE:HG21	2.03	0.40
1:A:210:GLY:N	1:A:211:PRO:CD	2.83	0.40
1:B:52:MET:SD	1:B:78:LEU:HD11	2.62	0.40
1:B:423:ALA:O	1:B:427:ALA:CB	2.69	0.40
1:A:122:GLU:HB2	1:A:451:SER:HB3	2.03	0.40
1:B:99:VAL:O	1:B:103:GLY:N	2.53	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	543/575 (94%)	523 (96%)	18 (3%)	2 (0%)	34 37
1	B	544/575 (95%)	532 (98%)	12 (2%)	0	100 100
All	All	1087/1150 (94%)	1055 (97%)	30 (3%)	2 (0%)	47 55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	72	GLY
1	A	428	GLU

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	410/431 (95%)	390 (95%)	20 (5%)	25 31
1	B	411/431 (95%)	397 (97%)	14 (3%)	37 47
All	All	821/862 (95%)	787 (96%)	34 (4%)	30 39

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LYS
1	A	81	VAL
1	A	119	GLN
1	A	122	GLU
1	A	129	GLU
1	A	144	THR
1	A	185	TYR
1	A	206	SER
1	A	229	ILE
1	A	249	THR
1	A	305	ARG
1	A	306	LYS
1	A	317	THR
1	A	318	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	334	ASP
1	A	371	LYS
1	A	376	THR
1	A	380	SER
1	A	541	LYS
1	A	545	LEU
1	B	71	THR
1	B	81	VAL
1	B	122	GLU
1	B	137	THR
1	B	144	THR
1	B	155	VAL
1	B	185	TYR
1	B	193	VAL
1	B	250	GLN
1	B	307	GLU
1	B	319	ARG
1	B	370	CYS
1	B	429	ASP
1	B	526	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	111	ASN
1	A	119	GLN
1	A	123	ASN
1	A	166	HIS
1	A	264	ASN
1	A	294	HIS
1	A	344	GLN
1	A	482	HIS
1	A	515	ASN
1	A	516	GLN
1	B	34	ASN
1	B	110	ASN
1	B	294	HIS
1	B	352	GLN
1	B	471	HIS
1	B	482	HIS
1	B	516	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	1307	-	4,4,4	0.32	0	6,6,6	0.08	0
2	SO4	A	1301	-	4,4,4	0.40	0	6,6,6	0.18	0
3	GOL	B	1301	-	5,5,5	0.08	0	5,5,5	0.37	0
2	SO4	A	1302	-	4,4,4	0.33	0	6,6,6	0.16	0
2	SO4	B	1303	-	4,4,4	0.34	0	6,6,6	0.19	0
2	SO4	B	1304	-	4,4,4	0.30	0	6,6,6	0.16	0
2	SO4	B	1305	-	4,4,4	0.33	0	6,6,6	0.11	0
2	SO4	B	1306	-	4,4,4	0.29	0	6,6,6	0.19	0
2	SO4	A	1304	-	4,4,4	0.28	0	6,6,6	0.08	0
2	SO4	A	1303	-	4,4,4	0.35	0	6,6,6	0.15	0
2	SO4	B	1302	-	4,4,4	0.38	0	6,6,6	0.26	0
2	SO4	B	1307	-	4,4,4	0.31	0	6,6,6	0.09	0
2	SO4	A	1306	-	4,4,4	0.34	0	6,6,6	0.13	0
2	SO4	A	1305	-	4,4,4	0.33	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.  
 '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	1301	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1307	SO4	1	0
3	B	1301	GOL	1	0
2	B	1304	SO4	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	545/575 (94%)	-0.01	29 (5%) 26 25	20, 37, 83, 128	0
1	B	545/575 (94%)	0.02	28 (5%) 28 26	21, 36, 80, 146	0
All	All	1090/1150 (94%)	0.00	57 (5%) 27 26	20, 36, 82, 146	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	306	LYS	7.4
1	B	427	ALA	6.6
1	A	427	ALA	5.7
1	B	375	LEU	5.0
1	A	320	SER	4.8
1	A	227	GLU	4.7
1	A	430	ASN	4.0
1	B	319	ARG	4.0
1	B	561	GLY	4.0
1	B	430	ASN	3.8
1	A	370	CYS	3.7
1	B	321	MET	3.6
1	A	321	MET	3.5
1	B	372	ALA	3.4
1	A	373	LEU	3.4
1	B	376	THR	3.4
1	B	377	GLU	3.3
1	B	320	SER	3.3
1	B	138	GLY	3.3
1	A	307	GLU	3.2
1	A	139	SER	3.2
1	B	18	PRO	3.2
1	B	371	LYS	3.1
1	A	137	THR	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	562	ALA	3.1
1	B	307	GLU	3.1
1	A	561	GLY	3.0
1	A	228	ARG	3.0
1	B	429	ASP	3.0
1	B	373	LEU	2.9
1	B	369	ARG	2.9
1	B	410	LEU	2.9
1	A	306	LYS	2.8
1	A	403	GLY	2.7
1	A	369	ARG	2.7
1	A	319	ARG	2.6
1	A	372	ALA	2.6
1	B	562	ALA	2.6
1	A	376	THR	2.5
1	A	368	LYS	2.5
1	B	174	ILE	2.5
1	B	426	GLU	2.5
1	A	232	VAL	2.5
1	B	466	PHE	2.5
1	B	368	LYS	2.4
1	A	136	LYS	2.3
1	A	401	ARG	2.3
1	A	410	LEU	2.2
1	B	411	PHE	2.2
1	A	375	LEU	2.2
1	A	313	LEU	2.2
1	B	468	PHE	2.2
1	B	176	VAL	2.1
1	A	371	LYS	2.1
1	A	330	ILE	2.1
1	B	467	VAL	2.1
1	A	411	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	B	1306	5/5	0.69	0.34	96,100,119,132	0
3	GOL	B	1301	6/6	0.85	0.12	37,42,45,46	0
2	SO4	A	1304	5/5	0.86	0.33	83,86,98,103	0
2	SO4	A	1307	5/5	0.86	0.27	100,103,113,115	0
2	SO4	B	1304	5/5	0.87	0.30	77,77,101,101	0
2	SO4	B	1307	5/5	0.89	0.14	83,86,93,104	0
2	SO4	A	1305	5/5	0.89	0.39	97,105,112,113	0
2	SO4	B	1303	5/5	0.92	0.11	49,55,68,74	0
2	SO4	A	1303	5/5	0.93	0.14	73,75,85,91	0
2	SO4	B	1305	5/5	0.94	0.26	100,102,104,109	0
2	SO4	A	1306	5/5	0.95	0.11	37,45,56,58	0
2	SO4	B	1302	5/5	0.97	0.09	50,53,55,58	0
2	SO4	A	1302	5/5	0.98	0.09	38,38,46,51	0
2	SO4	A	1301	5/5	0.99	0.06	40,45,49,52	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






































## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.