



# Full wwPDB NMR Structure Validation Report ⓘ

Jun 22, 2024 – 05:37 PM EDT

PDB ID : 6OB1  
BMRB ID : 30590  
Title : Structure of WHB in complex with Ubiquitin Variant  
Authors : Edmond, R.W.; Grace, C.R.  
Deposited on : 2019-03-19

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 68%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	75	
2	B	75	
3	C	90	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 7 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:0-A:6, B:110-B:172 (70)	0.76	14
2	A:7-A:74, B:100-B:109, C:744-C:818 (153)	1.03	7

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 4 single-model clusters were found.

Cluster number	Models
1	1, 2, 5, 6, 7, 9, 11, 12, 14, 17, 18
2	3, 10, 13
3	4, 8
Single-model clusters	15; 16; 19; 20

### 3 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3871 atoms, of which 1951 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	75	1222	381	621	100	119	1	0

- Molecule 2 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
2	B	75	1215	379	614	100	121	1	0

- Molecule 3 is a protein called Anaphase-promoting complex subunit 2.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
3	C	90	1434	453	716	118	142	5	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	733	GLY	-	expression tag	UNP Q9UJX6
C	734	SER	-	expression tag	UNP Q9UJX6

## 4 Residue-property plots


### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin



- Molecule 3: Anaphase-promoting complex subunit 2




### 4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.2 Score per residue for model 2


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.3 Score per residue for model 3


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.4 Score per residue for model 4


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2





#### 4.2.5 Score per residue for model 5

- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin





- Molecule 3: Anaphase-promoting complex subunit 2

Chain C: 72% 9% 17%



#### 4.2.6 Score per residue for model 6


- Molecule 1: Ubiquitin

Chain A: 79% 21%



- Molecule 2: Ubiquitin

Chain B: 81% 15%



- Molecule 3: Anaphase-promoting complex subunit 2

Chain C: 61% 20% 17%



#### 4.2.7 Score per residue for model 7 (medoid)


- Molecule 1: Ubiquitin

Chain A: 88% 9%




- Molecule 2: Ubiquitin

Chain B: 77% 17%






- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.8 Score per residue for model 8


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.9 Score per residue for model 9


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.10 Score per residue for model 10


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.11 Score per residue for model 11

- Molecule 1: Ubiquitin




- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2







#### 4.2.12 Score per residue for model 12


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.13 Score per residue for model 13

- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.14 Score per residue for model 14


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.15 Score per residue for model 15


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




## 4.2.16 Score per residue for model 16


## • Molecule 1: Ubiquitin



## • Molecule 2: Ubiquitin




## • Molecule 3: Anaphase-promoting complex subunit 2




## 4.2.17 Score per residue for model 17


## • Molecule 1: Ubiquitin



## • Molecule 2: Ubiquitin




## • Molecule 3: Anaphase-promoting complex subunit 2




## 4.2.18 Score per residue for model 18


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




## 4.2.19 Score per residue for model 19


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin




- Molecule 3: Anaphase-promoting complex subunit 2




#### 4.2.20 Score per residue for model 20


- Molecule 1: Ubiquitin



- Molecule 2: Ubiquitin



- Molecule 3: Anaphase-promoting complex subunit 2



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics*.

Of the 400 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	
CYANA	refinement	
CNS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	2295
Number of shifts mapped to atoms	2295
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	68%



## 6 Model quality

### 6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	601	621	621	6±2
2	B	581	590	587	4±2
3	C	617	627	627	4±2
All	All	35980	36760	36700	222

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:23:ILE:HG21	1:A:50:LEU:HB3	0.68	1.65	1	11
3:C:761:MET:SD	3:C:765:LEU:HD22	0.65	2.31	2	1
3:C:761:MET:SD	3:C:762:LEU:HD22	0.64	2.32	9	2
3:C:762:LEU:HB3	3:C:817:LEU:HB2	0.63	1.69	18	6
3:C:781:VAL:HG11	3:C:790:ILE:HG12	0.61	1.71	17	1
3:C:758:ILE:HD11	3:C:777:LEU:HD11	0.60	1.72	6	2
1:A:16:GLU:HG2	2:B:102:GLN:HG3	0.59	1.74	20	3
3:C:761:MET:HE1	3:C:765:LEU:HD11	0.58	1.75	10	1
1:A:69:LEU:HD12	2:B:107:THR:HG22	0.57	1.75	7	2
2:B:140:GLN:HA	2:B:172:THR:HB	0.57	1.74	2	3
2:B:142:ARG:HB2	2:B:172:THR:HA	0.56	1.78	19	1
2:B:115:LEU:HD13	2:B:129:LYS:HD3	0.56	1.77	7	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:18:GLU:HB2	1:A:21:ASP:HB2	0.56	1.78	2	3
3:C:777:LEU:HB3	3:C:795:LEU:HD21	0.54	1.78	17	1
1:A:11:LYS:HE3	2:B:171:LEU:HD23	0.53	1.79	17	1
1:A:69:LEU:HD22	2:B:107:THR:HG22	0.53	1.81	1	2
3:C:762:LEU:HD22	3:C:816:ARG:HA	0.52	1.81	14	5
1:A:49:GLN:NE2	3:C:753:LEU:HD21	0.52	2.19	15	1
1:A:68:ILE:HD12	3:C:776:MET:SD	0.52	2.44	17	2
2:B:144:ASP:HA	2:B:149:GLN:HA	0.52	1.82	11	1
1:A:56:LEU:HD13	1:A:61:ILE:HD12	0.51	1.80	9	1
1:A:42:ARG:HB2	1:A:70:LEU:HB2	0.51	1.80	9	5
3:C:747:LYS:HA	3:C:787:LEU:HD21	0.51	1.83	18	1
1:A:5:VAL:HB	2:B:113:ILE:HB	0.51	1.82	18	2
1:A:15:LEU:HD21	2:B:105:VAL:HG13	0.51	1.82	19	2
3:C:762:LEU:HD13	3:C:808:LEU:HD21	0.50	1.82	3	1
1:A:44:ILE:HG12	1:A:49:GLN:HG3	0.50	1.82	13	2
1:A:10:TRP:HE3	2:B:108:VAL:HB	0.50	1.67	14	2
1:A:44:ILE:HG21	3:C:757:TYR:CE1	0.50	2.42	17	1
3:C:766:GLU:HG2	3:C:773:ILE:HG23	0.50	1.82	19	1
1:A:41:GLN:HB3	1:A:69:LEU:HB3	0.50	1.83	5	1
2:B:143:LEU:HD21	2:B:150:LEU:H	0.50	1.67	10	1
2:B:143:LEU:HB3	2:B:167:LEU:HD11	0.50	1.84	13	1
3:C:768:LEU:HB2	3:C:772:ARG:HD2	0.49	1.85	2	1
1:A:51:GLU:HB3	1:A:54:ARG:HB2	0.49	1.84	3	1
1:A:9:GLN:HB3	2:B:109:GLN:HG3	0.49	1.82	12	1
2:B:137:PRO:HB2	2:B:140:GLN:HG2	0.49	1.84	10	1
1:A:15:LEU:HD11	2:B:105:VAL:HG13	0.49	1.85	8	1
1:A:11:LYS:NZ	2:B:171:LEU:HB2	0.49	2.23	14	1
1:A:2:GLN:HG3	2:B:116:GLU:HG2	0.49	1.84	20	1
3:C:761:MET:HB2	3:C:765:LEU:HD12	0.49	1.85	15	1
1:A:9:GLN:HB2	2:B:109:GLN:HB2	0.48	1.84	13	2
1:A:68:ILE:HA	2:B:106:ASP:HB2	0.48	1.85	10	1
1:A:10:TRP:HH2	3:C:776:MET:SD	0.48	2.32	4	1
1:A:24:GLU:HB3	1:A:52:ASP:HB3	0.48	1.83	16	1
3:C:811:SER:HB3	3:C:814:VAL:HG13	0.48	1.84	12	2
1:A:45:PHE:HB2	1:A:50:LEU:HD21	0.48	1.86	1	4
2:B:151:GLU:HB2	2:B:154:ARG:HG2	0.48	1.85	1	2
2:B:150:LEU:HD21	2:B:167:LEU:HD23	0.48	1.84	11	1
2:B:123:ILE:HB	2:B:152:ASP:HA	0.47	1.85	4	4
1:A:15:LEU:HD21	2:B:105:VAL:HG23	0.47	1.86	3	1
1:A:15:LEU:HD23	1:A:29:LYS:HD2	0.47	1.86	8	1
1:A:43:LEU:HB3	1:A:67:LEU:HD11	0.47	1.86	1	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:C:773:ILE:HD11	3:C:799:LEU:HD11	0.47	1.86	3	1
1:A:44:ILE:HG12	1:A:49:GLN:HG2	0.47	1.85	5	1
1:A:42:ARG:HG2	1:A:70:LEU:HB2	0.47	1.87	17	1
1:A:7:THR:HG22	2:B:169:LEU:HD22	0.47	1.85	12	1
1:A:30:ILE:HB	1:A:36:ILE:HD12	0.47	1.87	18	4
2:B:145:PHE:HB2	2:B:150:LEU:HD21	0.47	1.87	20	2
1:A:47:GLY:HA2	3:C:757:TYR:OH	0.46	2.10	18	2
2:B:115:LEU:HD13	2:B:129:LYS:HD2	0.46	1.88	14	1
2:B:123:ILE:HG21	2:B:150:LEU:HB3	0.46	1.88	8	2
1:A:29:LYS:O	1:A:33:LYS:HG2	0.46	2.11	20	2
1:A:67:LEU:HD23	2:B:105:VAL:HG12	0.46	1.88	17	2
1:A:5:VAL:HG13	2:B:143:LEU:HD21	0.46	1.86	4	2
1:A:38:PRO:HA	1:A:41:GLN:HB3	0.46	1.88	13	1
1:A:41:GLN:NE2	1:A:43:LEU:HD21	0.45	2.26	17	1
1:A:34:GLU:HB3	2:B:109:GLN:NE2	0.45	2.26	13	1
2:B:151:GLU:HB2	2:B:154:ARG:HB2	0.45	1.87	18	1
2:B:129:LYS:O	2:B:133:LYS:HG2	0.45	2.12	13	1
3:C:779:MET:SD	3:C:780:PHE:CD1	0.45	3.10	15	1
3:C:766:GLU:HG2	3:C:816:ARG:HB2	0.45	1.86	6	2
1:A:5:VAL:HB	2:B:169:LEU:HD11	0.45	1.86	1	1
1:A:45:PHE:CD1	1:A:67:LEU:HG	0.45	2.46	5	2
2:B:122:THR:HA	2:B:155:THR:HA	0.45	1.88	8	1
1:A:23:ILE:HB	1:A:52:ASP:HA	0.45	1.88	11	3
2:B:137:PRO:HB2	2:B:140:GLN:HB2	0.45	1.89	3	1
1:A:71:LEU:HB3	3:C:764:ASN:ND2	0.45	2.26	18	1
1:A:9:GLN:HB2	2:B:109:GLN:HB3	0.45	1.87	19	1
2:B:127:LYS:HD3	2:B:138:PRO:HB3	0.45	1.89	14	2
2:B:142:ARG:HB2	2:B:170:LEU:HB2	0.45	1.88	7	1
3:C:792:LEU:O	3:C:796:GLN:HB3	0.45	2.12	10	1
3:C:755:TRP:O	3:C:759:GLN:HG3	0.45	2.12	16	1
1:A:34:GLU:HG2	2:B:107:THR:HG21	0.44	1.89	7	1
1:A:10:TRP:HE1	2:B:108:VAL:HG22	0.44	1.71	8	1
2:B:151:GLU:HB3	2:B:154:ARG:HB2	0.44	1.89	11	1
3:C:746:GLN:O	3:C:750:GLU:HB2	0.44	2.13	12	1
2:B:150:LEU:HD11	2:B:167:LEU:HD23	0.44	1.89	19	2
1:A:25:ASN:O	1:A:29:LYS:HG2	0.44	2.13	10	1
2:B:167:LEU:HD12	2:B:167:LEU:N	0.43	2.27	11	1
3:C:762:LEU:HB3	3:C:817:LEU:HG	0.43	1.89	16	1
1:A:56:LEU:O	1:A:61:ILE:HG12	0.43	2.13	12	2
3:C:802:LYS:HB3	3:C:808:LEU:HB2	0.43	1.89	6	3
2:B:127:LYS:HB2	2:B:138:PRO:HB3	0.43	1.88	7	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:VAL:HG11	2:B:130:ILE:HG21	0.43	1.88	16	1
3:C:762:LEU:HD12	3:C:816:ARG:HA	0.43	1.91	1	1
3:C:790:ILE:HD12	3:C:795:LEU:HD23	0.43	1.88	3	1
1:A:63:LYS:HD2	1:A:63:LYS:H	0.43	1.73	14	1
2:B:101:MET:N	2:B:101:MET:SD	0.43	2.91	6	2
3:C:772:ARG:HH11	3:C:772:ARG:HB3	0.43	1.74	17	1
2:B:107:THR:HB	2:B:109:GLN:HE22	0.43	1.74	17	1
1:A:67:LEU:HD23	2:B:105:VAL:HG22	0.43	1.89	11	1
3:C:777:LEU:HD23	3:C:795:LEU:HD21	0.43	1.89	14	1
2:B:130:ILE:HB	2:B:136:ILE:HD12	0.43	1.91	18	1
1:A:44:ILE:HG21	3:C:757:TYR:HE1	0.43	1.73	10	1
1:A:15:LEU:HD23	2:B:105:VAL:HG21	0.43	1.91	18	1
3:C:770:LEU:HD11	3:C:795:LEU:HD12	0.42	1.90	9	1
1:A:69:LEU:HD12	2:B:107:THR:HB	0.42	1.91	2	1
1:A:5:VAL:HG23	2:B:113:ILE:HB	0.42	1.91	12	1
1:A:43:LEU:HB3	1:A:67:LEU:HD21	0.42	1.90	16	1
3:C:747:LYS:O	3:C:751:LEU:HG	0.42	2.14	10	2
1:A:13:ILE:O	2:B:104:PHE:HA	0.42	2.13	8	1
3:C:808:LEU:HG	3:C:817:LEU:HD23	0.42	1.91	10	1
3:C:778:ARG:HA	3:C:781:VAL:HG12	0.42	1.91	11	1
1:A:22:THR:H	1:A:25:ASN:ND2	0.42	2.12	5	1
3:C:800:GLN:O	3:C:804:ARG:HG2	0.42	2.15	5	1
1:A:45:PHE:O	1:A:47:GLY:N	0.42	2.52	10	1
2:B:124:GLU:HA	2:B:127:LYS:HB3	0.42	1.92	19	1
1:A:21:ASP:O	1:A:56:LEU:HD23	0.42	2.15	5	1
2:B:145:PHE:O	2:B:148:LYS:HG2	0.41	2.14	3	1
1:A:73:LEU:HD23	3:C:760:ALA:HB2	0.41	1.91	7	1
1:A:5:VAL:HG22	2:B:167:LEU:HD23	0.41	1.91	13	1
1:A:19:PRO:HA	1:A:56:LEU:HB2	0.41	1.92	18	1
2:B:129:LYS:HE2	2:B:129:LYS:HA	0.41	1.91	18	1
3:C:762:LEU:HD21	3:C:768:LEU:HG	0.41	1.92	13	1
1:A:42:ARG:NH1	1:A:72:THR:HA	0.41	2.30	16	1
3:C:761:MET:HG3	3:C:762:LEU:HD12	0.41	1.93	17	1
1:A:74:ARG:HA	1:A:74:ARG:HE	0.41	1.76	8	1
2:B:156:LEU:HD12	2:B:161:ILE:HG13	0.41	1.92	13	1
3:C:754:PHE:O	3:C:758:ILE:HG13	0.41	2.15	18	2
3:C:764:ASN:HB2	3:C:765:LEU:HD12	0.41	1.92	8	1
3:C:811:SER:HB2	3:C:814:VAL:HG23	0.41	1.92	20	1
3:C:770:LEU:HD13	3:C:773:ILE:HD11	0.41	1.92	16	1
1:A:9:GLN:O	2:B:108:VAL:HA	0.41	2.16	3	1
2:B:154:ARG:HA	2:B:154:ARG:NE	0.41	2.31	3	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
3:C:755:TRP:HB2	3:C:798:TYR:OH	0.41	2.16	12	1
2:B:144:ASP:HA	2:B:148:LYS:O	0.41	2.15	13	1
3:C:762:LEU:O	3:C:766:GLU:HG3	0.41	2.16	13	1
1:A:16:GLU:HG2	2:B:102:GLN:HB3	0.41	1.91	16	1
2:B:140:GLN:NE2	2:B:141:GLN:HG3	0.41	2.31	18	1
3:C:800:GLN:O	3:C:804:ARG:HD3	0.41	2.15	6	1
3:C:809:VAL:HB	3:C:816:ARG:HG3	0.41	1.93	6	1
1:A:41:GLN:HA	1:A:71:LEU:HA	0.41	1.93	12	1
3:C:746:GLN:O	3:C:750:GLU:HG2	0.41	2.16	14	1
3:C:755:TRP:CZ2	3:C:807:GLN:HG2	0.41	2.51	17	1
1:A:73:LEU:HD12	3:C:760:ALA:HB2	0.40	1.93	10	2
3:C:762:LEU:HG	3:C:817:LEU:HD13	0.40	1.92	9	1
3:C:758:ILE:O	3:C:762:LEU:HB2	0.40	2.15	4	1
1:A:5:VAL:HG13	2:B:169:LEU:HD11	0.40	1.91	16	1
1:A:29:LYS:HE2	1:A:29:LYS:HA	0.40	1.93	17	1
3:C:762:LEU:HD21	3:C:768:LEU:HD11	0.40	1.94	2	1
1:A:73:LEU:HD13	1:A:74:ARG:HG3	0.40	1.93	7	1
1:A:43:LEU:HD13	1:A:50:LEU:HB2	0.40	1.94	15	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	73/75 (97%)	69±1 (94±2%)	4±1 (5±2%)	1±1 (1±1%)	21	69
2	B	72/75 (96%)	70±1 (97±1%)	2±1 (2±2%)	1±0 (1±1%)	24	71
3	C	75/90 (83%)	66±2 (88±3%)	6±2 (8±3%)	2±1 (3±1%)	6	37
All	All	4400/4800 (92%)	4092 (93%)	233 (5%)	75 (2%)	13	56

All 13 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
3	C	767	SER	15

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
3	C	789	GLU	14
2	B	172	THR	12
1	A	72	THR	11
3	C	786	ALA	10
3	C	766	GLU	3
3	C	811	SER	2
3	C	788	ALA	2
3	C	818	PRO	2
3	C	790	ILE	1
1	A	73	LEU	1
1	A	46	ALA	1
3	C	768	LEU	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	68/68 (100%)	62±2 (91±3%)	6±2 (9±3%)	14	61
2	B	66/68 (97%)	59±1 (90±2%)	7±1 (10±2%)	11	55
3	C	67/79 (85%)	60±2 (89±2%)	7±2 (11±2%)	10	55
All	All	4020/4300 (93%)	3625 (90%)	395 (10%)	11	57

All 93 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	101	MET	20
1	A	1	MET	19
3	C	806	GLN	17
3	C	808	LEU	14
1	A	2	GLN	13
3	C	795	LEU	13
3	C	801	LYS	12
2	B	167	LEU	10
2	B	102	GLN	10
2	B	140	GLN	9
2	B	142	ARG	8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	B	154	ARG	8
3	C	773	ILE	8
2	B	115	LEU	8
2	B	143	LEU	8
1	A	45	PHE	7
3	C	816	ARG	7
1	A	54	ARG	6
3	C	800	GLN	6
3	C	768	LEU	6
1	A	42	ARG	6
1	A	43	LEU	6
2	B	127	LYS	6
1	A	67	LEU	6
3	C	753	LEU	6
1	A	40	GLN	5
3	C	793	GLN	5
2	B	141	GLN	5
1	A	63	LYS	5
1	A	15	LEU	5
2	B	149	GLN	4
1	A	49	GLN	4
1	A	72	THR	4
3	C	810	TYR	4
3	C	765	LEU	4
1	A	27	LYS	4
3	C	750	GLU	4
3	C	779	MET	4
2	B	121	ASP	4
2	B	122	THR	4
3	C	817	LEU	3
2	B	148	LYS	3
1	A	73	LEU	3
2	B	145	PHE	3
3	C	770	LEU	3
3	C	775	ASN	3
1	A	41	GLN	3
2	B	150	LEU	3
1	A	21	ASP	3
1	A	24	GLU	3
2	B	163	LYS	3
2	B	124	GLU	2
3	C	745	ASP	2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
2	B	170	LEU	2
1	A	10	TRP	2
2	B	162	GLN	2
3	C	787	LEU	2
1	A	9	GLN	2
1	A	74	ARG	2
2	B	129	LYS	2
1	A	22	THR	2
2	B	109	GLN	2
3	C	746	GLN	2
3	C	772	ARG	2
2	B	164	GLU	2
3	C	777	LEU	2
2	B	108	VAL	2
1	A	62	GLN	1
2	B	160	ASN	1
3	C	776	MET	1
3	C	781	VAL	1
3	C	792	LEU	1
2	B	110	TRP	1
3	C	757	TYR	1
3	C	766	GLU	1
2	B	117	VAL	1
3	C	789	GLU	1
1	A	7	THR	1
1	A	12	THR	1
2	B	116	GLU	1
1	A	11	LYS	1
1	A	48	LYS	1
3	C	791	ASP	1
1	A	16	GLU	1
1	A	51	GLU	1
2	B	111	LYS	1
3	C	778	ARG	1
3	C	794	GLU	1
3	C	802	LYS	1
2	B	151	GLU	1
3	C	759	GLN	1
3	C	747	LYS	1
3	C	752	LEU	1



### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 6.7 Other polymers [i](#)

There are no such molecules in this entry.

### 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 68% for the well-defined parts and 68% for the entire structure.

### 7.1 Chemical shift list 1

File name: working\_cs.cif

Chemical shift list name: *WHB\_UbVm\_deposit\_031219.str*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2295
Number of shifts mapped to atoms	2295
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	203	$-0.21 \pm 0.15$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	159	$0.19 \pm 0.15$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	142	$-0.04 \pm 0.10$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	198	$0.66 \pm 0.18$	Should be applied

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 68%, i.e. 2163 atoms were assigned a chemical shift out of a possible 3170. 0 out of 44 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	861/1110 (78%)	353/449 (79%)	326/446 (73%)	182/215 (85%)
Sidechain	1201/1901 (63%)	826/1233 (67%)	357/599 (60%)	18/69 (26%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	101/159 (64%)	62/76 (82%)	36/80 (45%)	3/3 (100%)
Overall	2163/3170 (68%)	1241/1758 (71%)	719/1125 (64%)	203/287 (71%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 68%, i.e. 2294 atoms were assigned a chemical shift out of a possible 3361. 0 out of 45 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	924/1197 (77%)	382/485 (79%)	345/480 (72%)	197/232 (85%)
Sidechain	1269/2005 (63%)	872/1299 (67%)	377/631 (60%)	20/75 (27%)
Aromatic	101/159 (64%)	62/76 (82%)	36/80 (45%)	3/3 (100%)
Overall	2294/3361 (68%)	1316/1860 (71%)	758/1191 (64%)	220/310 (71%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	C	802	LYS	HE2	1.33	1.95 – 3.88	-8.2
1	C	802	LYS	HE3	1.65	1.92 – 3.89	-6.4
1	C	802	LYS	HD2	0.29	0.58 – 2.64	-6.4
1	C	802	LYS	HG2	-0.12	0.13 – 2.61	-6.0


#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:



Random coil index (RCI) for chain C:

