



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2024 – 12:47 AM EDT

PDB ID : 6QCE  
Title : Human Sirt6 in complex with ADP-ribose and the activator isoquercetin  
Authors : You, W.; Steegborn, C.  
Deposited on : 2018-12-27  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	302	 3% 79% 13% • 7%
1	B	302	 4% 77% 13% • 8%

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4806 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD-dependent protein deacetylase sirtuin-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	282	2201	1386	400	403	12	0	1	0
1	B	277	2180	1373	399	395	13	0	3	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	GLY	-	expression tag	UNP Q8N6T7
A	8	ILE	-	expression tag	UNP Q8N6T7
A	9	ASP	-	expression tag	UNP Q8N6T7
A	10	PRO	-	expression tag	UNP Q8N6T7
A	11	PHE	-	expression tag	UNP Q8N6T7
A	12	THR	-	expression tag	UNP Q8N6T7
B	7	GLY	-	expression tag	UNP Q8N6T7
B	8	ILE	-	expression tag	UNP Q8N6T7
B	9	ASP	-	expression tag	UNP Q8N6T7
B	10	PRO	-	expression tag	UNP Q8N6T7
B	11	PHE	-	expression tag	UNP Q8N6T7
B	12	THR	-	expression tag	UNP Q8N6T7


- Molecule 2 is [(2R,3S,4R,5R)-5-(6-AMINOPURIN-9-YL)-3,4-DIHYDROXY-OXOLAN-2-YL]METHYL [HYDROXY-[(2R,3S,4R,5S)-3,4,5-TRIHYDROXYOXOLAN-2-YL]METHOXY]PHOSPHORYL] HYDROGEN PHOSPHATE (three-letter code: AR6) (formula: C<sub>15</sub>H<sub>23</sub>N<sub>5</sub>O<sub>14</sub>P<sub>2</sub>).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0

- Molecule 5 is isoquercetin (three-letter code: HW2) (formula: C<sub>21</sub>H<sub>20</sub>O<sub>12</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
5	A	1	Total	C	O	0	0
			33	21	12		
5	B	1	Total	C	O	0	0
			33	21	12		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	124	Total	O	0	0
			124	124		
7	B	100	Total	O	0	0
			100	100		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: NAD-dependent protein deacetylase sirtuin-6



- Molecule 1: NAD-dependent protein deacetylase sirtuin-6





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.41Å 91.41Å 144.16Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.57 – 1.90 43.57 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (43.57-1.90) 99.9 (43.57-1.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.05 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, $R_{free}$	0.152 , 0.187 0.160 , 0.182	Depositor DCC
$R_{free}$ test set	2100 reflections (3.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	33.9	Xtriage
Anisotropy	0.446	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 37.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.278 for h,-h-k,-l	Xtriage
Reported twinning fraction	0.276 for H, K, L 0.724 for -K, -H, -L	Depositor
Outliers	0 of 53635 reflections	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	4806	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, AR6, SO4, HW2, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.91	2/2253 (0.1%)	1.27	13/3057 (0.4%)
1	B	0.87	3/2236 (0.1%)	1.21	13/3030 (0.4%)
All	All	0.89	5/4489 (0.1%)	1.24	26/6087 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	220	ARG	C-N	-14.36	1.06	1.34
1	A	56	SER	CA-CB	-6.14	1.43	1.52
1	A	103	ARG	CZ-NH2	-5.64	1.25	1.33
1	B	210	SER	CA-CB	-5.53	1.44	1.52
1	B	103	ARG	CZ-NH2	-5.31	1.26	1.33

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	253	ARG	NE-CZ-NH1	19.03	129.81	120.30
1	A	280	ARG	NE-CZ-NH1	16.80	128.70	120.30
1	B	264	ARG	NE-CZ-NH1	-16.45	112.07	120.30
1	B	264	ARG	NE-CZ-NH2	16.32	128.46	120.30
1	A	264	ARG	NE-CZ-NH2	-15.76	112.42	120.30
1	A	264	ARG	NE-CZ-NH1	15.52	128.06	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	ARG	NE-CZ-NH1	14.75	127.67	120.30
1	A	280	ARG	NE-CZ-NH2	-13.70	113.45	120.30
1	A	253	ARG	NE-CZ-NH2	12.45	126.52	120.30
1	A	280	ARG	CG-CD-NE	-10.72	89.29	111.80
1	A	103	ARG	NE-CZ-NH2	10.54	125.57	120.30
1	A	264	ARG	CD-NE-CZ	10.30	138.03	123.60
1	B	264	ARG	CD-NE-CZ	10.05	137.67	123.60
1	B	219	ILE	C-N-CA	9.14	144.54	121.70
1	B	103	ARG	NH1-CZ-NH2	-9.13	109.36	119.40
1	A	280	ARG	CD-NE-CZ	8.97	136.16	123.60
1	A	103	ARG	NH1-CZ-NH2	-8.71	109.82	119.40
1	A	103	ARG	NE-CZ-NH1	8.49	124.55	120.30
1	B	253	ARG	NH1-CZ-NH2	-7.31	111.36	119.40
1	B	253	ARG	CG-CD-NE	6.92	126.33	111.80
1	A	253	ARG	NH1-CZ-NH2	-6.55	112.19	119.40
1	B	219	ILE	O-C-N	-6.08	112.98	122.70
1	A	253	ARG	CG-CD-NE	-5.79	99.65	111.80
1	B	253	ARG	CD-NE-CZ	5.64	131.49	123.60
1	B	103	ARG	NE-CZ-NH2	5.33	122.96	120.30
1	B	219	ILE	CA-C-N	5.12	128.45	117.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	280	ARG	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2201	0	2206	25	1
1	B	2180	0	2206	25	0
2	A	36	0	21	2	0
2	B	36	0	21	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	25	0	0	0	0
4	B	20	0	0	1	0
5	A	33	0	0	1	0
5	B	33	0	0	0	0
6	A	16	0	24	0	0
7	A	124	0	0	4	0
7	B	100	0	0	2	0
All	All	4806	0	4478	50	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (50) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:VAL:O	1:A:136[B]:MET:HG3	1.69	0.93
1:B:228:ALA:O	1:B:231:ARG:HG2	1.69	0.92
1:B:115:VAL:O	1:B:136[B]:MET:HG3	1.74	0.88
1:A:228:ALA:O	1:A:231:ARG:HG2	1.75	0.85
1:A:161:ALA:HB2	1:A:180:GLU:OE2	1.80	0.81
1:B:161:ALA:HB2	1:B:180:GLU:OE2	1.90	0.72
1:B:295:PRO:O	1:B:297:LEU:HD13	1.92	0.68
1:A:31:GLU:HG2	1:A:264:ARG:HH11	1.63	0.62
1:A:145:LYS:HE3	7:A:553:HOH:O	2.01	0.59
1:B:31:GLU:HG2	1:B:264:ARG:HH11	1.67	0.59
1:A:28:GLU:HB2	7:A:602:HOH:O	2.02	0.58
1:A:76:ARG:HD3	7:A:517:HOH:O	2.05	0.56
1:B:29[A]:GLU:CD	1:B:32:ARG:HH21	2.09	0.55
1:B:277:ASP:HA	7:B:520:HOH:O	2.06	0.54
1:B:36:GLU:OE2	1:B:39:ARG:NH1	2.41	0.54
1:B:63:ASP:OD2	2:B:401:AR6:H8	2.08	0.53
1:A:277:ASP:HB3	1:A:280:ARG:HH21	1.74	0.53
1:A:10:PRO:HA	1:A:13:ALA:HB2	1.91	0.52
1:B:104:VAL:HB	1:B:291:ARG:HB3	1.92	0.51
1:A:63:ASP:OD2	2:A:401:AR6:H8	2.13	0.49
1:A:42:TRP:CH2	1:A:295:PRO:HG2	2.49	0.48
1:A:160:LYS:O	1:A:182:ARG:HA	2.13	0.48
1:B:228:ALA:O	1:B:231:ARG:CG	2.54	0.47
1:A:259:ASP:O	1:A:263:THR:HG23	2.15	0.47
1:B:259:ASP:O	1:B:263:THR:HG23	2.15	0.47
1:A:169:ALA:C	7:A:609:HOH:O	2.53	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:GLU:HG2	1:A:264:ARG:NH1	2.30	0.46
5:A:408:HW2:CAH	5:A:408:HW2:O2	2.64	0.46
1:A:10:PRO:CA	1:A:13:ALA:HB2	2.45	0.45
1:B:212:THR:OG1	1:B:238:ILE:HA	2.17	0.45
1:A:70:VAL:HG12	1:A:71:TRP:CE3	2.51	0.45
1:B:141:CYS:SG	1:B:179:GLY:HA3	2.56	0.45
1:A:36:GLU:OE2	1:A:39:ARG:NH1	2.49	0.44
1:A:50:HIS:HA	1:A:111:VAL:O	2.17	0.44
1:B:224:ASN:ND2	4:B:406:SO4:O1	2.49	0.44
1:A:228:ALA:O	1:A:231:ARG:CG	2.57	0.43
1:B:220:ARG:HA	1:B:221:PRO:HA	1.75	0.43
1:B:295:PRO:O	1:B:297:LEU:CD1	2.63	0.43
1:A:68:HIS:CE1	1:B:73:MET:CE	3.01	0.43
1:A:141:CYS:O	1:A:145:LYS:HA	2.19	0.43
1:B:154:VAL:HG13	1:B:162:THR:HG21	2.01	0.43
1:A:225:LEU:N	1:A:226:PRO:CD	2.82	0.42
1:B:260:GLU:OE2	1:B:264:ARG:NH2	2.52	0.42
1:B:81:LYS:NZ	7:B:510:HOH:O	2.52	0.42
1:A:54:GLY:HA2	2:A:401:AR6:C8	2.50	0.42
1:B:23:ILE:O	1:B:255:HIS:HB3	2.20	0.42
1:A:154:VAL:HG13	1:A:162:THR:HG21	2.01	0.41
1:B:297:LEU:O	1:B:298:GLU:CB	2.69	0.41
1:B:26:PRO:HD2	1:B:29[B]:GLU:OE1	2.21	0.41
1:B:50:HIS:HA	1:B:111:VAL:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:PHE:O	1:A:17:LYS:NZ[2_565]	2.12	0.08

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/302 (92%)	275 (99%)	4 (1%)	0	100	100
1	B	276/302 (91%)	271 (98%)	5 (2%)	0	100	100
All	All	555/604 (92%)	546 (98%)	9 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/256 (93%)	235 (98%)	4 (2%)	60	57
1	B	238/256 (93%)	233 (98%)	5 (2%)	53	48
All	All	477/512 (93%)	468 (98%)	9 (2%)	65	53

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	LYS
1	A	136[A]	MET
1	A	136[B]	MET
1	A	248	ARG
1	B	81	LYS
1	B	136[A]	MET
1	B	136[B]	MET
1	B	177	CYS
1	B	297	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 2 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	SO4	A	407	-	4,4,4	0.24	0	6,6,6	0.11	0
4	SO4	A	404	-	4,4,4	0.39	0	6,6,6	0.08	0
2	AR6	A	401	-	35,39,39	1.99	3 (8%)	42,60,60	1.10	3 (7%)
4	SO4	B	403	-	4,4,4	0.66	0	6,6,6	0.45	0
4	SO4	A	406	-	4,4,4	0.32	0	6,6,6	0.10	0
2	AR6	B	401	-	35,39,39	0.89	2 (5%)	42,60,60	1.11	4 (9%)
6	EDO	A	409	-	3,3,3	0.17	0	2,2,2	0.17	0
6	EDO	A	410	-	3,3,3	0.09	0	2,2,2	0.14	0
4	SO4	A	405	-	4,4,4	0.35	0	6,6,6	0.06	0
6	EDO	A	412	-	3,3,3	0.18	0	2,2,2	0.03	0
6	EDO	A	411	-	3,3,3	0.42	0	2,2,2	0.38	0
4	SO4	B	405	-	4,4,4	0.30	0	6,6,6	0.13	0
5	HW2	A	408	-	36,36,36	1.73	7 (19%)	54,54,54	1.93	16 (29%)
5	HW2	B	407	-	36,36,36	1.98	10 (27%)	54,54,54	1.88	16 (29%)
4	SO4	A	403	-	4,4,4	0.43	0	6,6,6	0.18	0
4	SO4	B	404	-	4,4,4	0.33	0	6,6,6	0.18	0
4	SO4	B	406	-	4,4,4	0.31	0	6,6,6	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AR6	A	401	-	-	2/18/54/54	0/4/4/4
6	EDO	A	409	-	-	1/1/1/1	-
6	EDO	A	412	-	-	1/1/1/1	-
2	AR6	B	401	-	-	1/18/54/54	0/4/4/4
6	EDO	A	410	-	-	0/1/1/1	-
6	EDO	A	411	-	-	0/1/1/1	-
5	HW2	A	408	-	-	6/10/30/30	0/4/4/4
5	HW2	B	407	-	-	6/10/30/30	0/4/4/4

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	AR6	PB-O3A	9.01	1.69	1.59
5	B	407	HW2	O1-C1	6.65	1.55	1.43
5	A	408	HW2	O1-C1	6.04	1.54	1.43
2	A	401	AR6	PA-O3A	5.61	1.65	1.59
5	B	407	HW2	CAT-CAH	-4.00	1.41	1.47
5	B	407	HW2	C1-C2	3.63	1.63	1.52
5	A	408	HW2	O5-C1	3.40	1.50	1.41
5	A	408	HW2	C1-C2	3.04	1.61	1.52
5	B	407	HW2	O2-C2	2.98	1.50	1.43
2	B	401	AR6	PB-O3A	2.95	1.62	1.59
5	A	408	HW2	CAQ-CAR	-2.92	1.39	1.46
2	B	401	AR6	PA-O3A	2.69	1.62	1.59
5	B	407	HW2	CAQ-CAR	-2.66	1.39	1.46
5	B	407	HW2	CBA-CAY	2.62	1.42	1.38
5	B	407	HW2	O5-C1	2.55	1.48	1.41
5	A	408	HW2	C3-C4	2.48	1.58	1.52
5	B	407	HW2	CAG-CAR	-2.42	1.39	1.47
5	B	407	HW2	C3-C4	2.33	1.58	1.52
5	A	408	HW2	CAG-CAR	-2.27	1.40	1.47
5	A	408	HW2	O2-C2	2.11	1.48	1.43
2	A	401	AR6	O2'-C2'	-2.09	1.37	1.43
5	B	407	HW2	O5-C5	2.00	1.49	1.44

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	408	HW2	OAI-CAH-CAG	-4.68	114.54	120.44
5	B	407	HW2	C1-O1-CAG	-4.20	106.11	115.60
5	A	408	HW2	O5-C5-C6	4.18	116.80	106.44

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	408	HW2	OAI-CAJ-CAK	4.16	121.73	115.83
5	A	408	HW2	OAI-CAH-CAT	4.16	116.69	110.87
5	B	407	HW2	CAU-CAT-CAH	-4.11	114.66	120.71
5	B	407	HW2	OAI-CAH-CAG	-4.05	115.33	120.44
5	B	407	HW2	C2-C3-C4	4.03	117.91	110.83
5	B	407	HW2	CBA-CAT-CAH	3.90	126.16	120.65
5	A	408	HW2	C6-C5-C4	-3.74	103.84	113.02
5	A	408	HW2	C2-C3-C4	3.39	116.78	110.83
5	B	407	HW2	O1-C1-C2	3.28	117.01	107.49
2	A	401	AR6	C5-C6-N6	3.24	125.25	120.31
5	B	407	HW2	O5-C5-C6	3.14	114.23	106.44
5	A	408	HW2	O1-C1-C2	2.99	116.17	107.49
5	A	408	HW2	C1-O1-CAG	-2.97	108.90	115.60
5	B	407	HW2	OAI-CAJ-CAQ	-2.95	118.30	121.19
2	A	401	AR6	O1A-PA-O2A	2.94	126.10	112.44
5	B	407	HW2	OAI-CAJ-CAK	2.74	119.71	115.83
5	A	408	HW2	CAJ-OAI-CAH	2.67	124.77	120.67
2	B	401	AR6	O2D-C2D-C3D	-2.58	103.54	111.82
5	B	407	HW2	C1-C2-C3	2.54	115.35	110.01
5	A	408	HW2	OAI-CAJ-CAQ	-2.49	118.75	121.19
5	B	407	HW2	C3-C4-C5	2.46	114.69	110.23
2	B	401	AR6	O1A-PA-O2A	2.43	123.76	112.44
5	B	407	HW2	O2-C2-C3	-2.37	104.79	110.38
5	B	407	HW2	CAJ-OAI-CAH	2.34	124.26	120.67
2	B	401	AR6	C2D-C3D-C4D	-2.34	98.09	102.61
5	B	407	HW2	OAP-CAO-CAQ	-2.29	116.90	121.14
5	B	407	HW2	O2-C2-C1	2.25	115.43	110.08
5	A	408	HW2	CAQ-CAR-CAG	2.21	119.81	115.66
2	B	401	AR6	C1'-N9-C4	-2.19	122.79	126.64
5	A	408	HW2	O1-CAG-CAR	-2.19	116.23	118.24
5	A	408	HW2	O5-C1-O1	2.12	113.52	107.90
5	A	408	HW2	OAZ-CAY-CBA	2.07	125.04	119.45
5	B	407	HW2	CAT-CAH-CAG	2.06	131.19	128.52
2	A	401	AR6	O3A-PA-O2A	-2.03	104.59	110.70
5	A	408	HW2	CAU-CAT-CAH	-2.03	117.73	120.71
5	A	408	HW2	OAP-CAO-CAQ	-2.01	117.43	121.14

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	408	HW2	CAR-CAG-O1-C1

Continued on next page...

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
5	A	408	HW2	O5-C1-O1-CAG
5	A	408	HW2	C2-C1-O1-CAG
5	B	407	HW2	O5-C1-O1-CAG
5	B	407	HW2	C2-C1-O1-CAG
5	A	408	HW2	O5-C5-C6-O6
5	B	407	HW2	O5-C5-C6-O6
5	A	408	HW2	C4-C5-C6-O6
5	B	407	HW2	C4-C5-C6-O6
6	A	412	EDO	O1-C1-C2-O2
5	B	407	HW2	CAH-CAG-O1-C1
5	B	407	HW2	CAR-CAG-O1-C1
2	A	401	AR6	C5D-O5D-PB-O2B
2	B	401	AR6	C5D-O5D-PB-O2B
6	A	409	EDO	O1-C1-C2-O2
5	A	408	HW2	CAH-CAG-O1-C1
2	A	401	AR6	O4'-C4'-C5'-O5'


There are no ring outliers.


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	AR6	2	0
2	B	401	AR6	1	0
5	A	408	HW2	1	0
4	B	406	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	220:ARG	C	221:PRO	N	1.07

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	282/302 (93%)	0.08	10 (3%) 44 47	25, 38, 68, 99	0
1	B	277/302 (91%)	0.14	11 (3%) 38 41	29, 44, 77, 98	0
All	All	559/604 (92%)	0.11	21 (3%) 40 43	25, 42, 75, 99	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	297	LEU	5.8
1	B	188	TRP	5.7
1	B	35	TRP	5.2
1	A	12	THR	4.7
1	B	169	ALA	4.7
1	B	189	GLU	4.0
1	A	35	TRP	3.9
1	A	248	ARG	3.8
1	A	188	TRP	3.7
1	A	10	PRO	3.6
1	A	169	ALA	3.2
1	A	298	GLU	3.2
1	A	189	GLU	3.0
1	A	297	LEU	2.8
1	B	78	LEU	2.7
1	A	161	ALA	2.6
1	B	178	ARG	2.5
1	B	28	GLU	2.2
1	B	192	LEU	2.1
1	B	248	ARG	2.0
1	B	76	ARG	2.0



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	EDO	A	411	4/4	0.78	0.14	60,63,71,73	0
6	EDO	A	409	4/4	0.79	0.18	63,70,72,75	0
6	EDO	A	410	4/4	0.80	0.11	68,69,73,75	0
6	EDO	A	412	4/4	0.88	0.14	59,65,67,67	0
4	SO4	B	406	5/5	0.89	0.16	82,91,98,106	0
5	HW2	B	407	33/33	0.89	0.20	39,90,111,117	0
5	HW2	A	408	33/33	0.91	0.17	31,74,89,100	0
4	SO4	B	405	5/5	0.93	0.28	57,76,87,89	0
4	SO4	A	405	5/5	0.94	0.11	92,93,99,104	0
4	SO4	A	403	5/5	0.95	0.18	60,61,70,78	0
4	SO4	B	404	5/5	0.96	0.10	68,77,85,89	0
3	ZN	B	402	1/1	0.97	0.08	69,69,69,69	0
4	SO4	A	406	5/5	0.97	0.13	73,88,94,108	0
4	SO4	A	407	5/5	0.97	0.14	59,66,73,83	0
2	AR6	B	401	36/36	0.97	0.10	30,37,51,61	0
2	AR6	A	401	36/36	0.98	0.10	24,32,40,42	0
3	ZN	A	402	1/1	0.98	0.10	62,62,62,62	0
4	SO4	A	404	5/5	0.98	0.10	70,71,80,86	0
4	SO4	B	403	5/5	0.99	0.11	41,41,50,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around HW2 B 407:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HW2 A 408:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around AR6 B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around AR6 A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.