



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 28, 2024 – 12:47 pm GMT

PDB ID : 6RLZ  
Title : Crystal Structure of 14-3-3zeta in complex with a macrocyclic 8-mer peptide derived from ExoS  
Authors : Wallraven, K.; Grossmann, T.N.; Hennig, S.  
Deposited on : 2019-05-03  
Resolution : 3.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1017 (3.80-3.60)
Clashscore	180529	1074 (3.80-3.60)
Ramachandran outliers	177936	1055 (3.80-3.60)
Sidechain outliers	177891	1052 (3.80-3.60)
RSRZ outliers	164620	1017 (3.80-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	230	63% (green), 34% (yellow), .. (grey)
1	B	230	61% (green), 36% (yellow), .. (grey)
2	C	8	12% (green), 50% (yellow), 38% (orange)
2	D	8	38% (green), 12% (yellow), 38% (orange), 12% (red)

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3503 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 14-3-3 protein zeta/delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	227	1740	1091	294	346	9	0	1	0
1	B	226	1615	1012	271	324	8	0	0	0

- Molecule 2 is a protein called EtMe.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	8	63	43	8	12	0	0	0
2	D	8	57	37	8	12	0	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	22	22	22	0	0
3	B	6	6	6	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 14-3-3 protein zeta/delta




- Molecule 1: 14-3-3 protein zeta/delta




- Molecule 2: EtMe



- Molecule 2: EtMe





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 64	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.80Å 98.80Å 94.80Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.81 – 3.70 43.81 – 3.70	Depositor EDS
% Data completeness (in resolution range)	99.1 (43.81-3.70) 99.1 (43.81-3.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.64 (at 3.66Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, $R_{free}$	0.216 , 0.292 0.216 , 0.292	Depositor DCC
$R_{free}$ test set	564 reflections (10.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	122.8	Xtrriage
Anisotropy	0.292	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.25 , 72.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.186 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3503	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	130.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6ZS, R6E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/1763	0.57	0/2385
1	B	0.25	0/1636	0.54	0/2228
2	C	0.58	0/41	0.81	0/51
2	D	0.62	0/38	0.66	0/47
All	All	0.27	0/3478	0.56	0/4711

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1
2	D	0	3
All	All	0	4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	424	ASP	Mainchain
2	D	421	GLY	Mainchain
2	D	422	R6E	Mainchain
2	D	425	6ZS	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1740	0	1653	64	0
1	B	1615	0	1438	85	0
2	C	63	0	43	7	0
2	D	57	0	34	10	0
3	A	22	0	0	0	0
3	B	6	0	0	0	0
All	All	3503	0	3168	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:PRO:CB	1:B:199:ALA:HA	1.50	1.39
1:B:162:PRO:HB2	1:B:199:ALA:HA	1.18	1.11
1:B:116:VAL:HG21	1:B:160:MET:CE	1.83	1.08
1:B:162:PRO:HB3	1:B:199:ALA:HA	1.35	1.05
1:B:116:VAL:HG21	1:B:160:MET:HE3	1.39	1.03
1:B:101:LEU:HA	1:B:105:LEU:CB	1.89	1.03
2:C:422:R6E:CG	2:C:422:R6E:O	2.07	1.02
1:B:162:PRO:CB	1:B:199:ALA:CA	2.38	1.01
1:B:162:PRO:HB3	1:B:199:ALA:CA	1.90	1.00
1:A:65:ILE:HG21	1:B:12:LEU:HD11	1.47	0.95
1:B:169:GLY:HA3	2:D:426:LEU:HD12	1.51	0.91
1:B:169:GLY:HA3	2:D:426:LEU:CD1	2.03	0.88
1:B:69:THR:O	1:B:76:GLN:CB	2.24	0.86
1:B:162:PRO:HG2	1:B:198:GLU:O	1.77	0.83
1:A:29:VAL:HG12	1:A:36:LEU:HD22	1.62	0.81
1:B:119:LEU:HB3	1:B:152:ALA:HB2	1.64	0.80
1:B:30:THR:HG22	1:B:36:LEU:HD21	1.65	0.77
1:B:69:THR:CB	1:B:76:GLN:CB	2.64	0.75
1:B:87:GLU:HB3	1:B:91:ARG:HH22	1.53	0.73
1:B:117:PHE:CE2	2:D:426:LEU:HD23	2.23	0.73
1:B:162:PRO:HB3	1:B:199:ALA:CB	2.20	0.72

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:ALA:O	1:A:51:VAL:HG23	1.91	0.71
1:B:119:LEU:CB	1:B:152:ALA:HB2	2.21	0.70
1:B:27:LYS:HG2	1:B:100:LEU:HD21	1.74	0.69
1:B:212:LYS:O	1:B:215:THR:HG22	1.92	0.69
1:B:22:MET:HG2	1:B:47:ALA:HB2	1.76	0.67
1:B:106:ILE:N	1:B:107:PRO:HD2	2.09	0.67
1:B:94:CYS:O	1:B:98:LEU:HG	1.96	0.66
1:A:168:LEU:HB3	1:A:217:ILE:HG21	1.79	0.65
1:B:116:VAL:HG21	1:B:160:MET:HE1	1.78	0.65
1:B:162:PRO:HB2	1:B:199:ALA:CA	2.13	0.64
1:B:139:LYS:HB3	1:B:139:LYS:NZ	2.13	0.63
1:B:98:LEU:HD11	1:B:129:LEU:HD11	1.82	0.62
1:A:101:LEU:HA	1:A:105:LEU:HB2	1.82	0.62
1:B:73:GLU:OE2	1:B:73:GLU:HA	1.99	0.61
1:B:106:ILE:H	1:B:107:PRO:HD2	1.66	0.60
1:B:39:GLU:O	1:B:43:LEU:HG	2.01	0.60
1:B:162:PRO:O	1:B:168:LEU:HG	2.04	0.58
1:B:116:VAL:CG1	1:B:156:SER:HB3	2.33	0.58
1:B:69:THR:C	1:B:76:GLN:CB	2.72	0.58
1:B:25:CYS:O	1:B:29:VAL:HG23	2.04	0.58
1:B:129:LEU:O	1:B:133:ALA:N	2.37	0.57
2:C:426:LEU:HB3	2:C:428:LEU:HD21	1.87	0.57
1:A:29:VAL:HG12	1:A:36:LEU:CD2	2.35	0.57
1:A:29:VAL:O	1:A:32:GLN:HB2	2.05	0.57
1:B:162:PRO:HB3	1:B:199:ALA:HB2	1.86	0.57
1:B:73:GLU:HG3	1:B:75:LYS:HG3	1.87	0.56
1:A:72:ALA:HB3	1:A:74:LYS:HG3	1.89	0.55
1:A:142:VAL:HG23	1:A:181:ILE:HG22	1.89	0.54
1:B:106:ILE:N	1:B:107:PRO:CD	2.70	0.54
1:B:166:ILE:HA	2:D:426:LEU:HD11	1.88	0.54
1:A:16:ALA:HA	1:B:61:VAL:HG11	1.90	0.54
1:B:179:TYR:O	1:B:183:ASN:HA	2.08	0.53
1:A:118:TYR:O	1:A:121:MET:HB2	2.08	0.53
1:B:29:VAL:O	1:B:32:GLN:HB2	2.08	0.53
1:B:14:GLU:HB2	1:B:22:MET:SD	2.49	0.53
1:B:116:VAL:HG11	1:B:156:SER:HB3	1.89	0.53
1:B:54:ALA:O	1:B:58:SER:HB2	2.09	0.52
2:D:421:GLY:O	2:D:422:R6E:CB	2.58	0.52
1:A:78:MET:SD	1:A:81:GLU:OE1	2.68	0.52
1:A:52:VAL:HG21	1:A:128:TYR:CD2	2.44	0.51
1:A:104:PHE:O	1:A:108:ASN:HB2	2.10	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:162:PRO:HG2	1:B:198:GLU:C	2.31	0.51
1:A:153:PHE:HA	1:A:170:LEU:HD21	1.93	0.51
1:B:104:PHE:HA	1:B:107:PRO:HG2	1.93	0.51
1:A:22:MET:O	1:A:25:CYS:HB2	2.11	0.51
1:A:98:LEU:HA	1:A:101:LEU:HD12	1.94	0.51
1:A:222:ARG:HG3	1:A:223:ASP:N	2.25	0.51
1:A:165:PRO:O	1:A:169:GLY:N	2.33	0.50
1:B:210:SER:O	1:B:214:SER:HB3	2.10	0.50
1:B:117:PHE:HE2	2:D:422:R6E:CH	2.25	0.50
1:A:67[B]:GLN:HG3	1:A:68:LYS:HG3	1.94	0.49
2:D:422:R6E:CB	2:D:422:R6E:CZ	2.89	0.49
1:B:6:LEU:HD13	1:B:28:SER:HB2	1.92	0.49
2:C:422:R6E:CG	2:C:426:LEU:HD22	2.42	0.49
1:A:160:MET:HE1	1:A:166:ILE:HB	1.95	0.49
1:B:212:LYS:HA	1:B:215:THR:HG22	1.94	0.48
2:C:423:LEU:C	2:C:423:LEU:HD22	2.32	0.48
1:B:168:LEU:HD13	1:B:218:MET:HG3	1.95	0.48
1:A:142:VAL:HG23	1:A:181:ILE:CG2	2.44	0.48
1:B:118:TYR:O	1:B:121:MET:HB2	2.14	0.48
1:A:171:ALA:O	1:A:175:SER:N	2.46	0.47
1:B:117:PHE:CE2	2:D:426:LEU:CD2	2.97	0.47
1:A:196:PHE:HB2	1:A:221:LEU:HD13	1.96	0.47
1:B:69:THR:CA	1:B:76:GLN:CB	2.93	0.47
1:A:52:VAL:HG21	1:A:128:TYR:HD2	1.80	0.47
1:A:65:ILE:HG21	1:B:12:LEU:CD1	2.32	0.47
1:B:150:GLN:O	1:B:154:GLU:HG2	2.15	0.46
1:B:4:ASN:HA	1:B:7:VAL:HB	1.98	0.46
1:B:125:TYR:HA	1:B:128:TYR:CD2	2.51	0.46
1:B:83:ARG:HD2	1:B:87:GLU:HG3	1.98	0.46
1:A:178:TYR:CD1	1:A:182:LEU:HD12	2.51	0.46
1:B:4:ASN:C	1:B:6:LEU:H	2.18	0.46
1:B:126:TYR:O	1:B:129:LEU:HB2	2.16	0.46
2:C:422:R6E:O	2:C:426:LEU:HD22	2.15	0.46
1:A:23:ALA:HB2	1:A:47:ALA:HB1	1.97	0.46
1:A:91:ARG:HH21	1:A:133:ALA:HA	1.80	0.46
1:A:37:SER:H	1:A:40:GLU:CD	2.18	0.45
1:A:113:GLU:HA	1:A:160:MET:CE	2.47	0.45
1:A:72:ALA:HB3	1:A:74:LYS:HE2	1.98	0.45
1:A:49:LYS:HE2	1:A:50:ASN:ND2	2.32	0.45
1:A:142:VAL:CG2	1:A:181:ILE:HG22	2.47	0.44
1:B:212:LYS:HA	1:B:215:THR:CG2	2.46	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:SER:OG	1:A:40:GLU:HG3	2.17	0.44
2:C:423:LEU:O	2:C:427:ASP:N	2.50	0.44
1:A:113:GLU:CB	1:A:160:MET:HE2	2.47	0.44
1:A:37:SER:O	1:A:40:GLU:N	2.51	0.44
1:A:151:GLU:O	1:A:155:ILE:HG12	2.18	0.44
1:A:211:TYR:O	1:A:215:THR:HG23	2.18	0.44
1:A:215:THR:HA	1:A:218:MET:HG3	2.00	0.44
1:A:42:ASN:O	1:A:46:VAL:HG23	2.18	0.44
1:B:97:VAL:HA	1:B:100:LEU:HD12	2.00	0.44
1:A:16:ALA:HA	1:B:61:VAL:CG1	2.48	0.44
1:B:3:LYS:HA	1:B:32:GLN:HG3	1.99	0.43
1:B:87:GLU:HB3	1:B:91:ARG:NH2	2.29	0.43
1:A:23:ALA:CA	1:A:47:ALA:HB1	2.49	0.43
1:B:175:SER:HB3	1:B:191:LEU:HD22	2.00	0.43
1:B:216:LEU:O	1:B:220:LEU:HG	2.19	0.43
1:A:133:ALA:O	1:A:138:LYS:HG3	2.19	0.43
1:B:191:LEU:C	1:B:191:LEU:HD23	2.38	0.43
1:B:141:ILE:HA	1:B:144:GLN:CG	2.49	0.43
1:A:18:ARG:HG3	1:B:58:SER:OG	2.18	0.42
1:A:17:GLU:HA	1:A:19:TYR:CZ	2.54	0.42
1:B:62:VAL:HG12	1:B:83:ARG:HB2	2.00	0.42
1:A:8:GLN:HB3	1:B:78:MET:SD	2.60	0.42
1:A:84:GLU:HA	1:A:87:GLU:HB2	2.01	0.42
1:B:2:ASP:O	1:B:32:GLN:NE2	2.52	0.42
1:A:214:SER:O	1:A:218:MET:HG2	2.20	0.42
1:A:200:ILE:HD13	1:A:200:ILE:HA	1.97	0.42
1:A:218:MET:HG2	1:A:218:MET:H	1.68	0.42
1:B:47:ALA:O	1:B:51:VAL:HG23	2.19	0.42
1:A:216:LEU:HD23	1:A:216:LEU:HA	1.79	0.41
1:A:87:GLU:OE1	1:A:91:ARG:NH1	2.54	0.41
1:B:4:ASN:C	1:B:6:LEU:N	2.73	0.41
1:A:91:ARG:NH2	1:A:133:ALA:HA	2.35	0.41
1:A:36:LEU:HA	1:A:40:GLU:OE1	2.20	0.41
1:A:94:CYS:SG	1:A:128:TYR:HB2	2.61	0.41
1:A:120:LYS:CE	2:C:426:LEU:O	2.68	0.41
1:B:45:SER:O	1:B:49:LYS:HB3	2.21	0.41
1:A:12:LEU:HD13	1:B:78:MET:HE1	2.02	0.41
1:B:156:SER:OG	1:B:170:LEU:HD23	2.19	0.41
1:A:30:THR:HG22	1:A:104:PHE:HB2	2.02	0.41
1:B:117:PHE:HE2	2:D:426:LEU:HD23	1.80	0.41
1:A:96:ASP:O	1:A:100:LEU:HG	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:TYR:HB3	1:A:145:SER:HB2	2.02	0.41
1:A:156:SER:C	1:A:158:LYS:H	2.23	0.41
1:B:116:VAL:HG13	1:B:156:SER:HB3	2.02	0.41
1:A:215:THR:HA	1:A:218:MET:CG	2.51	0.40
1:B:147:GLN:O	1:B:151:GLU:HB2	2.22	0.40
1:A:12:LEU:O	1:A:16:ALA:N	2.53	0.40
2:D:423:LEU:HD23	2:D:423:LEU:C	2.41	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	224/230 (97%)	194 (87%)	30 (13%)	0	100	100
1	B	222/230 (96%)	200 (90%)	22 (10%)	0	100	100
2	C	4/8 (50%)	3 (75%)	1 (25%)	0	100	100
2	D	4/8 (50%)	3 (75%)	1 (25%)	0	100	100
All	All	454/476 (95%)	400 (88%)	54 (12%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/200 (88%)	167 (95%)	8 (5%)	23	49
1	B	147/200 (74%)	138 (94%)	9 (6%)	15	43
2	C	5/5 (100%)	3 (60%)	2 (40%)	0	0
2	D	4/5 (80%)	3 (75%)	1 (25%)	0	4
All	All	331/410 (81%)	311 (94%)	20 (6%)	15	43

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	SER
1	A	35	GLU
1	A	50	ASN
1	A	126	TYR
1	A	136	ASP
1	A	143	ASP
1	A	203	LEU
1	A	222	ARG
1	B	57	SER
1	B	58	SER
1	B	80	ARG
1	B	81	GLU
1	B	94	CYS
1	B	137	ASP
1	B	139	LYS
1	B	159	GLU
1	B	211	TYR
2	C	423	LEU
2	C	426	LEU
2	D	426	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	R6E	C	422	2	8,11,12	2.26	1 (12%)	6,13,15	1.13	1 (16%)
2	R6E	D	422	2	8,9,12	1.89	1 (12%)	4,9,15	0.58	0
2	6ZS	C	425	2	2,6,7	4.33	1 (50%)	3,8,10	1.11	0
2	6ZS	D	425	2	4,5,7	2.54	1 (25%)	1,5,10	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	R6E	C	422	2	-	4/8/13/16	-
2	R6E	D	422	2	-	4/7/8/16	-
2	6ZS	C	425	2	-	3/3/6/9	-
2	6ZS	D	425	2	-	0/3/4/9	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	422	R6E	O-C	6.14	1.40	1.19
2	C	425	6ZS	O-C	6.12	1.40	1.19
2	D	422	R6E	O-C	5.29	1.41	1.19
2	D	425	6ZS	O-C	5.03	1.40	1.19

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	422	R6E	CB-CA-CB2	-2.51	107.09	111.86

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	422	R6E	C-CA-CB-CG
2	C	422	R6E	CB2-CA-CB-CG
2	D	422	R6E	O-C-CA-CB
2	C	425	6ZS	CB1-CA-CB-C2
2	C	425	6ZS	C-CA-CB-C2
2	D	422	R6E	CE-CD-CG-CB
2	C	422	R6E	CG-CD-CE-CZ
2	D	422	R6E	CA-CB-CG-CD
2	C	422	R6E	CD-CE-CZ-CH
2	D	422	R6E	CG-CD-CE-CZ
2	C	425	6ZS	O-C-CA-CB1

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	422	R6E	3	0
2	D	422	R6E	3	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	227/230 (98%)	-0.80	0 100 100	77, 116, 166, 200	5 (2%)
1	B	226/230 (98%)	-0.75	0 100 100	101, 140, 194, 216	0
2	C	6/8 (75%)	-0.96	0 100 100	95, 106, 113, 122	0
2	D	6/8 (75%)	-0.66	0 100 100	100, 103, 116, 122	0
All	All	465/476 (97%)	-0.78	0 100 100	77, 126, 187, 216	5 (1%)

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	R6E	D	422	10/13	0.90	0.09	102,117,123,124	6
2	R6E	C	422	12/13	0.93	0.08	98,109,122,123	0
2	6ZS	C	425	7/8	0.94	0.06	92,98,104,104	0
2	6ZS	D	425	6/8	0.94	0.07	102,117,117,125	2

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.