



## Full wwPDB EM Validation Report ⓘ

May 13, 2024 – 10:34 pm BST

PDB ID : 6S05  
EMDB ID : EMD-10071  
Title : Cryo-EM structures of Lsg1-TAP pre-60S ribosomal particles  
Authors : Kargas, V.; Warren, A.J.  
Deposited on : 2019-06-13  
Resolution : 3.90 Å (reported)  
Based on initial model : 4V88

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
MolProbity : **FAILED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.90 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

## 2 Entry composition

There are 48 unique types of molecules in this entry. The entry contains 129144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	A	3146	67292	30062	12142	21944	3144	0	0

- Molecule 2 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	247	1878	1170	381	326	1	0	0

- Molecule 3 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	381	3039	1928	577	526	8	0	0

- Molecule 4 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	361	2748	1730	522	493	3	0	0

- Molecule 5 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	169	1352	847	253	248	4	0	0

- Molecule 6 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	189	1502	953	272	273	4	0	0

- Molecule 7 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	175	1399	902	251	245	1	0	0

- Molecule 8 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	223	1742	1117	309	313	3	0	0

- Molecule 9 is a protein called 60S ribosomal protein L16-B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	197	1563	1005	292	265	1	0	0

- Molecule 10 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	K	186	1486	929	304	253	0	0

- Molecule 11 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	L	136	1002	628	189	178	7	0	0

- Molecule 12 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	M	135	1045	669	197	177	2	0	0

- Molecule 13 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	N	148	1172	749	231	189	3	0	0

- Molecule 14 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	203	Total	C	N	O	S	0	0
			1719	1077	361	280	1		

- Molecule 15 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	269	Total	C	N	O	S	0	0
			2176	1378	375	421	2		

- Molecule 16 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	185	Total	C	N	O	S	0	0
			1440	908	290	240	2		

- Molecule 17 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	R	150	Total	C	N	O	S	0	0
			1209	752	257	200			

- Molecule 18 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	S	171	Total	C	N	O	S	0	0
			1436	925	266	242	3		

- Molecule 19 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	T	159	Total	C	N	O	S	0	0
			1275	805	246	220	4		

- Molecule 20 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	U	154	Total	C	N	O	S	0	0
			1222	761	237	224			

- Molecule 21 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	V	99	Total	C	N	O	0	0
			786	510	129	147		

- Molecule 22 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	120	Total	C	N	O	S	0	0
			958	617	168	171	2		

- Molecule 23 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	X	125	Total	C	N	O	0	0
			984	620	191	173		

- Molecule 24 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	Y	135	Total	C	N	O	0	0
			1091	710	202	179		

- Molecule 25 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Z	118	Total	C	N	O	S	0	0
			963	612	185	165	1		

- Molecule 26 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	a	52	Total	C	N	O	0	0
			415	259	90	66		

- Molecule 27 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	219	Total	C	N	O	S	0	0
			1760	1138	320	301	1		

- Molecule 28 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	97	741	479	124	137	1	0	0

- Molecule 29 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	107	872	553	165	153	1	0	0

- Molecule 30 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	127	1020	646	205	167	2	0	0

- Molecule 31 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	106	849	540	165	143	1	0	0

- Molecule 32 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	103	812	504	167	137	4	0	0

- Molecule 33 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	h	98	763	477	155	129	2	0	0

- Molecule 34 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	i	84	665	405	145	110	5	0	0

- Molecule 35 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	j	77	Total	C	N	O	0	0
			611	391	115	105		

- Molecule 36 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	50	Total	C	N	O	S	0	0
			435	272	97	64	2		

- Molecule 37 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	94	Total	C	N	O	S	0	0
			756	476	153	122	5		

- Molecule 38 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	89	Total	C	N	O	S	0	0
			680	421	136	117	6		

- Molecule 39 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	224	Total	C	N	O	S	0	0
			1691	1051	293	340	7		

- Molecule 40 is a protein called Cytoplasmic 60S subunit biogenesis factor REH1.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	z	58	Total	C	N	O	S	0	0
			491	301	100	87	3		

- Molecule 41 is a protein called 60S ribosomal export protein NMD3.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	w	389	Total	C	N	O	S	0	0
			3076	1955	530	571	20		

- Molecule 42 is a protein called 60S ribosomal protein L24-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
42	v	60	Total	C	N	O	S	0	0
			500	322	98	79	1		

- Molecule 43 is a protein called Large subunit GTPase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	o	322	Total	C	N	O	S	0	0
			2593	1660	449	477	7		

- Molecule 44 is a protein called uL1.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	p	210	Total	C	N	O	0	0
			1050	630	210	210		

- Molecule 45 is a protein called Tyrosine-protein phosphatase YVH1.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	s	128	Total	C	N	O	S	0	0
			991	625	179	179	8		

- Molecule 46 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	x	121	Total	C	N	O	P	0	0
			2576	1152	461	843	120		

- Molecule 47 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	y	156	Total	C	N	O	P	0	0
			3310	1482	582	1091	155		

- Molecule 48 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
48	g	1	Total	Zn	0
			1	1	
48	i	1	Total	Zn	0
			1	1	
48	l	1	Total	Zn	0
			1	1	

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>AltConf</b>
48	m	1	Total 1	Zn 1	0
48	w	2	Total 2	Zn 2	0
48	s	2	Total 2	Zn 2	0

SEQUENCE-PLOTS INFOmissingINFO

### 3 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	35152	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	63	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.460	Depositor
Minimum map value	-0.235	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.021	Depositor
Recommended contour level	0.08	Depositor
Map size ( $\text{\AA}$ )	383.40002, 383.40002, 383.40002	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.065, 1.065, 1.065	Depositor

## 4 Model quality [i](#)

### 4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles [i](#)

#### 4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 4.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 4.7 Other polymers [i](#)

There are no such residues in this entry.

#### 4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 5 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10071. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 5.1 Orthogonal projections [i](#)


#### 5.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 5.2 Central slices [i](#)


#### 5.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

### 5.3 Largest variance slices [i](#)


#### 5.3.1 Primary map



X Index: 190



Y Index: 196




Z Index: 199


The images above show the largest variance slices of the map in three orthogonal directions.

### 5.4 Orthogonal standard-deviation projections (False-color) [i](#)


#### 5.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 5.5 Orthogonal surface views [i](#)

### 5.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 5.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 6 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 6.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 6.2 Volume estimate [i](#)



The volume at the recommended contour level is 854 nm<sup>3</sup>; this corresponds to an approximate mass of 771 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 6.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.256 \text{\AA}^{-1}$


## 7 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 8 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-10071 and PDB model 6S05. Per-residue inclusion information can be found in section ?? on page ??.

### 8.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


## 8.2 Q-score mapped to coordinate model [i](#)

This section was not generated.

## 8.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

## 8.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

## 8.5 Map-model fit summary [i](#)














The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion
All	0.7420
A	0.8030
B	0.7560
C	0.7700
D	0.7750
E	0.6160
F	0.4650
G	0.5860
H	0.6890
J	0.7260
K	0.7290
L	0.6770
M	0.7120
N	0.7760
O	0.7810
P	0.7290
Q	0.7860
R	0.7740
S	0.7250
T	0.7190
U	0.8030
V	0.6850
W	0.7270
X	0.7880
Y	0.6830
Z	0.7880
a	0.6720
b	0.7710
c	0.6720
d	0.7330
e	0.7510
f	0.7610
g	0.7460
h	0.5780
i	0.8110



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion
j	 0.6540
k	 0.7490
l	 0.7370
m	 0.7200
n	 0.5690
o	 0.1270
p	 0.4740
s	 0.0150
v	 0.5290
w	 0.3740
x	 0.9090
y	 0.8960
z	 0.2580