



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2024 – 03:28 AM EDT

PDB ID : 6S7C  
Title : Crystal structure of CARM1 in complex with inhibitor UM079  
Authors : Gunnell, E.A.; Muhsen, U.; Dowden, J.; Dreveny, I.  
Deposited on : 2019-07-04  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	351	 88% 8% ..
1	B	351	 87% 9% ..
1	C	351	 89% 8% ..
1	D	351	 89% 7% ..

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 11378 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone-arginine methyltransferase CARM1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	342	2778	1795	459	510	14	0	4	0
1	B	342	2770	1787	461	508	14	0	3	0
1	C	342	2764	1786	457	507	14	0	2	0
1	D	342	2771	1788	463	506	14	0	3	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	480	HIS	-	expression tag	UNP Q86X55
A	481	HIS	-	expression tag	UNP Q86X55
A	482	HIS	-	expression tag	UNP Q86X55
A	483	HIS	-	expression tag	UNP Q86X55
A	484	HIS	-	expression tag	UNP Q86X55
A	485	HIS	-	expression tag	UNP Q86X55
B	480	HIS	-	expression tag	UNP Q86X55
B	481	HIS	-	expression tag	UNP Q86X55
B	482	HIS	-	expression tag	UNP Q86X55
B	483	HIS	-	expression tag	UNP Q86X55
B	484	HIS	-	expression tag	UNP Q86X55
B	485	HIS	-	expression tag	UNP Q86X55
C	480	HIS	-	expression tag	UNP Q86X55
C	481	HIS	-	expression tag	UNP Q86X55
C	482	HIS	-	expression tag	UNP Q86X55
C	483	HIS	-	expression tag	UNP Q86X55
C	484	HIS	-	expression tag	UNP Q86X55
C	485	HIS	-	expression tag	UNP Q86X55
D	480	HIS	-	expression tag	UNP Q86X55
D	481	HIS	-	expression tag	UNP Q86X55
D	482	HIS	-	expression tag	UNP Q86X55

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	483	HIS	-	expression tag	UNP Q86X55
D	484	HIS	-	expression tag	UNP Q86X55
D	485	HIS	-	expression tag	UNP Q86X55

- Molecule 2 is 1-[3-[[[(2 {R},3 {S},4 {R},5 {R})-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methyl-(3-azanylpropyl)amino]propyl]guanidine (three-letter code: KY2) (formula: C<sub>17</sub>H<sub>30</sub>N<sub>10</sub>O<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
2	A	1	Total	C	N	O	0	0
			30	17	10	3		
2	B	1	Total	C	N	O	0	0
			30	17	10	3		
2	C	1	Total	C	N	O	0	0
			30	17	10	3		
2	D	1	Total	C	N	O	0	0
			30	17	10	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	73	Total	O	0	0
			73	73		
3	B	42	Total	O	0	0
			42	42		
3	C	36	Total	O	0	0
			36	36		

Continued on next page...


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	D	24	Total	O	0	0
			24	24		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone-arginine methyltransferase CARM1




- Molecule 1: Histone-arginine methyltransferase CARM1



- Molecule 1: Histone-arginine methyltransferase CARM1



- Molecule 1: Histone-arginine methyltransferase CARM1



HIS  
HIS  
HIS  
HIS  
HIS  
HIS

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.70Å 98.63Å 207.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	51.86 – 2.30 56.62 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.0 (51.86-2.30) 96.2 (56.62-2.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.90 (at 2.29Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.206 , 0.233 0.209 , 0.236	Depositor DCC
$R_{free}$ test set	3325 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.6	Xtrriage
Anisotropy	0.635	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 26.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	11378	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 48.14 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.9747e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: KY2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.89	3/2853 (0.1%)	0.90	10/3866 (0.3%)
1	B	0.79	4/2844 (0.1%)	0.85	0/3853
1	C	0.80	2/2838 (0.1%)	0.86	2/3845 (0.1%)
1	D	0.76	0/2847	0.84	1/3855 (0.0%)
All	All	0.81	9/11382 (0.1%)	0.86	13/15419 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	3
1	D	0	2
All	All	0	5

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	266	GLU	CD-OE2	6.25	1.32	1.25
1	A	266	GLU	CD-OE2	6.00	1.32	1.25
1	C	361	GLU	CD-OE2	5.79	1.32	1.25
1	B	333	GLU	CD-OE1	-5.55	1.19	1.25
1	B	436	GLY	N-CA	-5.36	1.38	1.46
1	C	199	SER	CA-CB	-5.36	1.45	1.52
1	A	361	GLU	CD-OE2	5.23	1.31	1.25
1	A	214	GLU	CD-OE1	5.20	1.31	1.25
1	B	300	GLU	CD-OE1	-5.07	1.20	1.25

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	285	MET	CG-SD-CE	11.55	118.68	100.20
1	A	475	ARG	NE-CZ-NH2	-7.05	116.77	120.30
1	C	419	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	A	168	ARG	NE-CZ-NH1	-6.12	117.24	120.30
1	A	419	ARG	NE-CZ-NH1	5.72	123.16	120.30
1	A	304	MET	CG-SD-CE	-5.72	91.04	100.20
1	C	369	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	A	475	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	A	327	ARG	NE-CZ-NH2	-5.53	117.54	120.30
1	A	429	LYS	CA-CB-CG	5.51	125.53	113.40
1	A	165	ASP	CB-CG-OD2	-5.36	113.47	118.30
1	A	234	ARG	NE-CZ-NH2	-5.22	117.69	120.30
1	A	285	MET	CA-CB-CG	-5.02	104.76	113.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	174	ARG	Sidechain
1	C	346	ARG	Sidechain
1	C	445	ARG	Sidechain
1	D	346	ARG	Sidechain
1	D	445	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2778	0	2720	18	0
1	B	2770	0	2716	25	0
1	C	2764	0	2713	18	0
1	D	2771	0	2730	23	0
2	A	30	0	0	0	0
2	B	30	0	0	1	0
2	C	30	0	0	0	0
2	D	30	0	0	0	0
3	A	73	0	0	1	0
3	B	42	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	36	0	0	0	0
3	D	24	0	0	1	0
All	All	11378	0	10879	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:349:MET:HE3	1:B:384:VAL:HG22	1.55	0.85
1:A:422:PHE:HA	1:A:465:ASN:OD1	1.79	0.82
1:D:349:MET:HE3	1:D:384:VAL:HG22	1.64	0.79
1:B:349:MET:CE	1:B:384:VAL:HG22	2.13	0.77
1:B:144:SER:OG	1:D:147:VAL:HG21	1.86	0.75
1:B:165:ASP:OD2	1:B:414[B]:HIS:ND1	2.20	0.72
1:D:349:MET:CE	1:D:384:VAL:HG22	2.19	0.71
1:B:170:GLY:O	1:B:174[B]:ARG:HG3	1.92	0.70
1:D:349:MET:HE1	1:D:384:VAL:HA	1.77	0.66
1:C:262:MET:HE2	1:C:418:VAL:HG11	1.78	0.66
1:A:429:LYS:HG3	1:A:432:ASP:OD2	1.97	0.64
1:B:351:LYS:HE2	3:B:640:HOH:O	1.97	0.64
1:C:262:MET:CE	1:C:418:VAL:HG11	2.30	0.62
1:B:349:MET:HE1	1:B:384:VAL:HA	1.82	0.60
1:A:464:SER:C	1:A:465:ASN:ND2	2.55	0.60
1:C:281:PRO:O	1:C:282:SER:OG	2.19	0.58
1:D:345:ILE:HD13	1:D:409:THR:HG22	1.85	0.58
1:C:459:THR:HG22	1:C:461:SER:HB2	1.85	0.58
1:B:313:TRP:CH2	1:D:163:MET:HE3	2.40	0.57
1:A:165:ASP:OD2	1:A:414[B]:HIS:ND1	2.30	0.57
1:B:313:TRP:CH2	1:D:163:MET:CE	2.88	0.55
1:C:459:THR:CG2	1:D:319:HIS:HA	2.37	0.55
1:B:187:ILE:HD13	1:B:249:GLU:OE2	2.06	0.54
1:B:264:PHE:CE2	1:B:292:VAL:HG21	2.43	0.54
1:B:170:GLY:O	1:B:174[B]:ARG:CG	2.57	0.53
1:C:459:THR:HG23	1:D:319:HIS:HA	1.91	0.53
1:C:314[B]:TYR:OH	1:C:327:ARG:CZ	2.57	0.53
1:D:345:ILE:HD11	1:D:409:THR:HA	1.91	0.51
1:A:429:LYS:HG3	1:A:432:ASP:CG	2.32	0.50
1:A:166:TYR:CE2	1:D:429:LYS:HD3	2.45	0.50
1:C:252:ASP:OD1	1:C:280:LYS:HE2	2.12	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:465:ASN:ND2	1:A:465:ASN:N	2.60	0.49
1:B:181:THR:OG1	1:B:399:ILE:HD11	2.11	0.49
1:B:452:ILE:O	1:B:464:SER:HA	2.12	0.49
1:B:266:GLU:OE1	2:B:501:KY2:N29	2.47	0.48
1:A:264:PHE:CE2	1:A:292:VAL:HG21	2.49	0.47
1:A:470:LYS:O	1:A:472:PRO:HD3	2.14	0.47
1:C:223:GLU:OE1	1:C:227:LYS:HE2	2.15	0.46
1:D:336:ARG:HG2	1:D:466:LEU:O	2.15	0.46
1:B:181:THR:OG1	1:B:399:ILE:CD1	2.64	0.46
1:B:305:GLU:OE2	1:B:475:ARG:NH1	2.49	0.46
1:A:252:ASP:OD1	1:A:280:LYS:HE2	2.16	0.46
1:B:470:LYS:O	1:B:472:PRO:HD3	2.16	0.46
1:C:459:THR:CG2	1:C:461:SER:HB2	2.47	0.45
1:A:294:LEU:N	1:A:294:LEU:HD12	2.32	0.45
1:A:465:ASN:HB3	3:A:663:HOH:O	2.16	0.45
1:B:313:TRP:CH2	1:D:163:MET:HE1	2.51	0.45
1:B:313:TRP:HH2	1:D:163:MET:HE1	1.81	0.45
1:A:269:LEU:HD22	1:A:359:PHE:CE1	2.51	0.45
1:B:144:SER:OG	1:D:147:VAL:CG2	2.63	0.45
1:B:399:ILE:N	1:B:399:ILE:HD12	2.31	0.44
1:C:262:MET:HE2	1:C:418:VAL:CG1	2.46	0.44
1:A:423[B]:GLN:H	1:A:423[B]:GLN:HG2	1.69	0.44
1:A:470:LYS:C	1:A:472:PRO:HD3	2.39	0.44
1:D:284:ASN:HB2	3:D:623:HOH:O	2.16	0.44
1:D:313:TRP:O	1:D:324:SER:HA	2.18	0.43
1:C:314[B]:TYR:CZ	1:C:327:ARG:NE	2.85	0.43
1:C:313:TRP:O	1:C:324:SER:HA	2.19	0.43
1:C:269:LEU:HD22	1:C:359:PHE:CE1	2.53	0.43
1:D:168[B]:ARG:NE	1:D:257:GLU:OE1	2.52	0.43
1:B:269:LEU:HD22	1:B:359:PHE:CE1	2.53	0.43
1:C:470:LYS:C	1:C:472:PRO:HD3	2.40	0.43
1:D:294:LEU:HD23	1:D:294:LEU:N	2.34	0.43
1:D:470:LYS:O	1:D:472:PRO:HD3	2.18	0.42
1:C:470:LYS:O	1:C:472:PRO:HD3	2.19	0.42
1:C:294:LEU:N	1:C:294:LEU:HD23	2.35	0.42
1:D:470:LYS:C	1:D:472:PRO:HD3	2.40	0.41
1:B:470:LYS:C	1:B:472:PRO:HD3	2.40	0.41
1:D:345:ILE:CD1	1:D:409:THR:HG22	2.48	0.41
1:C:369:ARG:HG3	1:C:441:ILE:CD1	2.51	0.41
1:D:279:LEU:HD11	1:D:283:GLY:HA3	2.04	0.40
1:A:465:ASN:N	1:A:465:ASN:HD22	2.19	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:376:PHE:O	1:B:433:THR:HA	2.22	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	344/351 (98%)	332 (96%)	12 (4%)	0	100	100
1	B	343/351 (98%)	334 (97%)	9 (3%)	0	100	100
1	C	342/351 (97%)	332 (97%)	10 (3%)	0	100	100
1	D	343/351 (98%)	331 (96%)	12 (4%)	0	100	100
All	All	1372/1404 (98%)	1329 (97%)	43 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/306 (99%)	294 (97%)	8 (3%)	46	63
1	B	301/306 (98%)	293 (97%)	8 (3%)	44	61
1	C	300/306 (98%)	294 (98%)	6 (2%)	55	72
1	D	301/306 (98%)	292 (97%)	9 (3%)	41	57

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1204/1224 (98%)	1173 (97%)	31 (3%)	49 63

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	209	LYS
1	A	220	GLN
1	A	351	LYS
1	A	423[A]	GLN
1	A	423[B]	GLN
1	A	424	SER
1	A	429	LYS
1	A	465	ASN
1	B	168	ARG
1	B	208	ARG
1	B	375	LYS
1	B	414[A]	HIS
1	B	414[B]	HIS
1	B	429	LYS
1	B	466	LEU
1	B	476	TYR
1	C	294	LEU
1	C	311	ASN
1	C	368	HIS
1	C	414	HIS
1	C	424	SER
1	C	445	ARG
1	D	161	ASN
1	D	208	ARG
1	D	209	LYS
1	D	285	MET
1	D	294	LEU
1	D	368	HIS
1	D	424	SER
1	D	445	ARG
1	D	472	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	315	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	KY2	D	501	-	28,32,32	2.96	8 (28%)	28,44,44	1.61	4 (14%)
2	KY2	C	501	-	28,32,32	2.94	8 (28%)	28,44,44	1.65	2 (7%)
2	KY2	A	501	-	28,32,32	3.09	9 (32%)	28,44,44	2.02	11 (39%)
2	KY2	B	501	-	28,32,32	3.14	9 (32%)	28,44,44	1.56	3 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	KY2	D	501	-	-	9/15/35/35	0/3/3/3
2	KY2	C	501	-	-	8/15/35/35	0/3/3/3
2	KY2	A	501	-	-	12/15/35/35	0/3/3/3
2	KY2	B	501	-	-	5/15/35/35	0/3/3/3

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	KY2	C03-C02	-10.26	1.25	1.53
2	C	501	KY2	C03-C02	-9.95	1.26	1.53
2	D	501	KY2	C03-C02	-9.95	1.26	1.53
2	B	501	KY2	O16-C05	-9.70	1.28	1.40
2	A	501	KY2	C03-C02	-9.56	1.27	1.53
2	A	501	KY2	O16-C05	-9.46	1.28	1.40
2	D	501	KY2	O16-C05	-9.02	1.29	1.40
2	C	501	KY2	O16-C05	-8.63	1.29	1.40
2	A	501	KY2	O01-C02	4.05	1.53	1.43
2	B	501	KY2	O01-C02	3.73	1.52	1.43
2	C	501	KY2	O01-C02	3.64	1.52	1.43
2	D	501	KY2	O01-C02	3.50	1.51	1.43
2	B	501	KY2	C18-C17	-3.47	1.41	1.51
2	C	501	KY2	C11-N12	3.41	1.46	1.34
2	B	501	KY2	C11-N12	3.41	1.46	1.34
2	D	501	KY2	C11-N12	3.35	1.46	1.34
2	A	501	KY2	C18-C17	-3.30	1.41	1.51
2	A	501	KY2	C11-N12	3.16	1.45	1.34
2	C	501	KY2	O16-C17	3.13	1.51	1.45
2	A	501	KY2	O16-C17	3.01	1.51	1.45
2	C	501	KY2	C18-C17	-2.91	1.42	1.51
2	A	501	KY2	C05-N06	-2.79	1.43	1.49
2	D	501	KY2	C18-C17	-2.79	1.43	1.51
2	B	501	KY2	O16-C17	2.73	1.51	1.45
2	A	501	KY2	C18-N19	2.73	1.52	1.47
2	A	501	KY2	C28-N27	2.72	1.38	1.33
2	D	501	KY2	O16-C17	2.69	1.51	1.45
2	B	501	KY2	C18-N19	2.35	1.52	1.47
2	C	501	KY2	C18-N19	2.27	1.51	1.47
2	B	501	KY2	C09-N08	2.16	1.35	1.32
2	B	501	KY2	O04-C03	2.16	1.48	1.43
2	D	501	KY2	C02-C17	2.15	1.58	1.53
2	D	501	KY2	C07-N08	2.14	1.38	1.35
2	C	501	KY2	O04-C03	2.10	1.48	1.43

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	KY2	N08-C09-N10	-5.99	120.55	128.67
2	D	501	KY2	N08-C09-N10	-5.64	121.02	128.67
2	B	501	KY2	N08-C09-N10	-4.76	122.21	128.67
2	B	501	KY2	C17-O16-C05	-4.42	105.87	109.92

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	KY2	O16-C05-N06	-4.22	103.15	108.75
2	A	501	KY2	N08-C09-N10	-4.07	123.14	128.67
2	C	501	KY2	C17-O16-C05	-3.70	106.53	109.92
2	A	501	KY2	O01-C02-C17	-3.27	101.68	111.08
2	D	501	KY2	N27-C28-N29	3.20	126.17	120.67
2	D	501	KY2	C17-O16-C05	-3.04	107.14	109.92
2	A	501	KY2	C17-O16-C05	-3.02	107.16	109.92
2	A	501	KY2	N27-C28-N29	2.99	125.81	120.67
2	A	501	KY2	O16-C17-C18	2.81	113.48	108.88
2	B	501	KY2	C20-N19-C24	-2.71	104.97	111.44
2	D	501	KY2	N30-C28-N29	-2.34	113.42	120.07
2	A	501	KY2	C20-N19-C18	2.34	117.34	111.89
2	A	501	KY2	O01-C02-C03	2.31	119.23	111.82
2	A	501	KY2	C25-C24-N19	2.25	120.25	113.93
2	A	501	KY2	C03-C02-C17	2.12	106.71	102.61
2	A	501	KY2	C07-C13-N14	-2.03	107.19	109.34

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	KY2	C02-C17-C18-N19
2	A	501	KY2	O16-C17-C18-N19
2	B	501	KY2	C02-C17-C18-N19
2	B	501	KY2	O16-C17-C18-N19
2	C	501	KY2	C02-C17-C18-N19
2	C	501	KY2	O16-C17-C18-N19
2	C	501	KY2	C17-C18-N19-C20
2	D	501	KY2	C02-C17-C18-N19
2	D	501	KY2	O16-C17-C18-N19
2	B	501	KY2	C24-C25-C26-N27
2	A	501	KY2	N19-C20-C21-C22
2	B	501	KY2	C17-C18-N19-C20
2	D	501	KY2	C17-C18-N19-C20
2	A	501	KY2	C25-C24-N19-C18
2	A	501	KY2	C21-C20-N19-C24
2	D	501	KY2	C25-C24-N19-C18
2	C	501	KY2	C21-C20-N19-C18
2	A	501	KY2	C24-C25-C26-N27
2	A	501	KY2	N19-C24-C25-C26
2	A	501	KY2	C21-C20-N19-C18
2	D	501	KY2	C24-C25-C26-N27

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
2	C	501	KY2	C25-C24-N19-C20
2	D	501	KY2	C25-C24-N19-C20
2	A	501	KY2	C20-C21-C22-N23
2	C	501	KY2	C21-C20-N19-C24
2	A	501	KY2	C25-C24-N19-C20
2	B	501	KY2	C21-C20-N19-C24
2	D	501	KY2	C20-C21-C22-N23
2	A	501	KY2	C25-C26-N27-C28
2	C	501	KY2	C25-C24-N19-C18
2	A	501	KY2	C17-C18-N19-C20
2	D	501	KY2	N19-C24-C25-C26
2	C	501	KY2	C20-C21-C22-N23
2	D	501	KY2	N19-C20-C21-C22


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	KY2	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	342/351 (97%)	-0.25	0 <b>100</b>   <b>100</b>	25, 38, 52, 65	0
1	B	342/351 (97%)	-0.11	1 (0%) <b>94</b>   <b>96</b>	33, 50, 66, 88	0
1	C	342/351 (97%)	-0.15	1 (0%) <b>94</b>   <b>96</b>	28, 45, 61, 75	0
1	D	342/351 (97%)	-0.08	3 (0%) <b>84</b>   <b>88</b>	36, 49, 64, 99	0
All	All	1368/1404 (97%)	-0.15	5 (0%) <b>92</b>   <b>95</b>	25, 46, 63, 99	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	476	TYR	5.1
1	B	476	TYR	2.3
1	D	346	ARG	2.2
1	C	139	GLU	2.1
1	D	377	HIS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	KY2	D	501	30/30	0.87	0.17	44,53,76,81	0
2	KY2	A	501	30/30	0.90	0.13	31,42,70,80	0
2	KY2	C	501	30/30	0.91	0.15	41,47,72,80	0
2	KY2	B	501	30/30	0.93	0.12	50,56,88,94	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around KY2 A 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around KY2 C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.