



## Full wwPDB EM Validation Report ⓘ

May 13, 2024 – 09:34 pm BST

PDB ID : 6TPQ  
EMDB ID : EMD-10543  
Title : RNase M5 bound to 50S ribosome with precursor 5S rRNA  
Authors : Oerum, S.; Dendooven, T.; Gilet, L.; Catala, M.; Degut, C.; Trinquier, A.;  
Barraud, P.; Luisi, B.; Condon, C.; Tisne, C.  
Deposited on : 2019-12-13  
Resolution : 3.07 Å(reported)  
Based on initial model : 3J3V

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	187	
1	B	187	
2	V	123	
3	b	166	
4	U	2924	
5	W	277	
6	X	209	
7	Y	207	
8	Z	179	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	a	179	97%
10	c	145	97%
11	d	122	100%
12	e	146	100%
13	f	144	94%
14	g	120	99%
15	h	120	99%
16	i	115	96%
17	j	119	98%
18	k	102	98%
19	l	113	96%
20	m	95	98%
21	n	103	98%
22	o	94	86%
23	p	59	92%
24	q	49	98%
25	r	44	100%
26	s	66	97%
27	t	37	97%
28	u	62	94%
29	v	66	98%
30	w	59	98%

## 2 Entry composition i

There are 32 unique types of molecules in this entry. The entry contains 91728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribonuclease M5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	B	183	Total	C	N	O	S	0	0
			1425	887	269	266	3		
1	A	69	Total	C	N	O	S	0	0
			548	343	108	95	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	58	ALA	ASP	engineered mutation	UNP A0A087LGV4
A	58	ALA	ASP	engineered mutation	UNP A0A087LGV4

- Molecule 2 is a RNA chain called pre-5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	V	123	Total	C	N	O	P	0	0
			2628	1172	473	860	123		

- Molecule 3 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	b	123	Total	C	N	O	S	0	0
			955	602	163	189	1		

- Molecule 4 is a RNA chain called pre-23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	U	2924	Total	C	N	O	P	0	0
			62790	28012	11594	20260	2924		

- Molecule 5 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	W	275	Total	C	N	O	S	0	0
			2111	1312	416	377	6		

- Molecule 6 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	X	207	Total	C	N	O	S	0	0
			1575	988	290	292	5		

- Molecule 7 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	Y	205	Total	C	N	O	S	0	0
			1561	980	289	290	2		

- Molecule 8 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	Z	178	Total	C	N	O	S	0	0
			1404	893	245	259	7		

- Molecule 9 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	a	175	Total	C	N	O	S	0	0
			1342	835	248	257	2		

- Molecule 10 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	c	142	Total	C	N	O	S	0	0
			1124	710	206	203	5		

- Molecule 11 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	d	122	Total	C	N	O	S	0	0
			921	571	173	173	4		

- Molecule 12 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	e	146	Total	C	N	O	S	0	0
			1082	671	207	202	2		

- Molecule 13 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	f	138	Total	C	N	O	S	0	0
			1097	703	208	181	5		

- Molecule 14 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	g	119	Total	C	N	O	S	0	0
			954	583	186	181	4		

- Molecule 15 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	h	120	Total	C	N	O	S	0	0
			913	564	176	172	1		

- Molecule 16 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	i	114	Total	C	N	O	0	0
			937	595	184	158		

- Molecule 17 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	j	117	Total	C	N	O	S	0	0
			940	591	189	156	4		

- Molecule 18 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	k	101	Total	C	N	O	0	0
			787	501	139	147		

- Molecule 19 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	l	109	Total	C	N	O	S	0	0
			842	525	164	150	3		

- Molecule 20 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	m	93	Total	C	N	O	S	0	0
			752	472	137	139	4		

- Molecule 21 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	n	101	Total	C	N	O	S	0	0
			762	478	142	138	4		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	o	82	Total	C	N	O	0	0
			630	390	123	117		

- Molecule 23 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	p	54	Total	C	N	O	S	0	0
			426	262	86	71	7		

- Molecule 24 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	q	48	Total	C	N	O	S	0	0
			401	244	80	73	4		

- Molecule 25 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	r	44	Total	C	N	O	S	0	0
			368	222	89	55	2		

- Molecule 26 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	s	64	Total	C	N	O	S	0	0
			512	321	107	82	2		

- Molecule 27 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	t	36	Total	C	N	O	S	0	0
			289	181	59	45	4		

- Molecule 28 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	u	58	Total	C	N	O	S	0	0
			444	275	92	75	2		

- Molecule 29 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	v	65	Total	C	N	O	S	0	0
			530	328	102	98	2		

- Molecule 30 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	w	58	Total	C	N	O	S	0	0
			456	281	89	85	1		

- Molecule 31 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
31	V	1	Total	Mg	0
			1	1	
31	U	214	Total	Mg	0
			214	214	
31	W	2	Total	Mg	0
			2	2	
31	e	1	Total	Mg	0
			1	1	
31	u	1	Total	Mg	0
			1	1	

- Molecule 32 is ZINC ION (three-letter code: ZN) (formula: Zn).




<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>AltConf</b>
32	p	1	Total 1	Zn 1	0
32	q	1	Total 1	Zn 1	0
32	t	1	Total 1	Zn 1	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribonuclease M5

Chain B:  97%




- Molecule 1: Ribonuclease M5


Chain A:  37% 63%



ALA


- Molecule 2: pre-5S rRNA

Chain V:  76% 24%




- Molecule 3: 50S ribosomal protein L10

Chain b:  73% 26%




- Molecule 4: pre-23S rRNA


Chain U:  78% 22%



A205	A214	A217	A222	A223	A224	C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503
A214	A217	A222	A223	A224	C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503	
A217	A222	A223	A224	C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503		
A222	A223	A224	C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503			
A223	A224	C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503				
A224	C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503					
C226	A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503						
A227	A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503							
A228	G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503								
G231	A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503									
A328	G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503										
G336	G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503											
G518	A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503												
A700	G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503													
G936	U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503														
U1104	A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503															
A1186	A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503																
A1421	A1590	C1660	G1886	G2048	G2189	G2331	A2503																	
A1590	C1660	G1886	G2048	G2189	G2331	A2503																		
C1660	G1886	G2048	G2189	G2331	A2503																			
G1886	G2048	G2189	G2331	A2503																				
G2048	G2189	G2331	A2503																					
G2189	G2331	A2503																						
G2331	A2503																							
A2503																								



- Molecule 5: 50S ribosomal protein L2



- Molecule 6: 50S ribosomal protein L3



- Molecule 7: 50S ribosomal protein L4




- Molecule 8: 50S ribosomal protein L5



- Molecule 9: 50S ribosomal protein L6



- Molecule 10: 50S ribosomal protein L13



- Molecule 11: 50S ribosomal protein L14

Chain d:  100%

There are no outlier residues recorded for this chain.


- Molecule 12: 50S ribosomal protein L15

Chain e:  100%

There are no outlier residues recorded for this chain.

- Molecule 13: 50S ribosomal protein L16

Chain f:  94%



- Molecule 14: 50S ribosomal protein L17

Chain g:  99%



- Molecule 15: 50S ribosomal protein L18

Chain h:  99%



- Molecule 16: 50S ribosomal protein L19

Chain i:  96%




- Molecule 17: 50S ribosomal protein L20

Chain j:  98%




- Molecule 18: 50S ribosomal protein L21

Chain k:  98%



- Molecule 19: 50S ribosomal protein L22

Chain l: 96%



- Molecule 20: 50S ribosomal protein L23

Chain m: 98%




- Molecule 21: 50S ribosomal protein L24

Chain n: 98%



- Molecule 22: 50S ribosomal protein L27

Chain o: 86% 13%



- Molecule 23: 50S ribosomal protein L32

Chain p: 92% 8%



- Molecule 24: 50S ribosomal protein L33 1

Chain q: 98%




- Molecule 25: 50S ribosomal protein L34

Chain r: 100%

There are no outlier residues recorded for this chain.

- Molecule 26: 50S ribosomal protein L35

Chain s:  97%




- Molecule 27: 50S ribosomal protein L36

Chain t:  97%



- Molecule 28: 50S ribosomal protein L28

Chain u:  94% 6%



- Molecule 29: 50S ribosomal protein L29

Chain v:  98%



- Molecule 30: 50S ribosomal protein L30

Chain w:  98%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	92799	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	23.94	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.30	0/554	0.44	0/736
1	B	0.27	0/1444	0.44	0/1939
2	V	0.64	0/2938	0.84	0/4579
3	b	0.27	0/963	0.51	0/1298
4	U	0.90	0/70333	0.89	61/109728 (0.1%)
5	W	0.43	0/2148	0.51	0/2881
6	X	0.45	0/1597	0.49	0/2140
7	Y	0.43	0/1580	0.48	0/2132
8	Z	0.31	0/1423	0.50	0/1910
9	a	0.34	0/1360	0.47	0/1832
10	c	0.48	1/1147 (0.1%)	0.50	0/1542
11	d	0.42	0/928	0.51	0/1245
12	e	0.43	0/1094	0.52	0/1457
13	f	0.42	0/1120	0.47	0/1496
14	g	0.43	0/961	0.48	0/1284
15	h	0.33	0/922	0.46	0/1236
16	i	0.45	0/950	0.49	0/1269
17	j	0.53	0/952	0.50	0/1266
18	k	0.48	0/798	0.52	0/1070
19	l	0.44	0/851	0.46	0/1146
20	m	0.45	0/759	0.49	0/1011
21	n	0.40	0/772	0.49	0/1032
22	o	0.46	0/638	0.52	0/847
23	p	0.45	0/433	0.47	0/574
24	q	0.41	0/406	0.49	0/540
25	r	0.46	0/371	0.47	0/483
26	s	0.41	0/519	0.45	0/680
27	t	0.40	0/292	0.45	0/383
28	u	0.37	0/448	0.50	0/596
29	v	0.36	0/531	0.45	0/707
30	w	0.41	0/458	0.49	0/613
All	All	0.80	1/99690 (0.0%)	0.81	61/149652 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	c	80	GLN	C-N	-5.04	1.22	1.34

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	U	696	C	N1-C2-O2	9.20	124.42	118.90
4	U	1243	G	O4'-C1'-N9	9.03	115.43	108.20
4	U	1525	C	C2-N1-C1'	-8.69	109.25	118.80
4	U	696	C	C2-N1-C1'	8.28	127.91	118.80
4	U	696	C	N3-C2-O2	-7.78	116.46	121.90
4	U	2236	C	N3-C2-O2	-7.71	116.50	121.90
4	U	1525	C	C6-N1-C1'	7.31	129.57	120.80
4	U	1351	C	C2-N1-C1'	7.08	126.59	118.80
4	U	1431	U	C2-N1-C1'	7.06	126.17	117.70
4	U	1550	C	C6-N1-C1'	6.94	129.13	120.80
4	U	1557	C	N3-C2-O2	-6.91	117.06	121.90
4	U	286	C	N1-C2-O2	6.81	122.99	118.90
4	U	1550	C	N3-C2-O2	-6.63	117.26	121.90
4	U	696	C	C6-N1-C1'	-6.56	112.93	120.80
4	U	1527	G	N3-C4-N9	-6.54	122.08	126.00
4	U	2155	C	N1-C2-O2	6.39	122.73	118.90
4	U	526	G	O4'-C1'-N9	6.35	113.28	108.20
4	U	1550	C	C5-C4-N4	6.34	124.64	120.20
4	U	1520	U	N3-C2-O2	-6.21	117.86	122.20
4	U	1578	A	C6-C5-N7	-6.19	127.97	132.30
4	U	1818	A	N1-C2-N3	6.18	132.39	129.30
4	U	1350	U	C2-N1-C1'	6.11	125.03	117.70
4	U	1920	C	N3-C2-O2	-6.10	117.63	121.90
4	U	2155	C	N3-C2-O2	-6.03	117.68	121.90
4	U	1431	U	N3-C2-O2	-6.00	118.00	122.20
4	U	1431	U	N1-C2-O2	5.87	126.91	122.80
4	U	1550	C	C2-N1-C1'	-5.81	112.41	118.80
4	U	1550	C	N1-C2-N3	5.74	123.22	119.20
4	U	1525	C	O4'-C1'-N1	5.67	112.74	108.20
4	U	1564	G	C5-C6-O6	5.67	132.00	128.60
4	U	1351	C	C6-N1-C1'	-5.65	114.02	120.80
4	U	1818	A	C2-N3-C4	-5.64	107.78	110.60
4	U	2209	G	N3-C4-N9	-5.45	122.73	126.00
4	U	1524	G	N3-C4-N9	-5.45	122.73	126.00
4	U	287	C	N3-C2-O2	-5.44	118.09	121.90
4	U	1146	C	C2-N1-C1'	5.38	124.72	118.80
4	U	2187	G	N1-C2-N2	-5.32	111.41	116.20

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	U	1201	G	N3-C4-N9	5.30	129.18	126.00
4	U	714	G	C4-N9-C1'	5.29	133.37	126.50
4	U	1201	G	C8-N9-C1'	-5.28	120.13	127.00
4	U	2487	U	N3-C2-O2	-5.27	118.51	122.20
4	U	1386	A	O4'-C1'-N9	5.26	112.41	108.20
4	U	1528	G	C5-C6-O6	5.25	131.75	128.60
4	U	526	G	C4-N9-C1'	5.24	133.31	126.50
4	U	556	G	P-O3'-C3'	5.21	125.95	119.70
4	U	1525	C	N3-C4-N4	-5.20	114.36	118.00
4	U	1520	U	N1-C2-O2	5.18	126.43	122.80
4	U	1649	G	O4'-C1'-N9	5.18	112.35	108.20
4	U	111	U	C2-N1-C1'	5.17	123.91	117.70
4	U	1550	C	N3-C4-N4	-5.17	114.38	118.00
4	U	526	G	C8-N9-C1'	-5.17	120.28	127.00
4	U	1527	G	N3-C4-C5	5.16	131.18	128.60
4	U	1201	G	C4-N9-C1'	5.12	133.15	126.50
4	U	731	U	N3-C2-O2	-5.11	118.62	122.20
4	U	2243	G	C5-C6-O6	5.08	131.65	128.60
4	U	1897	U	N1-C2-O2	5.08	126.35	122.80
4	U	731	U	C2-N1-C1'	5.06	123.77	117.70
4	U	1564	G	N3-C4-N9	-5.01	122.99	126.00
4	U	1578	A	N9-C4-C5	-5.01	103.80	105.80
4	U	1243	G	OP1-P-O3'	5.01	116.22	105.20
4	U	1578	A	N3-C4-N9	5.01	131.41	127.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/187 (36%)	63 (94%)	4 (6%)	0	100	100
1	B	181/187 (97%)	169 (93%)	12 (7%)	0	100	100
3	b	121/166 (73%)	97 (80%)	24 (20%)	0	100	100
5	W	273/277 (99%)	242 (89%)	31 (11%)	0	100	100
6	X	205/209 (98%)	183 (89%)	22 (11%)	0	100	100
7	Y	203/207 (98%)	178 (88%)	25 (12%)	0	100	100
8	Z	176/179 (98%)	149 (85%)	27 (15%)	0	100	100
9	a	173/179 (97%)	151 (87%)	22 (13%)	0	100	100
10	c	140/145 (97%)	131 (94%)	9 (6%)	0	100	100
11	d	120/122 (98%)	110 (92%)	10 (8%)	0	100	100
12	e	144/146 (99%)	129 (90%)	15 (10%)	0	100	100
13	f	136/144 (94%)	129 (95%)	7 (5%)	0	100	100
14	g	117/120 (98%)	105 (90%)	12 (10%)	0	100	100
15	h	118/120 (98%)	108 (92%)	10 (8%)	0	100	100
16	i	112/115 (97%)	105 (94%)	7 (6%)	0	100	100
17	j	115/119 (97%)	109 (95%)	6 (5%)	0	100	100
18	k	99/102 (97%)	83 (84%)	16 (16%)	0	100	100
19	l	107/113 (95%)	105 (98%)	2 (2%)	0	100	100
20	m	91/95 (96%)	84 (92%)	7 (8%)	0	100	100
21	n	99/103 (96%)	90 (91%)	9 (9%)	0	100	100
22	o	80/94 (85%)	73 (91%)	7 (9%)	0	100	100
23	p	52/59 (88%)	47 (90%)	5 (10%)	0	100	100
24	q	46/49 (94%)	42 (91%)	4 (9%)	0	100	100
25	r	42/44 (96%)	40 (95%)	2 (5%)	0	100	100
26	s	62/66 (94%)	58 (94%)	4 (6%)	0	100	100
27	t	34/37 (92%)	33 (97%)	1 (3%)	0	100	100
28	u	56/62 (90%)	50 (89%)	6 (11%)	0	100	100
29	v	63/66 (96%)	56 (89%)	7 (11%)	0	100	100
30	w	56/59 (95%)	55 (98%)	1 (2%)	0	100	100
All	All	3288/3571 (92%)	2974 (90%)	314 (10%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	50/143 (35%)	50 (100%)	0	100	100
1	B	139/143 (97%)	138 (99%)	1 (1%)	84	92
3	b	105/138 (76%)	103 (98%)	2 (2%)	57	79
5	W	223/225 (99%)	223 (100%)	0	100	100
6	X	168/170 (99%)	167 (99%)	1 (1%)	86	93
7	Y	169/170 (99%)	168 (99%)	1 (1%)	86	93
8	Z	153/154 (99%)	151 (99%)	2 (1%)	69	86
9	a	148/151 (98%)	146 (99%)	2 (1%)	67	84
10	c	120/123 (98%)	120 (100%)	0	100	100
11	d	101/101 (100%)	101 (100%)	0	100	100
12	e	110/110 (100%)	110 (100%)	0	100	100
13	f	111/116 (96%)	109 (98%)	2 (2%)	59	80
14	g	99/100 (99%)	99 (100%)	0	100	100
15	h	93/93 (100%)	92 (99%)	1 (1%)	73	88
16	i	99/100 (99%)	95 (96%)	4 (4%)	31	63
17	j	96/98 (98%)	96 (100%)	0	100	100
18	k	83/84 (99%)	82 (99%)	1 (1%)	71	87
19	l	90/93 (97%)	90 (100%)	0	100	100
20	m	84/85 (99%)	84 (100%)	0	100	100
21	n	85/87 (98%)	85 (100%)	0	100	100
22	o	64/74 (86%)	63 (98%)	1 (2%)	62	83
23	p	48/53 (91%)	48 (100%)	0	100	100
24	q	46/47 (98%)	46 (100%)	0	100	100
25	r	39/39 (100%)	39 (100%)	0	100	100
26	s	54/56 (96%)	54 (100%)	0	100	100
27	t	34/35 (97%)	34 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
28	u	47/50 (94%)	47 (100%)	0	100	100
29	v	56/57 (98%)	56 (100%)	0	100	100
30	w	52/53 (98%)	52 (100%)	0	100	100
All	All	2766/2948 (94%)	2748 (99%)	18 (1%)	84	92

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	88	ARG
3	b	62	ARG
3	b	101	LYS
6	X	183	ARG
7	Y	151	LYS
8	Z	3	ARG
8	Z	80	ARG
9	a	96	ARG
9	a	165	TYR
13	f	11	ARG
13	f	60	ARG
15	h	61	LYS
16	i	13	LYS
16	i	40	ARG
16	i	54	ARG
16	i	107	ARG
18	k	47	LYS
22	o	22	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (47) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	142	GLN
1	B	159	HIS
5	W	11	ASN
5	W	45	ASN
5	W	58	HIS
5	W	199	GLN
5	W	230	HIS
5	W	232	HIS
6	X	33	ASN
6	X	173	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	Y	40	GLN
8	Z	45	GLN
8	Z	46	ASN
8	Z	135	GLN
8	Z	161	ASN
9	a	62	HIS
9	a	148	ASN
10	c	48	HIS
10	c	81	HIS
12	e	78	ASN
12	e	126	ASN
13	f	13	HIS
13	f	123	HIS
14	g	76	ASN
14	g	81	GLN
15	h	37	ASN
16	i	39	ASN
17	j	37	GLN
17	j	72	ASN
17	j	91	ASN
17	j	108	GLN
17	j	118	ASN
19	l	97	ASN
19	l	102	HIS
20	m	55	ASN
21	n	64	HIS
23	p	40	HIS
24	q	16	ASN
24	q	25	ASN
24	q	45	HIS
25	r	6	GLN
28	u	41	ASN
29	v	65	ASN
30	w	32	ASN
30	w	33	GLN
30	w	37	HIS
30	w	40	ASN

### 5.3.3 RNA [i](#)

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	V	122/123 (99%)	27 (22%)	4 (3%)
4	U	2923/2924 (99%)	607 (20%)	41 (1%)
All	All	3045/3047 (99%)	634 (20%)	45 (1%)

All (634) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	V	4	G
2	V	10	G
2	V	13	A
2	V	14	G
2	V	15	C
2	V	19	G
2	V	20	A
2	V	22	G
2	V	23	U
2	V	24	C
2	V	28	C
2	V	40	C
2	V	47	C
2	V	48	G
2	V	49	G
2	V	51	A
2	V	55	A
2	V	60	C
2	V	63	C
2	V	64	A
2	V	85	U
2	V	86	U
2	V	87	U
2	V	88	C
2	V	97	A
2	V	103	G
2	V	107	G
4	U	11	A
4	U	13	G
4	U	26	A
4	U	31	U
4	U	32	U
4	U	41	G
4	U	42	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	43	G
4	U	44	C
4	U	53	G
4	U	60	C
4	U	61	G
4	U	69	A
4	U	73	G
4	U	94	G
4	U	99	G
4	U	100	A
4	U	108	A
4	U	109	U
4	U	110	U
4	U	115	A
4	U	117	U
4	U	128	A
4	U	148	A
4	U	155	U
4	U	162	U
4	U	164	A
4	U	170	U
4	U	173	G
4	U	174	A
4	U	175	G
4	U	197	A
4	U	200	A
4	U	205	A
4	U	214	A
4	U	217	A
4	U	222	A
4	U	223	A
4	U	224	A
4	U	225	G
4	U	228	A
4	U	231	G
4	U	234	A
4	U	243	G
4	U	249	G
4	U	251	G
4	U	256	A
4	U	266	A
4	U	267	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	273	A
4	U	279	A
4	U	280	G
4	U	284	U
4	U	285	G
4	U	286	C
4	U	288	U
4	U	289	C
4	U	296	U
4	U	297	U
4	U	298	G
4	U	299	U
4	U	300	A
4	U	311	U
4	U	312	A
4	U	313	C
4	U	319	U
4	U	322	A
4	U	324	A
4	U	325	G
4	U	326	G
4	U	328	A
4	U	336	G
4	U	341	A
4	U	342	G
4	U	344	G
4	U	351	A
4	U	353	A
4	U	365	G
4	U	370	U
4	U	371	A
4	U	372	A
4	U	380	G
4	U	387	A
4	U	388	A
4	U	390	C
4	U	394	G
4	U	398	U
4	U	403	U
4	U	404	G
4	U	407	U
4	U	409	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	415	G
4	U	416	A
4	U	417	G
4	U	430	C
4	U	431	G
4	U	432	U
4	U	433	G
4	U	436	A
4	U	446	A
4	U	449	C
4	U	450	C
4	U	457	A
4	U	464	C
4	U	501	C
4	U	502	A
4	U	518	G
4	U	526	G
4	U	527	C
4	U	535	A
4	U	536	A
4	U	549	A
4	U	552	U
4	U	553	C
4	U	557	A
4	U	565	U
4	U	566	G
4	U	574	G
4	U	575	U
4	U	576	A
4	U	577	G
4	U	582	A
4	U	590	A
4	U	593	G
4	U	604	U
4	U	605	G
4	U	615	G
4	U	616	A
4	U	617	A
4	U	628	A
4	U	629	G
4	U	645	A
4	U	649	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	656	A
4	U	677	A
4	U	678	G
4	U	681	A
4	U	687	A
4	U	689	U
4	U	696	C
4	U	697	A
4	U	698	U
4	U	700	A
4	U	714	G
4	U	715	A
4	U	731	U
4	U	756	A
4	U	760	A
4	U	763	A
4	U	775	C
4	U	792	U
4	U	810	G
4	U	820	G
4	U	827	A
4	U	828	A
4	U	829	U
4	U	835	U
4	U	836	C
4	U	837	G
4	U	847	A
4	U	850	G
4	U	857	C
4	U	864	A
4	U	872	U
4	U	873	U
4	U	890	U
4	U	904	G
4	U	911	A
4	U	921	C
4	U	922	U
4	U	924	G
4	U	925	G
4	U	927	G
4	U	929	C
4	U	933	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	934	C
4	U	935	C
4	U	936	G
4	U	941	A
4	U	942	C
4	U	943	C
4	U	944	G
4	U	946	A
4	U	955	A
4	U	956	A
4	U	957	C
4	U	959	C
4	U	962	A
4	U	970	U
4	U	985	A
4	U	989	A
4	U	990	G
4	U	1003	A
4	U	1005	G
4	U	1018	A
4	U	1027	A
4	U	1040	A
4	U	1041	G
4	U	1043	U
4	U	1048	U
4	U	1056	U
4	U	1057	A
4	U	1066	G
4	U	1067	U
4	U	1070	A
4	U	1077	U
4	U	1089	U
4	U	1091	G
4	U	1092	A
4	U	1098	A
4	U	1099	G
4	U	1100	G
4	U	1101	A
4	U	1102	U
4	U	1103	G
4	U	1104	U
4	U	1105	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	1106	G
4	U	1108	C
4	U	1109	U
4	U	1111	A
4	U	1113	A
4	U	1116	C
4	U	1117	A
4	U	1118	G
4	U	1119	C
4	U	1120	C
4	U	1121	A
4	U	1122	C
4	U	1123	C
4	U	1124	A
4	U	1125	U
4	U	1126	U
4	U	1128	A
4	U	1131	G
4	U	1132	A
4	U	1133	G
4	U	1134	U
4	U	1137	G
4	U	1138	U
4	U	1139	A
4	U	1140	A
4	U	1141	U
4	U	1144	C
4	U	1150	G
4	U	1152	U
4	U	1155	A
4	U	1156	G
4	U	1158	G
4	U	1171	A
4	U	1172	A
4	U	1176	U
4	U	1177	A
4	U	1178	C
4	U	1179	C
4	U	1183	G
4	U	1186	A
4	U	1192	A
4	U	1207	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	1215	U
4	U	1216	U
4	U	1217	C
4	U	1218	G
4	U	1220	A
4	U	1244	G
4	U	1245	G
4	U	1248	G
4	U	1276	G
4	U	1291	A
4	U	1294	G
4	U	1295	C
4	U	1303	A
4	U	1309	G
4	U	1310	A
4	U	1312	A
4	U	1313	G
4	U	1337	A
4	U	1338	A
4	U	1339	U
4	U	1349	U
4	U	1350	U
4	U	1362	C
4	U	1375	G
4	U	1378	U
4	U	1382	C
4	U	1389	U
4	U	1402	A
4	U	1416	U
4	U	1421	A
4	U	1422	A
4	U	1431	U
4	U	1432	A
4	U	1433	U
4	U	1437	U
4	U	1447	C
4	U	1448	C
4	U	1453	C
4	U	1454	A
4	U	1456	U
4	U	1457	U
4	U	1458	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	1463	A
4	U	1464	U
4	U	1471	A
4	U	1472	C
4	U	1486	G
4	U	1488	A
4	U	1493	C
4	U	1494	G
4	U	1496	U
4	U	1497	A
4	U	1498	U
4	U	1499	U
4	U	1501	G
4	U	1502	A
4	U	1503	U
4	U	1504	A
4	U	1505	U
4	U	1511	U
4	U	1517	C
4	U	1522	A
4	U	1526	U
4	U	1527	G
4	U	1529	G
4	U	1531	A
4	U	1533	U
4	U	1534	A
4	U	1537	C
4	U	1538	A
4	U	1541	U
4	U	1551	A
4	U	1552	U
4	U	1554	A
4	U	1555	G
4	U	1558	U
4	U	1559	G
4	U	1560	A
4	U	1568	U
4	U	1569	G
4	U	1570	G
4	U	1571	C
4	U	1577	A
4	U	1579	A

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	1580	U
4	U	1581	A
4	U	1582	U
4	U	1584	G
4	U	1585	U
4	U	1594	U
4	U	1605	C
4	U	1612	A
4	U	1615	A
4	U	1624	U
4	U	1629	A
4	U	1630	G
4	U	1650	C
4	U	1651	A
4	U	1653	A
4	U	1660	C
4	U	1665	A
4	U	1690	U
4	U	1691	C
4	U	1717	G
4	U	1718	C
4	U	1743	A
4	U	1744	A
4	U	1755	G
4	U	1756	U
4	U	1772	A
4	U	1775	G
4	U	1776	A
4	U	1777	G
4	U	1778	C
4	U	1779	C
4	U	1790	G
4	U	1791	G
4	U	1796	G
4	U	1800	A
4	U	1803	G
4	U	1808	G
4	U	1812	A
4	U	1827	C
4	U	1828	G
4	U	1829	A
4	U	1835	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	1836	A
4	U	1837	A
4	U	1843	A
4	U	1844	G
4	U	1856	A
4	U	1874	A
4	U	1885	G
4	U	1893	A
4	U	1896	G
4	U	1897	U
4	U	1899	A
4	U	1900	G
4	U	1904	A
4	U	1910	G
4	U	1911	A
4	U	1916	A
4	U	1917	A
4	U	1926	A
4	U	1928	A
4	U	1933	G
4	U	1942	U
4	U	1943	A
4	U	1944	U
4	U	1945	A
4	U	1951	C
4	U	1954	A
4	U	1955	A
4	U	1956	G
4	U	1957	G
4	U	1963	A
4	U	1964	A
4	U	1965	A
4	U	1967	U
4	U	1982	U
4	U	1990	C
4	U	1992	C
4	U	1994	C
4	U	1997	A
4	U	1998	A
4	U	1999	G
4	U	2018	U
4	U	2019	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	2020	U
4	U	2023	C
4	U	2024	A
4	U	2048	G
4	U	2050	A
4	U	2058	A
4	U	2060	A
4	U	2070	C
4	U	2078	A
4	U	2079	G
4	U	2082	C
4	U	2087	A
4	U	2088	G
4	U	2089	A
4	U	2096	G
4	U	2119	U
4	U	2120	G
4	U	2123	U
4	U	2127	G
4	U	2129	U
4	U	2130	A
4	U	2132	A
4	U	2135	U
4	U	2136	U
4	U	2137	G
4	U	2138	U
4	U	2139	A
4	U	2140	C
4	U	2141	A
4	U	2144	A
4	U	2145	U
4	U	2147	G
4	U	2149	U
4	U	2150	A
4	U	2151	G
4	U	2152	G
4	U	2153	A
4	U	2154	G
4	U	2160	G
4	U	2161	A
4	U	2162	A
4	U	2167	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	2169	G
4	U	2173	C
4	U	2174	A
4	U	2177	U
4	U	2178	U
4	U	2180	G
4	U	2181	G
4	U	2184	G
4	U	2186	G
4	U	2187	G
4	U	2188	C
4	U	2191	C
4	U	2192	G
4	U	2193	G
4	U	2194	U
4	U	2195	G
4	U	2196	G
4	U	2197	G
4	U	2198	A
4	U	2202	U
4	U	2208	G
4	U	2209	G
4	U	2210	C
4	U	2215	U
4	U	2216	U
4	U	2218	A
4	U	2220	C
4	U	2230	G
4	U	2231	C
4	U	2244	G
4	U	2250	A
4	U	2252	A
4	U	2265	G
4	U	2266	G
4	U	2306	G
4	U	2310	C
4	U	2314	A
4	U	2331	G
4	U	2332	U
4	U	2335	G
4	U	2336	A
4	U	2337	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	2338	A
4	U	2343	U
4	U	2345	G
4	U	2347	A
4	U	2349	A
4	U	2355	A
4	U	2360	A
4	U	2361	C
4	U	2362	A
4	U	2372	G
4	U	2374	C
4	U	2377	C
4	U	2388	A
4	U	2398	G
4	U	2404	A
4	U	2410	G
4	U	2412	C
4	U	2433	C
4	U	2449	C
4	U	2450	U
4	U	2451	C
4	U	2452	A
4	U	2456	G
4	U	2457	A
4	U	2466	A
4	U	2468	C
4	U	2475	A
4	U	2497	G
4	U	2501	C
4	U	2503	A
4	U	2505	A
4	U	2508	G
4	U	2511	G
4	U	2529	G
4	U	2532	G
4	U	2540	A
4	U	2545	A
4	U	2556	G
4	U	2561	C
4	U	2562	G
4	U	2569	A
4	U	2579	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	2582	U
4	U	2583	C
4	U	2593	A
4	U	2594	G
4	U	2599	A
4	U	2605	G
4	U	2609	G
4	U	2610	G
4	U	2612	U
4	U	2613	C
4	U	2636	U
4	U	2637	C
4	U	2640	U
4	U	2656	A
4	U	2657	G
4	U	2666	A
4	U	2673	C
4	U	2686	G
4	U	2716	U
4	U	2717	A
4	U	2729	G
4	U	2740	C
4	U	2749	G
4	U	2751	U
4	U	2753	U
4	U	2760	A
4	U	2762	G
4	U	2771	G
4	U	2775	A
4	U	2783	U
4	U	2791	A
4	U	2792	A
4	U	2793	G
4	U	2803	A
4	U	2805	A
4	U	2806	U
4	U	2816	C
4	U	2821	C
4	U	2823	C
4	U	2826	G
4	U	2831	U
4	U	2843	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
4	U	2847	U
4	U	2848	G
4	U	2856	U
4	U	2857	G
4	U	2858	A
4	U	2890	G
4	U	2891	A
4	U	2895	G
4	U	2903	C
4	U	2914	A
4	U	2916	G
4	U	2919	U

All (45) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	V	3	U
2	V	19	G
2	V	47	C
2	V	59	U
4	U	10	A
4	U	41	G
4	U	108	A
4	U	109	U
4	U	173	G
4	U	227	A
4	U	250	C
4	U	265	C
4	U	403	U
4	U	408	G
4	U	435	A
4	U	526	G
4	U	535	A
4	U	556	G
4	U	791	U
4	U	835	U
4	U	921	C
4	U	1091	G
4	U	1115	G
4	U	1122	C
4	U	1133	G
4	U	1154	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	U	1216	U
4	U	1243	G
4	U	1337	A
4	U	1349	U
4	U	1436	C
4	U	1456	U
4	U	1516	G
4	U	1554	A
4	U	1579	A
4	U	1593	U
4	U	1628	G
4	U	1689	A
4	U	1777	G
4	U	1811	A
4	U	1835	U
4	U	2161	A
4	U	2186	G
4	U	2782	C
4	U	2890	G

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 222 ligands modelled in this entry, 222 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Map visualisation

This section contains visualisations of the EMDB entry EMD-10543. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections

This section was not generated.

### 6.2 Central slices

This section was not generated.

### 6.3 Largest variance slices

This section was not generated.

### 6.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

### 6.5 Orthogonal surface views

This section was not generated.

### 6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis

This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution

This section was not generated.

### 7.2 Volume estimate versus contour level

This section was not generated.

### 7.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit

This section was not generated.