



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 4, 2023 – 08:45 PM EDT

PDB ID : 6VR0
Title : Agrobacterium Tumefaciens ADP-glucose pyrophosphorylase W106A
Authors : Mascarenhas, R.N.; Liu, D.; Ballicora, M.; Iglesias, A.; Asencion, M.; Figueroa, C.
Deposited on : 2020-02-06
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 32581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glucose-1-phosphate adenylyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	404	3174	2014	551	596	13	0	0	0
1	B	403	3169	2011	550	595	13	0	0	0
1	C	404	3167	2008	551	595	13	0	0	0
1	D	404	3167	2008	551	595	13	0	0	0
1	E	406	3186	2022	554	597	13	0	0	0
1	F	403	3164	2008	548	595	13	0	0	0
1	G	404	3174	2014	551	596	13	0	0	0
1	H	404	3174	2014	551	596	13	0	0	0
1	I	404	3174	2014	551	596	13	0	0	0
1	J	404	3155	1999	549	594	13	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
B	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
C	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
D	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
E	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
F	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
G	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
H	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5
I	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	67	ALA	GLN	engineered mutation	UNP A0A083ZTG5

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	B	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	C	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	D	1	5	4	1	0	0
2	E	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	G	1	5	4	1	0	0
2	G	1	5	4	1	0	0
2	G	1	5	4	1	0	0
2	G	1	5	4	1	0	0
2	G	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	H	1	5	4	1	0	0
2	I	1	5	4	1	0	0
2	I	1	5	4	1	0	0
2	I	1	5	4	1	0	0
2	I	1	5	4	1	0	0
2	I	1	5	4	1	0	0
2	I	1	5	4	1	0	0
2	I	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	I	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	I	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	32	Total	O	0	0
			32	32		
4	B	23	Total	O	0	0
			23	23		
4	C	41	Total	O	0	0
			41	41		
4	D	20	Total	O	0	0
			20	20		
4	E	44	Total	O	0	0
			44	44		
4	F	42	Total	O	0	0
			42	42		
4	G	57	Total	O	0	0
			57	57		
4	H	45	Total	O	0	0
			45	45		
4	I	70	Total	O	0	0
			70	70		
4	J	52	Total	O	0	0
			52	52		

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	433.32Å 141.04Å 92.51Å 90.00° 102.30° 90.00°	Depositor
Resolution (Å)	50.63 – 2.20	Depositor
% Data completeness (in resolution range)	99.2 (50.63-2.20)	Depositor
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.88 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.214 , 0.243	Depositor
Wilson B-factor (Å ²)	23.8	Xtrriage
Anisotropy	0.639	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.478 for -h-2*1,-k,l	Xtrriage
Reported twinning fraction	0.500 for -h-2*1,-k,l	Depositor
Outliers	4 of 272606 reflections (0.001%)	Xtrriage
Total number of atoms	32581	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 56.58 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.6798e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

90 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	J	503	-	4,4,4	0.13	0	6,6,6	0.15	0
2	SO4	A	502	-	4,4,4	0.15	0	6,6,6	0.14	0
2	SO4	G	506	-	4,4,4	0.12	0	6,6,6	0.11	0
2	SO4	E	508	-	4,4,4	0.15	0	6,6,6	0.09	0
2	SO4	E	505	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	F	501	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	D	501	-	4,4,4	0.14	0	6,6,6	0.10	0
2	SO4	B	502	-	4,4,4	0.13	0	6,6,6	0.17	0
2	SO4	B	504	-	4,4,4	0.14	0	6,6,6	0.07	0
2	SO4	I	505	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	B	503	-	4,4,4	0.14	0	6,6,6	0.13	0
2	SO4	A	509	-	4,4,4	0.13	0	6,6,6	0.06	0
2	SO4	J	502	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	C	505	-	4,4,4	0.13	0	6,6,6	0.11	0
2	SO4	G	501	-	4,4,4	0.14	0	6,6,6	0.06	0
2	SO4	H	507	-	4,4,4	0.14	0	6,6,6	0.18	0
2	SO4	C	502	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	C	504	-	4,4,4	0.16	0	6,6,6	0.11	0
2	SO4	J	501	-	4,4,4	0.14	0	6,6,6	0.17	0
2	SO4	I	507	-	4,4,4	0.15	0	6,6,6	0.12	0
2	SO4	G	502	-	4,4,4	0.14	0	6,6,6	0.06	0
2	SO4	D	507	-	4,4,4	0.14	0	6,6,6	0.05	0
2	SO4	G	510	-	4,4,4	0.15	0	6,6,6	0.12	0
2	SO4	H	506	-	4,4,4	0.15	0	6,6,6	0.09	0
2	SO4	J	504	-	4,4,4	0.16	0	6,6,6	0.09	0
2	SO4	A	506	-	4,4,4	0.14	0	6,6,6	0.07	0
2	SO4	G	505	-	4,4,4	0.12	0	6,6,6	0.16	0
2	SO4	H	509	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	A	504	-	4,4,4	0.14	0	6,6,6	0.07	0
2	SO4	A	508	-	4,4,4	0.13	0	6,6,6	0.11	0
2	SO4	A	503	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	H	501	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	C	507	-	4,4,4	0.15	0	6,6,6	0.07	0
2	SO4	B	501	-	4,4,4	0.15	0	6,6,6	0.09	0
2	SO4	H	502	-	4,4,4	0.14	0	6,6,6	0.10	0
2	SO4	J	506	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	A	505	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	C	501	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	A	507	-	4,4,4	0.14	0	6,6,6	0.13	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	J	509	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	B	505	-	4,4,4	0.13	0	6,6,6	0.17	0
2	SO4	G	507	-	4,4,4	0.16	0	6,6,6	0.07	0
2	SO4	G	508	-	4,4,4	0.15	0	6,6,6	0.14	0
2	SO4	A	501	-	4,4,4	0.13	0	6,6,6	0.12	0
2	SO4	F	505	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	H	503	-	4,4,4	0.15	0	6,6,6	0.10	0
2	SO4	H	508	-	4,4,4	0.15	0	6,6,6	0.12	0
2	SO4	I	501	-	4,4,4	0.15	0	6,6,6	0.07	0
2	SO4	E	510	-	4,4,4	0.13	0	6,6,6	0.19	0
2	SO4	I	503	-	4,4,4	0.12	0	6,6,6	0.09	0
2	SO4	I	509	-	4,4,4	0.16	0	6,6,6	0.19	0
2	SO4	C	506	-	4,4,4	0.15	0	6,6,6	0.09	0
2	SO4	G	509	-	4,4,4	0.15	0	6,6,6	0.07	0
2	SO4	D	503	-	4,4,4	0.15	0	6,6,6	0.14	0
2	SO4	C	509	-	4,4,4	0.15	0	6,6,6	0.10	0
2	SO4	J	505	-	4,4,4	0.15	0	6,6,6	0.10	0
2	SO4	F	503	-	4,4,4	0.13	0	6,6,6	0.09	0
2	SO4	G	504	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	I	504	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	J	508	-	4,4,4	0.16	0	6,6,6	0.07	0
2	SO4	C	508	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	I	511	-	4,4,4	0.14	0	6,6,6	0.10	0
2	SO4	J	507	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	E	507	-	4,4,4	0.15	0	6,6,6	0.06	0
2	SO4	E	503	-	4,4,4	0.14	0	6,6,6	0.10	0
2	SO4	E	509	-	4,4,4	0.16	0	6,6,6	0.08	0
2	SO4	H	505	-	4,4,4	0.15	0	6,6,6	0.18	0
2	SO4	D	504	-	4,4,4	0.14	0	6,6,6	0.10	0
2	SO4	I	502	-	4,4,4	0.13	0	6,6,6	0.11	0
2	SO4	E	504	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	H	504	-	4,4,4	0.14	0	6,6,6	0.11	0
2	SO4	E	506	-	4,4,4	0.15	0	6,6,6	0.11	0
2	SO4	G	503	-	4,4,4	0.13	0	6,6,6	0.10	0
2	SO4	F	507	-	4,4,4	0.14	0	6,6,6	0.09	0
2	SO4	I	508	-	4,4,4	0.15	0	6,6,6	0.10	0
2	SO4	I	512	-	4,4,4	0.16	0	6,6,6	0.06	0
2	SO4	J	510	-	4,4,4	0.13	0	6,6,6	0.09	0
2	SO4	E	502	-	4,4,4	0.14	0	6,6,6	0.17	0
2	SO4	C	503	-	4,4,4	0.14	0	6,6,6	0.12	0
2	SO4	E	501	-	4,4,4	0.14	0	6,6,6	0.10	0
2	SO4	D	502	-	4,4,4	0.13	0	6,6,6	0.14	0
3	GOL	I	510	-	5,5,5	2.61	2 (40%)	5,5,5	1.51	1 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	F	504	-	4,4,4	0.14	0	6,6,6	0.14	0
2	SO4	F	506	-	4,4,4	0.14	0	6,6,6	0.17	0
2	SO4	I	513	-	4,4,4	0.15	0	6,6,6	0.05	0
2	SO4	I	506	-	4,4,4	0.15	0	6,6,6	0.08	0
2	SO4	F	502	-	4,4,4	0.13	0	6,6,6	0.11	0
2	SO4	D	505	-	4,4,4	0.15	0	6,6,6	0.12	0
2	SO4	D	506	-	4,4,4	0.15	0	6,6,6	0.07	0
2	SO4	D	508	-	4,4,4	0.13	0	6,6,6	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	I	510	-	-	0/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	I	510	GOL	C1-C2	4.61	1.70	1.51
3	I	510	GOL	C3-C2	3.01	1.64	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	510	GOL	C3-C2-C1	2.34	120.81	111.70

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.