



Full wwPDB EM Validation Report ⓘ

May 13, 2024 – 10:23 pm BST

PDB ID : 6XTX
EMDB ID : EMD-10619
Title : CryoEM structure of human CMG bound to ATPgammaS and DNA
Authors : Rzechorzek, N.J.; Pellegrini, L.
Deposited on : 2020-01-16
Resolution : 3.29 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.29 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition i

There are 16 unique types of molecules in this entry. The entry contains 40834 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA replication licensing factor MCM2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	2	691	5514	3471	988	1023	32	0	0

- Molecule 2 is a protein called DNA replication licensing factor MCM3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	3	608	4782	2997	844	916	25	0	0

- Molecule 3 is a protein called DNA replication licensing factor MCM4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	4	598	4784	3016	850	892	26	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	-19	MET	-	initiating methionine	UNP P33991
4	-18	HIS	-	expression tag	UNP P33991
4	-17	HIS	-	expression tag	UNP P33991
4	-16	HIS	-	expression tag	UNP P33991
4	-15	HIS	-	expression tag	UNP P33991
4	-14	HIS	-	expression tag	UNP P33991
4	-13	HIS	-	expression tag	UNP P33991
4	-12	HIS	-	expression tag	UNP P33991
4	-11	HIS	-	expression tag	UNP P33991
4	-10	GLU	-	expression tag	UNP P33991
4	-9	ASN	-	expression tag	UNP P33991
4	-8	LEU	-	expression tag	UNP P33991
4	-7	TYR	-	expression tag	UNP P33991
4	-6	PHE	-	expression tag	UNP P33991
4	-5	GLN	-	expression tag	UNP P33991

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
4	-4	GLY	-	expression tag	UNP P33991
4	-3	SER	-	expression tag	UNP P33991
4	-2	SER	-	expression tag	UNP P33991
4	-1	ALA	-	expression tag	UNP P33991
4	0	THR	-	expression tag	UNP P33991

- Molecule 4 is a protein called DNA replication licensing factor MCM5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	5	577	4524	2841	805	843	35	0	0

- Molecule 5 is a protein called DNA replication licensing factor MCM6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	6	679	5473	3448	965	1033	27	0	0

- Molecule 6 is a protein called DNA replication licensing factor MCM7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	7	598	4727	2960	837	901	29	0	0

- Molecule 7 is a protein called DNA replication complex GINS protein PSF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	A	196	1613	1016	290	295	12	0	0

- Molecule 8 is a protein called DNA replication complex GINS protein PSF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	B	176	1431	916	242	264	9	0	0

There are 37 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	186	GLU	-	expression tag	UNP Q9Y248
B	187	ASN	-	expression tag	UNP Q9Y248

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	188	LEU	-	expression tag	UNP Q9Y248
B	189	TYR	-	expression tag	UNP Q9Y248
B	190	PHE	-	expression tag	UNP Q9Y248
B	191	GLN	-	expression tag	UNP Q9Y248
B	192	GLY	-	expression tag	UNP Q9Y248
B	193	SER	-	expression tag	UNP Q9Y248
B	194	ALA	-	expression tag	UNP Q9Y248
B	195	TRP	-	expression tag	UNP Q9Y248
B	196	SER	-	expression tag	UNP Q9Y248
B	197	HIS	-	expression tag	UNP Q9Y248
B	198	PRO	-	expression tag	UNP Q9Y248
B	199	GLN	-	expression tag	UNP Q9Y248
B	200	PHE	-	expression tag	UNP Q9Y248
B	201	GLU	-	expression tag	UNP Q9Y248
B	202	LYS	-	expression tag	UNP Q9Y248
B	203	GLY	-	expression tag	UNP Q9Y248
B	204	GLY	-	expression tag	UNP Q9Y248
B	205	GLY	-	expression tag	UNP Q9Y248
B	206	SER	-	expression tag	UNP Q9Y248
B	207	GLY	-	expression tag	UNP Q9Y248
B	208	GLY	-	expression tag	UNP Q9Y248
B	209	GLY	-	expression tag	UNP Q9Y248
B	210	SER	-	expression tag	UNP Q9Y248
B	211	GLY	-	expression tag	UNP Q9Y248
B	212	GLY	-	expression tag	UNP Q9Y248
B	213	SER	-	expression tag	UNP Q9Y248
B	214	ALA	-	expression tag	UNP Q9Y248
B	215	TRP	-	expression tag	UNP Q9Y248
B	216	SER	-	expression tag	UNP Q9Y248
B	217	HIS	-	expression tag	UNP Q9Y248
B	218	PRO	-	expression tag	UNP Q9Y248
B	219	GLN	-	expression tag	UNP Q9Y248
B	220	PHE	-	expression tag	UNP Q9Y248
B	221	GLU	-	expression tag	UNP Q9Y248
B	222	LYS	-	expression tag	UNP Q9Y248

- Molecule 9 is a protein called DNA replication complex GINS protein PSF3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	194	1552	985	268	293	6	0	0

- Molecule 10 is a protein called DNA replication complex GINS protein SLD5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	203	1679	1065	290	314	10	0	0

- Molecule 11 is a protein called Cell division control protein 45 homolog.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	E	538	4380	2785	751	813	31	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	346	GLN	GLU	variant	UNP O75419


- Molecule 12 is a DNA chain called DNA (5'-D(P*TP*TP*TP*TP*TP*TP*TP*TP*T P*T)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
12	M	11	220	110	22	77	11	0	0

- Molecule 13 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
13	2	1	Total	Zn	0
			1	1	
13	4	1	Total	Zn	0
			1	1	
13	5	1	Total	Zn	0
			1	1	
13	6	1	Total	Zn	0
			1	1	
13	7	1	Total	Zn	0
			1	1	

- Molecule 14 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
14	2	1	Total	C	N	O	P	0
			27	10	5	10	2	
14	3	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 15 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
15	4	1	Total	C	N	O	P	S	0
			31	10	5	12	3	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
15	4	1	31	10	5	12	3	1	0
15	7	1	31	10	5	12	3	1	0

- Molecule 16 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
16	4	1	1	1	0
16	6	1	1	1	0
16	7	1	1	1	0

MolProbity failed to run properly - this section is therefore empty.

3 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	213527	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	57.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 8 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	AGS	4	902	16	26,33,33	0.81	0	26,52,52	0.81	1 (3%)
14	ADP	3	1001	-	24,29,29	0.94	1 (4%)	29,45,45	1.46	4 (13%)
15	AGS	4	904	16	26,33,33	0.82	0	26,52,52	0.83	1 (3%)
14	ADP	2	1001	-	24,29,29	0.98	1 (4%)	29,45,45	1.55	4 (13%)
15	AGS	7	1001	16	26,33,33	0.76	0	26,52,52	0.71	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	AGS	4	902	16	-	3/17/38/38	0/3/3/3
14	ADP	3	1001	-	-	4/12/32/32	0/3/3/3
15	AGS	4	904	16	-	7/17/38/38	0/3/3/3
14	ADP	2	1001	-	-	2/12/32/32	0/3/3/3
15	AGS	7	1001	16	-	4/17/38/38	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	2	1001	ADP	C5-C4	2.44	1.47	1.40
14	3	1001	ADP	C5-C4	2.21	1.46	1.40

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	2	1001	ADP	C3'-C2'-C1'	4.02	107.03	100.98
14	3	1001	ADP	PA-O3A-PB	-3.87	119.53	132.83
14	2	1001	ADP	PA-O3A-PB	-3.83	119.70	132.83
14	3	1001	ADP	N3-C2-N1	-3.28	123.56	128.68
14	2	1001	ADP	N3-C2-N1	-3.03	123.95	128.68
14	3	1001	ADP	C3'-C2'-C1'	2.60	104.89	100.98
14	2	1001	ADP	C4-C5-N7	-2.34	106.96	109.40
15	4	904	AGS	C5-C6-N6	2.24	123.75	120.35
15	4	902	AGS	C5-C6-N6	2.23	123.75	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	7	1001	AGS	C5-C6-N6	2.22	123.73	120.35
14	3	1001	ADP	C4-C5-N7	-2.14	107.17	109.40

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
14	3	1001	ADP	C5'-O5'-PA-O1A
14	3	1001	ADP	C5'-O5'-PA-O2A
15	4	904	AGS	PB-O3B-PG-O2G
15	4	904	AGS	PB-O3B-PG-O3G
15	4	904	AGS	C5'-O5'-PA-O1A
15	4	904	AGS	O4'-C4'-C5'-O5'
15	4	904	AGS	C5'-O5'-PA-O2A
15	4	902	AGS	PA-O3A-PB-O2B
15	4	904	AGS	C3'-C4'-C5'-O5'
15	7	1001	AGS	O4'-C4'-C5'-O5'
15	4	902	AGS	PB-O3B-PG-O2G
14	2	1001	ADP	C3'-C4'-C5'-O5'
14	3	1001	ADP	O4'-C4'-C5'-O5'
15	7	1001	AGS	PG-O3B-PB-O1B
14	3	1001	ADP	C5'-O5'-PA-O3A
15	4	904	AGS	C5'-O5'-PA-O3A
15	4	902	AGS	O4'-C4'-C5'-O5'
15	7	1001	AGS	PA-O3A-PB-O1B
15	7	1001	AGS	PA-O3A-PB-O2B
14	2	1001	ADP	C5'-O5'-PA-O1A


There are no ring outliers.



No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.







4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Map visualisation

This section contains visualisations of the EMDB entry EMD-10619. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

5.1 Orthogonal projections

This section was not generated.

5.2 Central slices

This section was not generated.

5.3 Largest variance slices

This section was not generated.

5.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

5.5 Orthogonal surface views

This section was not generated.

5.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

6 Map analysis

This section contains the results of statistical analysis of the map.

6.1 Map-value distribution

This section was not generated.

6.2 Volume estimate versus contour level

This section was not generated.

6.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

7 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

8 Map-model fit

This section was not generated.