



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 24, 2024 – 06:34 AM EDT

PDB ID : 6Z38  
Title : TodX deltaS2S3 mutant monoaromatic hydrocarbon channel  
Authors : van den Berg, B.  
Deposited on : 2020-05-19  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	432	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3115 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TodX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	414	3115	1972	528	610	5	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	72	TYR	ARG	conflict	UNP Q51971
A	73	ALA	SER	conflict	UNP Q51971
A	?	-	ASN	deletion	UNP Q51971
A	?	-	ASN	deletion	UNP Q51971
A	?	-	ARG	deletion	UNP Q51971
A	?	-	ALA	deletion	UNP Q51971
A	?	-	PRO	deletion	UNP Q51971
A	?	-	TYR	deletion	UNP Q51971
A	76	ALA	PRO	conflict	UNP Q51971
A	?	-	GLY	deletion	UNP Q51971
A	427	HIS	-	expression tag	UNP Q51971
A	428	HIS	-	expression tag	UNP Q51971
A	429	HIS	-	expression tag	UNP Q51971
A	430	HIS	-	expression tag	UNP Q51971
A	431	HIS	-	expression tag	UNP Q51971
A	432	HIS	-	expression tag	UNP Q51971



## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	80.11Å 115.93Å 172.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.14 – 2.90 48.14 – 2.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.14-2.90) 100.0 (48.14-2.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.43 (at 2.91Å)	Xtrriage
Refinement program	PHENIX 1.15.2_3472, PHENIX 1.15.2_3472	Depositor
R, $R_{free}$	0.253 , 0.318 0.260 , 0.322	Depositor DCC
$R_{free}$ test set	865 reflections (4.74%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	95.1	Xtrriage
Anisotropy	0.243	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 85.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	3115	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	127.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.15% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.50	0/3177	0.76	1/4313 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	67	PRO	N-CA-CB	6.59	111.21	103.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	111	THR	Peptide
1	A	185	GLY	Peptide
1	A	269	GLU	Peptide
1	A	321	HIS	Peptide
1	A	323	TYR	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3115	0	3038	132	0
All	All	3115	0	3038	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:ARG:NH1	1:A:149:ASP:OD1	1.98	0.95
1:A:20:SER:HG	1:A:32:SER:HG	0.97	0.93
1:A:308:PHE:HB3	1:A:315:ILE:HG22	1.53	0.90
1:A:275:THR:HG22	1:A:293:LYS:HG3	1.58	0.86
1:A:394:ARG:HH12	1:A:396:ARG:HH21	1.32	0.74
1:A:39:PHE:HZ	1:A:219:THR:HG21	1.49	0.74
1:A:17:GLY:N	1:A:372:THR:HG21	2.03	0.73
1:A:285:ARG:HB2	1:A:336:LYS:HB2	1.70	0.72
1:A:174:ASN:ND2	1:A:318:ALA:O	2.22	0.71
1:A:352:GLN:OE1	1:A:366:TYR:OH	2.10	0.69
1:A:17:GLY:H	1:A:372:THR:HG21	1.57	0.69
1:A:352:GLN:HB3	1:A:366:TYR:OH	1.93	0.68
1:A:16:MET:HG3	1:A:344:ARG:HB3	1.74	0.68
1:A:29:ALA:HA	1:A:32:SER:HB3	1.76	0.67
1:A:288:VAL:HG22	1:A:333:THR:HG22	1.78	0.66
1:A:195:PHE:CE1	1:A:247:LEU:HD13	2.31	0.65
1:A:294:ARG:HD2	1:A:296:TYR:CZ	2.32	0.64
1:A:39:PHE:CZ	1:A:219:THR:HG21	2.31	0.64
1:A:219:THR:HG22	1:A:221:LYS:HZ2	1.63	0.64
1:A:236:THR:HB	1:A:270:MET:HB2	1.83	0.61
1:A:112:GLU:HB2	1:A:190:GLY:HA2	1.84	0.60
1:A:117:THR:HG23	1:A:119:PHE:H	1.65	0.60
1:A:394:ARG:NH1	1:A:396:ARG:HH21	1.99	0.59
1:A:124:ARG:HG2	1:A:124:ARG:HH11	1.67	0.59
1:A:285:ARG:HG2	1:A:285:ARG:HH11	1.69	0.58
1:A:219:THR:HA	1:A:228:LEU:O	2.03	0.58
1:A:347:TYR:OH	1:A:369:ARG:NH1	2.36	0.58
1:A:219:THR:HG22	1:A:221:LYS:NZ	2.19	0.58
1:A:285:ARG:NH2	1:A:335:TYR:OH	2.36	0.57
1:A:293:LYS:HB3	1:A:328:VAL:HG13	1.87	0.57
1:A:367:LEU:HA	1:A:395:GLU:OE1	2.05	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:LYS:HG3	1:A:272:ALA:HB2	1.87	0.57
1:A:61:ASP:HB3	1:A:107:PHE:CZ	2.38	0.57
1:A:344:ARG:NH2	1:A:376:GLU:HB2	2.20	0.56
1:A:10:GLY:O	1:A:14:ARG:HB2	2.06	0.56
1:A:179:LEU:HD22	1:A:183:LEU:HD11	1.88	0.56
1:A:41:PRO:HB2	1:A:425:ASN:HD21	1.71	0.56
1:A:237:SER:OG	1:A:237:SER:O	2.24	0.55
1:A:101:GLU:OE2	1:A:103:GLY:N	2.38	0.54
1:A:359:ILE:HD13	1:A:411:GLN:HB2	1.88	0.54
1:A:31:ILE:CD1	1:A:131:PRO:HG3	2.37	0.54
1:A:7:GLU:OE1	1:A:8:GLY:N	2.41	0.54
1:A:20:SER:HA	1:A:25:THR:HG21	1.89	0.54
1:A:344:ARG:HH22	1:A:376:GLU:HB2	1.72	0.54
1:A:129:ARG:NH2	1:A:236:THR:OG1	2.40	0.54
1:A:275:THR:HG22	1:A:293:LYS:CG	2.36	0.53
1:A:143:THR:HG23	1:A:219:THR:HB	1.91	0.53
1:A:220:TYR:HE2	1:A:222:LEU:HA	1.73	0.53
1:A:241:LEU:HB2	1:A:265:VAL:HB	1.91	0.53
1:A:352:GLN:HE21	1:A:355:ASP:HB2	1.74	0.53
1:A:44:ASN:HD22	1:A:83:GLN:H	1.57	0.53
1:A:285:ARG:HH11	1:A:285:ARG:CG	2.22	0.53
1:A:60:HIS:O	1:A:61:ASP:OD2	2.28	0.52
1:A:205:GLY:C	1:A:207:VAL:H	2.13	0.52
1:A:195:PHE:CZ	1:A:247:LEU:HD13	2.44	0.52
1:A:47:GLU:O	1:A:48:LEU:HD12	2.10	0.51
1:A:49:GLY:O	1:A:50:LEU:HD12	2.09	0.51
1:A:352:GLN:H	1:A:368:LYS:NZ	2.08	0.51
1:A:297:TRP:HB3	1:A:323:TYR:HB3	1.92	0.51
1:A:58:LYS:HE3	1:A:60:HIS:CD2	2.46	0.50
1:A:246:THR:HG23	1:A:259:LEU:O	2.10	0.50
1:A:46:PHE:HD1	1:A:80:TYR:HB2	1.77	0.50
1:A:339:ASN:OD1	1:A:340:ASP:N	2.45	0.50
1:A:385:ILE:HG13	1:A:422:TYR:HD1	1.77	0.50
1:A:80:TYR:CE2	1:A:82:ALA:HB2	2.47	0.49
1:A:352:GLN:OE1	1:A:368:LYS:NZ	2.46	0.49
1:A:283:ASN:HB3	1:A:286:TRP:HB3	1.95	0.49
1:A:109:SER:O	1:A:117:THR:HG22	2.13	0.49
1:A:205:GLY:O	1:A:207:VAL:N	2.33	0.48
1:A:347:TYR:HD1	1:A:371:VAL:HG22	1.78	0.48
1:A:8:GLY:O	1:A:14:ARG:NH1	2.46	0.48
1:A:61:ASP:HA	1:A:409:LEU:HA	1.96	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:ILE:HD11	1:A:131:PRO:HG3	1.95	0.48
1:A:121:ASN:HA	1:A:158:GLU:O	2.14	0.48
1:A:24:TYR:CE1	1:A:40:ALA:HB2	2.50	0.47
1:A:220:TYR:CE2	1:A:222:LEU:HA	2.48	0.47
1:A:352:GLN:H	1:A:368:LYS:HZ1	1.60	0.47
1:A:14:ARG:O	1:A:372:THR:OG1	2.28	0.47
1:A:131:PRO:O	1:A:132:ILE:HD12	2.15	0.47
1:A:295:ALA:O	1:A:325:ASP:HA	2.15	0.47
1:A:297:TRP:CB	1:A:323:TYR:HB3	2.45	0.47
1:A:321:HIS:O	1:A:323:TYR:HB2	2.15	0.47
1:A:29:ALA:HB1	1:A:33:ASN:O	2.15	0.47
1:A:124:ARG:HG2	1:A:124:ARG:NH1	2.29	0.46
1:A:187:VAL:HG12	1:A:249:ALA:HB1	1.98	0.46
1:A:72:TYR:O	1:A:72:TYR:HD1	1.99	0.46
1:A:134:PHE:CE2	1:A:146:ALA:HB3	2.51	0.46
1:A:59:VAL:HG21	1:A:361:PRO:HB3	1.98	0.45
1:A:359:ILE:CD1	1:A:411:GLN:HB2	2.46	0.45
1:A:360:LEU:HD12	1:A:360:LEU:HA	1.73	0.45
1:A:245:ALA:CB	1:A:263:ILE:HG13	2.47	0.45
1:A:384:ARG:O	1:A:385:ILE:HG13	2.17	0.45
1:A:285:ARG:CG	1:A:285:ARG:NH1	2.79	0.45
1:A:179:LEU:HD22	1:A:183:LEU:CD1	2.47	0.45
1:A:196:SER:C	1:A:197:LEU:HD12	2.37	0.45
1:A:366:TYR:OH	1:A:368:LYS:NZ	2.49	0.44
1:A:157:LEU:H	1:A:197:LEU:HB2	1.82	0.44
1:A:44:ASN:HB3	1:A:80:TYR:CE1	2.53	0.44
1:A:359:ILE:HG21	1:A:399:THR:HB	2.00	0.43
1:A:16:MET:SD	1:A:334:ALA:HB2	2.58	0.43
1:A:199:ARG:H	1:A:199:ARG:HG3	1.51	0.43
1:A:324:GLN:NE2	1:A:354:LEU:O	2.52	0.43
1:A:385:ILE:HG13	1:A:422:TYR:CD1	2.53	0.43
1:A:44:ASN:ND2	1:A:83:GLN:H	2.15	0.43
1:A:380:ASP:C	1:A:382:ASP:H	2.22	0.43
1:A:4:PHE:C	1:A:6:LEU:H	2.22	0.43
1:A:175:LEU:HD11	1:A:315:ILE:HG12	1.99	0.43
1:A:235:LYS:HZ3	1:A:272:ALA:HB3	1.83	0.43
1:A:207:VAL:HA	1:A:242:GLU:O	2.19	0.43
1:A:293:LYS:HB3	1:A:328:VAL:CG1	2.47	0.43
1:A:57:ILE:HG13	1:A:413:HIS:HB2	2.01	0.42
1:A:199:ARG:O	1:A:201:SER:N	2.48	0.42
1:A:98:LEU:O	1:A:124:ARG:HA	2.18	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:LYS:O	1:A:384:ARG:NH1	2.53	0.42
1:A:175:LEU:HD11	1:A:315:ILE:CG1	2.49	0.42
1:A:11:ALA:O	1:A:388:ALA:HB2	2.19	0.42
1:A:352:GLN:HG3	1:A:355:ASP:HA	2.02	0.42
1:A:122:SER:O	1:A:157:LEU:HD12	2.20	0.42
1:A:16:MET:HE3	1:A:23:TYR:CZ	2.54	0.41
1:A:297:TRP:HB2	1:A:324:GLN:H	1.85	0.41
1:A:197:LEU:HD23	1:A:207:VAL:HG21	2.02	0.41
1:A:235:LYS:HE3	1:A:300:VAL:HG23	2.03	0.41
1:A:49:GLY:HA2	1:A:420:VAL:O	2.21	0.41
1:A:46:PHE:CD1	1:A:80:TYR:HB2	2.55	0.41
1:A:149:ASP:OD2	1:A:149:ASP:N	2.53	0.41
1:A:277:GLY:HA3	1:A:291:ASP:OD1	2.21	0.41
1:A:245:ALA:HB3	1:A:263:ILE:HG13	2.02	0.41
1:A:250:ILE:HA	1:A:255:ALA:O	2.21	0.41
1:A:15:ALA:HB2	1:A:388:ALA:HB2	2.03	0.40
1:A:87:TRP:CZ3	1:A:136:TYR:HB2	2.55	0.40
1:A:77:GLN:NE2	1:A:79:SER:OG	2.54	0.40
1:A:175:LEU:HG	1:A:180:VAL:HG21	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	410/432 (95%)	355 (87%)	38 (9%)	17 (4%)	<b>3</b>   <b>11</b>

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	7	GLU
1	A	182	SER

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	283	ASN
1	A	380	ASP
1	A	64	GLY
1	A	353	ALA
1	A	138	ALA
1	A	181	PRO
1	A	199	ARG
1	A	359	ILE
1	A	84	LEU
1	A	207	VAL
1	A	20	SER
1	A	67	PRO
1	A	41	PRO
1	A	300	VAL
1	A	204	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	327/344 (95%)	311 (95%)	16 (5%)	25 57

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	TYR
1	A	61	ASP
1	A	68	LYS
1	A	72	TYR
1	A	122	SER
1	A	140	SER
1	A	221	LYS
1	A	231	MET
1	A	240	ASP
1	A	266	LYS
1	A	282	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	335	TYR
1	A	377	TYR
1	A	378	ASP
1	A	379	PHE
1	A	413	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	77	GLN
1	A	174	ASN
1	A	200	ASN
1	A	324	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	414/432 (95%)	0.17	14 (3%) 45 40	74, 119, 183, 228	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	144	PHE	4.7
1	A	337	TYR	3.9
1	A	366	TYR	3.2
1	A	311	GLN	2.9
1	A	300	VAL	2.7
1	A	391	PHE	2.6
1	A	357	GLU	2.4
1	A	91	ALA	2.4
1	A	257	LEU	2.3
1	A	289	ALA	2.2
1	A	256	VAL	2.1
1	A	216	LEU	2.0
1	A	422	TYR	2.0
1	A	299	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands

There are no ligands in this entry.

## 6.5 Other polymers

There are no such residues in this entry.