



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 5, 2022 – 09:12 pm GMT

PDB ID : 6ZHT
Title : Uba1-Ubc13 disulfide mediated complex
Authors : Schaefer, A.; Misra, M.; Schindelin, H.
Deposited on : 2020-06-23
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.24
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.24


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	1001	
2	B	153	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 18472 atoms, of which 9042 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubiquitin-activating enzyme E1 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	C	983	15478	4958	7696	1288	1513	23	0	8	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	24	ALA	-	expression tag	UNP P22515
C	479	ALA	LEU	conflict	UNP P22515

- Molecule 2 is a protein called Ubiquitin-conjugating enzyme E2 13.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	B	153	2485	793	1250	207	231	4	0	2	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLY	-	expression tag	UNP P52490

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	C	1	14	3	8	3	0	0
3	B	1	14	3	8	3	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	C	4	Total Cl 4 4	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	287	Total O 288 288	0	1
5	B	48	Total O 49 49	0	1


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ubiquitin-activating enzyme E1 1



- Molecule 2: Ubiquitin-conjugating enzyme E2 13



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	181.39Å 58.27Å 137.46Å 90.00° 109.72° 90.00°	Depositor
Resolution (Å)	24.71 – 2.30 24.71 – 2.30	Depositor EDS
% Data completeness (in resolution range)	71.4 (24.71-2.30) 71.4 (24.71-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.31Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.206 , 0.263 0.206 , 0.264	Depositor DCC
R_{free} test set	2177 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	28.3	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	18472	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	0.27	0/7971	0.47	1/10784 (0.0%)
2	B	0.27	0/1271	0.48	0/1730
All	All	0.27	0/9242	0.47	1/12514 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	369	LEU	CA-CB-CG	6.14	129.43	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	36	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	7782	7696	7665	90	0
2	B	1235	1250	1244	14	0
3	B	6	8	8	0	0
3	C	66	88	88	0	0
4	C	4	0	0	0	0
5	B	49	0	0	0	0
5	C	288	0	0	2	2
All	All	9430	9042	9005	99	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:928:TRP:O	1:C:930:ARG:NH2	2.22	0.73
1:C:958:SER:OG	2:B:9:ILE:HD11	1.94	0.68
2:B:20:VAL:HG13	2:B:23:ILE:HB	1.76	0.67
1:C:416:ARG:NH1	5:C:1201:HOH:O	2.28	0.65
1:C:413:VAL:O	1:C:413:VAL:HG12	1.96	0.65
1:C:222:LEU:HD22	1:C:243:VAL:HG11	1.79	0.63
1:C:869:THR:O	1:C:873:VAL:HG23	1.98	0.63
1:C:25:VAL:HG21	1:C:28:LYS:HZ1	1.63	0.63
1:C:933:ILE:HB	1:C:1022:ILE:HD13	1.81	0.62
1:C:968:PHE:CD2	2:B:16:VAL:HG21	2.36	0.60
1:C:966:ALA:HB3	1:C:969:PHE:CD1	2.37	0.60
1:C:728:PHE:O	1:C:732:VAL:HG23	2.03	0.59
1:C:227:LEU:CD2	1:C:258:VAL:HG21	2.34	0.58
1:C:440:VAL:HG12	1:C:543:LEU:HD11	1.85	0.58
1:C:995:PRO:O	1:C:996:ALA:HB3	2.04	0.58
1:C:227:LEU:HD22	1:C:258:VAL:HG21	1.86	0.57
1:C:1006:CYS:SG	2:B:9:ILE:HG22	2.44	0.57
1:C:854:LYS:O	1:C:858:ILE:HD12	2.05	0.57
1:C:40:LEU:HD21	1:C:42:LEU:HD21	1.85	0.56
1:C:558:PHE:O	1:C:930:ARG:NH1	2.39	0.55
1:C:137:LYS:NZ	1:C:155:GLU:OE2	2.39	0.55
1:C:294:LEU:HD22	1:C:329:LEU:HD22	1.88	0.55
1:C:958:SER:CB	2:B:9:ILE:HD11	2.37	0.55
1:C:28:LYS:HG2	1:C:32:LEU:HD13	1.90	0.54
1:C:294:LEU:HD22	1:C:329:LEU:CD2	2.36	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:25:VAL:HG12	1:C:853:GLN:HG2	1.90	0.53
1:C:71:VAL:HG22	1:C:91:ARG:HG2	1.90	0.53
1:C:163:THR:HG21	1:C:369:LEU:HD21	1.90	0.53
1:C:160:PHE:CZ	1:C:394:LEU:HD21	2.44	0.53
1:C:79:GLN:HG2	1:C:82:LEU:HD12	1.91	0.52
1:C:449:MET:CE	1:C:540:THR:HG21	2.40	0.52
1:C:957:LEU:C	1:C:957:LEU:HD23	2.31	0.52
2:B:76:TYR:CE2	2:B:125:VAL:HG13	2.44	0.52
1:C:696:PRO:HD2	1:C:699:ALA:HB2	1.92	0.51
1:C:25:VAL:HG11	1:C:28:LYS:NZ	2.26	0.51
1:C:78:THR:HA	1:C:455:LEU:HD13	1.93	0.51
1:C:466:ILE:HB	1:C:513:ILE:HD13	1.93	0.51
1:C:807:ASP:OD2	1:C:809:SER:OG	2.27	0.50
1:C:509:LEU:HD23	1:C:513:ILE:HD11	1.93	0.50
1:C:228:PHE:HB3	1:C:240:ILE:HG23	1.93	0.50
2:B:4:LEU:HB3	2:B:5:PRO:HD3	1.94	0.50
1:C:176:PRO:HD2	1:C:259:LYS:HG2	1.93	0.50
1:C:995:PRO:O	1:C:996:ALA:CB	2.60	0.49
2:B:8:ILE:HG21	2:B:32:LEU:HB3	1.93	0.49
1:C:957:LEU:HD23	1:C:958:SER:N	2.28	0.49
1:C:231:GLU:HB3	1:C:239:ARG:HB3	1.95	0.49
1:C:797:GLU:N	1:C:797:GLU:OE2	2.45	0.48
1:C:437:VAL:HG11	1:C:453:TRP:CH2	2.48	0.48
1:C:449:MET:HE1	1:C:877:VAL:HG11	1.95	0.48
2:B:71:PHE:CD1	2:B:86:ILE:HD11	2.49	0.47
1:C:49:VAL:HG11	1:C:79:GLN:HE22	1.78	0.47
1:C:705:GLU:HB3	1:C:706:PRO:HD2	1.96	0.47
1:C:450:LEU:HB3	1:C:502:VAL:HG11	1.96	0.47
1:C:410:THR:CG2	1:C:410:THR:O	2.63	0.46
1:C:406:ASN:O	1:C:410:THR:HB	2.14	0.46
1:C:230:VAL:HG13	1:C:238:PHE:CD2	2.50	0.46
1:C:413:VAL:O	1:C:413:VAL:CG1	2.63	0.46
1:C:96:ARG:HD3	1:C:110:VAL:HG23	1.98	0.46
2:B:55:GLU:HG3	2:B:72:LEU:HD11	1.98	0.46
1:C:619:LEU:HD13	5:C:1338:HOH:O	2.16	0.46
1:C:49:VAL:HG11	1:C:79:GLN:OE1	2.16	0.46
2:B:71:PHE:HD1	2:B:86:ILE:HD11	1.81	0.45
1:C:219:LEU:HD23	1:C:247:GLY:C	2.37	0.45
1:C:227:LEU:HD22	1:C:258:VAL:CG2	2.46	0.45
1:C:958:SER:HB3	2:B:9:ILE:HD11	1.99	0.45
1:C:410:THR:HG23	1:C:422:ALA:HA	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:631:VAL:HB	1:C:816:LEU:HD12	1.98	0.45
1:C:53:LYS:NZ	1:C:448:GLU:OE1	2.48	0.44
1:C:71:VAL:HG13	1:C:82:LEU:HD13	1.99	0.44
1:C:211:VAL:HG13	1:C:230:VAL:HG21	2.00	0.44
1:C:994:ILE:HG22	1:C:996:ALA:H	1.82	0.44
1:C:615:TRP:CE3	1:C:841:ARG:HD2	2.53	0.44
1:C:49:VAL:HG11	1:C:79:GLN:NE2	2.32	0.44
1:C:964:LEU:HD23	1:C:989:VAL:HG21	2.00	0.44
1:C:150:ARG:NH1	1:C:377:ALA:O	2.51	0.43
1:C:313:THR:HG22	1:C:410:THR:HG21	1.99	0.43
1:C:79:GLN:HG2	1:C:82:LEU:CD1	2.48	0.43
1:C:79:GLN:CG	1:C:82:LEU:HG	2.49	0.43
1:C:499:ALA:CB	1:C:513:ILE:HG21	2.49	0.43
1:C:955:THR:HG23	1:C:967:SER:HB2	2.01	0.42
2:B:95:TRP:HA	2:B:99:LEU:HD12	2.02	0.42
1:C:198:LEU:HD21	1:C:710:GLY:HA2	2.01	0.42
1:C:922:LYS:NZ	1:C:950:GLU:OE1	2.47	0.42
1:C:557:VAL:HA	1:C:928:TRP:CZ3	2.54	0.42
2:B:43:GLU:O	2:B:44:GLN:HB2	2.20	0.42
1:C:313:THR:HG21	1:C:410:THR:CG2	2.49	0.42
1:C:59:GLY:O	1:C:60:VAL:HG13	2.21	0.41
1:C:301:GLN:HE22	1:C:329:LEU:HD12	1.85	0.41
1:C:722:ILE:HG12	1:C:755:VAL:HG13	2.03	0.41
1:C:482[A]:GLN:HA	1:C:482[A]:GLN:NE2	2.36	0.41
1:C:924:TYR:CD2	1:C:1018:PRO:HG3	2.56	0.41
1:C:994:ILE:HD11	1:C:1001:MET:HE1	2.02	0.41
1:C:977:ARG:HA	1:C:980:LEU:HD12	2.01	0.41
1:C:481:ARG:O	1:C:482[B]:GLN:CB	2.69	0.41
1:C:50:GLU:HG3	1:C:363:VAL:HG12	2.03	0.40
1:C:881:LEU:C	1:C:881:LEU:HD23	2.41	0.40
1:C:313:THR:CG2	1:C:410:THR:HG21	2.51	0.40
1:C:481:ARG:O	1:C:482[A]:GLN:HB3	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:1460:HOH:O	5:C:1460:HOH:O[2_555]	1.45	0.75
5:C:1214:HOH:O	5:C:1424:HOH:O[2_556]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	987/1001 (99%)	934 (95%)	46 (5%)	7 (1%)	22	26
2	B	153/153 (100%)	150 (98%)	2 (1%)	1 (1%)	22	26
All	All	1140/1154 (99%)	1084 (95%)	48 (4%)	8 (1%)	25	26

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	193	GLY
1	C	750	ASN
1	C	996	ALA
1	C	220	ASP
2	B	92	LYS
1	C	482[A]	GLN
1	C	482[B]	GLN
1	C	194	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	871/879 (99%)	845 (97%)	26 (3%)	41	57
2	B	136/135 (101%)	132 (97%)	4 (3%)	42	58
All	All	1007/1014 (99%)	977 (97%)	30 (3%)	43	57

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	112	ASP
1	C	130	ASP
1	C	250	LYS
1	C	251	LYS
1	C	263	LYS
1	C	265	SER
1	C	299	LEU
1	C	307[A]	ASN
1	C	307[B]	ASN
1	C	329	LEU
1	C	392	ASP
1	C	410	THR
1	C	481	ARG
1	C	483[A]	PHE
1	C	483[B]	PHE
1	C	517	ILE
1	C	619	LEU
1	C	670	GLU
1	C	695	PHE
1	C	747	ASP
1	C	748	ASP
1	C	752	LYS
1	C	930	ARG
1	C	961	VAL
1	C	972	LYS
1	C	999	SER
2	B	17	SER
2	B	85	ARG
2	B	94	ASN
2	B	129	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 4 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	C	1101	-	5,5,5	0.83	0	5,5,5	0.97	0
3	GOL	C	1111	-	5,5,5	0.79	0	5,5,5	0.82	0
3	GOL	C	1105	-	5,5,5	0.80	0	5,5,5	0.96	0
3	GOL	C	1103	-	5,5,5	0.81	0	5,5,5	0.96	0
3	GOL	C	1104	-	5,5,5	0.80	0	5,5,5	0.93	0
3	GOL	C	1106	-	5,5,5	0.75	0	5,5,5	0.88	0
3	GOL	C	1107	-	5,5,5	0.81	0	5,5,5	0.94	0
3	GOL	B	201	-	5,5,5	0.81	0	5,5,5	0.90	0
3	GOL	C	1102	-	5,5,5	0.80	0	5,5,5	1.02	0
3	GOL	C	1109	-	5,5,5	0.80	0	5,5,5	0.87	0
3	GOL	C	1110	-	5,5,5	0.78	0	5,5,5	0.91	0
3	GOL	C	1108	-	5,5,5	0.79	0	5,5,5	0.96	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	1101	-	-	2/4/4/4	-
3	GOL	C	1111	-	-	4/4/4/4	-
3	GOL	C	1105	-	-	4/4/4/4	-
3	GOL	C	1103	-	-	2/4/4/4	-
3	GOL	C	1104	-	-	2/4/4/4	-
3	GOL	C	1106	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	C	1107	-	-	2/4/4/4	-
3	GOL	B	201	-	-	1/4/4/4	-
3	GOL	C	1102	-	-	2/4/4/4	-
3	GOL	C	1109	-	-	2/4/4/4	-
3	GOL	C	1110	-	-	1/4/4/4	-
3	GOL	C	1108	-	-	1/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1101	GOL	C1-C2-C3-O3
3	C	1103	GOL	O1-C1-C2-C3
3	C	1105	GOL	O1-C1-C2-C3
3	C	1106	GOL	O1-C1-C2-C3
3	C	1107	GOL	C1-C2-C3-O3
3	C	1109	GOL	O1-C1-C2-O2
3	C	1109	GOL	O1-C1-C2-C3
3	C	1111	GOL	O1-C1-C2-C3
3	C	1104	GOL	O2-C2-C3-O3
3	C	1107	GOL	O2-C2-C3-O3
3	C	1111	GOL	O1-C1-C2-O2
3	C	1104	GOL	C1-C2-C3-O3
3	C	1105	GOL	C1-C2-C3-O3
3	C	1106	GOL	C1-C2-C3-O3
3	C	1111	GOL	C1-C2-C3-O3
3	C	1105	GOL	O1-C1-C2-O2
3	C	1106	GOL	O1-C1-C2-O2
3	C	1101	GOL	O2-C2-C3-O3
3	C	1102	GOL	O1-C1-C2-O2
3	C	1103	GOL	O1-C1-C2-O2
3	C	1111	GOL	O2-C2-C3-O3
3	B	201	GOL	O1-C1-C2-O2
3	C	1110	GOL	O2-C2-C3-O3
3	C	1106	GOL	O2-C2-C3-O3
3	C	1105	GOL	O2-C2-C3-O3
3	C	1102	GOL	O1-C1-C2-C3
3	C	1108	GOL	C1-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	983/1001 (98%)	0.57	103 (10%) 6 8	13, 38, 85, 142	0
2	B	153/153 (100%)	0.31	9 (5%) 22 28	26, 39, 63, 100	0
All	All	1136/1154 (98%)	0.54	112 (9%) 7 10	13, 38, 84, 142	0

All (112) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	479	ALA	10.1
1	C	25	VAL	9.2
1	C	236	PHE	7.7
1	C	24	ALA	7.3
2	B	152	PRO	7.1
1	C	191	PRO	6.6
1	C	748	ASP	6.2
1	C	667	HIS	5.7
1	C	202	ARG	5.6
1	C	776	LEU	5.5
1	C	746	SER	5.5
1	C	199	ASP	5.4
1	C	747	ASP	5.3
1	C	221	LYS	5.1
1	C	921	ASN	5.0
2	B	150	LYS	4.9
1	C	749	SER	4.9
1	C	245	GLU	4.8
1	C	194	THR	4.6
1	C	478	ASN	4.6
1	C	480	ASN	4.6
1	C	29	GLU	4.5
1	C	490	VAL	4.4
1	C	996	ALA	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	283	PHE	4.2
1	C	863	ILE	4.2
1	C	233	LEU	4.2
1	C	750	ASN	4.2
2	B	151	LYS	4.1
1	C	1011	GLU	4.0
1	C	232	VAL	4.0
1	C	200	ASP	4.0
1	C	28	LYS	4.0
1	C	30	ALA	3.9
1	C	220	ASP	3.9
1	C	246	TYR	3.8
1	C	798	ILE	3.8
1	C	594	GLU	3.8
1	C	795	SER	3.7
1	C	745	LYS	3.7
1	C	797	GLU	3.6
1	C	703	ASN	3.6
1	C	193	GLY	3.5
1	C	994	ILE	3.5
1	C	234	GLY	3.5
1	C	105	TYR	3.5
1	C	796	ASP	3.5
1	C	646	LYS	3.5
1	C	923	LYS	3.4
1	C	26	LEU	3.4
1	C	239	ARG	3.4
1	C	751	SER	3.3
1	C	476	LYS	3.3
1	C	31	MET	3.2
1	C	1010	LYS	3.2
1	C	249	TYR	3.2
1	C	730	PHE	3.2
1	C	837	CYS	3.1
1	C	339	GLU	3.1
1	C	189	ILE	3.1
2	B	94	ASN	3.1
1	C	857	PHE	3.1
1	C	595	LYS	3.1
1	C	995	PRO	3.0
1	C	488	LYS	3.0
1	C	235	PRO	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	638	PRO	3.0
1	C	862	ILE	2.9
2	B	34	TYR	2.9
1	C	1012	GLY	2.9
2	B	149	LYS	2.9
1	C	243	VAL	2.9
1	C	648	SER	2.8
1	C	341	VAL	2.8
1	C	836	ALA	2.8
1	C	577	VAL	2.8
1	C	918	GLU	2.7
1	C	948	LYS	2.7
1	C	190	GLU	2.7
1	C	338	GLY	2.7
1	C	702	SER	2.6
1	C	247	GLY	2.6
1	C	85	LYS	2.6
1	C	861	ARG	2.5
1	C	733	ALA	2.5
1	C	767	ILE	2.5
1	C	250	LYS	2.5
1	C	374	VAL	2.5
2	B	93	THR	2.5
1	C	248	GLU	2.5
1	C	864	PRO	2.5
1	C	993	ASP	2.5
2	B	1[A]	MET	2.4
1	C	701	THR	2.4
1	C	35	GLN	2.4
1	C	477	SER	2.3
1	C	286	PHE	2.3
1	C	833	PHE	2.3
1	C	651	VAL	2.3
1	C	647	GLN	2.3
1	C	917	GLY	2.2
1	C	164	PHE	2.2
1	C	744	ILE	2.2
1	C	771	THR	2.2
2	B	108	ILE	2.2
1	C	206	GLU	2.2
1	C	218	GLY	2.2
1	C	237	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	649	GLY	2.2
1	C	734	GLY	2.1
1	C	991	LYS	2.1
1	C	170	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	C	1111	6/6	0.76	0.29	54,65,76,79	0
3	GOL	C	1106	6/6	0.77	0.24	43,57,68,71	0
3	GOL	C	1107	6/6	0.79	0.23	53,64,75,75	0
3	GOL	C	1110	6/6	0.83	0.32	49,59,65,65	0
3	GOL	C	1104	6/6	0.83	0.34	42,56,67,67	0
3	GOL	C	1102	6/6	0.84	0.27	62,75,84,95	0
3	GOL	C	1109	6/6	0.84	0.47	44,56,75,75	0
3	GOL	C	1108	6/6	0.88	0.20	37,50,59,61	0
4	CL	C	1114	1/1	0.88	0.15	64,64,64,64	0
3	GOL	B	201	6/6	0.90	0.17	41,52,63,67	0
3	GOL	C	1105	6/6	0.90	0.20	44,53,62,63	0
4	CL	C	1113	1/1	0.91	0.36	81,81,81,81	1
4	CL	C	1115	1/1	0.95	0.17	53,53,53,53	0
4	CL	C	1112	1/1	0.96	0.14	35,35,35,35	0
3	GOL	C	1103	6/6	0.96	0.17	33,50,60,72	0
3	GOL	C	1101	6/6	0.97	0.13	27,33,37,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.