



Full wwPDB EM Validation Report ⓘ

Oct 1, 2024 – 12:29 PM JST

PDB ID : 7EG7
EMDB ID : EMD-31107
Title : TFIID-based core PIC on SCP promoter
Authors : Chen, X.; Qi, Y.; Hou, H.; Wang, X.; Wu, Z.; Li, J.; Xu, Y.
Deposited on : 2021-03-24
Resolution : 6.20 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 6.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1872	
2	B	1199	
3	D	1085	
3	d	1085	
4	E	800	
4	e	800	
5	F	677	
5	f	677	
6	G	349	






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	H	310	
8	I	264	
8	i	264	
9	J	218	
9	j	218	
10	L	161	
10	l	161	
11	O	109	
12	P	339	
13	Q	376	
14	R	316	
15	S	517	
16	T	249	
17	X	79	
18	Y	79	
19	c	929	
20	k	211	
21	m	124	
22	o	1970	
23	p	1174	
24	q	275	
25	r	142	
26	s	210	
27	t	127	
28	v	150	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	w	125	
30	x	67	
31	y	117	
32	z	58	
33	u	172	

2 Entry composition [i](#)

There are 35 unique types of molecules in this entry. The entry contains 81525 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription initiation factor TFIID subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	599	Total	C	N	O	S	0	0
			4909	3132	855	894	28		

- Molecule 2 is a protein called Transcription initiation factor TFIID subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	963	Total	C	N	O	S	0	0
			7795	5011	1315	1411	58		

- Molecule 3 is a protein called Transcription initiation factor TFIID subunit 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	D	165	Total	C	N	O	S	0	0
			1377	858	257	258	4		
3	d	158	Total	C	N	O	S	0	0
			1307	814	238	252	3		

- Molecule 4 is a protein called Transcription initiation factor TFIID subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	E	546	Total	C	N	O	S	0	0
			4364	2766	757	820	21		
4	e	539	Total	C	N	O	S	0	0
			4327	2746	748	814	19		

- Molecule 5 is a protein called Transcription initiation factor TFIID subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	F	404	Total	C	N	O	S	0	0
			3081	1954	537	572	18		
5	f	403	Total	C	N	O	S	0	0
			3081	1954	533	576	18		

- Molecule 6 is a protein called Transcription initiation factor TFIID subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	G	145	1180	748	217	211	4	0	0

- Molecule 7 is a protein called Transcription initiation factor TFIID subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	H	209	1633	1034	283	311	5	0	0

- Molecule 8 is a protein called Transcription initiation factor TFIID subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	I	120	959	610	166	177	6	0	0
8	i	121	967	615	167	178	7	0	0

- Molecule 9 is a protein called Transcription initiation factor TFIID subunit 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	J	89	709	457	114	134	4	0	0
9	j	95	759	488	124	143	4	0	0

- Molecule 10 is a protein called Transcription initiation factor TFIID subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	L	76	622	388	109	122	3	0	0
10	l	107	876	547	158	166	5	0	0

- Molecule 11 is a protein called Transcription initiation factor IIA subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	O	97	771	491	133	145	2	0	0

- Molecule 12 is a protein called TATA-box-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	P	177	1412	918	249	238	7	0	0

- Molecule 13 is a protein called Transcription initiation factor IIA subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	Q	122	996	623	162	207	4	0	0

- Molecule 14 is a protein called Transcription initiation factor IIB.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	R	248	1913	1200	338	358	17	0	0

- Molecule 15 is a protein called General transcription factor IIF subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	S	134	1101	698	199	202	2	0	0

- Molecule 16 is a protein called General transcription factor IIF subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	T	113	876	545	160	169	2	0	0

- Molecule 17 is a DNA chain called DNA (79-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
17	X	71	1469	691	287	420	71	0	0

- Molecule 18 is a DNA chain called DNA (79-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
18	Y	71	1442	684	255	432	71	0	0

- Molecule 19 is a protein called Transcription initiation factor TFIID subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	c	127	1011	638	174	193	6	0	0

- Molecule 20 is a protein called Transcription initiation factor TFIID subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	k	98	785	499	142	139	5	0	0

- Molecule 21 is a protein called Transcription initiation factor TFIID subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	m	87	724	456	131	131	6	0	0

- Molecule 22 is a protein called RPB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	o	1427	11308	7114	2023	2099	72	0	0

- Molecule 23 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	p	1134	9062	5732	1595	1671	64	0	0

- Molecule 24 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	q	257	2059	1294	351	408	6	0	0

- Molecule 25 is a protein called DNA-directed RNA polymerase II subunit RPB4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	r	128	1005	632	172	197	4	0	0

- Molecule 26 is a protein called DNA-directed RNA polymerase II subunit E.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	s	209	Total	C	N	O	S	0	0
			1720	1089	300	323	8		

- Molecule 27 is a protein called DNA-directed RNA polymerase II subunit F.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	t	79	Total	C	N	O	S	0	0
			635	406	108	116	5		

- Molecule 28 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	v	148	Total	C	N	O	S	0	0
			1186	750	194	237	5		

- Molecule 29 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	w	114	Total	C	N	O	S	0	0
			927	571	166	179	11		

- Molecule 30 is a protein called RPB10.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	x	64	Total	C	N	O	S	0	0
			507	328	86	87	6		

- Molecule 31 is a protein called RNA_pol_L_2 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	y	117	Total	C	N	O	S	0	0
			937	604	154	177	2		

- Molecule 32 is a protein called RPB12.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	z	44	Total	C	N	O	S	0	0
			372	231	72	63	6		

- Molecule 33 is a protein called DNA-directed RNA polymerase II subunit RPB7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	u	171	1351	875	219	249	8	0	0

- Molecule 34 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
34	R	1	Total	Zn	0
			1	1	
34	o	2	Total	Zn	0
			2	2	
34	p	1	Total	Zn	0
			1	1	
34	q	1	Total	Zn	0
			1	1	
34	w	2	Total	Zn	0
			2	2	
34	x	1	Total	Zn	0
			1	1	
34	z	1	Total	Zn	0
			1	1	


- Molecule 35 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
35	o	1	Total	Mg	0
			1	1	


ASP	PHE	GLN	MET	LYS	ILE	D924	D925	E926	V927	R928	T929	A940	K943	G944	K945	E949	V950	T951	G952	V953	A954	D955	P956	T957	G958	C959	G960	E961	G962	V966	K967	I968	P969	N970	K971	PRO	THR	GLN	GLN	LYS	ASP	ASP	GLU	GLU	PRO	GLN	GLN	PRO	VAL	LYS	LYS	THR	THR	GLY	THR					
D992	A993	D994	I995	R996	R997	L998	S999	L1000	K1001	M1002	A1003	K1004	Q1005	L1006	L1007	R1008	K1009	F1010	G1011	V1012	P1013	E1014	E1015	E1016	I1017	K1018	K1019	L1020	S1021	R1022	W1023	E1024	D1027	V1028	V1029	R1030	T1031	M1032	S1033	T1034	E1035	GLN	ALA	ARG	ARG	GLY	GLY	GLY	PRO	PRO	THR	THR	LYS	LYS	PHE	ALA	ARG	GLY	THR	
F1053	S1054	V1055	A1056	E1057	H1058	Q1059	R1061	Y1062	K1063	E1064	E1065	C1066	Q1067	R1068	Q1073	N1074	K1075	V1076	V1082	L1083	S1084	T1085	THR	THR	ASP	SER	SER	SER	ALA	GLU	ASP	ASP	PHE	GLU	GLU	GLU	MET	ILE	GLU	GLU	ASN	ASN	ASN	LYS	LYS	THR	THR	SER	SER	GLN	ARG	ARG	GLY	THR						
GLU	ARG	GLU	GLU	GLN	GLY	ARG	LYS	GLU	GLN	MET	LEU	LEU	ALA	ALA	ALA	ALA	GLY	ASP	ALA	ALA	ASP	THR	THR	ASP	V1163	T1164	S1165	L1166	M1167	S1168	S1169	A1160	T1161	G1162	R1163	G1164	L1165	K1166	I1167	Y1168	R1169	T1170	F1171	R1172	D1173	E1174	E1175	G1176	K1177	E1178	Y1179									
V1180	R1181	C1182	E1183	T1184	V1185	R1186	K1187	P1188	A1189	V1190	T1191	D1192	A1193	Y1194	V1195	R1196	T1197	R1198	T1199	T1200	K1201	D1202	E1203	F1204	ILE	ARG	LYS	PHE	ALA	LEU	PHE	ASP	GLU	GLN	HIS	GLN	ARG	GLU	ARG	GLU	ARG	GLU	ARG	GLU	GLN	ARG	ARG	LYS	ASN	GLN	GLU									
LYS	GLU	LYS	LEU	LYS	PRO	PRO	LYS	PRO	LYS	LYS	MET	LYS	GLY	ASP	LEU	LYS	LYS	LYS	GLY	ALA	CYS	GLY	ILE	GLY	HIS	MET	ARG	THR	ASN	LYS	PHE	CYS	PRO	LEU	TYR	TYR	GLN	GLN	VAL	SER	ASN	ASN	VAL	VAL	VAL	ARG	GLU	GLU	GLN	GLY										
GLU	GLU	GLU	GLU	GLY	THR	VAL	THR	VAL	THR	ILE	GLU	GLU	ILE	LYS	VAL	GLY	THR	LEU	LEU	GLY	GLY	GLN	LEU	GLU	SER	GLY	ASP	VAL	ARG	ARG	ARG	LYS	LEU	SER	THR	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL	VAL									
THR	THR	VAL	HIS	CYS	ASP	TYR	LEU	ASN	HIS	SER	ILE	HIS	ARG	ARG	THR	THR	THR	LEU	LEU	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR										
ILE	ILE	THR	ARG	PRO	MET	ASP	LEU	GLN	ARG	ASN	VAL	ARG	ARG	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR											
LYS	LEU	LYS	GLU	LYS	ASP	LYS	LEU	ALA	ALA	LYS	ILE	ASN	ASN	PRO	PRO	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU	LEU							
TYR	TYR	LYS	VAL	ILE	THR	ASN	PRO	MET	GLU	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR								
CYS	TYR	GLN	THR	LEU	THR	TYR	TYR	ASP	GLY	GLN	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA	ALA									
ARG	ASP	ALA	SER	VAL	PHE	GLN	ASP	GLY	ASP	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY										
GLU	GLY	GLU	ASP	GLU	ASP	GLU	GLY	ALA	GLU	ASP	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY									
MET	SER	TYR	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY	GLY									
GLY	PRO	SER	HIS	LEU	VAL	GLY	ASP	GLY	ASP	GLY	SER	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP	ASP						


● Molecule 2: Transcription initiation factor TFIIID subunit 2







● Molecule 3: Transcription initiation factor TFIIID subunit 4






• Molecule 3: Transcription initiation factor TFIID subunit 4







• Molecule 5: Transcription initiation factor TFIID subunit 6




• Molecule 5: Transcription initiation factor TFIID subunit 6







• Molecule 6: Transcription initiation factor TFIID subunit 7





• Molecule 7: Transcription initiation factor TFIID subunit 8




• Molecule 8: Transcription initiation factor TFIID subunit 9




• Molecule 10: Transcription initiation factor TFIID subunit 12



• Molecule 10: Transcription initiation factor TFIID subunit 12




• Molecule 11: Transcription initiation factor IIA subunit 2




• Molecule 12: TATA-box-binding protein







• Molecule 13: Transcription initiation factor IIA subunit 1




• Molecule 14: Transcription initiation factor IIB




• Molecule 15: General transcription factor IIF subunit 1







• Molecule 21: Transcription initiation factor TFIID subunit 13




• Molecule 22: RPB1






● Molecule 23: DNA-directed RNA polymerase subunit beta

Chain p: 95%




● Molecule 24: DNA-directed RNA polymerase II subunit RPB3

Chain q: 93% 7%




● Molecule 25: DNA-directed RNA polymerase II subunit RPB4

Chain r: 18% 89% 10%




● Molecule 26: DNA-directed RNA polymerase II subunit E

Chain s: 99%




● Molecule 27: DNA-directed RNA polymerase II subunit F



Chain t: 62% 38%




- Molecule 28: DNA-directed RNA polymerases I, II, and III subunit RPABC3




- Molecule 29: DNA-directed RNA polymerase II subunit RPB9





- Molecule 30: RPB10




- Molecule 31: RNA_pol_L_2 domain-containing protein



- Molecule 32: RPB12



- Molecule 33: DNA-directed RNA polymerase II subunit RPB7



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	72012	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.0	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.034	Depositor
Minimum map value	-0.006	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.008	Depositor
Map size (\AA)	488.15997, 488.15997, 488.15997	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.356, 1.356, 1.356	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/5028	0.70	1/6785 (0.0%)
2	B	0.46	0/7992	0.60	0/10835
3	D	0.49	0/1391	0.59	0/1859
3	d	0.28	0/1321	0.49	0/1772
4	E	0.35	0/4469	0.54	0/6050
4	e	0.33	0/4433	0.55	0/6004
5	F	0.48	0/3139	0.69	0/4264
5	f	0.41	0/3140	0.63	0/4268
6	G	0.52	0/1199	0.66	0/1612
7	H	0.39	0/1673	0.59	0/2285
8	I	0.30	0/981	0.49	0/1332
8	i	0.29	0/989	0.46	0/1343
9	J	0.30	0/724	0.50	0/982
9	j	0.30	0/775	0.52	0/1049
10	L	0.34	0/630	0.63	4/852 (0.5%)
10	l	0.30	0/888	0.56	3/1194 (0.3%)
11	O	0.51	0/781	0.74	0/1061
12	P	0.61	0/1438	0.74	0/1935
13	Q	0.42	0/1013	0.64	0/1366
14	R	0.33	0/1941	0.60	1/2622 (0.0%)
15	S	0.37	0/1130	0.53	0/1528
16	T	0.26	0/887	0.54	0/1193
17	X	1.09	28/1652 (1.7%)	1.38	7/2550 (0.3%)
18	Y	1.04	20/1612 (1.2%)	1.35	11/2483 (0.4%)
19	c	0.39	0/1035	0.54	0/1406
20	k	0.30	0/799	0.47	0/1070
21	m	0.31	0/733	0.51	0/977
22	o	0.43	0/11516	0.56	0/15548
23	p	0.39	0/9243	0.51	0/12475
24	q	0.38	0/2102	0.46	0/2857
25	r	0.27	0/1019	0.47	0/1374
26	s	0.30	0/1751	0.45	0/2366

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
27	t	0.37	0/645	0.46	0/871
28	v	0.37	0/1207	0.49	0/1628
29	w	0.30	0/948	0.45	0/1284
30	x	0.42	0/516	0.45	0/696
31	y	0.36	0/956	0.44	0/1294
32	z	0.38	0/377	0.45	0/500
33	u	0.33	0/1382	0.53	0/1874
All	All	0.45	48/83455 (0.1%)	0.63	27/113444 (0.0%)

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	Y	32	DG	C1'-N9	-7.51	1.36	1.47
18	Y	34	DG	C1'-N9	-6.84	1.37	1.47
17	X	-20	DG	C1'-N9	-6.59	1.38	1.47
17	X	-12	DC	C1'-N1	6.22	1.57	1.49
17	X	-8	DT	C1'-N1	6.19	1.57	1.49
17	X	16	DC	C1'-N1	6.18	1.57	1.49
18	Y	-29	DC	C1'-N1	6.17	1.57	1.49
17	X	-1	DT	C1'-N1	6.16	1.57	1.49
18	Y	-19	DC	C1'-N1	6.15	1.57	1.49
17	X	22	DC	C1'-N1	6.09	1.57	1.49
18	Y	-7	DC	C1'-N1	6.04	1.57	1.49
17	X	-19	DG	C1'-N9	-5.97	1.38	1.47
17	X	-38	DA	C1'-N9	-5.89	1.39	1.47
17	X	-28	DT	C4'-O4'	-5.72	1.39	1.45
18	Y	-20	DT	C1'-N1	5.25	1.56	1.49
17	X	9	DT	C1'-N1	5.24	1.56	1.49
18	Y	5	DC	C1'-N1	5.23	1.56	1.49
18	Y	15	DC	C1'-N1	5.23	1.56	1.49
17	X	23	DC	C1'-N1	5.22	1.56	1.49
18	Y	-2	DC	C1'-N1	5.22	1.56	1.49
17	X	-7	DT	C1'-N1	5.21	1.56	1.49
18	Y	-11	DC	C1'-N1	5.21	1.56	1.49
17	X	17	DT	C1'-N1	5.20	1.56	1.49
18	Y	-26	DC	C1'-N1	5.20	1.56	1.49
17	X	6	DC	C1'-N1	5.19	1.55	1.49
17	X	10	DC	C1'-N1	5.19	1.55	1.49
18	Y	-8	DT	C1'-N1	5.19	1.55	1.49
18	Y	-24	DC	C1'-N1	5.18	1.55	1.49
17	X	-10	DC	C1'-N1	5.18	1.55	1.49
17	X	4	DC	C1'-N1	5.18	1.55	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	Y	-30	DT	C1'-N1	5.18	1.55	1.49
17	X	-6	DC	C1'-N1	5.17	1.55	1.49
18	Y	9	DC	C1'-N1	5.17	1.55	1.49
17	X	27	DC	C1'-N1	5.16	1.55	1.49
18	Y	-21	DC	C1'-N1	5.16	1.55	1.49
17	X	-32	DC	C1'-N1	5.14	1.55	1.49
17	X	31	DC	C1'-N1	5.13	1.55	1.49
17	X	-27	DA	C4'-O4'	-5.12	1.40	1.45
17	X	-3	DC	C1'-N1	5.12	1.55	1.49
17	X	3	DT	C1'-N1	5.12	1.55	1.49
17	X	14	DC	C1'-N1	5.12	1.55	1.49
18	Y	13	DC	C1'-N1	5.11	1.55	1.49
18	Y	14	DC	C1'-N1	5.11	1.55	1.49
17	X	0	DC	C1'-N1	5.10	1.55	1.49
17	X	-4	DT	C1'-N1	5.09	1.55	1.49
18	Y	-12	DT	C1'-N1	5.07	1.55	1.49
18	Y	-5	DC	C1'-N1	5.07	1.55	1.49
17	X	18	DC	C1'-N1	5.00	1.55	1.49

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	Y	32	DG	O4'-C1'-C2'	-11.13	97.00	105.90
17	X	-27	DA	O4'-C4'-C3'	-9.33	100.40	106.00
17	X	-26	DA	O4'-C4'-C3'	-8.89	100.66	106.00
18	Y	30	DA	O4'-C1'-C2'	-7.20	100.14	105.90
14	R	44	ARG	CB-CA-C	6.90	124.19	110.40
18	Y	27	DT	C6-C5-C7	-6.74	118.86	122.90
1	A	498	PRO	N-CA-CB	6.69	111.33	103.30
17	X	-28	DT	C4-C5-C6	6.21	121.72	118.00
17	X	-26	DA	P-O3'-C3'	6.12	127.04	119.70
17	X	-25	DA	P-O3'-C3'	5.57	126.39	119.70
17	X	-30	DT	C6-C5-C7	-5.57	119.56	122.90
18	Y	28	DA	P-O3'-C3'	5.52	126.33	119.70
18	Y	27	DT	C1'-O4'-C4'	-5.28	104.82	110.10
18	Y	26	DT	O4'-C1'-N1	-5.25	104.32	108.00
18	Y	29	DT	O4'-C4'-C3'	-5.24	102.40	104.50
10	L	89	ASP	CB-CG-OD2	5.20	122.98	118.30
10	l	90	ASP	CB-CG-OD2	5.20	122.98	118.30
10	l	79	ASP	CB-CG-OD2	5.18	122.97	118.30
10	l	89	ASP	CB-CG-OD2	5.18	122.97	118.30
18	Y	26	DT	C6-C5-C7	-5.18	119.79	122.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	L	90	ASP	CB-CG-OD2	5.18	122.96	118.30
10	L	115	ASP	CB-CG-OD2	5.16	122.94	118.30
10	L	79	ASP	CB-CG-OD2	5.15	122.94	118.30
18	Y	32	DG	O4'-C1'-N9	5.13	111.59	108.00
18	Y	26	DT	C4-C5-C6	5.05	121.03	118.00
17	X	-29	DA	C5'-C4'-C3'	-5.04	105.03	114.10
18	Y	30	DA	C1'-O4'-C4'	-5.03	105.07	110.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	581/1872 (31%)	543 (94%)	35 (6%)	3 (0%)	25	65
2	B	959/1199 (80%)	912 (95%)	47 (5%)	0	100	100
3	D	159/1085 (15%)	151 (95%)	7 (4%)	1 (1%)	22	61
3	d	154/1085 (14%)	150 (97%)	4 (3%)	0	100	100
4	E	540/800 (68%)	502 (93%)	36 (7%)	2 (0%)	30	68
4	e	531/800 (66%)	484 (91%)	47 (9%)	0	100	100
5	F	400/677 (59%)	376 (94%)	18 (4%)	6 (2%)	8	40
5	f	399/677 (59%)	377 (94%)	22 (6%)	0	100	100
6	G	139/349 (40%)	133 (96%)	5 (4%)	1 (1%)	19	57
7	H	207/310 (67%)	189 (91%)	15 (7%)	3 (1%)	9	40

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	I	118/264 (45%)	114 (97%)	4 (3%)	0	100	100
8	i	119/264 (45%)	115 (97%)	4 (3%)	0	100	100
9	J	85/218 (39%)	82 (96%)	3 (4%)	0	100	100
9	j	91/218 (42%)	89 (98%)	2 (2%)	0	100	100
10	L	74/161 (46%)	72 (97%)	2 (3%)	0	100	100
10	l	105/161 (65%)	101 (96%)	4 (4%)	0	100	100
11	O	95/109 (87%)	79 (83%)	12 (13%)	4 (4%)	2	17
12	P	175/339 (52%)	168 (96%)	5 (3%)	2 (1%)	12	47
13	Q	118/376 (31%)	106 (90%)	10 (8%)	2 (2%)	7	36
14	R	244/316 (77%)	233 (96%)	10 (4%)	1 (0%)	30	68
15	S	130/517 (25%)	126 (97%)	4 (3%)	0	100	100
16	T	109/249 (44%)	102 (94%)	4 (4%)	3 (3%)	4	24
19	c	125/929 (14%)	116 (93%)	9 (7%)	0	100	100
20	k	96/211 (46%)	91 (95%)	5 (5%)	0	100	100
21	m	85/124 (68%)	79 (93%)	6 (7%)	0	100	100
22	o	1417/1970 (72%)	1303 (92%)	110 (8%)	4 (0%)	37	73
23	p	1128/1174 (96%)	1050 (93%)	77 (7%)	1 (0%)	48	83
24	q	253/275 (92%)	226 (89%)	27 (11%)	0	100	100
25	r	126/142 (89%)	119 (94%)	7 (6%)	0	100	100
26	s	207/210 (99%)	196 (95%)	11 (5%)	0	100	100
27	t	77/127 (61%)	74 (96%)	3 (4%)	0	100	100
28	v	146/150 (97%)	132 (90%)	14 (10%)	0	100	100
29	w	112/125 (90%)	103 (92%)	9 (8%)	0	100	100
30	x	62/67 (92%)	60 (97%)	2 (3%)	0	100	100
31	y	115/117 (98%)	109 (95%)	6 (5%)	0	100	100
32	z	42/58 (72%)	38 (90%)	4 (10%)	0	100	100
33	u	169/172 (98%)	157 (93%)	11 (6%)	1 (1%)	22	61
All	All	9692/17897 (54%)	9057 (93%)	601 (6%)	34 (0%)	32	68

All (34) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1000	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1158	SER
4	E	704	VAL
5	F	396	LEU
7	H	141	PRO
11	O	52	VAL
13	Q	321	SER
16	T	124	TYR
22	o	14	PRO
22	o	539	GLN
22	o	581	LYS
23	p	1021	HIS
33	u	154	LYS
1	A	498	PRO
4	E	521	ASP
5	F	397	GLN
5	F	411	VAL
6	G	152	ALA
11	O	26	GLN
16	T	121	SER
3	D	936	GLN
12	P	207	PRO
5	F	393	LEU
5	F	439	ARG
11	O	56	VAL
11	O	84	VAL
16	T	38	GLY
5	F	64	GLN
7	H	134	LEU
7	H	164	THR
22	o	469	MET
12	P	298	PRO
14	R	247	GLY
13	Q	312	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	534/1665 (32%)	483 (90%)	51 (10%)	7	22
2	B	875/1083 (81%)	858 (98%)	17 (2%)	52	69
3	D	149/815 (18%)	125 (84%)	24 (16%)	2	10
3	d	146/815 (18%)	146 (100%)	0	100	100
4	E	478/657 (73%)	469 (98%)	9 (2%)	52	69
4	e	475/657 (72%)	473 (100%)	2 (0%)	89	91
5	F	320/574 (56%)	301 (94%)	19 (6%)	16	37
5	f	322/574 (56%)	312 (97%)	10 (3%)	35	54
6	G	133/322 (41%)	122 (92%)	11 (8%)	9	27
7	H	181/270 (67%)	176 (97%)	5 (3%)	38	57
8	I	106/235 (45%)	106 (100%)	0	100	100
8	i	107/235 (46%)	107 (100%)	0	100	100
9	J	78/154 (51%)	78 (100%)	0	100	100
9	j	83/154 (54%)	83 (100%)	0	100	100
10	L	71/141 (50%)	66 (93%)	5 (7%)	12	32
10	l	98/141 (70%)	98 (100%)	0	100	100
11	O	84/98 (86%)	74 (88%)	10 (12%)	4	16
12	P	153/293 (52%)	144 (94%)	9 (6%)	16	37
13	Q	111/324 (34%)	107 (96%)	4 (4%)	30	50
14	R	211/268 (79%)	194 (92%)	17 (8%)	9	28
15	S	117/448 (26%)	109 (93%)	8 (7%)	13	34
16	T	94/218 (43%)	91 (97%)	3 (3%)	34	53
19	c	113/833 (14%)	111 (98%)	2 (2%)	54	71
20	k	87/182 (48%)	87 (100%)	0	100	100
21	m	80/106 (76%)	79 (99%)	1 (1%)	65	77
22	o	1257/1748 (72%)	1204 (96%)	53 (4%)	25	46
23	p	993/1027 (97%)	973 (98%)	20 (2%)	50	68
24	q	234/252 (93%)	234 (100%)	0	100	100
25	r	106/126 (84%)	105 (99%)	1 (1%)	75	83
26	s	191/192 (100%)	190 (100%)	1 (0%)	86	89
27	t	69/111 (62%)	69 (100%)	0	100	100
28	v	129/131 (98%)	129 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
29	w	103/112 (92%)	103 (100%)	0	100	100
30	x	53/56 (95%)	53 (100%)	0	100	100
31	y	106/106 (100%)	106 (100%)	0	100	100
32	z	41/55 (74%)	41 (100%)	0	100	100
33	u	152/153 (99%)	150 (99%)	2 (1%)	65	77
All	All	8640/15331 (56%)	8356 (97%)	284 (3%)	35	52

All (284) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	341	TRP
1	A	353	LEU
1	A	395	ASP
1	A	397	LEU
1	A	400	GLU
1	A	404	MET
1	A	408	LEU
1	A	415	ILE
1	A	416	TRP
1	A	417	ASP
1	A	419	GLU
1	A	470	ILE
1	A	475	LEU
1	A	481	GLU
1	A	489	GLN
1	A	493	ARG
1	A	496	GLU
1	A	499	VAL
1	A	500	LEU
1	A	501	THR
1	A	502	LEU
1	A	505	ASN
1	A	511	LEU
1	A	639	LEU
1	A	661	GLU
1	A	667	THR
1	A	711	ASP
1	A	727	THR
1	A	730	PHE
1	A	797	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	798	ARG
1	A	801	THR
1	A	819	LYS
1	A	820	ASP
1	A	821	ARG
1	A	828	GLU
1	A	843	ARG
1	A	844	LYS
1	A	943	LYS
1	A	1020	LEU
1	A	1052	ARG
1	A	1055	VAL
1	A	1058	HIS
1	A	1059	GLN
1	A	1062	TYR
1	A	1073	GLN
1	A	1083	LEU
1	A	1165	LEU
1	A	1167	ILE
1	A	1169	ARG
1	A	1203	GLU
2	B	21	GLU
2	B	24	ARG
2	B	71	ARG
2	B	140	GLU
2	B	184	ASN
2	B	225	TYR
2	B	262	MET
2	B	266	THR
2	B	293	GLU
2	B	431	LEU
2	B	488	PHE
2	B	559	LYS
2	B	603	LYS
2	B	638	ARG
2	B	640	VAL
2	B	771	VAL
2	B	818	THR
3	D	887	LYS
3	D	888	LYS
3	D	891	ILE
3	D	893	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	936	GLN
3	D	941	ARG
3	D	948	GLU
3	D	950	LEU
3	D	951	ASP
3	D	958	LYS
3	D	959	ASP
3	D	966	LEU
3	D	967	MET
3	D	968	ARG
3	D	980	GLU
3	D	981	GLN
3	D	983	ARG
3	D	995	GLU
3	D	996	LEU
3	D	1000	ARG
3	D	1002	ARG
3	D	1003	ASP
3	D	1054	ARG
3	D	1055	ILE
4	E	522	ASP
4	E	593	PHE
4	E	702	LEU
4	E	704	VAL
4	E	745	GLU
4	E	746	ASP
4	E	747	LEU
4	E	761	LEU
4	E	763	GLU
5	F	63	ARG
5	F	105	TYR
5	F	258	ARG
5	F	261	THR
5	F	271	VAL
5	F	280	ILE
5	F	301	VAL
5	F	310	THR
5	F	315	ARG
5	F	317	LEU
5	F	319	LEU
5	F	326	HIS
5	F	340	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	F	348	THR
5	F	354	ARG
5	F	368	THR
5	F	391	LEU
5	F	397	GLN
5	F	427	LEU
6	G	41	ASP
6	G	81	ASP
6	G	141	LYS
6	G	142	ASN
6	G	143	VAL
6	G	147	ARG
6	G	153	LYS
6	G	154	LYS
6	G	177	VAL
6	G	181	TRP
6	G	184	ILE
7	H	115	GLN
7	H	132	LYS
7	H	135	THR
7	H	159	TYR
7	H	164	THR
10	L	73	ASN
10	L	110	THR
10	L	111	LEU
10	L	112	GLU
10	L	128	ILE
11	O	11	LEU
11	O	24	GLN
11	O	31	GLN
11	O	55	ARG
11	O	56	VAL
11	O	57	ASN
11	O	58	PHE
11	O	61	SER
11	O	70	ASN
11	O	76	LEU
12	P	172	VAL
12	P	209	THR
12	P	221	CYS
12	P	226	SER
12	P	252	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	P	274	VAL
12	P	278	GLN
12	P	288	PHE
12	P	317	VAL
13	Q	13	LEU
13	Q	344	ARG
13	Q	346	LYS
13	Q	364	ASP
14	R	27	TYR
14	R	31	ASP
14	R	34	CYS
14	R	39	LEU
14	R	40	VAL
14	R	41	VAL
14	R	120	GLU
14	R	127	ARG
14	R	128	ILE
14	R	130	LEU
14	R	133	ASN
14	R	137	ARG
14	R	154	ARG
14	R	175	ARG
14	R	189	LYS
14	R	196	LYS
14	R	248	ARG
15	S	7	SER
15	S	108	ARG
15	S	155	LEU
15	S	156	THR
15	S	158	GLU
15	S	169	LYS
15	S	171	LEU
15	S	174	PHE
16	T	123	ASN
16	T	125	MET
16	T	127	LEU
19	c	24	ASP
19	c	106	VAL
4	e	365	ARG
4	e	663	ARG
5	f	253	TYR
5	f	261	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	f	272	VAL
5	f	274	ASN
5	f	322	ASP
5	f	323	VAL
5	f	326	HIS
5	f	356	THR
5	f	408	ASP
5	f	421	ASP
21	m	31	LEU
22	o	13	CYS
22	o	15	LEU
22	o	92	LYS
22	o	132	LYS
22	o	138	LYS
22	o	217	SER
22	o	302	VAL
22	o	334	ARG
22	o	359	VAL
22	o	429	LEU
22	o	430	ARG
22	o	468	SER
22	o	475	ARG
22	o	483	ARG
22	o	508	SER
22	o	510	GLU
22	o	512	ARG
22	o	518	LEU
22	o	524	MET
22	o	532	ARG
22	o	538	VAL
22	o	540	ASP
22	o	580	LEU
22	o	581	LYS
22	o	583	ARG
22	o	647	THR
22	o	648	SER
22	o	701	ASP
22	o	705	THR
22	o	715	GLU
22	o	718	GLU
22	o	734	ARG
22	o	736	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	o	737	PHE
22	o	738	GLU
22	o	741	VAL
22	o	747	ASP
22	o	754	SER
22	o	759	SER
22	o	778	LYS
22	o	779	ILE
22	o	797	ARG
22	o	803	LYS
22	o	811	ILE
22	o	836	PHE
22	o	1132	LYS
22	o	1254	LYS
22	o	1322	ILE
22	o	1324	GLU
22	o	1325	ASP
22	o	1421	ARG
22	o	1422	GLN
22	o	1423	ASP
23	p	248	LYS
23	p	249	LYS
23	p	307	GLU
23	p	309	PHE
23	p	311	ILE
23	p	312	GLN
23	p	324	ARG
23	p	497	LYS
23	p	594	MET
23	p	597	ILE
23	p	677	MET
23	p	689	TYR
23	p	823	PHE
23	p	841	ARG
23	p	844	ILE
23	p	1006	VAL
23	p	1015	LEU
23	p	1022	LEU
23	p	1023	ARG
23	p	1078	ARG
25	r	94	LYS
26	s	52	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
33	u	144	ARG
33	u	163	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (113) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	401	ASN
1	A	409	HIS
1	A	569	ASN
1	A	800	ASN
1	A	860	ASN
1	A	896	GLN
1	A	1058	HIS
2	B	30	HIS
2	B	137	HIS
2	B	176	HIS
2	B	183	GLN
2	B	184	ASN
2	B	235	HIS
2	B	348	GLN
2	B	432	HIS
2	B	439	HIS
2	B	450	GLN
2	B	509	ASN
2	B	580	GLN
2	B	644	GLN
2	B	652	GLN
2	B	745	GLN
2	B	750	GLN
2	B	813	ASN
2	B	908	GLN
2	B	916	ASN
3	D	875	GLN
3	D	936	GLN
3	D	943	GLN
3	D	956	GLN
3	D	1075	HIS
4	E	238	GLN
4	E	254	ASN
4	E	268	HIS
4	E	327	ASN
4	E	351	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	E	616	HIS
4	E	640	ASN
5	F	119	ASN
5	F	221	GLN
5	F	270	ASN
5	F	273	GLN
5	F	275	ASN
6	G	48	HIS
7	H	145	HIS
8	I	21	GLN
8	I	60	HIS
8	I	98	GLN
9	J	160	GLN
9	J	173	HIS
9	J	210	ASN
10	L	105	HIS
10	L	119	HIS
11	O	13	ASN
11	O	57	ASN
12	P	189	ASN
13	Q	60	HIS
13	Q	352	HIS
13	Q	361	ASN
15	S	44	GLN
3	d	912	ASN
3	d	1069	ASN
4	e	294	ASN
4	e	320	HIS
4	e	336	HIS
4	e	616	HIS
5	f	325	ASN
8	i	60	HIS
8	i	81	GLN
10	l	73	ASN
21	m	107	ASN
22	o	123	ASN
22	o	278	HIS
22	o	289	GLN
22	o	296	ASN
22	o	330	GLN
22	o	576	GLN
22	o	620	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	o	703	GLN
22	o	721	HIS
22	o	731	ASN
22	o	739	ASN
22	o	757	GLN
22	o	913	ASN
22	o	950	ASN
22	o	1005	HIS
22	o	1230	GLN
22	o	1248	ASN
22	o	1332	GLN
22	o	1397	HIS
22	o	1445	HIS
22	o	1462	GLN
23	p	111	ASN
23	p	139	GLN
23	p	254	GLN
23	p	287	HIS
23	p	370	HIS
23	p	525	ASN
23	p	570	ASN
23	p	749	HIS
23	p	777	ASN
23	p	1073	GLN
23	p	1117	HIS
23	p	1120	ASN
24	q	5	ASN
24	q	60	HIS
25	r	19	GLN
26	s	133	GLN
28	v	131	ASN
29	w	98	GLN
31	y	2	ASN
31	y	29	ASN
33	u	60	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31107. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 182



Y Index: 206




Z Index: 189


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.008. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1445 nm^3 ; this corresponds to an approximate mass of 1305 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.161\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-31107 and PDB model 7EG7. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.008 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.008).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.008) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7290	 0.0920
A	 0.5890	 0.0280
B	 0.8520	 0.0460
D	 0.6930	 0.0990
E	 0.8650	 0.0630
F	 0.7070	 0.0540
G	 0.5640	 0.0300
H	 0.8190	 0.0590
I	 0.8570	 0.0830
J	 0.8090	 0.0350
L	 0.6230	 0.0530
O	 0.8630	 0.1070
P	 0.9540	 0.1200
Q	 0.8390	 0.0920
R	 0.9130	 0.1560
S	 0.8360	 0.1030
T	 0.7780	 0.0750
X	 0.6380	 0.1080
Y	 0.5990	 0.1090
c	 0.2220	 0.0200
d	 0.0170	 0.0020
e	 0.0500	 0.0130
f	 0.5080	 0.0280
i	 0.0040	 0.0090
j	 0.1450	 0.0020
k	 0.0170	 -0.0090
l	 0.0000	 -0.0020
m	 0.0000	 0.0330
o	 0.9420	 0.1540
p	 0.9530	 0.1540
q	 0.9360	 0.1750
r	 0.7540	 0.0880
s	 0.9610	 0.1650
t	 0.9820	 0.1850
u	 0.8520	 0.1080



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
v	 0.9250	 0.1720
w	 0.9320	 0.1570
x	 0.9660	 0.1700
y	 0.8880	 0.1760
z	 0.9690	 0.1810