



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2023 – 06:23 PM EDT

PDB ID : 7KQM
Title : Binary complex of TERT (telomerase reverse transcriptase) with RNA/telomeric DNA hybrid
Authors : Choi, W.S.; Weng, P.J.; Yang, W.
Deposited on : 2020-11-17
Resolution : 2.73 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1271 (2.76-2.72)
Clashscore	141614	1322 (2.76-2.72)
Ramachandran outliers	138981	1297 (2.76-2.72)
Sidechain outliers	138945	1298 (2.76-2.72)
RSRZ outliers	127900	1243 (2.76-2.72)
RNA backbone	3102	1052 (3.00-2.48)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	596	 5% 68% 30%
2	B	18	 6% 33% 56% 6% 6%
3	C	15	 67% 20% 13%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	A	605	-	-	X	-
4	EDO	A	606	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6130 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Telomerase reverse transcriptase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	596	5021	3282	865	852	22	0	7	0

- Molecule 2 is a RNA chain called RNA (5'-R(*AP*UP*CP*CP*AP*GP*GP*UP*GP*CP*AP*C)-D(P*AP*AP*AP*GP*AP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	B	17	360	164	71	108	17	0	0	0

- Molecule 3 is a DNA chain called DNA (5'-D(*TP*TP*CP*TP*TP*TP*GP*TP*GP*CP*AP*CP*CP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	15	299	146	46	93	14	0	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 7 4 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	360	Total O 360 360	0	0
6	B	32	Total O 32 32	0	0
6	C	23	Total O 23 23	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Telomerase reverse transcriptase



- Molecule 2: RNA (5'-R(*AP*UP*CP*CP*AP*GP*GP*UP*GP*CP*AP*C)-D(P*AP*AP*AP*GP*AP*A)-3')



- Molecule 3: DNA (5'-D(*TP*TP*CP*TP*TP*TP*GP*TP*GP*CP*AP*CP*CP*TP*G)-3')





4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	96.35Å 96.35Å 368.99Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.84 – 2.73 29.84 – 2.73	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.84-2.73) 100.0 (29.84-2.73)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.90 (at 2.72Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.193 , 0.232 0.193 , 0.232	Depositor DCC
R_{free} test set	998 reflections (3.56%)	wwPDB-VP
Wilson B-factor (Å ²)	70.5	Xtrriage
Anisotropy	0.190	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 50.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6130	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.32	0/5152	0.49	0/6946
2	B	0.29	0/404	0.65	0/625
3	C	0.95	3/332 (0.9%)	0.77	0/511
All	All	0.38	3/5888 (0.1%)	0.52	0/8082

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	13	DC	O3'-P	-7.63	1.51	1.61
3	C	12	DC	O3'-P	-6.89	1.52	1.61
3	C	10	DC	O3'-P	-6.09	1.53	1.61

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	360[A]	LEU	Mainchain
1	A	360[B]	LEU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5021	0	5141	203	6
2	B	360	0	186	10	1
3	C	299	0	171	11	0
4	A	28	0	42	11	0
5	A	7	0	10	0	0
6	A	360	0	0	131	3
6	B	32	0	0	6	1
6	C	23	0	0	8	0
All	All	6130	0	5550	229	9

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (229) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:592:ARG:HD3	6:A:707:HOH:O	1.28	1.26
1:A:459:ASP:HB3	6:A:880:HOH:O	1.14	1.25
2:B:13:DA:H2'	6:B:107:HOH:O	1.31	1.22
4:A:606:EDO:C2	6:A:936:HOH:O	1.88	1.18
1:A:444:ILE:HD12	6:A:989:HOH:O	1.42	1.17
1:A:139:LYS:HD3	6:A:804:HOH:O	1.45	1.16
1:A:189:LYS:NZ	6:A:702:HOH:O	1.79	1.13
1:A:572:GLU:HG3	6:A:762:HOH:O	1.50	1.11
1:A:450:LYS:HD2	6:A:841:HOH:O	1.52	1.08
1:A:6:ARG:HD3	6:A:748:HOH:O	1.52	1.07
1:A:441:PHE:O	6:A:701:HOH:O	1.74	1.06
1:A:105:ASN:ND2	6:A:703:HOH:O	1.88	1.04
1:A:443:PHE:N	6:A:701:HOH:O	1.89	1.04
4:A:605:EDO:H11	6:A:992:HOH:O	1.57	1.03
4:A:606:EDO:H21	6:A:936:HOH:O	1.51	1.03
1:A:440:ASP:HA	6:A:911:HOH:O	1.62	0.96
1:A:253:ARG:HD2	6:A:976:HOH:O	1.63	0.95
1:A:439:MET:SD	6:A:842:HOH:O	2.23	0.95
1:A:367:GLN:HG2	6:A:814:HOH:O	1.69	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:568:PHE:CA	6:A:720:HOH:O	2.17	0.91
1:A:440:ASP:CB	6:A:911:HOH:O	2.18	0.90
1:A:335:ASP:HB2	6:A:747:HOH:O	1.70	0.89
1:A:461:ARG:HB2	6:A:854:HOH:O	1.71	0.89
4:A:606:EDO:H22	6:A:936:HOH:O	1.60	0.88
1:A:568:PHE:CB	6:A:720:HOH:O	2.22	0.88
2:B:12:C:H5'	6:B:101:HOH:O	1.71	0.88
3:C:9:DG:H5'	6:C:112:HOH:O	1.72	0.87
1:A:440:ASP:HB3	6:A:911:HOH:O	1.76	0.84
3:C:11:DA:H4'	6:C:101:HOH:O	1.77	0.84
1:A:439:MET:HE1	6:A:842:HOH:O	1.78	0.84
1:A:368:VAL:N	6:A:708:HOH:O	2.10	0.83
1:A:271:ILE:HA	6:A:894:HOH:O	1.76	0.83
1:A:442:PRO:CD	6:A:724:HOH:O	2.27	0.82
1:A:260:LYS:HE2	6:A:798:HOH:O	1.80	0.82
1:A:189:LYS:HD2	6:A:1037:HOH:O	1.81	0.81
1:A:256:TYR:HD1	6:A:896:HOH:O	1.62	0.80
1:A:454:ASN:OD1	6:A:704:HOH:O	1.98	0.80
2:B:11:A:O2'	6:B:101:HOH:O	2.00	0.78
1:A:579:CYS:HB2	6:A:785:HOH:O	1.83	0.78
1:A:365:VAL:O	6:A:705:HOH:O	2.02	0.76
1:A:273:THR:HG23	6:A:917:HOH:O	1.84	0.76
1:A:53:GLN:NE2	6:A:714:HOH:O	2.18	0.76
1:A:457:PHE:N	6:A:704:HOH:O	2.17	0.75
1:A:416:LYS:HD2	6:A:1019:HOH:O	1.85	0.75
4:A:606:EDO:O1	6:A:706:HOH:O	2.03	0.74
1:A:557:ARG:HG2	6:A:1013:HOH:O	1.86	0.74
3:C:11:DA:O3'	6:C:101:HOH:O	2.05	0.74
1:A:220:LEU:HD21	1:A:319:LEU:HA	1.70	0.73
1:A:440:ASP:HA	6:A:887:HOH:O	1.87	0.73
1:A:540:PHE:CD1	6:A:971:HOH:O	2.40	0.72
1:A:454:ASN:CG	6:A:709:HOH:O	2.27	0.72
1:A:442:PRO:HD2	6:A:724:HOH:O	1.88	0.72
1:A:526:LYS:HA	6:A:807:HOH:O	1.88	0.72
1:A:455:THR:HG22	6:A:791:HOH:O	1.89	0.71
1:A:568:PHE:HA	6:A:720:HOH:O	1.85	0.71
1:A:506:ARG:HB3	6:A:790:HOH:O	1.90	0.71
1:A:225:LYS:HG2	1:A:326:ARG:NH1	2.05	0.71
1:A:304:HIS:NE2	6:A:718:HOH:O	2.25	0.70
1:A:442:PRO:HD3	6:A:724:HOH:O	1.91	0.70
3:C:12:DC:H5'	6:C:102:HOH:O	1.91	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:442:PRO:C	6:A:701:HOH:O	2.25	0.70
1:A:440:ASP:CA	6:A:911:HOH:O	2.23	0.69
1:A:24:ASN:OD1	1:A:25:SER:N	2.26	0.69
1:A:177:GLU:HG3	6:A:955:HOH:O	1.90	0.69
1:A:589:LYS:NZ	6:A:719:HOH:O	2.25	0.69
1:A:569:HIS:N	6:A:720:HOH:O	2.25	0.69
1:A:79:THR:OG1	6:A:707:HOH:O	2.12	0.68
1:A:454:ASN:OD1	6:A:709:HOH:O	2.12	0.68
1:A:151:LYS:O	1:A:155:ILE:HG12	1.94	0.68
1:A:321:MET:CE	6:A:916:HOH:O	2.42	0.68
1:A:337:PHE:HE2	1:A:346:PHE:CD2	2.12	0.67
1:A:174:VAL:HA	6:A:907:HOH:O	1.93	0.67
3:C:11:DA:C4'	6:C:101:HOH:O	2.40	0.67
1:A:260:LYS:CE	6:A:798:HOH:O	2.40	0.66
1:A:231:TYR:HE1	1:A:454:ASN:HD22	1.42	0.65
1:A:441:PHE:N	6:A:724:HOH:O	2.29	0.65
1:A:473:CYS:HB3	6:A:1046:HOH:O	1.97	0.63
1:A:339:HIS:HE1	6:A:792:HOH:O	1.81	0.63
3:C:12:DC:C5'	6:C:102:HOH:O	2.47	0.63
1:A:385:ASP:OD1	6:A:710:HOH:O	2.16	0.62
1:A:540:PHE:HB2	6:A:971:HOH:O	1.98	0.62
1:A:580:LYS:HD3	6:A:785:HOH:O	1.99	0.62
1:A:318:GLU:OE1	1:A:340:ARG:NH1	2.33	0.61
1:A:372:LYS:NZ	6:A:728:HOH:O	2.34	0.61
1:A:439:MET:CE	6:A:842:HOH:O	2.32	0.61
3:C:9:DG:C5'	6:C:112:HOH:O	2.39	0.61
1:A:318:GLU:CD	1:A:340:ARG:NH1	2.54	0.61
1:A:408:PRO:HB2	4:A:604:EDO:H11	1.83	0.61
1:A:386:GLU:OE2	6:A:711:HOH:O	2.16	0.60
1:A:456:VAL:N	6:A:704:HOH:O	2.35	0.60
1:A:528:THR:HG21	6:A:881:HOH:O	2.01	0.60
2:B:4:C:H2'	2:B:5:A:C8	2.36	0.60
1:A:271:ILE:HG13	6:A:894:HOH:O	2.02	0.60
1:A:103:LEU:HD22	1:A:106:VAL:HG11	1.84	0.59
1:A:337:PHE:CE2	1:A:346:PHE:CD2	2.89	0.59
1:A:340:ARG:NH2	6:A:727:HOH:O	2.33	0.59
1:A:584:LYS:NZ	6:A:715:HOH:O	2.21	0.59
1:A:419:LEU:HG	6:A:738:HOH:O	2.02	0.59
1:A:441:PHE:HB3	6:A:724:HOH:O	2.03	0.58
1:A:20:ASN:OD1	1:A:21:SER:N	2.37	0.58
1:A:31:LEU:HD23	1:A:126:ILE:HD11	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:GLN:HG3	6:A:1044:HOH:O	2.03	0.58
1:A:225:LYS:HE2	1:A:326:ARG:HH12	1.69	0.58
1:A:271:ILE:CG1	6:A:894:HOH:O	2.52	0.57
1:A:367:GLN:CG	6:A:814:HOH:O	2.37	0.57
1:A:100:ILE:HD11	1:A:103:LEU:HD12	1.85	0.57
1:A:155:ILE:CD1	6:A:970:HOH:O	2.51	0.57
1:A:169:LYS:HD3	6:A:837:HOH:O	2.03	0.57
1:A:175:GLN:HB2	6:A:1044:HOH:O	2.05	0.56
1:A:49:LEU:HD22	1:A:71:TYR:HD2	1.71	0.56
1:A:566:MET:N	6:A:713:HOH:O	2.18	0.56
1:A:37:CYS:SG	1:A:51:LEU:HD21	2.46	0.55
1:A:367:GLN:CB	6:A:814:HOH:O	2.53	0.55
1:A:169:LYS:N	6:A:735:HOH:O	2.37	0.55
1:A:411:TYR:HD1	4:A:604:EDO:H12	1.72	0.55
1:A:528:THR:HG23	1:A:531:CYS:H	1.70	0.55
1:A:222:GLU:HG3	1:A:223:LYS:HE2	1.89	0.55
1:A:526:LYS:HB3	1:A:569:HIS:HB2	1.89	0.54
3:C:11:DA:C3'	6:C:101:HOH:O	2.54	0.54
1:A:48:ILE:HG21	1:A:78:LEU:HD21	1.90	0.54
1:A:325:ASP:OD1	1:A:345:TYR:OH	2.25	0.54
2:B:17:DA:H2'	2:B:18:DA:C8	2.43	0.54
1:A:256:TYR:HE1	6:A:920:HOH:O	1.91	0.54
1:A:444:ILE:N	6:A:701:HOH:O	1.70	0.54
1:A:494:PHE:HE2	1:A:557:ARG:HD2	1.72	0.54
1:A:540:PHE:CG	6:A:971:HOH:O	2.58	0.54
1:A:568:PHE:HB2	6:A:720:HOH:O	1.98	0.54
1:A:225:LYS:HG2	1:A:326:ARG:HH11	1.73	0.52
1:A:318:GLU:CD	1:A:340:ARG:HH12	2.13	0.52
1:A:139:LYS:CD	6:A:804:HOH:O	2.23	0.52
1:A:372:LYS:HE3	6:A:1018:HOH:O	2.10	0.52
1:A:139:LYS:HE2	2:B:2:U:H5''	1.92	0.52
1:A:108:PRO:HA	1:A:111:ARG:HE	1.75	0.51
1:A:461:ARG:HD3	6:A:762:HOH:O	2.10	0.51
1:A:19:VAL:HG21	1:A:27:LEU:HB2	1.92	0.51
1:A:308:GLN:HG3	4:A:602:EDO:H11	1.92	0.51
1:A:111:ARG:NH1	6:A:717:HOH:O	2.43	0.51
3:C:9:DG:H2''	3:C:10:DC:O5'	2.10	0.51
1:A:103:LEU:HD13	1:A:111:ARG:HB2	1.93	0.51
1:A:290:ASN:HB3	1:A:292:PHE:CE2	2.46	0.51
1:A:180:PRO:HD3	1:A:299:ILE:HD12	1.93	0.51
1:A:582:PRO:HA	6:A:885:HOH:O	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:MET:HE2	6:A:916:HOH:O	2.09	0.50
1:A:194:ARG:NH2	6:A:749:HOH:O	2.42	0.50
1:A:524:TYR:HE1	1:A:527:VAL:HG22	1.77	0.50
1:A:455:THR:OG1	1:A:521:GLY:N	2.43	0.50
1:A:461:ARG:CD	6:A:762:HOH:O	2.60	0.50
1:A:56:ILE:HD11	1:A:122:LEU:HD22	1.94	0.49
1:A:359:GLU:HG2	1:A:363:LYS:HD2	1.95	0.49
4:A:605:EDO:C2	6:A:992:HOH:O	2.56	0.49
1:A:111:ARG:HA	1:A:114:LEU:HD23	1.94	0.49
1:A:443:PHE:HZ	1:A:474:VAL:HA	1.77	0.49
1:A:515:LYS:NZ	6:A:760:HOH:O	2.46	0.49
1:A:332:LEU:HD11	1:A:347:PHE:HE1	1.78	0.49
1:A:490:LEU:HB2	6:A:872:HOH:O	2.13	0.49
1:A:595:SER:HB3	6:A:812:HOH:O	2.12	0.49
1:A:506:ARG:HG2	6:A:790:HOH:O	2.13	0.48
4:A:605:EDO:C1	6:A:992:HOH:O	2.32	0.48
1:A:90:VAL:CG2	6:A:1021:HOH:O	2.61	0.48
1:A:9:LEU:O	1:A:12:ARG:NH2	2.40	0.48
1:A:17:LYS:O	1:A:35:ARG:NH2	2.46	0.48
1:A:461:ARG:CB	6:A:854:HOH:O	2.46	0.48
1:A:249:LYS:NZ	6:A:730:HOH:O	2.35	0.48
1:A:461:ARG:NE	6:A:762:HOH:O	2.46	0.48
1:A:367:GLN:HB2	6:A:814:HOH:O	2.13	0.47
1:A:545:LYS:O	1:A:548:THR:HG23	2.15	0.47
1:A:175:GLN:CG	6:A:1044:HOH:O	2.62	0.47
1:A:506:ARG:CB	6:A:790:HOH:O	2.54	0.47
1:A:442:PRO:HB2	3:C:11:DA:N3	2.31	0.46
1:A:483:MET:CE	6:A:1027:HOH:O	2.63	0.46
1:A:56:ILE:HG21	1:A:61:PHE:HE2	1.80	0.46
1:A:566:MET:HB2	6:A:713:HOH:O	2.16	0.46
1:A:381:ARG:HB3	1:A:382:HIS:ND1	2.30	0.46
1:A:171:LEU:HD12	1:A:171:LEU:HA	1.78	0.46
1:A:54:GLU:OE1	1:A:54:GLU:N	2.49	0.46
1:A:175:GLN:CB	6:A:1044:HOH:O	2.61	0.46
1:A:368:VAL:HG23	6:A:708:HOH:O	2.15	0.46
1:A:417:PHE:CG	1:A:477:LYS:HG3	2.51	0.46
1:A:264:LEU:O	1:A:268:ILE:HG13	2.15	0.45
1:A:439:MET:HA	6:A:739:HOH:O	2.16	0.45
1:A:17:LYS:HG3	1:A:18:ILE:HG23	1.98	0.45
1:A:83:PHE:CE1	4:A:605:EDO:H22	2.51	0.45
1:A:251:ASP:OD1	1:A:344:ASP:OD1	2.35	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:LEU:O	1:A:224:TYR:HB2	2.16	0.45
1:A:427:SER:OG	1:A:429[B]:ASP:OD2	2.32	0.45
1:A:453:PHE:HD1	1:A:463:VAL:HG13	1.82	0.44
1:A:483:MET:HE3	6:A:1027:HOH:O	2.16	0.44
1:A:444:ILE:CD1	6:A:989:HOH:O	2.25	0.44
1:A:24:ASN:ND2	1:A:102:TRP:HB2	2.33	0.44
1:A:127:VAL:O	1:A:130:ILE:HG22	2.17	0.44
1:A:178:VAL:HG21	1:A:292:PHE:CG	2.52	0.44
1:A:90:VAL:HG23	6:A:1021:HOH:O	2.18	0.44
1:A:35:ARG:O	1:A:39:LYS:HG3	2.18	0.43
1:A:401:VAL:HG12	1:A:457:PHE:HE1	1.83	0.43
1:A:258:ASN:ND2	6:A:718:HOH:O	2.50	0.43
1:A:314:GLY:HA3	6:A:915:HOH:O	2.18	0.43
1:A:333:ASP:OD1	1:A:333:ASP:N	2.48	0.43
2:B:17:DA:N7	6:B:103:HOH:O	2.36	0.43
1:A:254:ASP:N	6:A:752:HOH:O	2.43	0.43
1:A:318:GLU:OE2	1:A:340:ARG:NH1	2.52	0.43
1:A:547:ARG:HB3	1:A:550:ILE:HD13	2.00	0.43
1:A:553:GLY:N	6:A:771:HOH:O	2.51	0.43
1:A:546:ARG:NH1	1:A:588:VAL:O	2.42	0.42
1:A:48:ILE:O	1:A:52:LEU:HD23	2.20	0.42
1:A:138:ILE:HG13	1:A:149:ILE:HD13	2.01	0.42
1:A:516:ILE:HG21	1:A:527:VAL:HG21	2.00	0.42
1:A:596:ILE:HG23	6:A:812:HOH:O	2.20	0.42
1:A:573:VAL:H	1:A:573:VAL:HG22	1.62	0.42
1:A:111:ARG:N	1:A:112:PRO:HD2	2.35	0.42
2:B:9:G:H2'	6:B:102:HOH:O	2.20	0.42
1:A:401:VAL:HG11	1:A:451:PHE:HD1	1.85	0.41
1:A:351:HIS:HB3	6:A:757:HOH:O	2.21	0.41
1:A:514:LYS:O	1:A:518:THR:HG23	2.20	0.41
2:B:13:DA:H2''	2:B:14:DA:C8	2.56	0.41
1:A:197:VAL:HG12	1:A:308:GLN:O	2.20	0.41
1:A:441:PHE:N	1:A:442:PRO:HD2	2.35	0.41
2:B:9:G:C2'	6:B:102:HOH:O	2.68	0.41
1:A:75:GLU:HG3	1:A:594:ALA:HB2	2.02	0.41
1:A:525:ARG:CZ	6:A:784:HOH:O	2.68	0.41
1:A:402:ARG:NH2	1:A:465:ALA:HB1	2.35	0.41
1:A:42:THR:HG23	6:A:755:HOH:O	2.21	0.40
1:A:116:LEU:O	1:A:120:LEU:HG	2.21	0.40
1:A:448:PHE:O	1:A:515:LYS:HE2	2.21	0.40
1:A:581:LEU:HD12	6:A:1043:HOH:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:526:LYS:CD	6:A:807:HOH:O	2.69	0.40
3:C:9:DG:H2''	3:C:10:DC:C5'	2.52	0.40
1:A:76:LYS:NZ	6:A:736:HOH:O	2.37	0.40
1:A:511[B]:ARG:NH2	6:A:729:HOH:O	2.35	0.40
1:A:525:ARG:HD3	1:A:525:ARG:HA	1.84	0.40

All (9) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:323:PHE:CZ	1:A:360[B]:LEU:CD1[8_555]	1.78	0.42
1:A:177:GLU:OE1	1:A:545:LYS:NZ[5_554]	2.05	0.15
1:A:323:PHE:CE2	1:A:360[B]:LEU:CD1[8_555]	2.07	0.13
6:A:963:HOH:O	6:A:964:HOH:O[12_545]	2.07	0.13
1:A:12:ARG:NH1	2:B:17:DA:OP1[8_445]	2.09	0.11
1:A:327:LEU:CD1	1:A:361:LEU:CD1[8_555]	2.09	0.11
1:A:21:SER:O	1:A:215:LYS:NZ[8_445]	2.11	0.09
6:A:921:HOH:O	6:A:958:HOH:O[12_545]	2.18	0.02
6:A:994:HOH:O	6:B:103:HOH:O[8_445]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	601/596 (101%)	587 (98%)	13 (2%)	1 (0%)	47 69

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	342	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	555/552 (100%)	547 (99%)	8 (1%)	67 80

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	191	ASP
1	A	223	LYS
1	A	249	LYS
1	A	327	LEU
1	A	406	LYS
1	A	568	PHE
1	A	569	HIS
1	A	580	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	10/18 (55%)	2 (20%)	0

All (2) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	6	G
2	B	11	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	PEG	A	608	-	6,6,6	0.49	0	5,5,5	0.34	0
4	EDO	A	604	-	3,3,3	0.06	0	2,2,2	0.17	0
4	EDO	A	605	-	3,3,3	0.05	0	2,2,2	0.14	0
4	EDO	A	607	-	3,3,3	0.06	0	2,2,2	0.15	0
4	EDO	A	603	-	3,3,3	0.43	0	2,2,2	0.93	0
4	EDO	A	606	-	3,3,3	0.06	0	2,2,2	0.15	0
4	EDO	A	601	-	3,3,3	0.47	0	2,2,2	0.36	0
4	EDO	A	602	-	3,3,3	0.47	0	2,2,2	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	A	608	-	-	1/4/4/4	-
4	EDO	A	604	-	-	1/1/1/1	-
4	EDO	A	605	-	-	1/1/1/1	-
4	EDO	A	607	-	-	1/1/1/1	-
4	EDO	A	603	-	-	1/1/1/1	-
4	EDO	A	606	-	-	1/1/1/1	-
4	EDO	A	601	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	602	-	-	1/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	602	EDO	O1-C1-C2-O2
4	A	603	EDO	O1-C1-C2-O2
5	A	608	PEG	C4-C3-O2-C2
4	A	605	EDO	O1-C1-C2-O2
4	A	606	EDO	O1-C1-C2-O2
4	A	604	EDO	O1-C1-C2-O2
4	A	607	EDO	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	604	EDO	2	0
4	A	605	EDO	4	0
4	A	606	EDO	4	0
4	A	602	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	596/596 (100%)	0.16	31 (5%) 27 31	43, 70, 125, 179	0
2	B	17/18 (94%)	-0.18	1 (5%) 22 25	68, 77, 114, 134	0
3	C	15/15 (100%)	-0.03	0 100 100	62, 73, 94, 98	0
All	All	628/629 (99%)	0.15	32 (5%) 28 31	43, 70, 125, 179	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	569	HIS	4.7
1	A	1	MET	4.3
1	A	42	THR	4.3
1	A	191	ASP	4.1
1	A	570	ASP	4.1
1	A	573	VAL	3.8
1	A	110	LEU	3.7
1	A	227	SER	3.6
1	A	41	LYS	3.4
1	A	226	THR	3.4
1	A	225	LYS	3.4
1	A	62	GLY	3.2
1	A	17	LYS	3.0
1	A	98	ASP	2.9
1	A	99	ALA	2.9
1	A	43	LYS	2.9
1	A	190	GLN	2.7
1	A	44	LYS	2.7
1	A	331	ASN	2.7
1	A	568	PHE	2.6
1	A	63	THR	2.5
1	A	105	ASN	2.5
1	A	567	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	2	U	2.4
1	A	46	VAL	2.3
1	A	382	HIS	2.3
1	A	36	LEU	2.2
1	A	101	PRO	2.2
1	A	104	GLN	2.1
1	A	18	ILE	2.1
1	A	524	TYR	2.0
1	A	572	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	A	607	4/4	0.62	0.31	90,92,92,99	0
4	EDO	A	603	4/4	0.72	0.35	62,72,78,81	0
5	PEG	A	608	7/7	0.72	0.35	76,93,104,109	0
4	EDO	A	606	4/4	0.76	0.33	96,101,103,104	0
4	EDO	A	604	4/4	0.78	0.34	75,79,79,79	0
4	EDO	A	601	4/4	0.86	0.34	79,82,83,94	0
4	EDO	A	605	4/4	0.88	0.18	78,83,83,86	0
4	EDO	A	602	4/4	0.91	0.25	50,55,65,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.