



## Full wwPDB EM Validation Report ⓘ

Nov 4, 2023 – 09:24 AM EDT

PDB ID : 7LVK  
EMDB ID : EMD-23539  
Title : Cfr-modified 50S subunit from Escherichia coli  
Authors : Stojkovic, V.; Myasnikov, A.G.; Frost, A.; Fujimori, D.G.  
Deposited on : 2021-02-25  
Resolution : 2.20 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	I	2904	
2	J	120	
3	K	273	
4	L	209	
5	M	201	
6	N	179	
7	O	177	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	P	149	76% 70% 28%
9	R	142	89% 10%
10	S	123	86% 12%
11	T	144	94% 6%
12	U	136	90% 10%
13	V	127	84% 10% 6%
14	W	117	86% 11% ...
15	X	115	87% 11%
16	Y	118	91% 7%
17	Z	103	5% 82% 17%
18	a	110	95% 5%
19	b	100	5% 92% 7%
20	c	104	8% 96%
21	d	94	100%
22	e	85	87% 12%
23	f	78	96%
24	g	63	5% 98%
25	h	59	5% 98%
26	i	57	96%
27	j	55	5% 89% 9%
28	k	46	98%
29	l	65	95%
30	m	38	100%

## 2 Entry composition [i](#)

There are 34 unique types of molecules in this entry. The entry contains 151692 atoms, of which 58960 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
1	I	2898	93535	27769	31305	11448	20115	2898	0	0

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
2	J	118	3809	1126	1280	464	821	118	0	0

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
3	K	271	4236	1288	2154	423	364	7	0	0

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
4	L	209	3182	979	1617	288	294	4	0	0

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
5	M	201	3171	974	1619	283	290	5	0	0

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
6	N	177	2854	899	1444	249	256	6	0	0

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
7	O	176	2694	832	1371	243	246	2	0	0

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
8	P	149	2258	699	1148	197	213	1	0	0

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
9	R	142	2291	714	1162	212	199	4	0	0

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
10	S	122	1950	587	1012	180	165	6	0	0

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
11	T	144	2182	654	1129	207	190	2	0	0

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	U	136	2229	686	1154	205	178	6	0	0

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	V	120	1960	593	1000	196	166	5	0	0

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
14	W	116	1815	552	923	178	162	0	0

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
15	X	114	1879	574	962	179	163	1	0	0

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
16	Y	117	1967	604	1020	192	151	0	0

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
17	Z	103	1655	516	839	153	145	2	0	0

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
18	a	110	1779	532	922	166	156	3	0	0

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
19	b	93	1545	466	807	139	131	2	0	0

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
20	c	102	1610	492	831	146	141	0	0

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace	
21	d	94	Total	C	H	N	O	S	0	0
			1533	479	780	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
22	e	75	Total	C	H	N	O	S	0	0
			1150	353	581	113	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace	
23	f	77	Total	C	H	N	O	S	0	0
			1277	388	652	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace	
24	g	62	Total	C	H	N	O	S	0	0
			1032	308	531	98	94	1		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
25	h	58	Total	C	H	N	O	S	0	0
			937	281	488	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace	
26	i	56	Total	C	H	N	O	S	0	0
			902	269	458	94	80	1		

- Molecule 27 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace	
27	j	50	Total	C	H	N	O		0	0
			849	263	440	75	71			

- Molecule 28 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	k	46	795	228	418	90	57	2	0	0

- Molecule 29 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	l	64	1077	323	573	105	74	2	0	0

- Molecule 30 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	m	38	642	185	340	65	48	4	0	0

- Molecule 31 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
31	I	175	Total	Mg	0
			175	175	
31	J	1	Total	Mg	0
			1	1	
31	K	1	Total	Mg	0
			1	1	
31	L	1	Total	Mg	0
			1	1	
31	W	1	Total	Mg	0
			1	1	

- Molecule 32 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
32	K	1	Total	Na	0
			1	1	

- Molecule 33 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
33	m	1	Total	Zn	0
			1	1	

- Molecule 34 is water.



Mol	Chain	Residues	Atoms		AltConf
34	I	2340	Total 2340	O 2340	0
34	J	34	Total 34	O 34	0
34	K	58	Total 58	O 58	0
34	L	44	Total 44	O 44	0
34	M	22	Total 22	O 22	0
34	P	1	Total 1	O 1	0
34	R	10	Total 10	O 10	0
34	S	11	Total 11	O 11	0
34	T	28	Total 28	O 28	0
34	U	20	Total 20	O 20	0
34	V	15	Total 15	O 15	0
34	W	1	Total 1	O 1	0
34	X	14	Total 14	O 14	0
34	Y	16	Total 16	O 16	0
34	Z	12	Total 12	O 12	0
34	a	16	Total 16	O 16	0
34	b	6	Total 6	O 6	0
34	c	1	Total 1	O 1	0
34	d	3	Total 3	O 3	0
34	e	13	Total 13	O 13	0
34	f	6	Total 6	O 6	0
34	h	5	Total 5	O 5	0

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Residues	Atoms	AltConf
34	i	10	Total O 10 10	0
34	j	2	Total O 2 2	0
34	k	11	Total O 11 11	0
34	l	13	Total O 13 13	0
34	m	4	Total O 4 4	0

### 3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 23S rRNA







• Molecule 2: 5S rRNA





• Molecule 3: 50S ribosomal protein L2







- Molecule 4: 50S ribosomal protein L3





- Molecule 5: 50S ribosomal protein L4




- Molecule 6: 50S ribosomal protein L5



- Molecule 7: 50S ribosomal protein L6




- Molecule 8: 50S ribosomal protein L9




• Molecule 9: 50S ribosomal protein L13



• Molecule 10: 50S ribosomal protein L14



• Molecule 11: 50S ribosomal protein L15




• Molecule 12: 50S ribosomal protein L16




• Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21




- Molecule 18: 50S ribosomal protein L22




- Molecule 19: 50S ribosomal protein L23




- Molecule 20: 50S ribosomal protein L24







- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27




- Molecule 23: 50S ribosomal protein L28



- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L32




- Molecule 27: 50S ribosomal protein L33






- Molecule 28: 50S ribosomal protein L34



- Molecule 29: 50S ribosomal protein L35



- Molecule 30: 50S ribosomal protein L36



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	141549	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; Relion	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	80	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	29000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.226	Depositor
Minimum map value	-0.114	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	420.864, 420.864, 420.864	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.822, 0.822, 0.822	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, 5MU, 6MZ, 2MG, G7M, MG, OMU, 8AH, 4D4, OMG, PSU, ZN, NA, 3TD, OMC, 1MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	I	0.94	5/69165 (0.0%)	0.97	51/107896 (0.0%)
2	J	0.72	0/2828	0.92	4/4410 (0.1%)
3	K	0.53	1/2121 (0.0%)	0.79	3/2852 (0.1%)
4	L	0.57	1/1586 (0.1%)	0.73	3/2134 (0.1%)
5	M	0.47	0/1571	0.65	1/2113 (0.0%)
6	N	0.32	0/1434	0.62	0/1926
7	O	0.35	0/1343	0.57	0/1816
8	P	0.37	0/1121	0.77	2/1515 (0.1%)
9	R	0.48	0/1152	0.67	2/1551 (0.1%)
10	S	0.48	0/947	0.71	2/1268 (0.2%)
11	T	0.49	0/1062	0.72	1/1413 (0.1%)
12	U	0.47	0/1081	0.66	0/1443
13	V	0.48	0/973	0.72	1/1301 (0.1%)
14	W	0.54	1/902 (0.1%)	0.79	2/1209 (0.2%)
15	X	0.45	0/929	0.69	2/1242 (0.2%)
16	Y	0.56	0/960	0.77	4/1278 (0.3%)
17	Z	0.53	0/829	0.73	0/1107
18	a	0.54	0/864	0.75	0/1156
19	b	0.40	0/744	0.64	0/994
20	c	0.43	0/787	0.70	2/1051 (0.2%)
21	d	0.44	0/766	0.62	0/1025
22	e	0.50	0/576	0.72	2/762 (0.3%)
23	f	0.48	0/635	0.80	2/848 (0.2%)
24	g	0.35	0/502	0.59	0/667
25	h	0.37	0/453	0.65	0/605
26	i	0.45	0/450	0.87	2/599 (0.3%)
27	j	0.50	0/416	0.77	1/554 (0.2%)
28	k	0.48	0/380	0.89	1/498 (0.2%)
29	l	0.54	0/513	0.79	2/676 (0.3%)
30	m	0.46	0/303	0.67	0/397
All	All	0.83	8/97393 (0.0%)	0.92	90/146306 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
8	P	0	7
14	W	0	1
All	All	0	8

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	W	101	GLY	C-O	-9.96	1.07	1.23
1	I	1757	A	O3'-P	8.88	1.71	1.61
4	L	151	THR	C-O	-7.90	1.08	1.23
1	I	108	G	O3'-P	5.99	1.68	1.61
1	I	2500	U	O3'-P	5.49	1.67	1.61
1	I	1166	G	O3'-P	5.46	1.67	1.61
1	I	1134	A	O3'-P	5.18	1.67	1.61
3	K	204	VAL	CB-CG2	-5.03	1.42	1.52

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	111	A	N9-C1'-C2'	-9.82	101.20	112.00
1	I	6	A	N9-C1'-C2'	-9.36	101.70	112.00
2	J	16	G	N9-C1'-C2'	-9.23	101.84	112.00
1	I	1136	G	N9-C1'-C2'	-8.69	102.44	112.00
2	J	14	U	P-O3'-C3'	8.57	129.99	119.70
1	I	12	U	C2-N1-C1'	8.53	127.93	117.70
1	I	512	G	O4'-C1'-N9	8.32	114.85	108.20
1	I	8	C	N1-C1'-C2'	-8.13	103.06	112.00
14	W	101	GLY	CA-C-O	-7.87	106.43	120.60
14	W	102	ARG	N-CA-CB	7.86	124.74	110.60
29	I	13	ARG	NE-CZ-NH1	-7.86	116.37	120.30
2	J	15	A	N9-C1'-C2'	7.79	124.13	114.00
1	I	2500	U	P-O3'-C3'	7.70	128.94	119.70
1	I	12	U	N3-C2-O2	-7.61	116.87	122.20
1	I	1134	A	P-O3'-C3'	7.24	128.39	119.70
1	I	10	A	N9-C1'-C2'	-7.12	104.17	112.00
1	I	6	A	C4'-C3'-O3'	7.04	127.08	113.00
1	I	108	G	P-O3'-C3'	7.01	128.11	119.70
1	I	489	G	P-O3'-C3'	7.01	128.11	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	7	G	C2'-C3'-O3'	6.82	124.62	113.70
1	I	452	G	N7-C8-N9	6.79	116.50	113.10
8	P	98	ASP	C-N-CA	6.78	138.66	121.70
1	I	12	U	N1-C2-O2	6.75	127.53	122.80
5	M	40	ARG	NE-CZ-NH2	-6.74	116.93	120.30
1	I	109	C	N1-C1'-C2'	-6.72	104.60	112.00
1	I	2225	A	P-O3'-C3'	6.72	127.77	119.70
8	P	117	LEU	CA-CB-CG	6.71	130.73	115.30
1	I	1313	U	C2-N1-C1'	6.71	125.75	117.70
1	I	8	C	C4'-C3'-O3'	6.44	125.87	113.00
26	i	50	ARG	CB-CA-C	6.31	123.02	110.40
1	I	6	A	C1'-C2'-O2'	-6.31	91.68	110.60
1	I	1166	G	P-O3'-C3'	6.30	127.27	119.70
4	L	79	LEU	CB-CG-CD1	6.25	121.62	111.00
1	I	111	A	C4'-C3'-O3'	6.15	125.31	113.00
1	I	110	G	N9-C1'-C2'	-6.14	105.25	112.00
9	R	36	LEU	CB-CG-CD2	6.11	121.39	111.00
3	K	233	GLY	N-CA-C	6.10	128.34	113.10
16	Y	91	ASP	C-N-CA	6.08	136.90	121.70
1	I	12	U	C6-N1-C2	-6.08	117.36	121.00
15	X	40	LEU	CB-CG-CD1	6.07	121.32	111.00
1	I	748	G	O4'-C1'-N9	5.99	112.99	108.20
1	I	1758	U	C4'-C3'-O3'	-5.93	96.94	109.40
9	R	36	LEU	CB-CG-CD1	5.90	121.02	111.00
29	l	13	ARG	NE-CZ-NH2	5.86	123.23	120.30
27	j	51	GLU	N-CA-CB	5.86	121.14	110.60
10	S	78	ARG	NE-CZ-NH1	5.85	123.22	120.30
4	L	151	THR	N-CA-CB	5.69	121.11	110.30
1	I	111	A	C1'-C2'-O2'	-5.65	93.66	110.60
1	I	2052	A	C5-C6-N6	-5.48	119.31	123.70
1	I	109	C	C4'-C3'-O3'	5.47	123.95	113.00
1	I	2508	G	C5-C6-O6	-5.47	125.32	128.60
1	I	752	A	C5'-C4'-O4'	5.43	115.62	109.10
1	I	395	U	O4'-C1'-N1	5.43	112.55	108.20
15	X	40	LEU	CB-CG-CD2	5.43	120.24	111.00
1	I	1930	G	P-O3'-C3'	5.43	126.21	119.70
1	I	1757	A	P-O3'-C3'	5.42	126.20	119.70
4	L	151	THR	CA-C-O	-5.42	108.73	120.10
1	I	513	A	C5-C6-N6	-5.41	119.37	123.70
3	K	238	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	I	941	A	O5'-P-OP1	-5.40	100.84	105.70
1	I	12	U	C5-C6-N1	5.39	125.40	122.70

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	1758	U	N1-C1'-C2'	5.37	120.98	114.00
1	I	370	G	O4'-C1'-N9	-5.36	103.91	108.20
1	I	686	U	C5-C6-N1	5.28	125.34	122.70
16	Y	11	ARG	NE-CZ-NH1	5.24	122.92	120.30
23	f	3	ARG	NE-CZ-NH2	5.23	122.92	120.30
1	I	2508	G	N1-C6-O6	5.23	123.04	119.90
13	V	2	ARG	N-CA-CB	-5.20	101.24	110.60
23	f	18	ARG	NE-CZ-NH2	5.20	122.90	120.30
16	Y	33	ARG	NE-CZ-NH2	5.19	122.90	120.30
20	c	86	ARG	NE-CZ-NH2	5.19	122.90	120.30
22	e	20	ARG	NE-CZ-NH2	-5.18	117.71	120.30
28	k	19	ARG	NE-CZ-NH2	5.18	122.89	120.30
1	I	1133	A	O4'-C1'-N9	5.16	112.33	108.20
3	K	221	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	I	2447	G	P-O3'-C3'	5.15	125.88	119.70
22	e	20	ARG	NE-CZ-NH1	5.15	122.87	120.30
1	I	1342	A	P-O3'-C3'	5.14	125.87	119.70
1	I	784	G	P-O3'-C3'	5.13	125.86	119.70
20	c	82	ARG	NE-CZ-NH2	5.12	122.86	120.30
1	I	481	G	O4'-C1'-N9	5.11	112.29	108.20
11	T	69	ARG	NE-CZ-NH1	5.11	122.85	120.30
2	J	66	A	C5-C6-N6	-5.11	119.61	123.70
1	I	489	G	OP1-P-O3'	5.10	116.43	105.20
26	i	50	ARG	N-CA-C	-5.05	97.36	111.00
1	I	2425	A	P-O3'-C3'	5.05	125.76	119.70
1	I	1428	C	C6-N1-C2	-5.04	118.28	120.30
10	S	78	ARG	NE-CZ-NH2	-5.04	117.78	120.30
16	Y	58	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	I	142	A	N9-C1'-C2'	-5.02	106.47	112.00

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
8	P	100	ALA	Peptide
8	P	102	ALA	Peptide
8	P	108	VAL	Peptide
8	P	116	ARG	Peptide
8	P	132	PHE	Peptide
8	P	133	GLN	Peptide
8	P	47	PHE	Peptide
14	W	100	HIS	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	I	62230	31305	31306	138	0
2	J	2529	1280	1281	8	0
3	K	2082	2154	2154	30	0
4	L	1565	1617	1616	9	0
5	M	1552	1619	1619	6	0
6	N	1410	1444	1444	7	0
7	O	1323	1371	1371	8	0
8	P	1110	1148	1148	31	0
9	R	1129	1162	1162	11	0
10	S	938	1012	1012	14	0
11	T	1053	1129	1129	8	0
12	U	1075	1154	1154	7	0
13	V	960	1000	1000	9	0
14	W	892	923	923	9	0
15	X	917	962	962	8	0
16	Y	947	1020	1019	8	0
17	Z	816	839	839	20	0
18	a	857	922	922	0	0
19	b	738	807	807	0	0
20	c	779	831	831	0	0
21	d	753	780	780	0	0
22	e	569	581	581	0	0
23	f	625	652	652	0	0
24	g	501	531	531	0	0
25	h	449	488	488	0	0
26	i	444	458	458	0	0
27	j	409	440	440	0	0
28	k	377	418	418	0	0
29	l	504	573	572	0	0
30	m	302	340	340	0	0
31	I	175	0	0	0	0
31	J	1	0	0	0	0
31	K	1	0	0	0	0
31	L	1	0	0	0	0
31	W	1	0	0	0	0
32	K	1	0	0	0	0
33	m	1	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
34	I	2340	0	0	22	0
34	J	34	0	0	2	0
34	K	58	0	0	1	0
34	L	44	0	0	0	0
34	M	22	0	0	0	0
34	P	1	0	0	0	0
34	R	10	0	0	0	0
34	S	11	0	0	0	0
34	T	28	0	0	0	0
34	U	20	0	0	0	0
34	V	15	0	0	0	0
34	W	1	0	0	0	0
34	X	14	0	0	0	0
34	Y	16	0	0	0	0
34	Z	12	0	0	0	0
34	a	16	0	0	0	0
34	b	6	0	0	0	0
34	c	1	0	0	0	0
34	d	3	0	0	0	0
34	e	13	0	0	0	0
34	f	6	0	0	0	0
34	h	5	0	0	0	0
34	i	10	0	0	0	0
34	j	2	0	0	0	0
34	k	11	0	0	0	0
34	l	13	0	0	0	0
34	m	4	0	0	0	0
All	All	92732	58960	58959	290	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (290) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:W:56:LYS:O	14:W:60:GLU:HG2	1.20	1.27
3:K:124:ILE:CD1	3:K:130:LEU:HD11	1.71	1.19
1:I:1250:G:N7	11:T:18:ARG:NH1	1.92	1.16
3:K:124:ILE:HD13	3:K:130:LEU:HD11	1.31	1.09
8:P:108:VAL:O	8:P:139:PHE:O	1.77	1.02
3:K:70:ASN:HA	3:K:189:ARG:HH22	1.24	1.00

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:572:A:OP2	17:Z:80:ARG:NH2	1.94	0.99
14:W:56:LYS:O	14:W:60:GLU:CG	2.15	0.95
3:K:124:ILE:CD1	3:K:130:LEU:CD1	2.44	0.95
8:P:108:VAL:C	8:P:139:PHE:O	2.05	0.94
1:I:1824:G:O2'	3:K:252:THR:HG21	1.70	0.91
3:K:70:ASN:HA	3:K:189:ARG:NH2	1.88	0.87
17:Z:30:GLY:O	17:Z:62:GLU:OE2	1.94	0.84
1:I:1078:U:O2'	1:I:1088:A:OP1	1.98	0.81
3:K:124:ILE:HD11	3:K:130:LEU:CD1	2.12	0.79
3:K:225:MET:O	3:K:233:GLY:O	1.99	0.79
1:I:810:U:C4	11:T:29:LYS:O	2.35	0.79
17:Z:39:LEU:O	17:Z:49:ILE:HG22	1.83	0.79
17:Z:39:LEU:CD2	17:Z:53:PHE:HE1	1.95	0.79
10:S:63:VAL:HG12	10:S:107:LEU:HD21	1.65	0.78
1:I:1826:G:O2'	1:I:1971:U:OP2	2.01	0.77
8:P:95:GLY:O	8:P:119:ASN:ND2	2.19	0.75
1:I:2646:C:OP2	1:I:2732:G:O2'	2.06	0.74
3:K:124:ILE:HD11	3:K:130:LEU:HD11	1.64	0.74
1:I:1064:C:N4	1:I:1069:A:O2'	2.21	0.74
1:I:1278:C:O2'	13:V:27:SER:OG	2.02	0.74
1:I:2146:C:O2'	1:I:2147:A:O5'	2.07	0.73
1:I:652:U:OP1	1:I:654:A:N6	2.21	0.73
8:P:108:VAL:N	8:P:139:PHE:O	2.20	0.73
1:I:1869:G:N2	1:I:1871:A:O2'	2.23	0.72
3:K:2:ALA:N	3:K:20:VAL:O	2.23	0.71
17:Z:30:GLY:C	17:Z:62:GLU:OE2	2.28	0.71
8:P:111:ALA:N	8:P:135:HIS:O	2.24	0.71
1:I:7:G:H5''	1:I:7:G:H8	1.57	0.69
8:P:15:LEU:O	8:P:51:ARG:NH2	2.26	0.69
1:I:1980:G:O2'	1:I:1982:U:OP2	2.11	0.68
1:I:489:G:O2'	1:I:490:C:OP1	2.11	0.67
1:I:1997:C:OP2	4:L:129:THR:OG1	2.14	0.66
8:P:97:ARG:NH1	8:P:98:ASP:OD2	2.28	0.66
1:I:635:C:OP2	11:T:126:ARG:NH2	2.29	0.66
3:K:78:VAL:HG21	3:K:110:LEU:HD21	1.78	0.65
17:Z:39:LEU:HD23	17:Z:53:PHE:CE1	2.32	0.64
2:J:100:G:N7	34:J:301:HOH:O	2.30	0.64
3:K:197:ASN:ND2	3:K:199:GLU:OE2	2.30	0.64
3:K:29:PRO:HG2	3:K:34:LEU:HD11	1.79	0.64
1:I:1354:A:OP1	3:K:36:LYS:NZ	2.29	0.64
1:I:479:A:O2'	1:I:480:A:OP2	2.11	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:M:168:ASP:OD1	5:M:170:ARG:NE	2.30	0.63
1:I:2318:G:O2'	1:I:2321:U:O4	2.09	0.63
8:P:62:LEU:O	8:P:66:ASN:ND2	2.32	0.63
10:S:2:ILE:HG23	10:S:6:THR:HG21	1.80	0.63
8:P:99:ILE:HG23	8:P:118:PRO:O	1.99	0.63
17:Z:39:LEU:HD23	17:Z:53:PHE:HE1	1.63	0.63
1:I:332:A:O2'	1:I:334:C:OP2	2.09	0.62
1:I:577:G:OP1	1:I:2502:G:O2'	2.13	0.62
15:X:7:GLN:NE2	15:X:11:GLU:OE1	2.32	0.62
15:X:89:ARG:NH2	15:X:115:ASN:OD1	2.32	0.62
1:I:1508:A:O2'	1:I:1509:A:O4'	2.19	0.61
1:I:1048:A:OP2	1:I:1109:C:N4	2.33	0.61
1:I:2522:U:O2'	1:I:2647:U:OP1	2.10	0.61
1:I:582:A:N3	34:I:3203:HOH:O	2.30	0.60
1:I:2135:A:N6	1:I:2156:G:O2'	2.34	0.60
11:T:77:ILE:CD1	11:T:108:ALA:HB1	2.31	0.60
1:I:1420:A:O2'	1:I:2211:A:N7	2.25	0.60
1:I:2015:A:N1	34:I:3204:HOH:O	2.30	0.60
6:N:126:GLY:O	6:N:158:THR:OG1	2.18	0.60
1:I:938:G:N7	34:I:3214:HOH:O	2.32	0.60
1:I:2697:G:N7	34:I:3208:HOH:O	2.31	0.60
14:W:27:VAL:HG21	14:W:40:ILE:HD12	1.82	0.60
1:I:221:A:N1	1:I:265:A:O2'	2.35	0.59
8:P:110:VAL:HB	8:P:138:VAL:O	2.01	0.59
1:I:993:G:OP2	16:Y:51:ARG:NH2	2.35	0.59
3:K:142:HIS:NE2	34:K:401:HOH:O	2.32	0.59
12:U:33:LEU:HD13	12:U:117:PHE:HB3	1.82	0.59
17:Z:14:VAL:HG12	17:Z:20:VAL:HG11	1.82	0.59
12:U:66:ARG:NH1	12:U:104:GLU:OE2	2.36	0.59
8:P:106:ALA:O	8:P:139:PHE:HB3	2.02	0.59
1:I:215:G:O2'	1:I:216:A:OP2	2.16	0.59
7:O:35:ARG:NH1	7:O:71:LEU:HD13	2.17	0.59
1:I:2576:G:O2'	1:I:2579:C:OP2	2.13	0.58
1:I:1005:C:O2'	9:R:30:THR:HG21	2.03	0.58
1:I:810:U:C5	11:T:29:LYS:O	2.56	0.58
1:I:994:C:O2'	1:I:996:A:OP1	2.15	0.58
11:T:80:SER:OG	11:T:114:GLY:HA3	2.03	0.57
1:I:1006:C:O4'	9:R:30:THR:HG23	2.04	0.57
1:I:1009:A:N3	1:I:1153:C:O2'	2.33	0.57
1:I:1024:G:HO2'	1:I:1144:A:HO2'	1.45	0.57
1:I:2548:U:O2	10:S:23:LYS:NZ	2.37	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:O:2:SER:OG	7:O:3:ARG:N	2.37	0.57
3:K:158:ALA:HB1	3:K:197:ASN:O	2.05	0.57
1:I:805:G:N7	34:I:3221:HOH:O	2.33	0.57
8:P:37:VAL:HG22	8:P:38:PRO:HD2	1.85	0.57
1:I:1668:A:O2'	1:I:1674:G:N7	2.24	0.56
1:I:2000:C:OP1	13:V:5:LYS:NZ	2.35	0.56
8:P:110:VAL:O	8:P:134:VAL:N	2.34	0.56
1:I:1086:A:O2'	1:I:1103:A:N1	2.32	0.56
2:J:94:A:N7	34:J:304:HOH:O	2.33	0.56
1:I:1456:G:N7	34:I:3219:HOH:O	2.33	0.56
8:P:103:VAL:HG12	8:P:128:HIS:O	2.05	0.56
9:R:7:LYS:O	9:R:11:VAL:HG23	2.06	0.56
3:K:155:ALA:HB2	3:K:162:VAL:HG23	1.88	0.55
1:I:5:A:H2'	1:I:6:A:C8	2.41	0.55
1:I:2685:G:OP1	10:S:78:ARG:NH2	2.39	0.55
1:I:880:G:O6	1:I:897:C:N4	2.19	0.55
1:I:949:G:N7	34:I:3223:HOH:O	2.33	0.55
1:I:7:G:H5''	1:I:7:G:C8	2.38	0.55
14:W:101:GLY:HA2	14:W:104:GLN:HG2	1.87	0.55
17:Z:39:LEU:HD21	17:Z:53:PHE:HE1	1.70	0.55
8:P:55:GLU:N	8:P:55:GLU:OE1	2.40	0.55
17:Z:39:LEU:CD2	17:Z:53:PHE:CE1	2.83	0.54
8:P:101:ASP:HB3	8:P:122:LEU:HD23	1.90	0.54
1:I:1649:G:N7	34:I:3226:HOH:O	2.33	0.54
11:T:77:ILE:HD13	11:T:108:ALA:HB1	1.90	0.54
8:P:42:LYS:O	8:P:46:PHE:N	2.41	0.54
9:R:13:ARG:NH1	9:R:49:ASP:O	2.41	0.53
8:P:108:VAL:O	8:P:138:VAL:HG12	2.08	0.53
1:I:1332:G:N7	1:I:1609:A:O2'	2.34	0.53
1:I:969:G:N7	34:I:3224:HOH:O	2.33	0.53
1:I:1047:G:HO2'	1:I:1110:G:H1	1.55	0.53
1:I:1135:C:N4	1:I:1139:G:C6	2.77	0.53
7:O:30:ASN:ND2	7:O:80:THR:O	2.42	0.53
10:S:2:ILE:HG23	10:S:6:THR:CG2	2.38	0.53
3:K:141:VAL:CG1	3:K:190:ALA:HB1	2.39	0.52
17:Z:49:ILE:HD12	17:Z:53:PHE:CD1	2.44	0.52
8:P:108:VAL:CA	8:P:139:PHE:O	2.58	0.52
1:I:2224:G:N7	34:I:3225:HOH:O	2.33	0.52
1:I:2564:A:OP1	1:I:2648:G:O2'	2.19	0.52
1:I:618:G:N7	34:I:3227:HOH:O	2.34	0.52
1:I:2060:A:OP2	5:M:66:GLY:HA2	2.09	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:5:U:O2'	2:J:27:C:O2	2.26	0.52
1:I:184:C:O2'	1:I:217:A:N3	2.39	0.52
1:I:458:G:O2'	1:I:469:G:O6	2.18	0.52
6:N:61:SER:HB2	6:N:91:LEU:HD21	1.92	0.51
12:U:50:ARG:HD3	12:U:65:ILE:HD11	1.92	0.51
1:I:2033:A:O2'	1:I:2035:G:OP2	2.24	0.51
2:J:41:G:O6	6:N:69:LYS:NZ	2.28	0.51
1:I:2062:A:OP1	34:I:3201:HOH:O	2.19	0.51
14:W:53:THR:HG21	14:W:70:ALA:HB1	1.93	0.51
1:I:1266:G:O2'	1:I:2012:G:O6	2.21	0.51
1:I:2747:G:O2'	7:O:67:THR:HG23	2.11	0.51
3:K:141:VAL:HG13	3:K:190:ALA:HB1	1.91	0.51
10:S:3:GLN:O	10:S:6:THR:HG22	2.11	0.51
14:W:54:VAL:HG13	14:W:54:VAL:O	2.11	0.51
1:I:1753:G:N2	1:I:1756:G:OP2	2.40	0.51
9:R:32:LEU:O	9:R:36:LEU:HD22	2.11	0.50
1:I:2116:G:O6	1:I:2171:A:N6	2.44	0.50
9:R:31:GLU:CG	9:R:142:ILE:HD12	2.41	0.50
14:W:110:ALA:HB1	14:W:115:LEU:HD12	1.93	0.50
1:I:1837:C:O2'	1:I:1927:A:N3	2.38	0.50
1:I:2566:A:N1	10:S:28:SER:OG	2.36	0.50
6:N:12:VAL:HG12	6:N:16:LEU:HD12	1.93	0.50
1:I:1066:U:O2'	1:I:1068:G:N7	2.32	0.50
10:S:112:PHE:HB3	10:S:115:ILE:HD12	1.92	0.50
5:M:21:ARG:O	5:M:114:ARG:NH2	2.45	0.50
17:Z:39:LEU:CA	17:Z:49:ILE:HG22	2.42	0.50
10:S:18:ARG:NH1	10:S:45:GLU:OE1	2.43	0.49
1:I:698:C:O2'	1:I:734:A:N6	2.46	0.49
1:I:1939:5MU:OP1	1:I:2604:U:O2'	2.31	0.49
3:K:144:VAL:HG11	3:K:174:LEU:HD21	1.94	0.49
8:P:33:GLN:O	8:P:35:LYS:N	2.44	0.49
1:I:1094:U:O2'	1:I:1097:U:O4	2.29	0.48
1:I:1020:A:N1	1:I:1141:U:O2'	2.34	0.48
1:I:2114:A:N6	1:I:2119:A:N7	2.61	0.48
10:S:38:ILE:HD11	10:S:112:PHE:HZ	1.79	0.48
1:I:134:G:N7	34:I:3236:HOH:O	2.34	0.48
1:I:2052:A:H4'	4:L:148:GLN:O	2.14	0.48
8:P:103:VAL:N	8:P:128:HIS:O	2.46	0.48
1:I:1385:A:O2'	1:I:1396:U:O2	2.31	0.48
3:K:260:ASN:O	3:K:264:ASP:OD1	2.32	0.48
15:X:22:PRO:HD3	15:X:50:ILE:HD12	1.96	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:411:G:OP2	1:I:2406:A:O2'	2.31	0.47
1:I:1454:C:H5'	13:V:63:ARG:CD	2.43	0.47
3:K:258:ARG:NH2	3:K:263:THR:OG1	2.47	0.47
1:I:1215:G:N7	34:I:3242:HOH:O	2.35	0.47
1:I:695:G:OP1	1:I:1380:G:O2'	2.32	0.47
1:I:578:G:OP1	1:I:1255:U:O2'	2.18	0.47
1:I:1381:G:N7	34:I:3245:HOH:O	2.35	0.47
16:Y:78:LYS:HE3	16:Y:117:LEU:HD13	1.96	0.47
1:I:1024:G:O2'	1:I:1144:A:O2'	2.25	0.47
4:L:186:LEU:CD1	15:X:8:LEU:HD21	2.45	0.46
15:X:30:VAL:HG22	15:X:41:GLN:O	2.15	0.46
1:I:555:G:HO2'	1:I:556:A:H8	1.64	0.46
13:V:30:ARG:NH1	13:V:74:GLU:OE2	2.48	0.46
3:K:19:VAL:HG13	3:K:199:GLU:HG2	1.97	0.46
4:L:35:THR:HG22	4:L:73:VAL:HG21	1.96	0.46
14:W:35:ILE:HG23	14:W:74:VAL:HG21	1.96	0.46
3:K:107:PRO:HD2	3:K:110:LEU:HD22	1.98	0.46
7:O:33:LEU:HD21	7:O:137:ASP:HB2	1.97	0.46
1:I:10:A:O2'	1:I:11:C:H5'	2.16	0.46
8:P:98:ASP:HA	8:P:117:LEU:HG	1.98	0.46
1:I:568:U:H1'	1:I:2030:6MZ:H9C1	1.97	0.46
1:I:2587:A:N1	34:I:3248:HOH:O	2.36	0.46
2:J:66:A:H2	2:J:68:C:H41	1.62	0.46
1:I:629:G:N3	1:I:639:U:O2'	2.48	0.46
1:I:1056:G:N1	1:I:1102:C:OP2	2.46	0.46
1:I:139:U:H2'	1:I:139:U:O2	2.16	0.46
8:P:48:GLU:O	8:P:52:ALA:N	2.48	0.46
1:I:1801:A:OP2	3:K:150:LYS:NZ	2.36	0.45
1:I:13:A:O2'	1:I:15:G:N7	2.47	0.45
1:I:580:U:O3'	16:Y:31:VAL:HG13	2.17	0.45
10:S:38:ILE:HD11	10:S:112:PHE:CZ	2.52	0.45
1:I:1224:U:OP2	17:Z:68:ARG:NH1	2.50	0.45
1:I:2638:G:O2'	1:I:2775:G:N2	2.45	0.45
8:P:96:THR:HG22	8:P:96:THR:O	2.16	0.45
15:X:4:ILE:O	15:X:8:LEU:HD23	2.16	0.45
1:I:954:G:OP2	12:U:16:ARG:NH2	2.42	0.45
3:K:19:VAL:CG1	3:K:199:GLU:HG2	2.47	0.45
3:K:258:ARG:NH1	3:K:264:ASP:OD1	2.41	0.45
9:R:31:GLU:HG3	9:R:142:ILE:HD12	1.99	0.45
3:K:19:VAL:HG13	3:K:199:GLU:CG	2.47	0.45
1:I:1992:G:N2	1:I:1996:C:O2'	2.50	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:1754:A:N1	1:I:2716:C:O2'	2.37	0.44
4:L:77:ARG:NE	4:L:200:ASP:OD1	2.46	0.44
1:I:807:U:OP2	11:T:41:ARG:NH1	2.50	0.44
1:I:2641:G:N7	34:I:3247:HOH:O	2.35	0.44
13:V:28:LEU:HD23	13:V:48:VAL:HG21	1.99	0.44
17:Z:5:PHE:HB3	17:Z:59:ILE:HD12	1.99	0.44
9:R:18:VAL:HG11	9:R:28:LEU:HD11	2.00	0.44
1:I:242:G:O2'	1:I:254:G:O6	2.32	0.44
1:I:1454:C:H5'	13:V:63:ARG:HD3	2.00	0.44
2:J:8:C:O2'	14:W:40:ILE:HD13	2.17	0.44
1:I:1792:G:O2'	1:I:1830:C:OP1	2.34	0.44
1:I:1025:G:C2	1:I:1135:C:C6	3.06	0.44
4:L:4:LEU:HD23	4:L:29:VAL:HG11	2.00	0.44
8:P:110:VAL:CB	8:P:138:VAL:O	2.65	0.44
1:I:1269:A:N7	34:I:3253:HOH:O	2.36	0.44
17:Z:47:VAL:HG11	17:Z:54:VAL:HG13	2.00	0.44
1:I:221:A:O2'	1:I:266:G:N7	2.37	0.43
1:I:2006:C:O2'	1:I:2823:A:N3	2.49	0.43
12:U:49:ALA:HB1	12:U:120:ALA:HB1	2.00	0.43
12:U:53:MET:O	12:U:57:VAL:HG22	2.18	0.43
2:J:40:U:N3	2:J:44:G:OP2	2.44	0.43
7:O:35:ARG:HH11	7:O:71:LEU:HD13	1.82	0.43
8:P:107:GLY:O	8:P:141:LYS:N	2.52	0.43
17:Z:39:LEU:HB3	17:Z:49:ILE:CG2	2.48	0.43
1:I:1253:A:OP1	16:Y:33:ARG:NH1	2.52	0.43
1:I:1664:A:N3	10:S:67:LYS:NZ	2.67	0.43
6:N:103:LEU:O	6:N:108:VAL:HG23	2.19	0.43
1:I:1199:U:H1'	16:Y:4:VAL:HG22	2.01	0.43
1:I:1216:G:OP1	16:Y:11:ARG:NH1	2.46	0.43
1:I:532:A:HO2'	1:I:2021:C:H5	1.62	0.42
6:N:136:ILE:HD12	6:N:143:TYR:HA	2.01	0.42
8:P:110:VAL:HG22	8:P:111:ALA:H	1.85	0.42
1:I:1693:U:O2'	3:K:14:ARG:NH1	2.53	0.42
1:I:2031:A:C6	1:I:2498:OMC:H1'	2.55	0.42
1:I:139:U:O2	1:I:139:U:C2'	2.68	0.42
1:I:579:G:O2'	1:I:2019:A:OP1	2.36	0.42
1:I:340:A:O2'	5:M:162:ARG:NH1	2.52	0.42
1:I:633:A:O2'	1:I:2404:U:OP1	2.32	0.42
4:L:25:THR:HG21	4:L:193:VAL:HG22	2.02	0.42
7:O:17:VAL:HG11	7:O:50:LEU:HD11	2.01	0.42
8:P:103:VAL:HG12	8:P:129:GLU:HA	2.00	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:R:41:LYS:NZ	9:R:50:THR:O	2.43	0.42
10:S:63:VAL:CG1	10:S:107:LEU:HD21	2.43	0.42
16:Y:78:LYS:CE	16:Y:117:LEU:HD13	2.50	0.42
5:M:10:SER:O	5:M:10:SER:OG	2.28	0.42
1:I:1324:G:N7	34:I:3261:HOH:O	2.37	0.42
1:I:2092:U:N3	1:I:2226:C:OP2	2.53	0.42
2:J:80:U:OP1	12:U:18:ARG:NH2	2.51	0.42
1:I:1394:U:H4'	1:I:1603:A:H4'	2.02	0.41
8:P:110:VAL:HG23	8:P:138:VAL:O	2.21	0.41
1:I:674:G:N7	34:I:3262:HOH:O	2.37	0.41
7:O:12:PRO:HG2	7:O:80:THR:HG21	2.02	0.41
8:P:44:ILE:HG22	8:P:44:ILE:O	2.20	0.41
9:R:32:LEU:CD2	9:R:54:ILE:HG21	2.50	0.41
10:S:41:ILE:CD1	10:S:86:LEU:HD22	2.49	0.41
15:X:92:VAL:HG21	15:X:97:LEU:HD21	2.02	0.41
17:Z:27:ILE:O	17:Z:66:HIS:NE2	2.45	0.41
1:I:5:A:H2'	1:I:6:A:O4'	2.20	0.41
3:K:78:VAL:HG21	3:K:110:LEU:CD2	2.49	0.41
4:L:38:LYS:NZ	4:L:81:GLU:OE2	2.47	0.41
1:I:1276:A:O2'	13:V:16:HIS:NE2	2.37	0.41
6:N:130:MET:O	6:N:130:MET:SD	2.79	0.41
1:I:2291:U:O2'	1:I:2374:C:O2	2.38	0.41
13:V:96:ARG:HB2	13:V:116:VAL:HG12	2.02	0.41
1:I:615:U:O4	5:M:39:ALA:HB2	2.20	0.41
8:P:99:ILE:HG22	8:P:120:GLY:O	2.21	0.41
1:I:2532:G:O2'	1:I:2657:A:N1	2.51	0.41
1:I:227:A:N7	34:I:3263:HOH:O	2.37	0.40
17:Z:49:ILE:HD12	17:Z:53:PHE:CE1	2.55	0.40
4:L:156:PHE:CG	9:R:81:ILE:HG21	2.56	0.40
17:Z:38:VAL:HG11	17:Z:41:ILE:HD11	2.03	0.40
1:I:65:U:O2'	1:I:456:C:N3	2.44	0.40
1:I:215:G:O3'	1:I:216:A:H4'	2.21	0.40
1:I:324:A:OP2	1:I:1205:A:N6	2.53	0.40
1:I:1454:C:H5'	13:V:63:ARG:NE	2.36	0.40
1:I:2019:A:H4'	16:Y:34:VAL:HG21	2.04	0.40
17:Z:39:LEU:C	17:Z:49:ILE:HG22	2.39	0.40
1:I:620:G:N7	34:I:3265:HOH:O	2.37	0.40
15:X:53:ARG:HD3	15:X:53:ARG:HA	1.97	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	K	269/273 (98%)	259 (96%)	10 (4%)	0	100	100
4	L	207/209 (99%)	198 (96%)	8 (4%)	1 (0%)	29	31
5	M	199/201 (99%)	193 (97%)	6 (3%)	0	100	100
6	N	175/179 (98%)	162 (93%)	13 (7%)	0	100	100
7	O	174/177 (98%)	162 (93%)	12 (7%)	0	100	100
8	P	147/149 (99%)	108 (74%)	39 (26%)	0	100	100
9	R	140/142 (99%)	140 (100%)	0	0	100	100
10	S	120/123 (98%)	115 (96%)	5 (4%)	0	100	100
11	T	142/144 (99%)	136 (96%)	6 (4%)	0	100	100
12	U	133/136 (98%)	130 (98%)	3 (2%)	0	100	100
13	V	118/127 (93%)	115 (98%)	3 (2%)	0	100	100
14	W	114/117 (97%)	108 (95%)	5 (4%)	1 (1%)	17	16
15	X	112/115 (97%)	109 (97%)	3 (3%)	0	100	100
16	Y	115/118 (98%)	115 (100%)	0	0	100	100
17	Z	101/103 (98%)	95 (94%)	5 (5%)	1 (1%)	15	14
18	a	108/110 (98%)	100 (93%)	7 (6%)	1 (1%)	17	16
19	b	91/100 (91%)	88 (97%)	3 (3%)	0	100	100
20	c	100/104 (96%)	91 (91%)	9 (9%)	0	100	100
21	d	92/94 (98%)	89 (97%)	3 (3%)	0	100	100
22	e	73/85 (86%)	72 (99%)	1 (1%)	0	100	100
23	f	75/78 (96%)	73 (97%)	2 (3%)	0	100	100
24	g	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
25	h	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
26	i	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
27	j	48/55 (87%)	45 (94%)	2 (4%)	1 (2%)	7	4

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
28	k	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
29	l	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
30	m	36/38 (95%)	33 (92%)	3 (8%)	0	100	100
All	All	3165/3267 (97%)	3000 (95%)	160 (5%)	5 (0%)	50	55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
14	W	102	ARG
18	a	65	ASP
17	Z	52	PRO
27	j	51	GLU
4	L	152	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	K	216/218 (99%)	214 (99%)	2 (1%)	78	88
4	L	164/164 (100%)	163 (99%)	1 (1%)	86	93
5	M	165/165 (100%)	163 (99%)	2 (1%)	71	83
6	N	148/150 (99%)	148 (100%)	0	100	100
7	O	137/138 (99%)	137 (100%)	0	100	100
8	P	114/114 (100%)	113 (99%)	1 (1%)	78	88
9	R	116/116 (100%)	116 (100%)	0	100	100
10	S	103/104 (99%)	103 (100%)	0	100	100
11	T	103/103 (100%)	102 (99%)	1 (1%)	76	86
12	U	108/108 (100%)	108 (100%)	0	100	100
13	V	100/103 (97%)	98 (98%)	2 (2%)	55	69
14	W	86/87 (99%)	85 (99%)	1 (1%)	71	83

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
15	X	99/100 (99%)	98 (99%)	1 (1%)	76	86
16	Y	89/90 (99%)	89 (100%)	0	100	100
17	Z	84/84 (100%)	82 (98%)	2 (2%)	49	62
18	a	93/93 (100%)	89 (96%)	4 (4%)	29	36
19	b	80/84 (95%)	79 (99%)	1 (1%)	69	81
20	c	83/85 (98%)	83 (100%)	0	100	100
21	d	78/78 (100%)	78 (100%)	0	100	100
22	e	56/63 (89%)	56 (100%)	0	100	100
23	f	67/68 (98%)	67 (100%)	0	100	100
24	g	54/55 (98%)	54 (100%)	0	100	100
25	h	48/49 (98%)	48 (100%)	0	100	100
26	i	47/48 (98%)	47 (100%)	0	100	100
27	j	45/49 (92%)	45 (100%)	0	100	100
28	k	38/38 (100%)	38 (100%)	0	100	100
29	l	51/52 (98%)	50 (98%)	1 (2%)	55	69
30	m	34/34 (100%)	34 (100%)	0	100	100
All	All	2606/2640 (99%)	2587 (99%)	19 (1%)	84	91

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	K	13	ARG
3	K	252	THR
4	L	12	THR
5	M	10	SER
5	M	165	HIS
8	P	41	LYS
11	T	18	ARG
13	V	1	MET
13	V	20	MET
14	W	102	ARG
15	X	53	ARG
17	Z	49	ILE
17	Z	51	VAL
18	a	86	MET
18	a	96	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
18	a	104	THR
18	a	108	SER
19	b	12	ARG
29	l	31	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	I	2892/2904 (99%)	391 (13%)	30 (1%)
2	J	117/120 (97%)	16 (13%)	1 (0%)
All	All	3009/3024 (99%)	407 (13%)	31 (1%)

All (407) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	I	7	G
1	I	10	A
1	I	15	G
1	I	34	U
1	I	42	A
1	I	46	G
1	I	58	G
1	I	63	A
1	I	71	A
1	I	74	A
1	I	75	G
1	I	101	A
1	I	102	U
1	I	110	G
1	I	118	A
1	I	119	A
1	I	120	U
1	I	138	U
1	I	139	U
1	I	140	C
1	I	141	G
1	I	142	A
1	I	181	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	196	A
1	I	215	G
1	I	216	A
1	I	221	A
1	I	222	A
1	I	233	A
1	I	248	G
1	I	264	C
1	I	265	A
1	I	266	G
1	I	272	A
1	I	276	U
1	I	279	A
1	I	281	C
1	I	287	G
1	I	311	A
1	I	327	G
1	I	329	G
1	I	330	A
1	I	345	A
1	I	353	C
1	I	355	U
1	I	362	A
1	I	371	A
1	I	372	G
1	I	386	G
1	I	396	G
1	I	405	U
1	I	411	G
1	I	412	A
1	I	424	G
1	I	451	U
1	I	456	C
1	I	457	A
1	I	479	A
1	I	480	A
1	I	481	G
1	I	490	C
1	I	491	G
1	I	504	A
1	I	505	A
1	I	509	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	529	A
1	I	532	A
1	I	544	C
1	I	546	U
1	I	547	A
1	I	548	G
1	I	549	G
1	I	550	C
1	I	551	G
1	I	563	A
1	I	573	U
1	I	575	A
1	I	586	A
1	I	588	U
1	I	603	A
1	I	613	A
1	I	614	A
1	I	615	U
1	I	627	A
1	I	637	A
1	I	645	C
1	I	646	U
1	I	647	G
1	I	654	A
1	I	668	A
1	I	677	A
1	I	686	U
1	I	730	A
1	I	738	G
1	I	747	5MU
1	I	764	A
1	I	765	C
1	I	775	G
1	I	776	G
1	I	782	A
1	I	784	G
1	I	785	G
1	I	805	G
1	I	812	C
1	I	819	A
1	I	827	U
1	I	828	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	845	A
1	I	846	U
1	I	847	U
1	I	856	G
1	I	858	G
1	I	859	G
1	I	869	G
1	I	879	G
1	I	896	A
1	I	910	A
1	I	917	A
1	I	927	A
1	I	931	U
1	I	932	U
1	I	941	A
1	I	946	C
1	I	961	C
1	I	974	G
1	I	983	A
1	I	996	A
1	I	1012	U
1	I	1013	C
1	I	1017	G
1	I	1022	G
1	I	1033	U
1	I	1045	C
1	I	1046	A
1	I	1047	G
1	I	1052	C
1	I	1060	U
1	I	1070	A
1	I	1071	G
1	I	1080	A
1	I	1083	U
1	I	1088	A
1	I	1098	A
1	I	1099	G
1	I	1111	A
1	I	1112	G
1	I	1119	U
1	I	1132	U
1	I	1133	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	1135	C
1	I	1136	G
1	I	1142	A
1	I	1168	G
1	I	1169	A
1	I	1174	U
1	I	1175	A
1	I	1176	U
1	I	1178	C
1	I	1180	U
1	I	1206	G
1	I	1238	G
1	I	1253	A
1	I	1256	G
1	I	1266	G
1	I	1271	G
1	I	1272	A
1	I	1273	U
1	I	1275	A
1	I	1294	U
1	I	1300	G
1	I	1301	A
1	I	1343	G
1	I	1352	U
1	I	1365	A
1	I	1368	G
1	I	1378	A
1	I	1379	U
1	I	1383	A
1	I	1407	G
1	I	1410	G
1	I	1416	G
1	I	1418	G
1	I	1420	A
1	I	1428	C
1	I	1437	C
1	I	1468	U
1	I	1482	G
1	I	1490	A
1	I	1493	C
1	I	1494	A
1	I	1509	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	1510	G
1	I	1515	A
1	I	1531	C
1	I	1533	C
1	I	1534	U
1	I	1535	A
1	I	1536	C
1	I	1537	G
1	I	1569	A
1	I	1578	U
1	I	1584	U
1	I	1585	C
1	I	1608	A
1	I	1610	A
1	I	1616	A
1	I	1647	U
1	I	1648	U
1	I	1649	G
1	I	1674	G
1	I	1715	G
1	I	1729	U
1	I	1730	C
1	I	1732	C
1	I	1735	A
1	I	1738	G
1	I	1758	U
1	I	1759	A
1	I	1764	C
1	I	1773	A
1	I	1800	C
1	I	1801	A
1	I	1808	A
1	I	1811	G
1	I	1816	C
1	I	1829	A
1	I	1848	A
1	I	1858	A
1	I	1869	G
1	I	1870	C
1	I	1872	A
1	I	1873	G
1	I	1906	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	1908	C
1	I	1914	C
1	I	1929	G
1	I	1930	G
1	I	1931	U
1	I	1937	A
1	I	1938	A
1	I	1955	U
1	I	1965	C
1	I	1967	C
1	I	1970	A
1	I	1971	U
1	I	1972	G
1	I	1991	U
1	I	1993	U
1	I	1997	C
1	I	2020	A
1	I	2022	U
1	I	2023	C
1	I	2027	G
1	I	2031	A
1	I	2032	G
1	I	2033	A
1	I	2043	C
1	I	2049	G
1	I	2055	C
1	I	2056	G
1	I	2060	A
1	I	2061	G
1	I	2069	G7M
1	I	2072	C
1	I	2093	G
1	I	2095	A
1	I	2098	U
1	I	2101	A
1	I	2108	A
1	I	2111	U
1	I	2112	G
1	I	2115	G
1	I	2116	G
1	I	2118	U
1	I	2126	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	2127	G
1	I	2128	G
1	I	2131	U
1	I	2132	U
1	I	2133	G
1	I	2136	G
1	I	2147	A
1	I	2158	A
1	I	2159	G
1	I	2163	A
1	I	2164	C
1	I	2165	C
1	I	2169	A
1	I	2171	A
1	I	2172	U
1	I	2173	A
1	I	2182	U
1	I	2185	U
1	I	2189	U
1	I	2190	G
1	I	2198	A
1	I	2204	G
1	I	2211	A
1	I	2212	A
1	I	2225	A
1	I	2226	C
1	I	2238	G
1	I	2239	G
1	I	2279	G
1	I	2283	C
1	I	2287	A
1	I	2297	A
1	I	2305	U
1	I	2308	G
1	I	2309	A
1	I	2322	A
1	I	2325	G
1	I	2333	A
1	I	2335	A
1	I	2347	C
1	I	2350	C
1	I	2357	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	2361	G
1	I	2383	G
1	I	2385	C
1	I	2391	G
1	I	2396	G
1	I	2402	U
1	I	2403	C
1	I	2406	A
1	I	2423	U
1	I	2424	C
1	I	2425	A
1	I	2426	A
1	I	2428	G
1	I	2429	G
1	I	2430	A
1	I	2435	A
1	I	2441	U
1	I	2447	G
1	I	2448	A
1	I	2459	A
1	I	2466	C
1	I	2470	G
1	I	2476	A
1	I	2478	A
1	I	2491	U
1	I	2501	C
1	I	2502	G
1	I	2504	PSU
1	I	2505	G
1	I	2506	U
1	I	2518	A
1	I	2525	G
1	I	2529	G
1	I	2547	A
1	I	2554	U
1	I	2556	C
1	I	2566	A
1	I	2567	G
1	I	2573	C
1	I	2602	A
1	I	2609	U
1	I	2613	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	I	2629	U
1	I	2663	G
1	I	2681	C
1	I	2689	U
1	I	2690	U
1	I	2714	G
1	I	2716	C
1	I	2718	G
1	I	2726	A
1	I	2733	A
1	I	2744	G
1	I	2748	A
1	I	2757	A
1	I	2765	A
1	I	2778	A
1	I	2791	G
1	I	2793	C
1	I	2797	U
1	I	2800	A
1	I	2818	U
1	I	2820	A
1	I	2821	A
1	I	2861	U
1	I	2867	G
1	I	2872	A
1	I	2880	C
1	I	2883	A
1	I	2884	U
1	I	2885	G
1	I	2901	C
1	I	2903	U
1	I	2904	U
2	J	15	A
2	J	16	G
2	J	32	U
2	J	35	C
2	J	42	C
2	J	44	G
2	J	53	A
2	J	56	G
2	J	67	G
2	J	68	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	J	88	C
2	J	89	U
2	J	90	C
2	J	99	A
2	J	105	G
2	J	109	A

All (31) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	I	138	U
1	I	139	U
1	I	140	C
1	I	141	G
1	I	199	A
1	I	271	G
1	I	404	A
1	I	489	G
1	I	504	A
1	I	784	G
1	I	984	A
1	I	1169	A
1	I	1205	A
1	I	1342	A
1	I	1758	U
1	I	1847	A
1	I	1930	G
1	I	2031	A
1	I	2146	C
1	I	2162	G
1	I	2225	A
1	I	2425	A
1	I	2430	A
1	I	2447	G
1	I	2501	C
1	I	2504	PSU
1	I	2680	U
1	I	2866	U
1	I	2873	A
1	I	2903	U
2	J	15	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

23 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	PSU	I	2580	1	18,21,22	1.77	6 (33%)	22,30,33	1.72	5 (22%)
1	OMG	I	2251	1	18,26,27	2.30	8 (44%)	19,38,41	1.34	3 (15%)
1	PSU	I	1911	1	18,21,22	1.45	4 (22%)	22,30,33	1.86	3 (13%)
1	OMC	I	2498	31,1	19,22,23	2.65	7 (36%)	26,31,34	0.72	0
12	4D4	U	81	12	9,11,12	2.52	2 (22%)	8,13,15	0.61	0
1	1MG	I	745	1	18,26,27	2.81	5 (27%)	19,39,42	1.48	4 (21%)
1	8AH	I	2503	31,1	20,26,27	3.78	6 (30%)	23,39,42	1.81	4 (17%)
1	PSU	I	2504	1	18,21,22	1.44	3 (16%)	22,30,33	2.32	8 (36%)
1	PSU	I	955	1	18,21,22	1.60	5 (27%)	22,30,33	1.71	4 (18%)
1	PSU	I	746	1	18,21,22	1.54	5 (27%)	22,30,33	1.74	4 (18%)
1	6MZ	I	1618	1	18,25,26	1.80	2 (11%)	16,36,39	2.57	2 (12%)
1	2MG	I	2445	1	18,26,27	2.19	7 (38%)	16,38,41	1.09	2 (12%)
1	PSU	I	1917	1	18,21,22	1.41	3 (16%)	22,30,33	1.88	4 (18%)
1	PSU	I	2457	1	18,21,22	1.67	4 (22%)	22,30,33	1.75	3 (13%)
1	3TD	I	1915	1	18,22,23	4.25	8 (44%)	22,32,35	1.60	2 (9%)
1	5MU	I	1939	1	19,22,23	4.58	7 (36%)	28,32,35	3.61	9 (32%)
1	2MG	I	1835	1	18,26,27	2.28	7 (38%)	16,38,41	1.18	3 (18%)
1	5MU	I	747	1	19,22,23	4.67	7 (36%)	28,32,35	3.58	8 (28%)
1	G7M	I	2069	1	20,26,27	2.12	7 (35%)	17,39,42	1.29	2 (11%)
1	OMU	I	2552	1	19,22,23	2.84	7 (36%)	26,31,34	1.67	4 (15%)
1	5MC	I	1962	1	18,22,23	3.16	7 (38%)	26,32,35	1.03	2 (7%)
1	6MZ	I	2030	1	18,25,26	1.88	4 (22%)	16,36,39	2.65	6 (37%)
1	PSU	I	2605	1	18,21,22	1.67	4 (22%)	22,30,33	1.64	4 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	I	2580	1	-	0/7/25/26	0/2/2/2
1	OMG	I	2251	1	-	0/5/27/28	0/3/3/3
1	PSU	I	1911	1	-	0/7/25/26	0/2/2/2
1	OMC	I	2498	31,1	-	0/9/27/28	0/2/2/2
12	4D4	U	81	12	-	1/11/12/14	-
1	1MG	I	745	1	-	0/3/25/26	0/3/3/3
1	8AH	I	2503	31,1	-	2/3/25/26	0/3/3/3
1	PSU	I	2504	1	-	2/7/25/26	0/2/2/2
1	PSU	I	955	1	-	0/7/25/26	0/2/2/2
1	PSU	I	746	1	-	1/7/25/26	0/2/2/2
1	6MZ	I	1618	1	-	0/5/27/28	0/3/3/3
1	2MG	I	2445	1	-	1/5/27/28	0/3/3/3
1	PSU	I	1917	1	-	0/7/25/26	0/2/2/2
1	PSU	I	2457	1	-	0/7/25/26	0/2/2/2
1	3TD	I	1915	1	-	1/7/25/26	0/2/2/2
1	5MU	I	1939	1	-	0/7/25/26	0/2/2/2
1	2MG	I	1835	1	-	2/5/27/28	0/3/3/3
1	5MU	I	747	1	-	0/7/25/26	0/2/2/2
1	G7M	I	2069	1	-	2/3/25/26	0/3/3/3
1	OMU	I	2552	1	-	0/9/27/28	0/2/2/2
1	5MC	I	1962	1	-	0/7/25/26	0/2/2/2
1	6MZ	I	2030	1	-	2/5/27/28	0/3/3/3
1	PSU	I	2605	1	-	0/7/25/26	0/2/2/2

All (125) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	1915	3TD	C6-C5	12.42	1.49	1.35
1	I	2503	8AH	O4'-C1'	-10.59	1.26	1.41
1	I	747	5MU	C2-N1	10.30	1.55	1.38
1	I	747	5MU	C6-N1	10.28	1.55	1.38
1	I	1939	5MU	C6-N1	9.94	1.55	1.38
1	I	1939	5MU	C2-N1	9.87	1.54	1.38
1	I	747	5MU	C4-C5	9.41	1.60	1.44
1	I	1915	3TD	C2-N1	9.41	1.49	1.37
1	I	1939	5MU	C4-C5	9.40	1.60	1.44
1	I	2503	8AH	C3'-C4'	-8.58	1.31	1.53
1	I	745	1MG	C2-N2	8.37	1.49	1.34
1	I	1962	5MC	C6-C5	7.68	1.47	1.34
1	I	1939	5MU	C4-N3	-7.59	1.24	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	747	5MU	C4-N3	-7.58	1.24	1.38
1	I	2503	8AH	O4'-C4'	7.45	1.61	1.45
1	I	2552	OMU	C2-N1	6.60	1.49	1.38
12	U	81	4D4	CZ-NE	6.35	1.45	1.33
1	I	2552	OMU	C2-N3	6.33	1.49	1.38
1	I	1962	5MC	C4-N3	5.92	1.44	1.34
1	I	1618	6MZ	C6-N6	5.84	1.44	1.35
1	I	1915	3TD	C6-N1	5.81	1.45	1.36
1	I	1939	5MU	C6-C5	5.70	1.44	1.34
1	I	747	5MU	C6-C5	5.69	1.43	1.34
1	I	1962	5MC	C2-N3	5.50	1.47	1.36
1	I	2498	OMC	C2-N3	5.47	1.47	1.36
1	I	2498	OMC	C6-C5	5.44	1.47	1.35
1	I	2251	OMG	C2-N3	5.18	1.45	1.33
1	I	1915	3TD	C2-N3	4.99	1.49	1.38
1	I	2552	OMU	C6-C5	4.98	1.46	1.35
1	I	1835	2MG	C2-N2	4.86	1.44	1.33
1	I	745	1MG	C2-N3	4.71	1.43	1.34
1	I	1835	2MG	C4-N3	4.61	1.48	1.37
1	I	745	1MG	C4-N3	4.61	1.48	1.37
1	I	2445	2MG	C2-N2	4.58	1.43	1.33
1	I	2498	OMC	C4-N3	4.39	1.43	1.34
1	I	2251	OMG	C4-N3	4.38	1.48	1.37
1	I	2069	G7M	C2-N3	4.35	1.43	1.33
1	I	1835	2MG	C2-N1	4.34	1.43	1.36
1	I	2445	2MG	C4-N3	4.30	1.47	1.37
1	I	2498	OMC	C4-N4	4.24	1.43	1.33
1	I	2030	6MZ	C2-N1	-4.06	1.26	1.33
1	I	2069	G7M	C2-N2	4.02	1.43	1.34
1	I	1962	5MC	C6-N1	4.00	1.44	1.38
1	I	1962	5MC	C2-N1	3.96	1.48	1.40
1	I	2069	G7M	C4-N3	3.95	1.46	1.37
1	I	2030	6MZ	C4-N3	-3.90	1.30	1.35
1	I	745	1MG	O6-C6	-3.87	1.14	1.22
1	I	2498	OMC	C2-N1	3.77	1.48	1.40
1	I	2445	2MG	C2-N1	3.75	1.42	1.36
1	I	2552	OMU	C4-N3	3.69	1.45	1.38
1	I	1962	5MC	C4-N4	3.54	1.43	1.34
1	I	2457	PSU	C4-N3	-3.47	1.32	1.38
1	I	2251	OMG	C2-N2	3.43	1.42	1.34
1	I	955	PSU	C4-N3	-3.42	1.32	1.38
1	I	2552	OMU	O4-C4	-3.41	1.17	1.24

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	2580	PSU	C4-N3	-3.37	1.32	1.38
1	I	2605	PSU	C2-N3	-3.33	1.31	1.37
1	I	2503	8AH	O3'-C3'	3.33	1.50	1.43
1	I	2580	PSU	C2-N1	-3.33	1.32	1.36
1	I	2605	PSU	C4-N3	-3.31	1.32	1.38
1	I	1939	5MU	O4-C4	-3.31	1.17	1.23
1	I	1911	PSU	C6-C5	3.29	1.39	1.35
1	I	747	5MU	O2-C2	-3.27	1.17	1.23
1	I	2580	PSU	C6-C5	3.24	1.39	1.35
1	I	2030	6MZ	C8-N7	-3.22	1.29	1.34
1	I	747	5MU	O4-C4	-3.20	1.17	1.23
1	I	1917	PSU	C4-N3	-3.11	1.33	1.38
1	I	1939	5MU	O2-C2	-3.10	1.17	1.23
1	I	2069	G7M	C6-N1	3.05	1.42	1.37
1	I	2457	PSU	C2-N1	-3.01	1.32	1.36
1	I	2504	PSU	C6-C5	2.98	1.38	1.35
1	I	1911	PSU	C4-N3	-2.98	1.33	1.38
1	I	1962	5MC	O2-C2	-2.96	1.18	1.23
1	I	746	PSU	C4-N3	-2.96	1.33	1.38
1	I	2457	PSU	C2-N3	-2.95	1.32	1.37
1	I	746	PSU	C6-C5	2.94	1.38	1.35
1	I	2498	OMC	O2-C2	-2.94	1.18	1.23
1	I	2580	PSU	C2-N3	-2.94	1.32	1.37
1	I	1917	PSU	C6-C5	2.88	1.38	1.35
1	I	2605	PSU	C2-N1	-2.87	1.32	1.36
1	I	2503	8AH	O2'-C2'	-2.83	1.36	1.43
1	I	2251	OMG	C6-N1	2.83	1.42	1.37
1	I	2498	OMC	C6-N1	2.83	1.44	1.38
1	I	2605	PSU	C6-C5	2.82	1.38	1.35
1	I	1618	6MZ	C5-C4	-2.81	1.33	1.40
1	I	2457	PSU	C6-C5	2.80	1.38	1.35
1	I	2445	2MG	C5-C4	-2.80	1.35	1.43
1	I	955	PSU	C2-N1	-2.79	1.32	1.36
1	I	2251	OMG	C5-C6	2.77	1.53	1.47
1	I	2503	8AH	C6-N6	2.76	1.44	1.34
1	I	2504	PSU	C4-N3	-2.75	1.33	1.38
1	I	1835	2MG	C5-C4	-2.74	1.36	1.43
12	U	81	4D4	CZ-NH1	2.73	1.46	1.34
1	I	2251	OMG	O6-C6	-2.71	1.17	1.23
1	I	1835	2MG	C6-N1	2.70	1.41	1.37
1	I	2069	G7M	C5-C6	2.70	1.52	1.45
1	I	2445	2MG	O6-C6	-2.70	1.17	1.23

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	955	PSU	C6-C5	2.69	1.38	1.35
1	I	2445	2MG	C5-C6	2.68	1.52	1.47
1	I	2552	OMU	O2-C2	-2.66	1.18	1.23
1	I	2251	OMG	C5-C4	-2.66	1.36	1.43
1	I	2030	6MZ	C6-N1	-2.65	1.30	1.34
1	I	1915	3TD	C4-N3	2.64	1.46	1.40
1	I	746	PSU	C2-N3	-2.64	1.33	1.37
1	I	2069	G7M	O6-C6	-2.63	1.17	1.23
1	I	955	PSU	C2-N3	-2.63	1.33	1.37
1	I	1835	2MG	O6-C6	-2.51	1.18	1.23
1	I	1835	2MG	C5-C6	2.49	1.52	1.47
1	I	2552	OMU	C6-N1	2.45	1.43	1.38
1	I	2069	G7M	C2-N1	2.42	1.43	1.37
1	I	2445	2MG	C6-N1	2.42	1.41	1.37
1	I	1915	3TD	O2-C2	-2.39	1.18	1.23
1	I	2580	PSU	O4'-C1'	-2.38	1.40	1.43
1	I	2504	PSU	C2-N3	-2.36	1.33	1.37
1	I	746	PSU	O4'-C1'	-2.25	1.40	1.43
1	I	2580	PSU	C6-N1	-2.25	1.32	1.36
1	I	745	1MG	C5-C4	-2.24	1.37	1.43
1	I	2251	OMG	C2-N1	2.18	1.43	1.37
1	I	1917	PSU	C2-N1	-2.16	1.33	1.36
1	I	955	PSU	C6-N1	-2.10	1.32	1.36
1	I	1911	PSU	C2-N3	-2.09	1.33	1.37
1	I	1911	PSU	C2-N1	-2.07	1.33	1.36
1	I	1915	3TD	O4-C4	-2.06	1.18	1.23
1	I	746	PSU	C2-N1	-2.04	1.34	1.36
1	I	1915	3TD	O4'-C1'	-2.00	1.41	1.43

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	1939	5MU	C5-C4-N3	11.90	125.47	115.31
1	I	747	5MU	C5-C4-N3	11.63	125.24	115.31
1	I	1939	5MU	C5-C6-N1	-9.85	113.20	123.34
1	I	747	5MU	C5-C6-N1	-9.45	113.62	123.34
1	I	1618	6MZ	C1'-N9-C4	-8.68	111.38	126.64
1	I	2030	6MZ	C2-N1-C6	6.81	122.43	116.59
1	I	2503	8AH	C2-N3-C4	6.19	120.55	115.52
1	I	1911	PSU	N1-C2-N3	5.92	121.84	115.13
1	I	1917	PSU	N1-C2-N3	5.86	121.77	115.13
1	I	747	5MU	O4-C4-C5	-5.66	118.35	124.90

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	2504	PSU	N1-C2-N3	5.63	121.51	115.13
1	I	2457	PSU	N1-C2-N3	5.55	121.42	115.13
1	I	746	PSU	N1-C2-N3	5.48	121.34	115.13
1	I	2504	PSU	C3'-C2'-C1'	5.31	107.83	101.64
1	I	955	PSU	N1-C2-N3	5.27	121.11	115.13
1	I	2605	PSU	N1-C2-N3	5.22	121.04	115.13
1	I	1939	5MU	O4-C4-C5	-5.12	118.96	124.90
1	I	2580	PSU	N1-C2-N3	5.09	120.90	115.13
1	I	2030	6MZ	C9-N6-C6	-5.06	118.52	122.87
1	I	1618	6MZ	N3-C2-N1	-5.00	120.86	128.68
1	I	2552	OMU	C4-N3-C2	-4.98	120.01	126.58
1	I	747	5MU	C4-N3-C2	-4.83	121.10	127.35
1	I	1915	3TD	N1-C2-N3	4.82	119.94	116.14
1	I	1939	5MU	C4-N3-C2	-4.79	121.14	127.35
1	I	747	5MU	N3-C2-N1	4.66	121.08	114.89
1	I	1939	5MU	N3-C2-N1	4.26	120.55	114.89
1	I	1915	3TD	C4-N3-C2	-4.25	120.00	124.61
1	I	1939	5MU	C5M-C5-C4	3.98	123.14	118.77
1	I	1939	5MU	O2-C2-N1	-3.98	117.50	122.79
1	I	747	5MU	C5M-C5-C6	-3.95	117.57	122.85
1	I	1939	5MU	C5M-C5-C6	-3.87	117.68	122.85
1	I	747	5MU	C5M-C5-C4	3.81	122.96	118.77
1	I	2504	PSU	C4-N3-C2	-3.79	120.88	126.34
1	I	747	5MU	O2-C2-N1	-3.72	117.84	122.79
1	I	745	1MG	C5-C6-N1	3.64	119.38	113.90
1	I	1917	PSU	O2-C2-N1	-3.64	118.78	122.79
1	I	2552	OMU	N3-C2-N1	3.64	119.72	114.89
1	I	1911	PSU	C4-N3-C2	-3.52	121.26	126.34
1	I	1917	PSU	C4-N3-C2	-3.52	121.27	126.34
1	I	746	PSU	C4-N3-C2	-3.43	121.39	126.34
1	I	2457	PSU	O2-C2-N1	-3.36	119.09	122.79
1	I	2030	6MZ	N3-C2-N1	-3.32	123.49	128.68
1	I	2069	G7M	N2-C2-N1	3.26	123.66	116.71
1	I	1911	PSU	O2-C2-N1	-3.26	119.20	122.79
1	I	2580	PSU	C6-C5-C4	-3.22	115.95	118.20
1	I	2605	PSU	C6-C5-C4	-3.21	115.95	118.20
1	I	1962	5MC	CM5-C5-C6	-3.16	118.63	122.85
1	I	2503	8AH	C8-N9-C1'	-3.15	122.97	125.50
1	I	2030	6MZ	C4-C5-N7	-3.14	106.13	109.40
1	I	2552	OMU	C5-C4-N3	3.06	119.41	114.84
1	I	2552	OMU	O4-C4-C5	-3.05	119.79	125.16
1	I	2457	PSU	C4-N3-C2	-3.04	121.96	126.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	2251	OMG	C5-C6-N1	2.97	119.20	113.95
1	I	2580	PSU	O2-C2-N1	-2.97	119.52	122.79
1	I	2251	OMG	C2-N1-C6	-2.96	119.65	125.10
1	I	746	PSU	C6-C5-C4	-2.92	116.15	118.20
1	I	1835	2MG	C5-C6-N1	2.91	119.08	113.95
1	I	955	PSU	C6-C5-C4	-2.88	116.18	118.20
1	I	2445	2MG	C5-C6-N1	2.87	119.02	113.95
1	I	2504	PSU	C6-C5-C4	-2.80	116.24	118.20
1	I	745	1MG	O6-C6-C5	-2.80	119.24	124.19
1	I	745	1MG	CM1-N1-C6	2.77	121.34	117.55
1	I	2251	OMG	C8-N7-C5	2.75	108.22	102.99
1	I	2504	PSU	O2-C2-N1	-2.71	119.81	122.79
1	I	955	PSU	O2-C2-N1	-2.70	119.82	122.79
1	I	955	PSU	C4-N3-C2	-2.67	122.50	126.34
1	I	2504	PSU	O3'-C3'-C2'	2.55	120.06	111.82
1	I	2030	6MZ	O4'-C4'-C3'	2.54	110.14	105.11
1	I	2069	G7M	C2-N1-C6	-2.52	120.46	125.10
1	I	2580	PSU	O4'-C1'-C2'	2.46	108.61	105.14
1	I	746	PSU	O2-C2-N1	-2.43	120.12	122.79
1	I	2580	PSU	C4-N3-C2	-2.39	122.89	126.34
1	I	1939	5MU	O4-C4-N3	-2.37	115.57	120.12
1	I	745	1MG	C8-N7-C5	2.34	107.45	102.99
1	I	1835	2MG	C8-N7-C5	2.33	107.43	102.99
1	I	2030	6MZ	O4'-C1'-C2'	-2.29	103.58	106.93
1	I	2605	PSU	C4-N3-C2	-2.25	123.09	126.34
1	I	2445	2MG	C8-N7-C5	2.17	107.12	102.99
1	I	1962	5MC	C5-C6-N1	-2.16	121.11	123.34
1	I	2504	PSU	C2'-C3'-C4'	-2.11	98.55	102.64
1	I	1917	PSU	C6-C5-C4	-2.11	116.73	118.20
1	I	2605	PSU	O2-C2-N3	-2.09	117.87	121.82
1	I	2503	8AH	C4-C5-N7	-2.09	107.35	109.47
1	I	1835	2MG	O6-C6-C5	-2.06	120.35	124.37
1	I	2504	PSU	O4'-C1'-C2'	-2.06	102.24	105.14
1	I	2503	8AH	N3-C2-N1	-2.02	122.05	125.73

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	I	2030	6MZ	O4'-C4'-C5'-O5'
1	I	2030	6MZ	C3'-C4'-C5'-O5'
1	I	2504	PSU	C3'-C4'-C5'-O5'

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	I	2504	PSU	O4'-C4'-C5'-O5'
1	I	2445	2MG	C3'-C4'-C5'-O5'
1	I	1835	2MG	O4'-C4'-C5'-O5'
1	I	2069	G7M	C4'-C5'-O5'-P
1	I	2503	8AH	C4'-C5'-O5'-P
1	I	1915	3TD	C3'-C4'-C5'-O5'
1	I	1835	2MG	C3'-C4'-C5'-O5'
1	I	2069	G7M	O4'-C4'-C5'-O5'
1	I	746	PSU	O4'-C1'-C5-C6
1	I	2503	8AH	O4'-C4'-C5'-O5'
12	U	81	4D4	O-C-CA-CB

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	I	2498	OMC	1	0
1	I	1939	5MU	1	0
1	I	2030	6MZ	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 181 ligands modelled in this entry, 181 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-23539. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 265



Y Index: 247




Z Index: 259


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 389 nm<sup>3</sup>; this corresponds to an approximate mass of 352 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i



\*Reported resolution corresponds to spatial frequency of  $0.455 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-23539 and PDB model 7LVK. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).

## 9.4 Atom inclusion [i](#)

































































At the recommended contour level, 86% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8590	 0.6460
I	 0.8760	 0.6460
J	 0.8650	 0.6430
K	 0.9270	 0.7040
L	 0.9050	 0.6950
M	 0.8520	 0.6740
N	 0.4640	 0.5220
O	 0.6740	 0.5900
P	 0.2050	 0.1920
R	 0.9140	 0.7020
S	 0.8830	 0.6800
T	 0.8960	 0.6870
U	 0.9010	 0.6880
V	 0.9360	 0.7120
W	 0.8080	 0.6490
X	 0.8790	 0.6870
Y	 0.9470	 0.7200
Z	 0.8620	 0.6530
a	 0.8820	 0.6840
b	 0.8170	 0.6460
c	 0.7930	 0.6310
d	 0.8250	 0.6580
e	 0.9100	 0.7020
f	 0.8920	 0.6940
g	 0.7910	 0.6410
h	 0.8760	 0.6720
i	 0.8900	 0.6850
j	 0.8000	 0.6360
k	 0.9520	 0.7180
l	 0.9510	 0.7190
m	 0.9010	 0.6850

