



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 7, 2021 – 10:43 am BST

PDB ID : 7O2H
Title : Crystal structure of the human METTL3-METTL14 complex bound to Compound 13 (ADO_AD_091)
Authors : Bedi, R.K.; Dolbois, A.; Caffisch, A.
Deposited on : 2021-03-30
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.



Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS failed to run properly.

Mol	Chain	Length	Quality of chain
1	A	246	
2	B	290	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 3437 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N6-adenosine-methyltransferase catalytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	202	1551	997	268	277	9	0	0	0

There are 19 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	335	MET	-	initiating methionine	UNP Q86U44
A	336	GLY	-	expression tag	UNP Q86U44
A	337	HIS	-	expression tag	UNP Q86U44
A	338	HIS	-	expression tag	UNP Q86U44
A	339	HIS	-	expression tag	UNP Q86U44
A	340	HIS	-	expression tag	UNP Q86U44
A	341	HIS	-	expression tag	UNP Q86U44
A	342	HIS	-	expression tag	UNP Q86U44
A	343	SER	-	expression tag	UNP Q86U44
A	344	SER	-	expression tag	UNP Q86U44
A	345	GLY	-	expression tag	UNP Q86U44
A	346	ARG	-	expression tag	UNP Q86U44
A	347	GLU	-	expression tag	UNP Q86U44
A	348	ASN	-	expression tag	UNP Q86U44
A	349	LEU	-	expression tag	UNP Q86U44
A	350	TYR	-	expression tag	UNP Q86U44
A	351	PHE	-	expression tag	UNP Q86U44
A	352	GLN	-	expression tag	UNP Q86U44
A	353	GLY	-	expression tag	UNP Q86U44


- Molecule 2 is a protein called N6-adenosine-methyltransferase non-catalytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	235	1793	1151	303	327	12	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	106	MET	-	initiating methionine	UNP Q9HCE5

- Molecule 3 is 4-[4-[(4,4-dimethylpiperidin-1-yl)methyl]phenyl]-1-methyl-9-[6-(methylamino)pyrimidin-4-yl]-1,4,9-triazaspiro[5.5]undecan-2-one (three-letter code: UZ2) (formula: C₂₈H₄₁N₇O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	36	28	7	1	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	C O	0	0
			4	2 2		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	14	Total	O	0	0
			14	14		
5	B	39	Total	O	0	0
			39	39		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS failed to run properly.

- Molecule 1: N6-adenosine-methyltransferase catalytic subunit



- Molecule 2: N6-adenosine-methyltransferase non-catalytic subunit



4 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	64.06 Å 64.06 Å 225.10 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.61 – 2.50	Depositor
% Data completeness (in resolution range)	99.9 (44.61-2.50)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 2.48 Å)	Xtrriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.211 , 0.275	Depositor
Wilson B-factor (Å ²)	61.6	Xtrriage
Anisotropy	0.094	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.030 for -h,-k,l	Xtrriage
Total number of atoms	3437	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UZ2, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/1593	0.63	0/2177
2	B	0.45	0/1837	0.66	1/2499 (0.0%)
All	All	0.44	0/3430	0.65	1/4676 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	276	ASP	CB-CG-OD1	6.83	124.45	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1551	0	1443	31	0
2	B	1793	0	1644	22	0
3	A	36	0	0	0	0
4	B	4	0	3	1	0
5	A	14	0	0	0	0
5	B	39	0	0	3	0
All	All	3437	0	3090	49	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:391:VAL:HB	1:A:530:LYS:HG2	1.64	0.79
2:B:174:ILE:O	5:B:501:HOH:O	2.11	0.68
1:A:393:MET:HG3	1:A:429:PHE:HB2	1.76	0.68
2:B:311:ILE:HG23	2:B:313:LEU:H	1.57	0.67
1:A:556:LEU:HD22	1:A:561:VAL:HG11	1.77	0.66
1:A:461:ASN:OD1	1:A:463:LEU:N	2.35	0.59
1:A:452:VAL:O	2:B:283:ARG:NH2	2.36	0.59
1:A:442:GLU:O	1:A:446:LEU:HG	2.03	0.59
2:B:256:CYS:HB3	5:B:531:HOH:O	2.02	0.59
1:A:504:VAL:HG23	2:B:130:PRO:HB2	1.85	0.58
1:A:373:TRP:HB2	1:A:551:LEU:HD13	1.85	0.58
2:B:168:MET:HE3	2:B:369:TYR:HA	1.84	0.58
1:A:558:ASP:O	1:A:562:VAL:HG23	2.05	0.57
2:B:128:HIS:CE1	2:B:269:PRO:HG3	2.41	0.56
2:B:132:ASN:O	2:B:266:LYS:HE2	2.09	0.53
2:B:152:LEU:C	2:B:154:ARG:H	2.12	0.52
1:A:411:ASP:OD2	1:A:435:ARG:NH2	2.36	0.52
1:A:513:LYS:NZ	1:A:539:ASN:OD1	2.41	0.51
2:B:174:ILE:N	5:B:502:HOH:O	2.30	0.50
1:A:410:THR:HG23	1:A:413:GLU:H	1.76	0.50
1:A:473:GLY:HA3	1:A:478:HIS:CE1	2.48	0.49
2:B:187:ASP:OD2	2:B:342:ARG:HB2	2.11	0.49
1:A:514:PRO:O	1:A:517:ILE:HG22	2.15	0.47
1:A:491:PRO:HB2	1:A:494:PHE:CE1	2.49	0.47
2:B:249:ARG:HD3	4:B:401:ACT:OXT	2.15	0.47
1:A:378:ILE:HD11	1:A:547:LEU:HB2	1.96	0.47
1:A:500:CYS:SG	2:B:130:PRO:HD2	2.55	0.46
1:A:393:MET:HE3	1:A:513:LYS:HD3	1.96	0.46
1:A:377:ASP:OD1	1:A:379:ARG:HB2	2.15	0.46
1:A:369:PHE:N	1:A:369:PHE:CD2	2.84	0.45
2:B:341:ARG:HD3	2:B:385:LEU:HB2	1.97	0.45
1:A:475:TRP:HB3	2:B:337:PHE:CE1	2.52	0.45
2:B:337:PHE:HB3	2:B:339:LEU:HD21	1.98	0.45
2:B:170:LEU:HB2	2:B:369:TYR:HB2	2.00	0.44
1:A:369:PHE:N	1:A:369:PHE:HD2	2.16	0.43
1:A:375:CYS:HA	1:A:548:GLY:O	2.18	0.43
1:A:393:MET:HG3	1:A:429:PHE:CB	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:342:ARG:HG3	2:B:378:PHE:CZ	2.54	0.42
1:A:555:HIS:CE1	1:A:557:LEU:HD11	2.55	0.42
2:B:319:PRO:HB2	2:B:323:ASN:HB3	2.02	0.42
2:B:171:GLN:O	2:B:171:GLN:HG3	2.18	0.41
1:A:410:THR:HG22	1:A:413:GLU:CG	2.50	0.41
1:A:400:ILE:HG21	1:A:433:THR:HG23	2.02	0.41
2:B:329:GLU:OE1	2:B:329:GLU:N	2.48	0.41
1:A:394:ALA:C	1:A:396:PRO:HD3	2.41	0.41
1:A:442:GLU:HG2	1:A:446:LEU:HD11	2.02	0.41
2:B:168:MET:CE	2:B:369:TYR:HA	2.51	0.41
1:A:516:GLU:OE1	1:A:516:GLU:N	2.51	0.40
1:A:539:ASN:O	1:A:541:GLN:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACT	B	401	-	1,3,3	8.16	1 (100%)	0,3,3	0.00	-
3	UZ2	A	601	-	40,40,40	2.73	13 (32%)	47,59,59	2.65	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UZ2	A	601	-	-	2/14/57/57	0/5/5/5

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	401	ACT	CH3-C	8.16	1.59	1.48
3	A	601	UZ2	C07-N06	-7.36	1.33	1.47
3	A	601	UZ2	C15-N14	6.26	1.51	1.46
3	A	601	UZ2	C35-N06	-6.17	1.29	1.46
3	A	601	UZ2	C26-N27	5.04	1.46	1.36
3	A	601	UZ2	C33-N30	4.34	1.41	1.35
3	A	601	UZ2	C05-N06	-4.33	1.35	1.46
3	A	601	UZ2	C22-N21	4.12	1.46	1.37
3	A	601	UZ2	C20-N21	-3.60	1.41	1.46
3	A	601	UZ2	C13-N14	3.42	1.48	1.38
3	A	601	UZ2	C18-N21	-3.34	1.41	1.46
3	A	601	UZ2	C15-C16	2.80	1.57	1.54
3	A	601	UZ2	C19-C16	2.55	1.57	1.53
3	A	601	UZ2	C04-C05	2.10	1.57	1.52

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	A	601	UZ2	C17-C16-C15	8.99	126.19	109.14
3	A	601	UZ2	C19-C16-C15	-8.63	92.76	109.14
3	A	601	UZ2	C24-N23-C22	5.59	119.83	114.94
3	A	601	UZ2	N25-C24-N23	-5.01	120.76	128.60
3	A	601	UZ2	C36-C02-C04	4.20	114.46	108.71
3	A	601	UZ2	C18-N21-C20	3.52	119.28	111.52
3	A	601	UZ2	C36-C35-N06	3.48	114.67	111.23
3	A	601	UZ2	C28-N27-C26	-3.37	120.07	122.97
3	A	601	UZ2	C32-C33-N30	2.87	122.19	116.00
3	A	601	UZ2	C04-C05-N06	2.29	113.50	111.23
3	A	601	UZ2	C12-C13-N14	-2.11	118.47	121.38

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	601	UZ2	C29-C26-N27-C28
3	A	601	UZ2	N25-C26-N27-C28

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	401	ACT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

6.4 Ligands

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers

EDS failed to run properly - this section is therefore empty.