



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 30, 2023 – 01:03 pm GMT

PDB ID : 7PA7
Title : BK polyomavirus VP1 in complex with scFv 29B1
Authors : Harprecht, C.; Stroeh, L.J.; Freytag, J.; Stehle, T.
Deposited on : 2021-07-29
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.31.3
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	aaa	252	
1	bbb	252	
1	ccc	252	
1	ddd	252	
1	eee	252	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	mmm	252	 2% 89% 8%
1	nnn	252	 90% 8%
1	ooo	252	 88% 8%
1	ppp	252	 90% 8%
1	qqq	252	 3% 90% 8%
2	AAA	275	 77% 14% 9%
2	BBB	275	 85% 7% 8%
2	CCC	275	 81% 10% 8%
2	DDD	275	 81% 8% 10%
2	EEE	275	 84% 12% ..
2	MMM	275	 78% 12% 8%
2	NNN	275	 79% 12% 9%
2	OOO	275	 85% 12% ..
2	PPP	275	 81% 10% 9%
2	QQQ	275	 84% 8% 8%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 37703 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called scFv 29B1 antibody heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	eee	235	Total 1777	C 1111	N 309	O 349	S 8	0	0	0
1	aaa	231	Total 1753	C 1096	N 309	O 340	S 8	0	0	0
1	bbb	231	Total 1733	C 1086	N 299	O 340	S 8	0	0	0
1	ccc	228	Total 1656	C 1035	N 283	O 331	S 7	0	0	0
1	ddd	234	Total 1768	C 1105	N 309	O 346	S 8	0	0	0
1	mmm	231	Total 1722	C 1074	N 298	O 342	S 8	0	0	0
1	nnn	232	Total 1739	C 1089	N 299	O 343	S 8	0	0	0
1	ooo	233	Total 1760	C 1100	N 308	O 344	S 8	0	0	0
1	ppp	231	Total 1744	C 1091	N 302	O 343	S 8	0	0	0
1	qqq	232	Total 1729	C 1082	N 297	O 342	S 8	0	0	0

- Molecule 2 is a protein called Major capsid protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	AAA	251	Total 1937	C 1217	N 336	O 372	S 12	0	0	0
2	BBB	254	Total 1959	C 1232	N 338	O 377	S 12	0	0	0
2	CCC	253	Total 1953	C 1231	N 337	O 373	S 12	0	0	0
2	DDD	248	Total 1903	C 1194	N 332	O 365	S 12	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	EEE	268	Total 2052	C 1288	N 355	O 396	S 13	0	0	0
2	MMM	252	Total 1923	C 1209	N 333	O 369	S 12	0	0	0
2	NNN	250	Total 1921	C 1206	N 335	O 368	S 12	0	0	0
2	OOO	269	Total 2068	C 1298	N 355	O 402	S 13	0	0	0
2	PPP	250	Total 1930	C 1214	N 335	O 369	S 12	0	0	0
2	QQQ	254	Total 1950	C 1225	N 339	O 374	S 12	0	0	0

There are 70 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AAA	27	GLY	-	expression tag	UNP P03088
AAA	28	SER	-	expression tag	UNP P03088
AAA	29	HIS	-	expression tag	UNP P03088
AAA	30	MET	-	expression tag	UNP P03088
AAA	158	ASP	GLU	variant	UNP P03088
AAA	171	THR	SER	variant	UNP P03088
AAA	219	THR	ALA	variant	UNP P03088
BBB	27	GLY	-	expression tag	UNP P03088
BBB	28	SER	-	expression tag	UNP P03088
BBB	29	HIS	-	expression tag	UNP P03088
BBB	30	MET	-	expression tag	UNP P03088
BBB	158	ASP	GLU	variant	UNP P03088
BBB	171	THR	SER	variant	UNP P03088
BBB	219	THR	ALA	variant	UNP P03088
CCC	27	GLY	-	expression tag	UNP P03088
CCC	28	SER	-	expression tag	UNP P03088
CCC	29	HIS	-	expression tag	UNP P03088
CCC	30	MET	-	expression tag	UNP P03088
CCC	158	ASP	GLU	variant	UNP P03088
CCC	171	THR	SER	variant	UNP P03088
CCC	219	THR	ALA	variant	UNP P03088
DDD	27	GLY	-	expression tag	UNP P03088
DDD	28	SER	-	expression tag	UNP P03088
DDD	29	HIS	-	expression tag	UNP P03088
DDD	30	MET	-	expression tag	UNP P03088
DDD	158	ASP	GLU	variant	UNP P03088
DDD	171	THR	SER	variant	UNP P03088

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
DDD	219	THR	ALA	variant	UNP P03088
EEE	27	GLY	-	expression tag	UNP P03088
EEE	28	SER	-	expression tag	UNP P03088
EEE	29	HIS	-	expression tag	UNP P03088
EEE	30	MET	-	expression tag	UNP P03088
EEE	158	ASP	GLU	variant	UNP P03088
EEE	171	THR	SER	variant	UNP P03088
EEE	219	THR	ALA	variant	UNP P03088
MMM	27	GLY	-	expression tag	UNP P03088
MMM	28	SER	-	expression tag	UNP P03088
MMM	29	HIS	-	expression tag	UNP P03088
MMM	30	MET	-	expression tag	UNP P03088
MMM	158	ASP	GLU	variant	UNP P03088
MMM	171	THR	SER	variant	UNP P03088
MMM	219	THR	ALA	variant	UNP P03088
NNN	27	GLY	-	expression tag	UNP P03088
NNN	28	SER	-	expression tag	UNP P03088
NNN	29	HIS	-	expression tag	UNP P03088
NNN	30	MET	-	expression tag	UNP P03088
NNN	158	ASP	GLU	variant	UNP P03088
NNN	171	THR	SER	variant	UNP P03088
NNN	219	THR	ALA	variant	UNP P03088
OOO	27	GLY	-	expression tag	UNP P03088
OOO	28	SER	-	expression tag	UNP P03088
OOO	29	HIS	-	expression tag	UNP P03088
OOO	30	MET	-	expression tag	UNP P03088
OOO	158	ASP	GLU	variant	UNP P03088
OOO	171	THR	SER	variant	UNP P03088
OOO	219	THR	ALA	variant	UNP P03088
PPP	27	GLY	-	expression tag	UNP P03088
PPP	28	SER	-	expression tag	UNP P03088
PPP	29	HIS	-	expression tag	UNP P03088
PPP	30	MET	-	expression tag	UNP P03088
PPP	158	ASP	GLU	variant	UNP P03088
PPP	171	THR	SER	variant	UNP P03088
PPP	219	THR	ALA	variant	UNP P03088
QQQ	27	GLY	-	expression tag	UNP P03088
QQQ	28	SER	-	expression tag	UNP P03088
QQQ	29	HIS	-	expression tag	UNP P03088
QQQ	30	MET	-	expression tag	UNP P03088
QQQ	158	ASP	GLU	variant	UNP P03088
QQQ	171	THR	SER	variant	UNP P03088

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
QQQ	219	THR	ALA	variant	UNP P03088

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	eee	29	Total O 29 29	0	0
3	AAA	52	Total O 52 52	0	0
3	BBB	36	Total O 36 36	0	0
3	CCC	39	Total O 39 39	0	0
3	DDD	50	Total O 50 50	0	0
3	EEE	63	Total O 63 63	0	0
3	MMM	39	Total O 39 39	0	0
3	NNN	58	Total O 58 58	0	0
3	OOO	42	Total O 42 42	0	0
3	PPP	51	Total O 51 51	0	0
3	QQQ	38	Total O 38 38	0	0
3	aaa	25	Total O 25 25	0	0
3	bbb	18	Total O 18 18	0	0
3	ccc	35	Total O 35 35	0	0
3	ddd	31	Total O 31 31	0	0
3	mmm	30	Total O 30 30	0	0
3	nnn	20	Total O 20 20	0	0
3	ooo	32	Total O 32 32	0	0
3	ppp	22	Total O 22 22	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	qqq	16	Total	O	0	0
			16	16		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: scFv 29B1 antibody heavy chain

Chain eee:  91% 7%




- Molecule 1: scFv 29B1 antibody heavy chain

Chain aaa:  3% 89% 8%




- Molecule 1: scFv 29B1 antibody heavy chain

Chain bbb:  90% 8%



- Molecule 1: scFv 29B1 antibody heavy chain


Chain ccc:  9% 88% 10%




- Molecule 1: scFv 29B1 antibody heavy chain

Chain ddd:  91% 7%


- Molecule 2: Major capsid protein VP1




- Molecule 2: Major capsid protein VP1



- Molecule 2: Major capsid protein VP1



- Molecule 2: Major capsid protein VP1




- Molecule 2: Major capsid protein VP1



- Molecule 2: Major capsid protein VP1

Chain NNN: 




- Molecule 2: Major capsid protein VP1

Chain OOO: 



- Molecule 2: Major capsid protein VP1

Chain PPP: 



- Molecule 2: Major capsid protein VP1

Chain QQQ: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	114.59Å 114.61Å 142.37Å 92.31° 106.00° 111.41°	Depositor
Resolution (Å)	48.44 – 2.60 48.44 – 2.60	Depositor EDS
% Data completeness (in resolution range)	91.9 (48.44-2.60) 91.9 (48.44-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.70 (at 2.61Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.247 , 0.272 0.249 , 0.276	Depositor DCC
R_{free} test set	1810 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å ²)	35.4	Xtrriage
Anisotropy	0.305	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 36.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	37703	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 19.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	aaa	0.68	0/1796	0.79	0/2443
1	bbb	0.68	0/1775	0.76	0/2419
1	ccc	0.70	0/1698	0.80	0/2324
1	ddd	0.69	0/1811	0.79	0/2464
1	eee	0.67	0/1820	0.78	0/2476
1	mmm	0.69	0/1764	0.77	0/2406
1	nnn	0.70	0/1782	0.77	0/2430
1	ooo	0.67	0/1803	0.80	0/2453
1	ppp	0.68	0/1787	0.80	0/2435
1	qqq	0.68	0/1770	0.79	0/2413
2	AAA	0.61	0/1981	0.80	1/2692 (0.0%)
2	BBB	0.64	0/2003	0.79	1/2722 (0.0%)
2	CCC	0.65	0/1997	0.83	1/2713 (0.0%)
2	DDD	0.65	0/1948	0.79	1/2649 (0.0%)
2	EEE	0.63	0/2100	0.83	1/2861 (0.0%)
2	MMM	0.65	0/1967	0.82	1/2677 (0.0%)
2	NNN	0.66	0/1965	0.79	0/2672
2	OOO	0.65	0/2117	0.83	1/2884 (0.0%)
2	PPP	0.66	0/1974	0.80	1/2682 (0.0%)
2	QQQ	0.66	0/1994	0.78	1/2712 (0.0%)
All	All	0.66	0/37852	0.80	9/51527 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	DDD	158	ASP	CB-CG-OD2	5.42	123.18	118.30
2	QQQ	158	ASP	CB-CG-OD2	5.24	123.01	118.30
2	EEE	158	ASP	CB-CG-OD2	5.22	123.00	118.30
2	AAA	158	ASP	CB-CG-OD2	5.21	122.99	118.30
2	MMM	158	ASP	CB-CG-OD2	5.20	122.98	118.30
2	BBB	158	ASP	CB-CG-OD2	5.20	122.98	118.30
2	PPP	158	ASP	CB-CG-OD2	5.19	122.97	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	OOO	158	ASP	CB-CG-OD2	5.13	122.92	118.30
2	CCC	158	ASP	CB-CG-OD2	5.08	122.87	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	aaa	1753	0	1662	0	0
1	bbb	1733	0	1626	0	0
1	ccc	1656	0	1482	0	1
1	ddd	1768	0	1672	0	0
1	eee	1777	0	1681	0	0
1	mmm	1722	0	1595	0	0
1	nnn	1739	0	1622	0	0
1	ooo	1760	0	1660	0	0
1	ppp	1744	0	1631	0	0
1	qqq	1729	0	1617	0	0
2	AAA	1937	0	1870	19	0
2	BBB	1959	0	1890	11	0
2	CCC	1953	0	1897	17	0
2	DDD	1903	0	1827	11	0
2	EEE	2052	0	1976	22	0
2	MMM	1923	0	1839	23	0
2	NNN	1921	0	1849	23	0
2	OOO	2068	0	1991	20	1
2	PPP	1930	0	1871	22	0
2	QQQ	1950	0	1880	11	0
3	AAA	52	0	0	3	0
3	BBB	36	0	0	5	0
3	CCC	39	0	0	6	0
3	DDD	50	0	0	3	0
3	EEE	63	0	0	5	0
3	MMM	39	0	0	7	0
3	NNN	58	0	0	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	OOO	42	0	0	4	0
3	PPP	51	0	0	11	0
3	QQQ	38	0	0	1	0
3	aaa	25	0	0	0	0
3	bbb	18	0	0	0	0
3	ccc	35	0	0	0	0
3	ddd	31	0	0	0	0
3	eee	29	0	0	0	0
3	mmm	30	0	0	0	0
3	nnn	20	0	0	0	0
3	ooo	32	0	0	0	0
3	ppp	22	0	0	0	0
3	qqq	16	0	0	0	0
All	All	37703	0	35138	164	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:BBB:298:ASN:HA	3:BBB:414:HOH:O	1.48	1.13
2:NNN:117:GLN:HB3	3:NNN:444:HOH:O	1.58	1.01
2:MMM:109:LEU:CB	3:MMM:429:HOH:O	2.12	0.97
2:NNN:293:LYS:HE3	3:NNN:432:HOH:O	1.75	0.86
2:PPP:37:GLU:CA	3:PPP:414:HOH:O	2.23	0.85
2:MMM:69:LYS:HG3	2:MMM:277:THR:HB	1.59	0.83
2:MMM:256:LYS:HD3	3:MMM:426:HOH:O	1.80	0.82
2:PPP:37:GLU:HA	3:PPP:414:HOH:O	1.83	0.79
2:AAA:59:PRO:HA	2:AAA:84:LYS:HD2	1.64	0.78
2:PPP:37:GLU:CB	3:PPP:414:HOH:O	2.31	0.78
2:DDD:117:GLN:HB3	3:DDD:431:HOH:O	1.82	0.78
2:NNN:293:LYS:CE	3:NNN:432:HOH:O	2.30	0.78
2:QQQ:135:LYS:NZ	3:QQQ:401:HOH:O	2.22	0.73
2:MMM:59:PRO:HA	2:MMM:84:LYS:HD2	1.71	0.73
2:PPP:59:PRO:HA	2:PPP:84:LYS:HD2	1.71	0.72
2:AAA:226:THR:HG23	2:EEE:234:VAL:HG22	1.72	0.72
2:CCC:34:GLU:N	3:CCC:402:HOH:O	2.23	0.72
2:CCC:108:LEU:N	3:CCC:403:HOH:O	2.23	0.70
2:NNN:59:PRO:HA	2:NNN:84:LYS:HD2	1.72	0.70
2:CCC:59:PRO:HA	2:CCC:84:LYS:HD2	1.73	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:EEE:59:PRO:HA	2:EEE:84:LYS:HD2	1.73	0.70
2:BBB:298:ASN:ND2	3:BBB:401:HOH:O	2.22	0.70
2:OOO:59:PRO:HA	2:OOO:84:LYS:HD2	1.74	0.68
2:BBB:298:ASN:CA	3:BBB:414:HOH:O	2.22	0.68
2:PPP:296:VAL:C	3:PPP:413:HOH:O	2.31	0.68
2:MMM:47:GLU:HG2	2:MMM:290:ARG:HG2	1.74	0.68
2:NNN:34:GLU:N	3:NNN:404:HOH:O	2.28	0.66
3:BBB:423:HOH:O	2:CCC:167:MET:SD	2.55	0.63
2:AAA:296:VAL:C	3:AAA:409:HOH:O	2.35	0.63
2:QQQ:59:PRO:HA	2:QQQ:84:LYS:HD2	1.80	0.62
2:MMM:35:VAL:HG11	2:MMM:294:ARG:HH21	1.64	0.62
2:QQQ:82:GLU:OE1	2:QQQ:84:LYS:N	2.24	0.62
2:NNN:50:CYS:HA	3:NNN:422:HOH:O	1.99	0.62
2:OOO:82:GLU:OE1	2:OOO:84:LYS:N	2.25	0.61
2:CCC:38:VAL:HG22	2:CCC:294:ARG:NH1	2.15	0.61
2:BBB:137:HIS:HE1	3:CCC:411:HOH:O	1.83	0.60
2:PPP:108:LEU:N	3:PPP:404:HOH:O	2.34	0.60
2:CCC:256:LYS:HD2	3:CCC:424:HOH:O	2.02	0.60
2:AAA:47:GLU:HG2	2:AAA:290:ARG:HG2	1.84	0.60
2:PPP:82:GLU:OE1	2:PPP:84:LYS:N	2.26	0.60
2:EEE:42:VAL:N	3:EEE:402:HOH:O	2.34	0.59
2:OOO:290:ARG:NH2	3:OOO:402:HOH:O	2.34	0.59
2:NNN:170:ARG:HD2	3:NNN:423:HOH:O	2.03	0.58
2:PPP:36:LEU:N	3:PPP:405:HOH:O	2.35	0.58
2:MMM:48:VAL:HG23	2:MMM:289:ILE:HB	1.86	0.58
2:CCC:256:LYS:CD	3:CCC:424:HOH:O	2.51	0.58
2:PPP:53:ASN:HB2	3:PPP:408:HOH:O	2.04	0.57
2:MMM:215:ARG:NH1	3:MMM:403:HOH:O	2.37	0.56
2:AAA:260:LEU:HD21	2:AAA:289:ILE:HD13	1.86	0.56
2:OOO:98:ASN:ND2	3:OOO:403:HOH:O	2.39	0.55
2:EEE:93:ARG:NH2	3:EEE:404:HOH:O	2.37	0.55
2:AAA:166:LEU:O	2:AAA:188:GLN:HA	2.06	0.55
2:EEE:37:GLU:CB	3:EEE:452:HOH:O	2.54	0.55
2:NNN:64:ARG:NE	3:NNN:405:HOH:O	2.33	0.54
2:DDD:47:GLU:HG2	2:DDD:290:ARG:HG2	1.90	0.53
2:QQQ:114:VAL:HG22	2:QQQ:290:ARG:O	2.08	0.53
2:PPP:157:GLY:O	2:PPP:158:ASP:OD1	2.27	0.52
2:DDD:46:THR:HA	3:DDD:415:HOH:O	2.10	0.51
2:EEE:260:LEU:HD21	2:EEE:289:ILE:HD13	1.91	0.51
2:BBB:260:LEU:HD21	2:BBB:289:ILE:HD13	1.92	0.51
2:QQQ:157:GLY:O	2:QQQ:158:ASP:OD1	2.29	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:AAA:227:GLY:O	2:EEE:233:PRO:HD2	2.11	0.50
2:AAA:158:ASP:OD1	2:AAA:256:LYS:HG3	2.10	0.50
2:OOO:234:VAL:HG22	2:PPP:226:THR:HG23	1.93	0.50
2:NNN:157:GLY:O	2:NNN:158:ASP:OD1	2.30	0.50
2:PPP:64:ARG:NH1	3:PPP:408:HOH:O	2.44	0.50
2:NNN:260:LEU:HD21	2:NNN:289:ILE:HD13	1.93	0.50
2:CCC:143:LYS:NZ	3:CCC:411:HOH:O	2.36	0.49
2:NNN:77:SER:C	3:NNN:401:HOH:O	2.50	0.49
2:OOO:99:LEU:CD2	2:OOO:293:LYS:HZ2	2.25	0.49
2:AAA:234:VAL:HG22	2:BBB:226:THR:HG23	1.94	0.49
2:MMM:52:LEU:HG	2:MMM:90:SER:HB3	1.95	0.49
2:EEE:249:GLN:NE2	3:EEE:409:HOH:O	2.46	0.49
2:MMM:157:GLY:O	2:MMM:158:ASP:OD1	2.31	0.49
2:OOO:157:GLY:O	2:OOO:158:ASP:OD1	2.30	0.49
2:AAA:91:THR:HB	2:AAA:198:LEU:HG	1.95	0.48
2:DDD:157:GLY:O	2:DDD:158:ASP:OD1	2.30	0.48
2:QQQ:260:LEU:HD21	2:QQQ:289:ILE:HD13	1.94	0.48
2:OOO:260:LEU:HD21	2:OOO:289:ILE:HD13	1.95	0.48
2:MMM:226:THR:HG23	2:QQQ:234:VAL:HG22	1.95	0.48
2:NNN:98:ASN:HD22	2:NNN:99:LEU:N	2.12	0.47
2:MMM:272:THR:N	3:MMM:402:HOH:O	2.33	0.47
2:CCC:260:LEU:HD21	2:CCC:289:ILE:HD13	1.97	0.47
2:DDD:260:LEU:HD21	2:DDD:289:ILE:HD13	1.95	0.47
2:PPP:260:LEU:HD21	2:PPP:289:ILE:HD13	1.96	0.47
2:NNN:45:ILE:HD11	2:NNN:290:ARG:HD2	1.95	0.47
2:EEE:260:LEU:HD21	2:EEE:289:ILE:HG21	1.97	0.47
2:AAA:81:PRO:HD2	2:AAA:172:LYS:O	2.15	0.47
2:MMM:251:VAL:HG22	2:MMM:294:ARG:NH2	2.30	0.47
2:PPP:118:THR:HA	2:PPP:286:TYR:O	2.15	0.47
2:QQQ:118:THR:HA	2:QQQ:286:TYR:O	2.15	0.46
2:NNN:293:LYS:HE2	3:NNN:432:HOH:O	2.08	0.46
2:QQQ:47:GLU:HG2	2:QQQ:290:ARG:HG2	1.97	0.46
2:BBB:157:GLY:O	2:BBB:158:ASP:OD1	2.34	0.46
2:CCC:157:GLY:O	2:CCC:158:ASP:OD1	2.34	0.46
2:AAA:115:THR:OG1	2:AAA:290:ARG:HB2	2.15	0.46
2:EEE:157:GLY:O	2:EEE:158:ASP:OD1	2.33	0.46
2:MMM:260:LEU:HD21	2:MMM:289:ILE:HD13	1.97	0.46
2:MMM:35:VAL:CG1	2:MMM:294:ARG:HH21	2.27	0.46
2:PPP:268:CYS:HA	3:PPP:407:HOH:O	2.16	0.46
2:DDD:97:PRO:HD3	3:DDD:447:HOH:O	2.16	0.45
2:MMM:227:GLY:O	2:QQQ:233:PRO:HD2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:BBB:118:THR:HA	2:BBB:286:TYR:O	2.15	0.45
2:EEE:118:THR:HA	2:EEE:286:TYR:O	2.17	0.45
2:OOO:99:LEU:HD12	2:OOO:258:ASP:OD1	2.17	0.45
2:DDD:144:PRO:HD2	2:EEE:229:GLU:HG2	1.98	0.45
2:NNN:60:ASP:OD1	2:NNN:63:LEU:HB2	2.17	0.45
2:EEE:103:LEU:HB3	2:MMM:92:ALA:CB	2.47	0.44
2:DDD:233:PRO:HD2	2:EEE:227:GLY:O	2.18	0.44
2:PPP:83:ARG:HA	2:PPP:174:PRO:HG3	2.00	0.44
2:OOO:118:THR:HA	2:OOO:286:TYR:O	2.17	0.44
2:EEE:186:GLN:NE2	3:EEE:413:HOH:O	2.51	0.43
2:NNN:47:GLU:HG2	2:NNN:290:ARG:HG2	1.99	0.43
2:AAA:53:ASN:HB2	3:AAA:410:HOH:O	2.17	0.43
2:CCC:99:LEU:HD13	2:CCC:109:LEU:HB3	2.00	0.43
2:CCC:118:THR:HA	2:CCC:286:TYR:O	2.19	0.43
2:PPP:53:ASN:CB	3:PPP:408:HOH:O	2.65	0.43
2:AAA:96:LEU:HD11	2:AAA:260:LEU:HB2	1.99	0.43
2:BBB:45:ILE:N	3:BBB:407:HOH:O	2.52	0.43
2:CCC:52:LEU:HG	2:CCC:90:SER:HB3	1.99	0.43
2:OOO:83:ARG:HA	2:OOO:174:PRO:HG3	2.00	0.43
2:AAA:222:PHE:CZ	2:EEE:240:THR:HG21	2.54	0.43
2:MMM:83:ARG:HA	2:MMM:174:PRO:HG3	1.99	0.43
2:MMM:118:THR:HA	2:MMM:286:TYR:O	2.19	0.43
2:NNN:83:ARG:HA	2:NNN:174:PRO:HG3	2.01	0.43
2:NNN:34:GLU:O	2:NNN:34:GLU:HG2	2.19	0.43
2:OOO:166:LEU:O	2:OOO:188:GLN:HA	2.19	0.43
2:AAA:232:PRO:HA	2:AAA:233:PRO:HD2	1.92	0.43
2:CCC:83:ARG:HA	2:CCC:174:PRO:HG3	2.00	0.43
2:DDD:118:THR:HA	2:DDD:286:TYR:O	2.18	0.43
2:DDD:212:ASP:OD2	2:DDD:215:ARG:HD3	2.19	0.43
2:OOO:233:PRO:HD2	2:PPP:227:GLY:O	2.19	0.42
2:PPP:158:ASP:OD1	2:PPP:256:LYS:HG3	2.20	0.42
2:AAA:268:CYS:HA	3:AAA:414:HOH:O	2.20	0.42
2:NNN:76:PHE:O	3:NNN:401:HOH:O	2.22	0.42
2:NNN:118:THR:HA	2:NNN:286:TYR:O	2.19	0.42
2:OOO:212:ASP:OD2	2:OOO:215:ARG:HD3	2.20	0.42
2:AAA:190:MET:HB2	2:EEE:53:ASN:OD1	2.20	0.42
2:EEE:244:VAL:HG12	2:EEE:246:LEU:H	1.84	0.42
2:MMM:212:ASP:OD2	2:MMM:215:ARG:HD2	2.19	0.42
2:OOO:145:ILE:HD13	2:OOO:281:ARG:HG2	2.01	0.41
2:AAA:89:TYR:CE2	2:AAA:206:VAL:HA	2.56	0.41
2:PPP:92:ALA:HA	3:PPP:432:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:MMM:256:LYS:CE	3:MMM:426:HOH:O	2.69	0.41
2:BBB:234:VAL:HG22	2:CCC:226:THR:HG23	2.01	0.41
2:CCC:212:ASP:OD2	2:CCC:215:ARG:HD2	2.20	0.41
2:EEE:83:ARG:HA	2:EEE:174:PRO:HG3	2.02	0.41
2:PPP:233:PRO:HD2	2:QQQ:227:GLY:O	2.21	0.41
2:EEE:149:ASN:HB2	2:EEE:267:ILE:O	2.20	0.41
2:NNN:84:LYS:HB2	2:NNN:84:LYS:HE3	1.92	0.41
2:OOO:84:LYS:HB2	2:OOO:84:LYS:HE3	1.90	0.41
2:OOO:115:THR:HB	2:OOO:242:THR:CG2	2.51	0.41
2:OOO:259:SER:HB2	3:OOO:413:HOH:O	2.20	0.41
2:PPP:47:GLU:HG2	2:PPP:290:ARG:HG2	2.01	0.41
2:BBB:212:ASP:OD2	2:BBB:215:ARG:HD2	2.22	0.40
2:NNN:234:VAL:HG22	2:OOO:226:THR:HG23	2.02	0.40
2:OOO:84:LYS:HE2	3:OOO:406:HOH:O	2.22	0.40
2:CCC:251:VAL:HG22	2:CCC:294:ARG:NH2	2.36	0.40
2:DDD:115:THR:HB	2:DDD:242:THR:CG2	2.51	0.40
2:EEE:89:TYR:HB3	2:EEE:198:LEU:HD21	2.03	0.40
2:EEE:96:LEU:HB2	2:EEE:258:ASP:HA	2.03	0.40
2:MMM:256:LYS:CD	3:MMM:426:HOH:O	2.55	0.40
2:MMM:256:LYS:HE2	3:MMM:426:HOH:O	2.20	0.40
2:NNN:115:THR:HB	2:NNN:242:THR:CG2	2.52	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:OOO:107:ASN:OD1	1:ccc:178:ARG:NH2[1_445]	2.19	0.01

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	aaa	227/252 (90%)	221 (97%)	6 (3%)	0	100	100
1	bbb	227/252 (90%)	220 (97%)	7 (3%)	0	100	100
1	ccc	224/252 (89%)	219 (98%)	5 (2%)	0	100	100
1	ddd	230/252 (91%)	225 (98%)	5 (2%)	0	100	100
1	eee	231/252 (92%)	223 (96%)	8 (4%)	0	100	100
1	mmm	227/252 (90%)	224 (99%)	3 (1%)	0	100	100
1	nnn	228/252 (90%)	220 (96%)	8 (4%)	0	100	100
1	ooo	229/252 (91%)	223 (97%)	6 (3%)	0	100	100
1	ppp	227/252 (90%)	222 (98%)	5 (2%)	0	100	100
1	qqq	228/252 (90%)	224 (98%)	4 (2%)	0	100	100
2	AAA	245/275 (89%)	233 (95%)	11 (4%)	1 (0%)	34	57
2	BBB	248/275 (90%)	237 (96%)	10 (4%)	1 (0%)	34	57
2	CCC	247/275 (90%)	236 (96%)	10 (4%)	1 (0%)	34	57
2	DDD	244/275 (89%)	234 (96%)	9 (4%)	1 (0%)	34	57
2	EEE	266/275 (97%)	252 (95%)	13 (5%)	1 (0%)	34	57
2	MMM	246/275 (90%)	234 (95%)	11 (4%)	1 (0%)	34	57
2	NNN	244/275 (89%)	235 (96%)	8 (3%)	1 (0%)	34	57
2	OOO	267/275 (97%)	256 (96%)	10 (4%)	1 (0%)	34	57
2	PPP	244/275 (89%)	234 (96%)	9 (4%)	1 (0%)	34	57
2	QQQ	248/275 (90%)	235 (95%)	12 (5%)	1 (0%)	34	57
All	All	4777/5270 (91%)	4607 (96%)	160 (3%)	10 (0%)	47	71

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AAA	189	VAL
2	BBB	189	VAL
2	CCC	189	VAL
2	EEE	189	VAL
2	MMM	189	VAL
2	PPP	189	VAL
2	QQQ	189	VAL
2	DDD	189	VAL
2	NNN	189	VAL
2	OOO	189	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	aaa	186/204 (91%)	180 (97%)	6 (3%)	39	65
1	bbb	182/204 (89%)	177 (97%)	5 (3%)	44	71
1	ccc	166/204 (81%)	162 (98%)	4 (2%)	49	74
1	ddd	188/204 (92%)	183 (97%)	5 (3%)	44	71
1	eee	189/204 (93%)	183 (97%)	6 (3%)	39	65
1	mmm	180/204 (88%)	174 (97%)	6 (3%)	38	64
1	nnn	183/204 (90%)	179 (98%)	4 (2%)	52	76
1	ooo	186/204 (91%)	176 (95%)	10 (5%)	22	44
1	ppp	184/204 (90%)	181 (98%)	3 (2%)	62	82
1	qqq	182/204 (89%)	178 (98%)	4 (2%)	52	76
2	AAA	213/236 (90%)	202 (95%)	11 (5%)	23	46
2	BBB	215/236 (91%)	210 (98%)	5 (2%)	50	75
2	CCC	214/236 (91%)	209 (98%)	5 (2%)	50	75
2	DDD	207/236 (88%)	201 (97%)	6 (3%)	42	68
2	EEE	225/236 (95%)	217 (96%)	8 (4%)	35	61
2	MMM	208/236 (88%)	198 (95%)	10 (5%)	25	49
2	NNN	210/236 (89%)	203 (97%)	7 (3%)	38	64
2	OOO	228/236 (97%)	222 (97%)	6 (3%)	46	72
2	PPP	212/236 (90%)	210 (99%)	2 (1%)	78	91
2	QQQ	214/236 (91%)	209 (98%)	5 (2%)	50	75
All	All	3972/4400 (90%)	3854 (97%)	118 (3%)	41	67

All (118) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	eee	98	ASP
1	eee	135	LEU
1	eee	191	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	eee	213	GLU
1	eee	245	THR
1	eee	246	VAL
2	AAA	35	VAL
2	AAA	64	ARG
2	AAA	82	GLU
2	AAA	93	ARG
2	AAA	133	SER
2	AAA	180	PRO
2	AAA	214	SER
2	AAA	217	GLU
2	AAA	274	SER
2	AAA	275	SER
2	AAA	295	SER
2	BBB	82	GLU
2	BBB	84	LYS
2	BBB	100	ASN
2	BBB	107	ASN
2	BBB	274	SER
2	CCC	69	LYS
2	CCC	82	GLU
2	CCC	133	SER
2	CCC	186	GLN
2	CCC	294	ARG
2	DDD	64	ARG
2	DDD	69	LYS
2	DDD	82	GLU
2	DDD	133	SER
2	DDD	186	GLN
2	DDD	217	GLU
2	EEE	43	ASP
2	EEE	82	GLU
2	EEE	93	ARG
2	EEE	133	SER
2	EEE	149	ASN
2	EEE	214	SER
2	EEE	242	THR
2	EEE	274	SER
2	MMM	35	VAL
2	MMM	36	LEU
2	MMM	45	ILE
2	MMM	46	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	MMM	64	ARG
2	MMM	69	LYS
2	MMM	82	GLU
2	MMM	99	LEU
2	MMM	133	SER
2	MMM	217	GLU
2	NNN	82	GLU
2	NNN	98	ASN
2	NNN	133	SER
2	NNN	190	MET
2	NNN	191	ASN
2	NNN	249	GLN
2	NNN	293	LYS
2	OOO	37	GLU
2	OOO	42	VAL
2	OOO	69	LYS
2	OOO	133	SER
2	OOO	186	GLN
2	OOO	290	ARG
2	PPP	133	SER
2	PPP	249	GLN
2	QQQ	33	VAL
2	QQQ	35	VAL
2	QQQ	64	ARG
2	QQQ	133	SER
2	QQQ	186	GLN
1	aaa	96	ARG
1	aaa	105	THR
1	aaa	181	THR
1	aaa	191	ARG
1	aaa	213	GLU
1	aaa	246	VAL
1	bbb	95	SER
1	bbb	191	ARG
1	bbb	232	ARG
1	bbb	245	THR
1	bbb	246	VAL
1	ccc	51	SER
1	ccc	99	HIS
1	ccc	187	SER
1	ccc	245	THR
1	ddd	60	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	ddd	63	ARG
1	ddd	95	SER
1	ddd	199	SER
1	ddd	245	THR
1	mmm	62	GLU
1	mmm	95	SER
1	mmm	99	HIS
1	mmm	178	ARG
1	mmm	181	THR
1	mmm	245	THR
1	nnn	95	SER
1	nnn	187	SER
1	nnn	191	ARG
1	nnn	245	THR
1	ooo	4	SER
1	ooo	56	ARG
1	ooo	95	SER
1	ooo	98	ASP
1	ooo	191	ARG
1	ooo	195	SER
1	ooo	205	LEU
1	ooo	213	GLU
1	ooo	243	LEU
1	ooo	246	VAL
1	ppp	56	ARG
1	ppp	96	ARG
1	ppp	245	THR
1	qqq	191	ARG
1	qqq	240	GLN
1	qqq	245	THR
1	qqq	246	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	aaa	231/252 (91%)	-0.02	8 (3%) 44 36	13, 35, 59, 69	0
1	bbb	231/252 (91%)	-0.28	1 (0%) 92 91	18, 35, 55, 76	0
1	ccc	228/252 (90%)	0.59	23 (10%) 7 4	26, 53, 81, 96	0
1	ddd	234/252 (92%)	-0.15	1 (0%) 92 91	15, 34, 58, 66	0
1	eee	235/252 (93%)	-0.36	0 100 100	12, 26, 48, 85	0
1	mmm	231/252 (91%)	0.22	5 (2%) 62 56	21, 43, 65, 80	0
1	nnn	232/252 (92%)	-0.22	1 (0%) 92 91	17, 33, 55, 69	0
1	ooo	233/252 (92%)	-0.28	2 (0%) 84 82	15, 30, 52, 70	0
1	ppp	231/252 (91%)	-0.27	0 100 100	14, 33, 56, 79	0
1	qqq	232/252 (92%)	-0.05	7 (3%) 50 43	18, 37, 61, 74	0
2	AAA	251/275 (91%)	-0.36	0 100 100	9, 19, 45, 68	0
2	BBB	254/275 (92%)	-0.41	2 (0%) 86 84	11, 20, 47, 92	0
2	CCC	253/275 (92%)	-0.34	1 (0%) 92 91	9, 21, 50, 69	0
2	DDD	248/275 (90%)	-0.28	3 (1%) 79 76	7, 19, 48, 70	0
2	EEE	268/275 (97%)	-0.43	0 100 100	9, 18, 40, 67	0
2	MMM	252/275 (91%)	-0.31	1 (0%) 92 91	8, 21, 51, 64	0
2	NNN	250/275 (90%)	-0.31	4 (1%) 72 68	9, 20, 49, 74	0
2	OOO	269/275 (97%)	-0.39	0 100 100	10, 19, 45, 84	0
2	PPP	250/275 (90%)	-0.41	1 (0%) 92 91	9, 18, 43, 71	0
2	QQQ	254/275 (92%)	-0.39	3 (1%) 79 76	11, 21, 50, 78	0
All	All	4867/5270 (92%)	-0.23	63 (1%) 77 73	7, 26, 58, 96	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	ccc	191	ARG	4.2
2	QQQ	107	ASN	3.9
1	ddd	134	GLY	3.7
2	NNN	98	ASN	3.5
1	ccc	190	GLY	3.4
1	ccc	140	GLY	3.2
1	ccc	245	THR	3.2
2	PPP	44	ALA	3.1
1	qqq	17	PRO	3.0
1	ccc	82	ALA	3.0
1	ccc	139	GLY	3.0
1	ccc	94	ASP	3.0
1	ccc	31	GLY	2.9
1	qqq	247	SER	2.8
2	DDD	108	LEU	2.8
2	MMM	36	LEU	2.8
1	qqq	245	THR	2.8
1	nnn	134	GLY	2.8
1	qqq	136	VAL	2.7
1	aaa	139	GLY	2.7
1	ccc	5	TYR	2.7
1	ccc	244	VAL	2.7
1	ooo	134	GLY	2.7
2	NNN	99	LEU	2.7
1	aaa	111	VAL	2.6
1	ccc	72	THR	2.6
1	aaa	134	GLY	2.6
1	mmm	141	SER	2.6
1	ccc	240	GLN	2.6
1	ccc	135	LEU	2.6
2	DDD	257	ALA	2.5
2	QQQ	33	VAL	2.5
2	BBB	298	ASN	2.5
1	qqq	18	GLY	2.5
1	mmm	72	THR	2.4
1	ccc	8	THR	2.4
2	NNN	250	GLY	2.4
1	ccc	6	VAL	2.4
1	ccc	17	PRO	2.3
1	aaa	21	ALA	2.3
1	ccc	141	SER	2.3
1	bbb	82	ALA	2.3
1	mmm	242	THR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	ccc	136	VAL	2.3
2	BBB	38	VAL	2.3
1	mmm	5	TYR	2.2
1	aaa	132	GLY	2.2
1	qqq	43	GLY	2.2
1	ccc	144	LEU	2.2
2	QQQ	36	LEU	2.2
1	ccc	241	GLY	2.2
1	mmm	190	GLY	2.2
1	ccc	98	ASP	2.1
1	ccc	192	PHE	2.1
1	aaa	140	GLY	2.1
1	ccc	29	ASN	2.1
1	qqq	83	GLY	2.1
2	DDD	109	LEU	2.1
2	NNN	97	PRO	2.0
1	ooo	124	GLY	2.0
1	aaa	165	PRO	2.0
2	CCC	36	LEU	2.0
1	aaa	244	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.