

Oct 27, 2024 – 11:26 AM EDT

PDB ID 7SBK : EMD-24981 EMDB ID : Title : Closed state of pre-fusion SARS-CoV-2 Delta variant spike protein Authors Zhang, J.; Xiao, T.S.; Cai, Y.F.; Peng, H.Q.; Volloch, S.R.; Chen, B. : Deposited on 2021-09-25 : 3.10 Å(reported) Resolution : Based on initial model 7KRR ·

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.10 Å.

Ramachandran outliers

Sidechain outliers

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



207382

206894

The table below summarises the geometric issues observed across the polymeric chains and their fit
to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues
that contain outliers for $>=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey
segment represents the fraction of residues that are not modelled. The numeric value for each
fraction is indicated below the corresponding segment, with a dot representing fractions $<\!\!=\!5\%$
The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM
map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

16835

16415

Mol	Chain	Length	Quality of chain	
1	А	1308	83% .	16%
1	В	1308	83% •	16%
1	С	1308	83% •	16%
2	D	3	100%	
2	Е	3	100%	
2	F	3	100%	
2	Н	3	100%	
2	Ι	3	100%	
2	K	3	100%	



Mol	Chain	Length	Quality of chain
2	L	3	100%
2	М	3	100%
2	Ν	3	100%
2	Ο	3	100%
2	Р	3	33%
2	Q	3	100%
2	S	3	100%
2	Т	3	100%
2	V	3	100%
2	W	3	100%
2	Х	3	100%
2	Y	3	100%
2	Z	3	100%
2	a	3	100%
2	b	3	100%
2	d	3	100%
2	е	3	100%
2	g	3	100%
2	h	3	100%
2	i	3	100%
2	j	3	100%
3	G	2	100%
3	R	2	100%
3	с	2	100%
4	J	3	100%



Mol	Chain	Length	Quality of chain
4	U	3	100%
4	f	3	100%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 27417 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		А	AltConf	Trace			
1 B	1101	Total	С	Ν	Ο	\mathbf{S}	0	0	
	1101	8624	5504	1443	1638	39	0	0	
1	Λ	1101	Total	С	Ν	Ο	\mathbf{S}	0	0
	1101	8624	5504	1443	1638	39	0	0	
1	1 C	1101	Total	С	Ν	Ο	\mathbf{S}	0	0
	1101	8624	5504	1443	1638	39	0	0	

• Molecule 1 is a protein called Spike glycoprotein.

There are 141	discrepancies	between	the	modelled	and	reference	sequences:
I HOLO ALC ITI	unsereparteres	Detween	UIIC	moucheu	ana	renerence	bequeinces.

Chain	Residue	Modelled	Actual	Comment	Reference
В	19	ARG	THR	variant	UNP P0DTC2
В	142	ASP	GLY	variant	UNP P0DTC2
В	?	-	GLU	deletion	UNP P0DTC2
В	?	-	PHE	deletion	UNP P0DTC2
В	156	GLY	ARG	variant	UNP P0DTC2
В	452	ARG	LEU	variant	UNP P0DTC2
В	478	LYS	THR	variant	UNP P0DTC2
В	614	GLY	ASP	variant	UNP P0DTC2
В	681	ARG	PRO	variant	UNP P0DTC2
В	950	ASN	ASP	variant	UNP P0DTC2
В	1274	LEU	-	expression tag	UNP P0DTC2
В	1275	GLU	-	expression tag	UNP P0DTC2
В	1276	SER	-	expression tag	UNP P0DTC2
В	1277	GLY	-	expression tag	UNP P0DTC2
В	1278	GLY	-	expression tag	UNP P0DTC2
В	1279	GLY	-	expression tag	UNP P0DTC2
В	1280	SER	-	expression tag	UNP P0DTC2
В	1281	ALA	-	expression tag	UNP P0DTC2
В	1282	TRP	-	expression tag	UNP P0DTC2
В	1283	SER	-	expression tag	UNP P0DTC2
В	1284	HIS	-	expression tag	UNP P0DTC2
В	1285	PRO	-	expression tag	UNP P0DTC2
В	1286	GLN	-	expression tag	UNP P0DTC2
В	1287	PHE	-	expression tag	UNP P0DTC2



Continued from previous page			Commont Boforonco			
D	nesidue	Niodelled	Actual	Comment		
B	1288	GLU	-	expression tag	UNP P0D1C2	
B	1289		-	expression tag	UNP P0DTC2	
B	1290	GLY	-	expression tag	UNP PODTC2	
B	1291	GLY	-	expression tag	UNP PODTC2	
B	1292	GLY	-	expression tag	UNP PODTC2	
B	1293	SER	-	expression tag	UNP PODTC2	
B	1294	GLY	-	expression tag	UNP PODTC2	
B	1295	GLY	-	expression tag	UNP PODTC2	
B	1296	GLY	-	expression tag	UNP P0DTC2	
В	1297	SER	-	expression tag	UNP P0DTC2	
B	1298	GLY	-	expression tag	UNP P0DTC2	
B	1299	GLY	-	expression tag	UNP P0DTC2	
B	1300	SER	-	expression tag	UNP P0DTC2	
B	1301	SER	-	expression tag	UNP P0DTC2	
В	1302	ALA	-	expression tag	UNP P0DTC2	
В	1303	TRP	-	expression tag	UNP P0DTC2	
В	1304	SER	-	expression tag	UNP P0DTC2	
В	1305	HIS	-	expression tag	UNP P0DTC2	
В	1306	PRO	-	expression tag	UNP P0DTC2	
В	1307	GLN	-	expression tag	UNP P0DTC2	
В	1308	PHE	-	expression tag	UNP P0DTC2	
В	1309	GLU	-	expression tag	UNP P0DTC2	
В	1310	LYS	-	expression tag	UNP P0DTC2	
А	19	ARG	THR	variant	UNP P0DTC2	
А	142	ASP	GLY	variant	UNP P0DTC2	
А	?	-	GLU	deletion	UNP P0DTC2	
А	?	-	PHE	deletion	UNP P0DTC2	
А	156	GLY	ARG	variant	UNP P0DTC2	
А	452	ARG	LEU	variant	UNP P0DTC2	
А	478	LYS	THR	variant	UNP P0DTC2	
А	614	GLY	ASP	variant	UNP P0DTC2	
А	681	ARG	PRO	variant	UNP P0DTC2	
А	950	ASN	ASP	variant	UNP P0DTC2	
А	1274	LEU	-	expression tag	UNP P0DTC2	
А	1275	GLU	-	expression tag	UNP P0DTC2	
A	1276	SER	-	expression tag	UNP P0DTC2	
A	1277	GLY	-	expression tag	UNP P0DTC2	
A	1278	GLY	_	expression tag	UNP P0DTC2	
A	1279	GLY	-	expression tag	UNP P0DTC2	
A	1280	SER	-	expression tag	UNP P0DTC2	
A	1281	ALA	-	expression tag	UNP P0DTC2	
A	1282	TRP	-	expression tag	UNP P0DTC2	

 α ntia 1 [



Continu	iea from pre	~			
Chain	Residue	Modelled	Actual	Comment	Reference
A	1283	SER	-	expression tag	UNP P0DTC2
A	1284	HIS	-	expression tag	UNP P0DTC2
A	1285	PRO	-	expression tag	UNP P0DTC2
A	1286	GLN	-	expression tag	UNP P0DTC2
A	1287	PHE	-	expression tag	UNP P0DTC2
A	1288	GLU	-	expression tag	UNP P0DTC2
А	1289	LYS	-	expression tag	UNP P0DTC2
A	1290	GLY	-	expression tag	UNP P0DTC2
А	1291	GLY	-	expression tag	UNP P0DTC2
А	1292	GLY	-	expression tag	UNP P0DTC2
A	1293	SER	-	expression tag	UNP P0DTC2
А	1294	GLY	-	expression tag	UNP P0DTC2
А	1295	GLY	-	expression tag	UNP P0DTC2
А	1296	GLY	-	expression tag	UNP P0DTC2
А	1297	SER	-	expression tag	UNP P0DTC2
А	1298	GLY	-	expression tag	UNP P0DTC2
А	1299	GLY	-	expression tag	UNP P0DTC2
А	1300	SER	-	expression tag	UNP P0DTC2
А	1301	SER	-	expression tag	UNP P0DTC2
А	1302	ALA	-	expression tag	UNP P0DTC2
А	1303	TRP	-	expression tag	UNP P0DTC2
А	1304	SER	-	expression tag	UNP P0DTC2
А	1305	HIS	-	expression tag	UNP P0DTC2
А	1306	PRO	-	expression tag	UNP P0DTC2
А	1307	GLN	-	expression tag	UNP P0DTC2
А	1308	PHE	-	expression tag	UNP P0DTC2
А	1309	GLU	-	expression tag	UNP P0DTC2
А	1310	LYS	-	expression tag	UNP P0DTC2
С	19	ARG	THR	variant	UNP P0DTC2
С	142	ASP	GLY	variant	UNP P0DTC2
С	?	-	GLU	deletion	UNP P0DTC2
С	?	-	PHE	deletion	UNP P0DTC2
С	156	GLY	ARG	variant	UNP P0DTC2
С	452	ARG	LEU	variant	UNP P0DTC2
С	478	LYS	THR	variant	UNP P0DTC2
С	614	GLY	ASP	variant	UNP P0DTC2
C	681	ARG	PRO	variant	UNP P0DTC2
C	950	ASN	ASP	variant	UNP P0DTC2
С	1274	LEU	-	expression tag	UNP P0DTC2
С	1275	GLU	-	expression tag	UNP P0DTC2
С	1276	SER	-	expression tag	UNP P0DTC2
C	1277	GLY	-	expression tag	UNP P0DTC2

 α ntia 1 [



Chain	Residue	Modelled	Actual	Comment	Reference
С	1278	GLY	-	expression tag	UNP P0DTC2
С	1279	GLY	-	expression tag	UNP P0DTC2
С	1280	SER	-	expression tag	UNP P0DTC2
С	1281	ALA	-	expression tag	UNP P0DTC2
С	1282	TRP	-	expression tag	UNP P0DTC2
С	1283	SER	-	expression tag	UNP P0DTC2
С	1284	HIS	-	expression tag	UNP P0DTC2
С	1285	PRO	-	expression tag	UNP P0DTC2
С	1286	GLN	-	expression tag	UNP P0DTC2
С	1287	PHE	-	expression tag	UNP P0DTC2
С	1288	GLU	-	expression tag	UNP P0DTC2
С	1289	LYS	-	expression tag	UNP P0DTC2
С	1290	GLY	-	expression tag	UNP P0DTC2
С	1291	GLY	-	expression tag	UNP P0DTC2
С	1292	GLY	-	expression tag	UNP P0DTC2
С	1293	SER	-	expression tag	UNP P0DTC2
С	1294	GLY	-	expression tag	UNP P0DTC2
С	1295	GLY	-	expression tag	UNP P0DTC2
С	1296	GLY	-	expression tag	UNP P0DTC2
С	1297	SER	-	expression tag	UNP P0DTC2
С	1298	GLY	-	expression tag	UNP P0DTC2
С	1299	GLY	-	expression tag	UNP P0DTC2
С	1300	SER	-	expression tag	UNP P0DTC2
С	1301	SER	-	expression tag	UNP P0DTC2
С	1302	ALA	-	expression tag	UNP P0DTC2
С	1303	TRP	-	expression tag	UNP P0DTC2
С	1304	SER	-	expression tag	UNP P0DTC2
С	1305	HIS	-	expression tag	UNP P0DTC2
С	1306	PRO	-	expression tag	UNP P0DTC2
С	1307	GLN	-	expression tag	UNP P0DTC2
С	1308	PHE	-	expression tag	UNP P0DTC2
С	1309	GLU	-	expression tag	UNP P0DTC2
C	1310	LYS	-	expression tag	UNP P0DTC2

Continued from previous page...

• Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxybeta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Mol	Chain	Residues	ŀ	Aton	ns		AltConf	Trace
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0	Л	2	Total	С	Ν	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		D	5	39	22	2	15	0	0
2 1 3 39 22 2 15 0 0 2 F 3 Total C N O 0 2 H 3 Total C N O 0 2 K 3 Total C N O 0 2 K 3 Total C N O 0 2 M 3 Total C N O 0 2 M 3 Total C N O 0 2 N 3 Total C N O 0 2 N 3 Total <td< td=""><td>2</td><td>E</td><td>3</td><td>Total</td><td>С</td><td>Ν</td><td>0</td><td>0</td><td>0</td></td<>	2	E	3	Total	С	Ν	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		Ľ	5	39	22	2	15	0	0
2 N 39 22 2 15 0 0 2 H 3 Total C N 0 0 2 I 3 Total C N 0 0 2 I 3 39 22 2 15 0 0 2 K 3 39 22 2 15 0 0 2 K 3 39 22 2 15 0 0 2 L 3 Total C N 0 0 2 M 3 39 22 2 15 0 0 2 M 3 39 22 2 15 0 0 2 N 3 Total C N 0 0 2 Q 3 Total C N 0 0 2	2	F	3	Total	С	Ν	Ο	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		-		39	22	2	15		Ŭ
1 3 39 22 2 15 1 1 2 I 3 Total C N O 0 2 K 3 Total C N O 0 2 K 3 39 22 2 15 0 0 2 L 3 Total C N O 0 2 L 3 Total C N O 0 2 M 3 39 22 2 15 0 0 2 M 3 39 22 2 15 0 0 2 N 3 39 22 2 15 0 0 2 N 3 39 22 2 15 0 0 2 P 3 Total C N O 0 0 2 Q 3 Total C N O 0 0	2	Н	3	Total	С	Ν	0	0	0
2 I 3 Total C N O 0 2 K 3 39 22 2 15 0 0 2 K 3 39 22 2 15 0 0 2 L 3 Total C N O 0 2 M 3 Total C N O 0 2 M 3 Total C N O 0 2 M 3 Total C N O 0 2 N 3 Total C N O 0 2 O 3 Total C N O 0 2 O 3 Total C N O 0 2 P 3 Total C N O 0 2 Q 3 Total C N O 0 2 T 3 Total C<				39	22	2	15	_	
2 K 3 39 22 2 15 0 0 2 K 3 39 22 2 15 0 0 2 L 3 39 22 2 15 0 0 2 M 3 Total C N 0 0 2 M 3 Total C N 0 0 2 M 3 39 22 2 15 0 0 2 N 3 39 22 2 15 0 0 2 O 3 Total C N 0 0 2 Q 3 Total C N 0 0 2 Q 3 Total C N 0 0 2 Q 3 Total C N 0 0 2	2	Ι	3	Total	C	N	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				39	22	2	15		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	2	Κ	3	Total	C	N	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				39 Tutul	22	2	15		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	L	3		0	N O	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				- 39 Total	$\frac{22}{C}$	Z N	$\frac{10}{0}$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	М	3	10tai 20	0 99	1N 9	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				Total	$\frac{22}{C}$	Z N	$\frac{10}{0}$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	Ν	3	20	$\frac{0}{22}$	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				Total	$\frac{22}{C}$	N	$\frac{10}{0}$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	Ο	3	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				Total	<u> </u>	N	$\frac{10}{0}$		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	Р	3	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		0		Total	С	Ν	0		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	Q	3	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0	C	2	Total	С	Ν	0	0	0
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		5	3	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0	Т	9	Total	С	Ν	0	0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1	0	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9	V	3	Total	С	Ν	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		v	5	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	W	3	Total	\mathbf{C}	Ν	Ο	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		•••	0	39	22	2	15	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	X	3	Total	С	Ν	Ο	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				39	22	2	15		<u> </u>
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	Y	3	Total	С	N	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				39	22	2	15	_	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	Z	3	Total	C	N	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				39	22	2	15	0	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	a	3	Total	U aa	N O	U 15		0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				39 T-4-1	22	Z	10		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	b	3	10tal 20	U 22	าN ภ	U 15	0	0
$\begin{vmatrix} 2 \\ d \end{vmatrix} = \begin{vmatrix} 3 \\ 30 \\ 30 \\ 22 \\ 215 \end{vmatrix} = \begin{vmatrix} 0 \\ 0 \\ 0 \end{vmatrix}$				J9 Total		Z N	10		
	2	d	3	20 20	0 99	าง ว	15	0	0



Mol	Chain	Residues	Atoms	AltConf	Trace
2	0	3	Total C N O	0	0
	е	0	39 22 2 15	0	U
2	ď	g 3	Total C N O	0	0
	g		39 22 2 15	0	0
2	h	3	Total C N O	0	0
	11	5	39 22 2 15	0	0
2	i	3	Total C N O	0	0
2	I	5	39 22 2 15	0	0
2	i	3	Total C N O	0	0
	J	5	39 22 2 15	0	0

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	AltConf	Trace
3	G	2	Total C N O 28 16 2 10	0	0
3	R	2	Total C N O 28 16 2 10	0	0
3	С	2	Total C N O 28 16 2 10	0	0

• Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[al pha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	AltConf	Trace
4	J	3	Total C N O 38 22 2 14	0	0
4	U	3	Total C N O 38 22 2 14	0	0
4	f	3	Total C N O 38 22 2 14	0	0

• Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:



 $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	A	ton	ns		AltConf
5	D	1	Total	С	Ν	0	0
0	D	1	14	8	1	5	0
5	D	1	Total	С	Ν	Ο	0
5	D	1	14	8	1	5	0
5	В	1	Total	С	Ν	Ο	0
0	D	1	14	8	1	5	0
5	В	1	Total	С	Ν	Ο	0
0	D	1	14	8	1	5	0
5	В	1	Total	С	Ν	Ο	0
0	D	1	14	8	1	5	0
5	В	1	Total	С	Ν	Ο	0
0	D	1	14	8	1	5	0
5	В	1	Total	С	Ν	Ο	0
	D	Ĩ	14	8	1	5	0
5	А	1	Total	С	Ν	Ο	0
		Ĩ	14	8	1	5	•
5	А	1	Total	С	Ν	Ο	0
		I.	14	8	1	5	•
5	А	1	Total	С	Ν	Ο	0
		1	14	8	1	5	0
5	А	1	Total	С	Ν	Ο	0
	**	*	14	8	1	5	
5	А	1	Total	С	Ν	Ο	0
	**	*	14	8	1	5	
5	А	1	Total	С	Ν	Ο	0
Ð	A	1	14	8	1	5	



Continued from previous page...

Mol	Chain	Residues	A	ton	ns		AltConf	
5	Λ	1	Total	С	Ν	Ο	0	
5	A	1	14	8	1	5	0	
5	C	1	Total	С	Ν	Ο	0	
5	U	1	14	8	1	5	0	
E	C	1	Total	С	Ν	0	0	
0	U	1	14	8	1	5	0	
F	C	1	Total	С	Ν	0	0	
0	U	1	14	8	1	5	0	
F	C	C 1	Total	С	Ν	0	0	
0	C		14	8	1	5	0	
F	5 C	C	1	Total	С	Ν	0	0
5		1	14	8	1	5	0	
5	C	1	Total	С	Ν	0	0	
J	5 0	1	14	8	1	5	U	
5	C	1	Total	С	Ν	Ο	0	
G			14	8	1	5	0	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein





• Molecule 1: Spike glycoprotein



• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:	100%
MACT MAC2 MAN3	

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:	100	%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:

100%

NAG1 NAG2 MAN3



• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:

100%

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:	100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P: 100%



• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q: 100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

100%

Chain S:

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:	100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:	100%	
NAG1 NAG2 MAN3		

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:

100%

NAG1 NAG2 MAN3



• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:	100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:

n b:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:

100%



NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:

100%

100%

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:

NAG1 NAG2 MAN3

• Molecule 2: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:	100%
NAG1 NAG2 MAN3	

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:

100%

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose

Chain	R
-------	---

100%

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:

100%

NAG1 NAG2



 • Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:

NAG1 NAG2 FUC3

 • Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)] 2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:

100%

100%

NAG1 NAG2 FUC3

• Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-ace tamido-2-deoxy-beta-D-glucopyranose

Chain f:

100%

NAG1 NAG2 FUC3



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	94680	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	51.48	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.237	Depositor
Minimum map value	-0.001	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.042	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	396.03217, 396.03217, 396.03217	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.825067, 0.825067, 0.825067	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.61	0/8823	0.91	0/12001	
1	В	0.63	0/8823	0.91	0/12001	
1	С	0.61	0/8823	0.91	0/12001	
All	All	0.62	0/26469	0.91	0/36003	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	n Analysed Favo		Allowed	Outliers	Percentiles
1	А	1091/1308~(83%)	1017 (93%)	68~(6%)	6~(0%)	25 58
1	В	1091/1308~(83%)	1012 (93%)	70 (6%)	9(1%)	16 48



Continued from	previous	page
- · · · · · · · J · · · · · J	1	I = J

Mol	Chain	Analysed	Analysed Favoured Allowed		Outliers	Percentiles
1	С	1091/1308 (83%)	1014 (93%)	68 (6%)	9 (1%)	16 48
All	All	3273/3924 (83%)	3043 (93%)	206 (6%)	24 (1%)	21 51

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	624	ILE
1	В	834	ILE
1	А	624	ILE
1	С	624	ILE
1	В	625	HIS
1	В	814	LYS
1	А	625	HIS
1	А	744	GLY
1	С	617	CYS
1	С	625	HIS
1	С	637	SER
1	С	814	LYS
1	В	173	GLN
1	В	617	CYS
1	В	641	ASN
1	В	830	ASP
1	А	173	GLN
1	С	173	GLN
1	С	641	ASN
1	С	834	ILE
1	А	834	ILE
1	В	41	LYS
1	A	41	LYS
1	C	41	LYS

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Percentiles		
1	А	960/1133~(85%)	949~(99%)	11 (1%)	70	84
1	В	960/1133~(85%)	948~(99%)	12 (1%)	65	82
1	С	960/1133~(85%)	947~(99%)	13 (1%)	62	81
All	All	2880/3399~(85%)	2844 (99%)	36 (1%)	64	82

All (36) residues with a non-rotameric side chain are listed below:

\mathbf{Mol}	Chain	Res	Type
1	В	96	GLU
1	В	196	ASN
1	В	229	LEU
1	В	291	CYS
1	В	376	THR
1	В	452	ARG
1	В	516	GLU
1	В	518	LEU
1	В	523	THR
1	В	574	ASP
1	В	581	THR
1	В	634	ARG
1	А	96	GLU
1	А	196	ASN
1	А	229	LEU
1	А	291	CYS
1	А	376	THR
1	А	452	ARG
1	А	516	GLU
1	А	518	LEU
1	А	523	THR
1	А	574	ASP
1	А	581	THR
1	С	96	GLU
1	С	196	ASN
1	С	229	LEU
1	С	291	CYS
1	С	376	THR
1	С	402	ILE
1	С	452	ARG
1	С	516	GLU
1	С	518	LEU
1	С	523	THR
1	С	574	ASP



 $Continued \ from \ previous \ page...$

Mol	Chain	Res	Type
1	С	581	THR
1	С	617	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	125	ASN
1	В	580	GLN
1	В	644	GLN
1	В	675	GLN
1	В	703	ASN
1	В	764	ASN
1	В	777	ASN
1	А	125	ASN
1	А	580	GLN
1	А	703	ASN
1	А	764	ASN
1	А	777	ASN
1	С	125	ASN
1	С	580	GLN
1	С	703	ASN
1	С	777	ASN
1	С	1088	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

96 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



353	m		Б	 .	Bond lengths		Bond angles			
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	D	1	1,2	14,14,15	1.37	3 (21%)	17,19,21	0.90	1 (5%)
2	NAG	D	2	2	14,14,15	1.38	2 (14%)	17,19,21	1.06	2 (11%)
2	MAN	D	3	2	11,11,12	1.50	2 (18%)	15,15,17	0.75	1 (6%)
2	NAG	Е	1	1,2	14,14,15	1.22	2 (14%)	17,19,21	0.98	1 (5%)
2	NAG	Е	2	2	14,14,15	1.39	3 (21%)	17,19,21	1.13	2 (11%)
2	MAN	Е	3	2	11,11,12	1.57	2 (18%)	15,15,17	0.55	0
2	NAG	F	1	1,2	14,14,15	1.35	4 (28%)	17,19,21	0.89	1 (5%)
2	NAG	F	2	2	14,14,15	1.33	2 (14%)	17,19,21	0.60	0
2	MAN	F	3	2	11,11,12	1.54	2 (18%)	15,15,17	0.76	0
3	NAG	G	1	3,1	14,14,15	1.42	3 (21%)	17,19,21	0.86	0
3	NAG	G	2	3	14,14,15	1.25	2 (14%)	17,19,21	0.79	1 (5%)
2	NAG	Н	1	1,2	14,14,15	1.25	2 (14%)	17,19,21	0.61	0
2	NAG	Н	2	2	14,14,15	1.37	2 (14%)	17,19,21	0.92	1 (5%)
2	MAN	Н	3	2	11,11,12	1.59	2 (18%)	15,15,17	0.91	0
2	NAG	Ι	1	1,2	14,14,15	1.14	1 (7%)	17,19,21	0.62	0
2	NAG	Ι	2	2	14,14,15	1.40	3 (21%)	17,19,21	0.84	1 (5%)
2	MAN	Ι	3	2	11,11,12	1.48	2 (18%)	15,15,17	0.76	0
4	NAG	J	1	1,4	14,14,15	1.37	2 (14%)	17,19,21	0.94	1 (5%)
4	NAG	J	2	4	14,14,15	1.33	2 (14%)	17,19,21	0.90	0
4	FUC	J	3	4	10,10,11	1.70	2 (20%)	14,14,16	1.18	0
2	NAG	К	1	1,2	14,14,15	1.21	1 (7%)	17,19,21	0.95	2 (11%)
2	NAG	К	2	2	14,14,15	1.30	3 (21%)	17,19,21	0.56	0
2	MAN	К	3	2	11,11,12	1.52	2 (18%)	15,15,17	0.88	0
2	NAG	L	1	1,2	14,14,15	1.20	1 (7%)	17,19,21	0.76	0
2	NAG	L	2	2	14,14,15	1.37	2 (14%)	17,19,21	0.76	0
2	MAN	L	3	2	11,11,12	1.54	2 (18%)	15,15,17	1.05	1 (6%)
2	NAG	М	1	1,2	14,14,15	1.07	1 (7%)	17,19,21	1.14	1 (5%)
2	NAG	Μ	2	2	14,14,15	1.31	2 (14%)	17,19,21	1.28	1 (5%)
2	MAN	М	3	2	11,11,12	1.60	2 (18%)	15,15,17	1.15	2 (13%)
2	NAG	N	1	1,2	14,14,15	1.43	4 (28%)	17,19,21	0.75	0
2	NAG	N	2	2	14,14,15	1.44	3 (21%)	17,19,21	0.86	1 (5%)
2	MAN	N	3	2	11,11,12	1.48	2 (18%)	15,15,17	0.70	0

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	T-ma	Chain	Dec	T :1.	Bo	ond leng	Bond lengths			Bond angles		
	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2		
2	NAG	Ο	1	1,2	$14,\!14,\!15$	1.36	2 (14%)	17,19,21	0.90	1 (5%)		
2	NAG	0	2	2	14,14,15	1.38	2 (14%)	17,19,21	1.07	2 (11%)		
2	MAN	0	3	2	11,11,12	1.49	2 (18%)	15,15,17	0.75	1 (6%)		
2	NAG	Р	1	1,2	14,14,15	1.22	2 (14%)	17,19,21	0.98	1 (5%)		
2	NAG	Р	2	2	14,14,15	1.40	3 (21%)	17,19,21	1.13	2 (11%)		
2	MAN	Р	3	2	11,11,12	1.57	2 (18%)	15,15,17	0.54	0		
2	NAG	Q	1	1,2	14,14,15	1.35	3 (21%)	17,19,21	0.89	1 (5%)		
2	NAG	Q	2	2	14,14,15	1.33	2 (14%)	17,19,21	0.59	0		
2	MAN	Q	3	2	11,11,12	1.54	2 (18%)	15,15,17	0.76	0		
3	NAG	R	1	3,1	14,14,15	1.42	3 (21%)	17,19,21	0.86	0		
3	NAG	R	2	3	14,14,15	1.25	2 (14%)	17,19,21	0.78	1 (5%)		
2	NAG	S	1	1,2	14,14,15	1.24	1 (7%)	17,19,21	0.61	0		
2	NAG	S	2	2	14,14,15	1.36	2 (14%)	17,19,21	0.92	1 (5%)		
2	MAN	S	3	2	11,11,12	1.59	2 (18%)	15,15,17	0.91	0		
2	NAG	Т	1	1,2	14,14,15	1.14	1 (7%)	17,19,21	0.62	0		
2	NAG	Т	2	2	14,14,15	1.39	3 (21%)	17,19,21	0.84	1 (5%)		
2	MAN	Т	3	2	11,11,12	1.48	2 (18%)	15,15,17	0.76	0		
4	NAG	U	1	1,4	14,14,15	1.38	2 (14%)	17,19,21	0.94	1 (5%)		
4	NAG	U	2	4	14,14,15	1.34	2 (14%)	17,19,21	0.89	0		
4	FUC	U	3	4	10,10,11	1.70	2 (20%)	14,14,16	1.18	0		
2	NAG	V	1	1,2	14,14,15	1.20	1 (7%)	17,19,21	0.95	2 (11%)		
2	NAG	V	2	2	14,14,15	1.30	3 (21%)	17,19,21	0.56	0		
2	MAN	V	3	2	11,11,12	1.51	2 (18%)	15,15,17	0.88	0		
2	NAG	W	1	1,2	14,14,15	1.20	1 (7%)	17,19,21	0.77	0		
2	NAG	W	2	2	14,14,15	1.37	2 (14%)	17,19,21	0.76	0		
2	MAN	W	3	2	11,11,12	1.53	2 (18%)	15,15,17	1.05	1 (6%)		
2	NAG	Х	1	1,2	14,14,15	1.06	1 (7%)	17,19,21	1.14	1 (5%)		
2	NAG	Х	2	2	14,14,15	1.31	2 (14%)	17,19,21	1.28	1 (5%)		
2	MAN	Х	3	2	11,11,12	1.60	2 (18%)	15,15,17	1.15	2 (13%)		
2	NAG	Y	1	1,2	14,14,15	1.42	3 (21%)	17,19,21	0.75	0		
2	NAG	Y	2	2	14,14,15	1.44	3 (21%)	17,19,21	0.86	1 (5%)		
2	MAN	Y	3	2	11,11,12	1.48	2 (18%)	15,15,17	0.70	0		
2	NAG	Z	1	1,2	14,14,15	1.36	2 (14%)	17,19,21	0.91	1 (5%)		
2	NAG	Z	2	2	14,14,15	1.39	2 (14%)	17,19,21	1.07	2 (11%)		
2	MAN	Z	3	2	11,11,12	1.49	2 (18%)	15,15,17	0.75	1 (6%)		



Mal	Type	Chain	Dog	Link	Bo	ond leng	$_{\rm sths}$	Bond angles		
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
2	NAG	a	1	1,2	$14,\!14,\!15$	1.22	2 (14%)	17,19,21	0.98	1 (5%)
2	NAG	а	2	2	$14,\!14,\!15$	1.40	3 (21%)	17,19,21	1.12	2 (11%)
2	MAN	a	3	2	11,11,12	1.58	2 (18%)	15,15,17	0.54	0
2	NAG	b	1	1,2	14,14,15	1.35	2 (14%)	17,19,21	0.88	1 (5%)
2	NAG	b	2	2	14,14,15	1.33	2 (14%)	17,19,21	0.60	0
2	MAN	b	3	2	11,11,12	1.54	2 (18%)	15,15,17	0.76	0
3	NAG	с	1	3,1	14,14,15	1.42	3 (21%)	17,19,21	0.86	0
3	NAG	с	2	3	14,14,15	1.25	2 (14%)	17,19,21	0.78	1 (5%)
2	NAG	d	1	1,2	14,14,15	1.24	1 (7%)	17,19,21	0.61	0
2	NAG	d	2	2	14,14,15	1.36	2 (14%)	17,19,21	0.92	1 (5%)
2	MAN	d	3	2	11,11,12	1.58	2 (18%)	15,15,17	0.91	0
2	NAG	е	1	1,2	14,14,15	1.15	1 (7%)	17,19,21	0.61	0
2	NAG	е	2	2	14,14,15	1.38	3 (21%)	17,19,21	0.84	1 (5%)
2	MAN	е	3	2	11,11,12	1.48	2 (18%)	15,15,17	0.76	0
4	NAG	f	1	1,4	14,14,15	1.38	2 (14%)	17,19,21	0.94	1 (5%)
4	NAG	f	2	4	14,14,15	1.34	2 (14%)	17,19,21	0.90	0
4	FUC	f	3	4	10,10,11	1.71	3 (30%)	14,14,16	1.17	0
2	NAG	g	1	1,2	14,14,15	1.20	1 (7%)	17,19,21	0.95	1 (5%)
2	NAG	g	2	2	14,14,15	1.31	3 (21%)	17,19,21	0.55	0
2	MAN	g	3	2	11,11,12	1.52	2 (18%)	15,15,17	0.88	0
2	NAG	h	1	1,2	14,14,15	1.22	1 (7%)	17,19,21	0.77	0
2	NAG	h	2	2	14,14,15	1.36	2 (14%)	17,19,21	0.75	0
2	MAN	h	3	2	11,11,12	1.53	2 (18%)	15,15,17	1.05	1 (6%)
2	NAG	i	1	1,2	14,14,15	1.07	1 (7%)	17,19,21	1.14	1 (5%)
2	NAG	i	2	2	14,14,15	1.31	2 (14%)	17,19,21	1.28	1 (5%)
2	MAN	i	3	2	11,11,12	1.59	2 (18%)	15,15,17	1.16	2 (13%)
2	NAG	j	1	1,2	14,14,15	1.43	4 (28%)	17,19,21	0.74	0
2	NAG	j	2	2	14,14,15	1.44	3 (21%)	17,19,21	0.86	1 (5%)
2	MAN	j	3	2	11,11,12	1.48	2 (18%)	15,15,17	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	0/6/23/26	0/1/1/1
2	MAN	D	3	2	-	1/2/19/22	1/1/1/1
2	NAG	Е	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Е	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Е	3	2	-	0/2/19/22	1/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	MAN	F	3	2	-	0/2/19/22	1/1/1/1
3	NAG	G	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
2	NAG	Н	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	Н	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Н	3	2	-	0/2/19/22	0/1/1/1
2	NAG	Ι	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Ι	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Ι	3	2	-	1/2/19/22	0/1/1/1
4	NAG	J	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	_	0/6/23/26	0/1/1/1
4	FUC	J	3	4	_	_	0/1/1/1
2	NAG	K	1	1,2	_	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
2	MAN	K	3	2	-	1/2/19/22	1/1/1/1
2	NAG	L	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	L	2	2	-	0/6/23/26	0/1/1/1
2	MAN	L	3	2	-	0/2/19/22	1/1/1/1
2	NAG	М	1	1,2	_	3/6/23/26	0/1/1/1
2	NAG	М	2	2	-	0/6/23/26	0/1/1/1
2	MAN	М	3	2	-	1/2/19/22	1/1/1/1
2	NAG	N	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	N	2	2	-	0/6/23/26	0/1/1/1
2	MAN	N	3	2	_	1/2/19/22	1/1/1/1
2	NAG	0	1	1,2	_	0/6/23/26	0/1/1/1
2	NAG	0	2	2	_	0/6/23/26	0/1/1/1
2	MAN	0	3	2	_	1/2/19/22	1/1/1/1
2	NAG	Р	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Р	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Р	3	2	-	0/2/19/22	1/1/1/1
2	NAG	Q	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Q	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Q	3	2	-	0/2/19/22	1/1/1/1
3	NAG	R	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	0/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	S	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	S	2	2	-	0/6/23/26	0/1/1/1
2	MAN	S	3	2	-	0/2/19/22	0/1/1/1
2	NAG	Т	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Т	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Т	3	2	-	1/2/19/22	0/1/1/1
4	NAG	U	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	U	2	4	_	0/6/23/26	0/1/1/1
4	FUC	U	3	4	-	-	0/1/1/1
2	NAG	V	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	V	2	2	-	0/6/23/26	0/1/1/1
2	MAN	V	3	2	-	1/2/19/22	1/1/1/1
2	NAG	W	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	W	2	2	-	0/6/23/26	0/1/1/1
2	MAN	W	3	2	-	0/2/19/22	1/1/1/1
2	NAG	Х	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	Х	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Х	3	2	-	1/2/19/22	1/1/1/1
2	NAG	Y	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Y	3	2	-	1/2/19/22	1/1/1/1
2	NAG	Ζ	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	Ζ	2	2	-	0/6/23/26	0/1/1/1
2	MAN	Ζ	3	2	-	1/2/19/22	1/1/1/1
2	NAG	a	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	a	2	2	-	0/6/23/26	0/1/1/1
2	MAN	a	3	2	-	0/2/19/22	1/1/1/1
2	NAG	b	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	b	2	2	-	0/6/23/26	0/1/1/1
2	MAN	b	3	2	-	0/2/19/22	1/1/1/1
3	NAG	с	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	с	2	3	-	0/6/23/26	0/1/1/1
2	NAG	d	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	d	2	2	-	0/6/23/26	0/1/1/1
2	MAN	d	3	2	-	0/2/19/22	0/1/1/1
2	NAG	е	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	е	2	2	-	0/6/23/26	0/1/1/1
2	MAN	е	3	2	-	1/2/19/22	0/1/1/1
4	NAG	f	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	f	2	4	-	0/6/23/26	0/1/1/1
4	FUC	f	3	4	-	-	0/1/1/1
2	NAG	g	1	1,2	-	0/6/23/26	$0/1/\overline{1/1}$



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	g	2	2	-	0/6/23/26	0/1/1/1
2	MAN	g	3	2	-	1/2/19/22	1/1/1/1
2	NAG	h	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	h	2	2	-	0/6/23/26	0/1/1/1
2	MAN	h	3	2	-	0/2/19/22	1/1/1/1
2	NAG	i	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	i	2	2	-	0/6/23/26	0/1/1/1
2	MAN	i	3	2	-	1/2/19/22	1/1/1/1
2	NAG	j	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	j	2	2	-	0/6/23/26	0/1/1/1
2	MAN	j	3	2	-	1/2/19/22	1/1/1/1

All (203) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	i	1	NAG	O5-C1	-3.73	1.37	1.43
2	Х	1	NAG	O5-C1	-3.72	1.37	1.43
2	М	1	NAG	O5-C1	-3.72	1.37	1.43
2	b	3	MAN	O5-C5	3.31	1.49	1.43
2	Q	3	MAN	O5-C5	3.31	1.49	1.43
2	a	3	MAN	O5-C5	3.30	1.49	1.43
2	F	3	MAN	O5-C5	3.29	1.49	1.43
2	Р	3	MAN	O5-C5	3.27	1.49	1.43
2	Е	3	MAN	O5-C5	3.26	1.49	1.43
2	L	3	MAN	O5-C5	3.24	1.49	1.43
2	W	3	MAN	O5-C5	3.23	1.49	1.43
2	h	3	MAN	O5-C5	3.23	1.49	1.43
2	i	3	MAN	O5-C5	3.18	1.49	1.43
2	М	3	MAN	O5-C5	3.18	1.49	1.43
2	D	3	MAN	O5-C5	3.17	1.49	1.43
2	Х	3	MAN	O5-C5	3.16	1.49	1.43
2	Ζ	3	MAN	O5-C5	3.14	1.49	1.43
2	0	3	MAN	O5-C5	3.14	1.49	1.43
2	е	3	MAN	O5-C5	3.11	1.49	1.43
4	U	2	NAG	O5-C5	3.11	1.49	1.43
2	Т	3	MAN	O5-C5	3.10	1.49	1.43
4	J	2	NAG	O5-C5	3.10	1.49	1.43
4	f	2	NAG	O5-C5	3.09	1.49	1.43
2	Ι	3	MAN	O5-C5	3.09	1.49	1.43
2	S	3	MAN	O5-C5	3.06	1.49	1.43
2	Н	3	MAN	O5-C5	3.06	1.49	1.43
2	d	3	MAN	O5-C5	3.04	1.49	1.43



Continued	from	nrevious	naae
Commueu	jiom	previous	page

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	М	2	NAG	O5-C5	3.01	1.49	1.43
2	Х	2	NAG	O5-C5	2.98	1.49	1.43
2	i	2	NAG	O5-C5	2.98	1.49	1.43
2	D	2	NAG	O5-C5	2.97	1.49	1.43
2	0	2	NAG	O5-C5	2.96	1.49	1.43
2	j	2	NAG	O5-C5	2.95	1.49	1.43
2	Ζ	2	NAG	O5-C5	2.95	1.49	1.43
2	Ι	2	NAG	O5-C5	2.94	1.49	1.43
2	Y	2	NAG	O5-C5	2.94	1.49	1.43
2	Ν	2	NAG	O5-C5	2.94	1.49	1.43
2	V	3	MAN	O5-C5	2.92	1.49	1.43
2	g	3	MAN	O5-C5	2.92	1.49	1.43
3	с	1	NAG	O5-C5	2.91	1.49	1.43
3	R	1	NAG	O5-C5	2.91	1.49	1.43
2	Н	2	NAG	O5-C5	2.90	1.49	1.43
2	К	3	MAN	O5-C5	2.90	1.49	1.43
2	е	2	NAG	O5-C5	2.90	1.49	1.43
2	Т	2	NAG	O5-C5	2.90	1.49	1.43
3	G	1	NAG	O5-C5	2.90	1.49	1.43
2	S	2	NAG	O5-C5	2.89	1.49	1.43
2	d	2	NAG	O5-C5	2.89	1.49	1.43
2	a	2	NAG	O5-C5	2.88	1.49	1.43
4	J	3	FUC	O5-C5	2.87	1.49	1.43
4	U	3	FUC	O5-C5	2.86	1.49	1.43
4	f	3	FUC	O5-C5	2.86	1.49	1.43
2	Р	2	NAG	O5-C5	2.85	1.49	1.43
2	Ν	1	NAG	O5-C5	2.84	1.49	1.43
4	f	3	FUC	O5-C1	2.84	1.48	1.43
2	j	1	NAG	O5-C5	2.83	1.48	1.43
2	L	2	NAG	O5-C5	2.83	1.48	1.43
2	Y	1	NAG	O5-C5	2.82	1.48	1.43
4	U	3	FUC	O5-C1	2.82	1.48	1.43
2	W	2	NAG	O5-C5	2.82	1.48	1.43
4	J	3	FUC	O5-C1	2.82	1.48	1.43
2	Е	2	NAG	O5-C5	2.81	1.48	1.43
2	Y	3	MAN	O5-C5	2.80	1.48	1.43
2	g	2	NAG	O5-C5	2.80	1.48	1.43
2	K	2	NAG	O5-C5	2.80	1.48	1.43
4	U	1	NAG	O5-C5	2.80	1.48	1.43
2	h	2	NAG	O5-C5	2.80	1.48	1.43
4	f	1	NAG	O5-C5	2.79	1.48	1.43
3	с	2	NAG	O5-C5	2.79	1.48	1.43



Continued	from	previous	page
Continucu	JIONE	pretious	page

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	R	2	NAG	O5-C5	2.79	1.48	1.43
2	Κ	3	MAN	O5-C1	2.78	1.48	1.43
3	G	2	NAG	O5-C5	2.78	1.48	1.43
2	j	3	MAN	O5-C5	2.78	1.48	1.43
2	Ν	3	MAN	O5-C5	2.78	1.48	1.43
2	V	2	NAG	O5-C5	2.77	1.48	1.43
2	b	1	NAG	O5-C5	2.76	1.48	1.43
4	J	1	NAG	O5-C5	2.76	1.48	1.43
2	g	3	MAN	O5-C1	2.75	1.48	1.43
2	V	3	MAN	O5-C1	2.74	1.48	1.43
2	Q	1	NAG	O5-C5	2.72	1.48	1.43
2	F	1	NAG	O5-C5	2.70	1.48	1.43
2	b	2	NAG	O5-C5	2.66	1.48	1.43
2	F	2	NAG	O5-C5	2.65	1.48	1.43
2	Q	2	NAG	O5-C5	2.63	1.48	1.43
2	i	2	NAG	O4-C4	2.62	1.49	1.43
2	Х	2	NAG	O4-C4	2.62	1.49	1.43
2	0	3	MAN	O5-C1	2.62	1.48	1.43
2	D	3	MAN	O5-C1	2.60	1.48	1.43
2	Ζ	3	MAN	O5-C1	2.60	1.48	1.43
2	М	2	NAG	O4-C4	2.60	1.49	1.43
2	Р	1	NAG	O5-C5	2.56	1.48	1.43
2	a	1	NAG	O5-C5	2.55	1.48	1.43
2	Е	1	NAG	O5-C5	2.54	1.48	1.43
2	D	1	NAG	C1-C2	2.53	1.55	1.52
2	0	1	NAG	C1-C2	2.53	1.55	1.52
2	Ζ	1	NAG	C1-C2	2.51	1.55	1.52
2	L	3	MAN	O5-C1	2.50	1.47	1.43
2	h	3	MAN	O5-C1	2.49	1.47	1.43
2	W	3	MAN	O5-C1	2.49	1.47	1.43
2	g	1	NAG	O5-C5	2.48	1.48	1.43
2	Κ	1	NAG	O5-C5	2.48	1.48	1.43
2	V	1	NAG	O5-C5	2.48	1.48	1.43
2	h	1	NAG	O5-C5	2.46	1.48	1.43
2	Т	3	MAN	O5-C1	2.45	1.47	1.43
2	L	1	NAG	O5-C5	2.45	1.48	1.43
2	Н	1	NAG	O5-C5	2.44	1.48	1.43
2	W	1	NAG	O5-C5	2.44	1.48	1.43
2	d	1	NAG	O5-C5	2.44	1.48	1.43
2	Ι	3	MAN	O5-C1	2.43	1.47	1.43
2	е	3	MAN	O5-C1	2.43	1.47	1.43
2	S	1	NAG	O5-C5	2.43	1.48	1.43



Continuea from previous page									
Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)		
2	Х	3	MAN	O5-C1	2.43	1.47	1.43		
2	М	3	MAN	O5-C1	2.42	1.47	1.43		
2	i	3	MAN	O5-C1	2.42	1.47	1.43		
2	F	3	MAN	O5-C1	2.40	1.47	1.43		
2	d	2	NAG	O4-C4	2.40	1.48	1.43		
2	S	3	MAN	O5-C1	2.40	1.47	1.43		
2	b	3	MAN	O5-C1	2.40	1.47	1.43		
2	D	1	NAG	O5-C5	2.40	1.48	1.43		
2	Q	3	MAN	O5-C1	2.40	1.47	1.43		
2	Н	3	MAN	O5-C1	2.40	1.47	1.43		
2	d	3	MAN	O5-C1	2.39	1.47	1.43		
2	0	1	NAG	O5-C5	2.38	1.48	1.43		
2	Н	2	NAG	O4-C4	2.37	1.48	1.43		
2	Ζ	1	NAG	O5-C5	2.37	1.48	1.43		
2	S	2	NAG	O4-C4	2.37	1.48	1.43		
2	W	2	NAG	O4-C4	2.37	1.48	1.43		
2	h	2	NAG	O4-C4	2.36	1.48	1.43		
2	Ι	2	NAG	O5-C1	2.36	1.47	1.43		
2	L	2	NAG	O4-C4	2.35	1.48	1.43		
2	Т	2	NAG	O5-C1	2.35	1.47	1.43		
2	Е	2	NAG	O4-C4	2.35	1.48	1.43		
2	Р	2	NAG	O4-C4	2.35	1.48	1.43		
2	е	2	NAG	O5-C1	2.34	1.47	1.43		
2	a	2	NAG	O4-C4	2.33	1.48	1.43		
2	a	1	NAG	O4-C4	2.28	1.48	1.43		
2	Р	1	NAG	O4-C4	2.26	1.48	1.43		
2	Е	1	NAG	O4-C4	2.26	1.48	1.43		
2	j	1	NAG	C1-C2	2.25	1.55	1.52		
2	Ň	2	NAG	O4-C4	2.25	1.48	1.43		
2	j	2	NAG	O4-C4	2.25	1.48	1.43		
2	Ý	2	NAG	O4-C4	2.25	1.48	1.43		
2	F	2	NAG	O4-C4	2.23	1.48	1.43		
2	N	1	NAG	C1-C2	2.23	1.55	1.52		
2	Y	1	NAG	C1-C2	2.23	1.55	1.52		
2	Q	2	NAG	O4-C4	2.21	1.48	1.43		
2	N	1	NAG	O4-C4	2.20	1.48	1.43		
2	Y	1	NAG	O4-C4	2.20	1.48	1.43		
2	N	2	NAG	O5-C1	2.19	1.47	1.43		
2	b	2	NAG	O4-C4	2.19	1.48	1.43		
2	j	1	NAG	O4-C4	2.17	1.48	1.43		
3	c	1	NAG	C1-C2	2.16	1.55	1.52		
3	G	1	NAG	C1-C2	2.16	1.55	1.52		



Continued	from	nrevious	naae
Commueu	jiom	previous	page

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Y	2	NAG	O5-C1	2.16	1.47	1.43
2	g	2	NAG	O5-C1	2.16	1.47	1.43
3	R	1	NAG	C1-C2	2.15	1.55	1.52
4	U	2	NAG	O5-C1	2.15	1.47	1.43
2	V	2	NAG	O5-C1	2.14	1.47	1.43
4	f	2	NAG	O5-C1	2.14	1.47	1.43
2	К	2	NAG	O5-C1	2.13	1.47	1.43
3	R	1	NAG	O4-C4	2.13	1.48	1.43
2	j	2	NAG	O5-C1	2.13	1.47	1.43
4	f	1	NAG	O5-C1	2.12	1.47	1.43
3	с	1	NAG	O4-C4	2.12	1.48	1.43
3	G	1	NAG	O4-C4	2.11	1.48	1.43
4	U	1	NAG	O5-C1	2.11	1.47	1.43
2	Е	3	MAN	O5-C1	2.11	1.47	1.43
4	J	1	NAG	O5-C1	2.10	1.47	1.43
2	j	3	MAN	O5-C1	2.10	1.47	1.43
2	е	1	NAG	O5-C5	2.10	1.47	1.43
2	Ι	1	NAG	O5-C5	2.09	1.47	1.43
4	J	2	NAG	O5-C1	2.08	1.47	1.43
2	Т	1	NAG	O5-C5	2.08	1.47	1.43
2	V	2	NAG	O4-C4	2.08	1.48	1.43
2	g	2	NAG	O4-C4	2.07	1.48	1.43
2	Ν	3	MAN	O5-C1	2.07	1.47	1.43
2	Р	3	MAN	O5-C1	2.07	1.47	1.43
2	Ε	2	NAG	O5-C1	2.07	1.47	1.43
2	Y	3	MAN	O5-C1	2.07	1.47	1.43
2	a	3	MAN	O5-C1	2.07	1.47	1.43
2	Р	2	NAG	O5-C1	2.06	1.47	1.43
2	Q	1	NAG	O5-C1	2.05	1.47	1.43
2	b	1	NAG	O5-C1	2.05	1.47	1.43
2	Κ	2	NAG	O4-C4	2.05	1.48	1.43
2	Ι	2	NAG	O4-C4	2.04	1.48	1.43
2	Т	2	NAG	O4-C4	2.04	1.48	1.43
2	a	2	NAG	O5-C1	2.04	1.47	1.43
2	F	1	NAG	C1-C2	2.04	1.55	1.52
2	Ζ	2	NAG	04-C4	2.04	1.48	1.43
2	D	2	NAG	O4-C4	2.03	1.48	1.43
2	0	2	NAG	O4-C4	2.03	1.48	1.43
2	е	2	NAG	04-C4	2.02	1.48	1.43
2	j	1	NAG	O5-C1	2.02	1.47	1.43
3	с	2	NAG	O5-C1	2.02	1.47	1.43
3	R	2	NAG	O5-C1	2.02	1.47	1.43



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	2	NAG	O5-C1	2.01	1.47	1.43
2	F	1	NAG	O4-C4	2.01	1.47	1.43
2	D	1	NAG	O4-C4	2.01	1.47	1.43
2	F	1	NAG	O5-C1	2.01	1.47	1.43
2	Н	1	NAG	C1-C2	2.01	1.55	1.52
2	N	1	NAG	O5-C1	2.01	1.47	1.43
4	f	3	FUC	C2-C3	2.00	1.55	1.52
2	Q	1	NAG	O4-C4	2.00	1.47	1.43

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	М	2	NAG	C1-O5-C5	4.75	118.55	112.19
2	Х	2	NAG	C1-O5-C5	4.74	118.54	112.19
2	i	2	NAG	C1-O5-C5	4.74	118.54	112.19
2	0	2	NAG	C1-O5-C5	3.19	116.46	112.19
2	Ζ	2	NAG	C1-O5-C5	3.17	116.43	112.19
2	D	2	NAG	C1-O5-C5	3.17	116.43	112.19
2	Х	1	NAG	C3-C4-C5	3.00	115.68	110.23
2	i	1	NAG	C3-C4-C5	3.00	115.66	110.23
2	М	1	NAG	C3-C4-C5	2.98	115.63	110.23
2	Е	2	NAG	C1-O5-C5	2.97	116.17	112.19
2	Р	2	NAG	C1-O5-C5	2.94	116.12	112.19
2	a	2	NAG	C1-O5-C5	2.91	116.08	112.19
2	Н	2	NAG	O5-C1-C2	-2.61	107.26	111.29
2	S	2	NAG	O5-C1-C2	-2.60	107.26	111.29
2	F	1	NAG	C1-O5-C5	2.60	115.67	112.19
2	d	2	NAG	O5-C1-C2	-2.59	107.28	111.29
2	Q	1	NAG	C1-O5-C5	2.57	115.63	112.19
2	b	1	NAG	C1-O5-C5	2.55	115.61	112.19
2	Х	3	MAN	C1-O5-C5	2.54	115.60	112.19
2	Ζ	1	NAG	C1-O5-C5	2.54	115.59	112.19
2	i	3	MAN	C1-O5-C5	2.54	115.59	112.19
2	D	1	NAG	C1-O5-C5	2.54	115.58	112.19
2	0	1	NAG	C1-O5-C5	2.53	115.57	112.19
2	М	3	MAN	C1-O5-C5	2.52	115.57	112.19
2	i	3	MAN	C1-C2-C3	2.50	113.29	109.64
2	Х	3	MAN	C1-C2-C3	2.48	113.26	109.64
2	М	3	MAN	C1-C2-C3	2.46	113.23	109.64
2	0	2	NAG	C4-C3-C2	-2.41	107.48	111.02
2	Ζ	2	NAG	C4-C3-C2	-2.40	107.50	111.02
2	D	2	NAG	C4-C3-C2	-2.39	107.51	111.02



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Е	2	NAG	O5-C1-C2	-2.36	107.64	111.29
2	Р	2	NAG	O5-C1-C2	-2.35	107.66	111.29
4	J	1	NAG	O5-C5-C6	2.34	112.22	107.66
4	U	1	NAG	O5-C5-C6	2.33	112.20	107.66
4	f	1	NAG	O5-C5-C6	2.32	112.19	107.66
2	a	2	NAG	O5-C1-C2	-2.32	107.70	111.29
2	L	3	MAN	C1-O5-C5	2.29	115.25	112.19
2	W	3	MAN	C1-O5-C5	2.29	115.25	112.19
2	h	3	MAN	C1-O5-C5	2.29	115.25	112.19
2	K	1	NAG	C3-C4-C5	2.25	114.31	110.23
2	g	1	NAG	C3-C4-C5	2.24	114.30	110.23
2	Ι	2	NAG	C4-C3-C2	-2.24	107.74	111.02
2	Т	2	NAG	C4-C3-C2	-2.23	107.74	111.02
2	е	2	NAG	C4-C3-C2	-2.23	107.74	111.02
2	V	1	NAG	C3-C4-C5	2.23	114.27	110.23
2	0	3	MAN	C1-O5-C5	2.17	115.09	112.19
2	D	3	MAN	C1-O5-C5	2.16	115.08	112.19
2	Ζ	3	MAN	C1-O5-C5	2.15	115.07	112.19
2	N	2	NAG	O5-C1-C2	-2.14	107.98	111.29
2	Y	2	NAG	O5-C1-C2	-2.11	108.02	111.29
2	j	2	NAG	O5-C1-C2	-2.11	108.03	111.29
3	G	2	NAG	C1-O5-C5	2.08	114.98	112.19
3	R	2	NAG	C1-O5-C5	2.06	114.95	112.19
3	с	2	NAG	C1-O5-C5	2.06	114.94	112.19
2	a	1	NAG	C4-C3-C2	2.05	114.03	111.02
2	Р	1	NAG	C4-C3-C2	2.05	114.02	111.02
2	Е	1	NAG	C4-C3-C2	2.04	114.01	111.02
2	K	1	NAG	O4-C4-C3	-2.00	105.65	110.38
2	V	1	NAG	O4-C4-C3	-2.00	105.66	110.38

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
4	J	1	NAG	O5-C5-C6-O6
4	U	1	NAG	O5-C5-C6-O6
4	f	1	NAG	O5-C5-C6-O6
2	Ι	3	MAN	O5-C5-C6-O6
2	Т	3	MAN	O5-C5-C6-O6
2	е	3	MAN	O5-C5-C6-O6
2	Ν	3	MAN	O5-C5-C6-O6
2	Y	3	MAN	O5-C5-C6-O6


Mol	Chain	Res	Type	Atoms
2	j	3	MAN	O5-C5-C6-O6
2	V	3	MAN	O5-C5-C6-O6
2	g	3	MAN	O5-C5-C6-O6
2	Κ	3	MAN	O5-C5-C6-O6
2	М	3	MAN	O5-C5-C6-O6
2	Х	3	MAN	O5-C5-C6-O6
2	i	3	MAN	O5-C5-C6-O6
2	D	3	MAN	O5-C5-C6-O6
2	0	3	MAN	O5-C5-C6-O6
2	Ζ	3	MAN	O5-C5-C6-O6
2	М	1	NAG	O5-C5-C6-O6
2	Х	1	NAG	O5-C5-C6-O6
2	i	1	NAG	O5-C5-C6-O6
2	М	1	NAG	C4-C5-C6-O6
2	Х	1	NAG	C4-C5-C6-O6
2	i	1	NAG	C4-C5-C6-O6
4	U	1	NAG	C4-C5-C6-O6
4	f	1	NAG	C4-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6
2	М	1	NAG	C3-C2-N2-C7
2	Х	1	NAG	C3-C2-N2-C7
2	i	1	NAG	C3-C2-N2-C7
2	Н	1	NAG	C1-C2-N2-C7
2	S	1	NAG	C1-C2-N2-C7
2	d	1	NAG	C1-C2-N2-C7

Continued from previous page...

All (21) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	К	3	MAN	C1-C2-C3-C4-C5-O5
2	V	3	MAN	C1-C2-C3-C4-C5-O5
2	g	3	MAN	C1-C2-C3-C4-C5-O5
2	b	3	MAN	C1-C2-C3-C4-C5-O5
2	Q	3	MAN	C1-C2-C3-C4-C5-O5
2	F	3	MAN	C1-C2-C3-C4-C5-O5
2	a	3	MAN	C1-C2-C3-C4-C5-O5
2	Е	3	MAN	C1-C2-C3-C4-C5-O5
2	Р	3	MAN	C1-C2-C3-C4-C5-O5
2	i	3	MAN	C1-C2-C3-C4-C5-O5
2	М	3	MAN	C1-C2-C3-C4-C5-O5
2	Х	3	MAN	C1-C2-C3-C4-C5-O5
2	L	3	MAN	C1-C2-C3-C4-C5-O5

Continued on next page...



Mol	Chain	Res	Type	Atoms
2	W	3	MAN	C1-C2-C3-C4-C5-O5
2	h	3	MAN	C1-C2-C3-C4-C5-O5
2	j	3	MAN	C1-C2-C3-C4-C5-O5
2	Y	3	MAN	C1-C2-C3-C4-C5-O5
2	Ν	3	MAN	C1-C2-C3-C4-C5-O5
2	D	3	MAN	C1-C2-C3-C4-C5-O5
2	Ζ	3	MAN	C1-C2-C3-C4-C5-O5
2	0	3	MAN	C1-C2-C3-C4-C5-O5

Continued from previous page...

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.















































































5.6 Ligand geometry (i)

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Ros Link		Bo	ond leng	\mathbf{ths}	B	ond ang	les
IVIOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	А	1401	1	14,14,15	1.35	3 (21%)	17,19,21	0.84	0
5	NAG	А	1403	1	14,14,15	1.25	2 (14%)	17,19,21	0.93	0



Mal	Trune	Chain	Dec	Timle	Bo	ond leng	ths	Bond angles		
IVIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
5	NAG	С	1404	1	14,14,15	1.28	2 (14%)	17,19,21	0.87	0
5	NAG	А	1406	1	14,14,15	1.11	1 (7%)	17,19,21	0.70	0
5	NAG	А	1404	1	14,14,15	1.28	2 (14%)	17,19,21	0.87	0
5	NAG	А	1407	1	14,14,15	1.30	2 (14%)	17,19,21	0.73	0
5	NAG	В	1402	1	14,14,15	1.34	3 (21%)	17,19,21	0.74	0
5	NAG	В	1407	1	14,14,15	1.30	2 (14%)	17,19,21	0.73	0
5	NAG	В	1401	1	14,14,15	1.36	3 (21%)	17,19,21	0.84	0
5	NAG	В	1403	1	14,14,15	1.25	2 (14%)	17,19,21	0.92	0
5	NAG	С	1405	1	14,14,15	1.34	3 (21%)	17,19,21	1.00	1 (5%)
5	NAG	В	1404	1	14,14,15	1.28	2 (14%)	17,19,21	0.87	0
5	NAG	С	1406	1	14,14,15	1.11	1 (7%)	17,19,21	0.70	0
5	NAG	А	1405	1	14,14,15	1.35	3 (21%)	17,19,21	1.00	1 (5%)
5	NAG	В	1405	1	14,14,15	1.35	3 (21%)	17,19,21	0.99	1 (5%)
5	NAG	С	1402	1	14,14,15	1.33	3 (21%)	17,19,21	0.74	0
5	NAG	В	1406	1	14,14,15	1.11	1 (7%)	17,19,21	0.70	0
5	NAG	С	1407	1	14,14,15	1.29	2 (14%)	17,19,21	0.73	0
5	NAG	А	1402	1	14,14,15	1.34	3 (21%)	17,19,21	0.74	0
5	NAG	С	1403	1	14,14,15	1.24	2 (14%)	17,19,21	0.93	0
5	NAG	С	1401	1	14,14,15	1.34	2 (14%)	17,19,21	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	А	1401	1	-	0/6/23/26	0/1/1/1
5	NAG	А	1403	1	-	0/6/23/26	0/1/1/1
5	NAG	С	1404	1	-	0/6/23/26	0/1/1/1
5	NAG	А	1406	1	-	0/6/23/26	0/1/1/1
5	NAG	А	1404	1	-	0/6/23/26	0/1/1/1
5	NAG	А	1407	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1402	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1407	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1401	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1403	1	-	0/6/23/26	0/1/1/1
5	NAG	С	1405	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1404	1	-	0/6/23/26	0/1/1/1

Continued on next page...



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	С	1406	1	-	0/6/23/26	0/1/1/1
5	NAG	А	1405	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1405	1	-	0/6/23/26	0/1/1/1
5	NAG	С	1402	1	-	0/6/23/26	0/1/1/1
5	NAG	В	1406	1	-	0/6/23/26	0/1/1/1
5	NAG	С	1407	1	-	0/6/23/26	0/1/1/1
5	NAG	А	1402	1	-	0/6/23/26	0/1/1/1
5	NAG	С	1403	1	-	0/6/23/26	0/1/1/1
5	NAG	С	1401	1	-	0/6/23/26	0/1/1/1

Continued from previous page...

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	А	1405	NAG	O5-C5	3.08	1.49	1.43
5	С	1405	NAG	O5-C5	3.07	1.49	1.43
5	В	1405	NAG	O5-C5	3.07	1.49	1.43
5	В	1401	NAG	O5-C5	2.96	1.49	1.43
5	А	1401	NAG	O5-C5	2.95	1.49	1.43
5	С	1401	NAG	O5-C5	2.93	1.49	1.43
5	В	1407	NAG	O5-C5	2.88	1.49	1.43
5	С	1407	NAG	O5-C5	2.86	1.49	1.43
5	А	1407	NAG	O5-C5	2.85	1.49	1.43
5	А	1402	NAG	O5-C5	2.81	1.48	1.43
5	В	1402	NAG	O5-C5	2.81	1.48	1.43
5	С	1402	NAG	O5-C5	2.80	1.48	1.43
5	В	1404	NAG	O5-C5	2.79	1.48	1.43
5	А	1404	NAG	O5-C5	2.78	1.48	1.43
5	С	1404	NAG	O5-C5	2.78	1.48	1.43
5	А	1403	NAG	C1-C2	2.38	1.55	1.52
5	В	1402	NAG	C1-C2	2.36	1.55	1.52
5	С	1403	NAG	C1-C2	2.36	1.55	1.52
5	В	1406	NAG	O5-C5	2.35	1.48	1.43
5	С	1406	NAG	O5-C5	2.35	1.48	1.43
5	А	1402	NAG	C1-C2	2.35	1.55	1.52
5	В	1403	NAG	C1-C2	2.35	1.55	1.52
5	А	1406	NAG	O5-C5	2.34	1.48	1.43
5	А	1403	NAG	O5-C5	2.32	1.48	1.43
5	С	1402	NAG	C1-C2	2.32	1.55	1.52
5	С	1403	NAG	O5-C5	2.31	1.47	1.43
5	В	1403	NAG	O5-C5	2.31	1.47	1.43
5	В	1405	NAG	C1-C2	2.19	1.55	1.52
5	В	1401	NAG	C1-C2	2.19	1.55	1.52

Continued on next page...



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	А	1405	NAG	C1-C2	2.16	1.55	1.52
5	С	1405	NAG	C1-C2	2.15	1.55	1.52
5	А	1401	NAG	C1-C2	2.12	1.55	1.52
5	С	1401	NAG	C1-C2	2.08	1.55	1.52
5	С	1404	NAG	C1-C2	2.07	1.55	1.52
5	В	1407	NAG	C1-C2	2.06	1.55	1.52
5	В	1401	NAG	O5-C1	2.05	1.47	1.43
5	А	1404	NAG	C1-C2	2.04	1.55	1.52
5	А	1407	NAG	C1-C2	2.04	1.55	1.52
5	С	1405	NAG	O5-C1	2.04	1.47	1.43
5	С	1402	NAG	O5-C1	2.04	1.47	1.43
5	А	1405	NAG	O5-C1	2.04	1.47	1.43
5	А	1402	NAG	O5-C1	2.03	1.47	1.43
5	С	1407	NAG	C1-C2	2.03	1.55	1.52
5	В	1404	NAG	C1-C2	2.03	1.55	1.52
5	В	1405	NAG	O5-C1	2.03	1.47	1.43
5	В	1402	NAG	O5-C1	2.02	1.47	1.43
5	А	1401	NAG	O5-C1	2.01	1.47	1.43

Continued from previous page...

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	А	1405	NAG	C1-O5-C5	2.72	115.83	112.19
5	С	1405	NAG	C1-O5-C5	2.72	115.83	112.19
5	В	1405	NAG	C1-O5-C5	2.68	115.78	112.19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.



Ligand NAG A 1401

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-24981. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

Orthogonal projections (i) 6.1

Primary map 6.1.1



The images above show the map projected in three orthogonal directions.

6.2Central slices (i)

6.2.1Primary map



X Index: 240

Y Index: 240



The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 231

Y Index: 252

Z Index: 197

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 372 nm^3 ; this corresponds to an approximate mass of 336 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.323 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-24981 and PDB model 7SBK. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).



9.4 Atom inclusion (i)



At the recommended contour level, 99% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	$\mathbf{Q} ext{-score}$
All	0.9310	0.4340
А	0.9330	0.4410
В	0.9320	0.4380
С	0.9330	0.4360
D	0.9490	0.3080
E	0.7690	0.3370
F	0.8970	0.2620
G	0.7500	0.2970
Н	0.8970	0.4250
Ι	0.8720	0.3640
J	0.8950	0.4170
K	0.9490	0.3820
L	1.0000	0.4230
М	0.9740	0.3330
N	0.9230	0.2900
0	0.9230	0.3140
P	0.7440	0.3340
Q	0.8970	0.2780
R	0.7860	0.2760
S	0.9490	0.4410
T	0.8970	0.3590
U	0.8950	0.4120
V	0.9740	0.3940
W	1.0000	0.4020
X	0.9740	0.3500
Y	0.8970	0.2820
Z	0.9230	0.2900
a	0.7690	0.3400
b	0.8970	0.2320
С	0.7860	0.3090
d	0.9230	0.4330
e	0.8970	0.3550
f	0.8420	0.3910
g	0.9740	0.3880
h	1.0000	0.4010

Continued on next page...



Continued from previous page...

Chain	Atom inclusion	Q-score
i	0.9740	0.3460
j	0.8210	0.2960

