



# Full wwPDB X-ray Structure Validation Report i

Oct 9, 2023 – 06:16 PM EDT

PDB ID : 7UCL  
Title : SxtA Methyltransferase variant F458H in complex with Mn<sup>2+</sup> and malonate  
Authors : Lao, Y.; Smith, J.L.  
Deposited on : 2022-03-16  
Resolution : 2.09 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 10088 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Polyketide synthase-related protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	616	4923	3150	855	898	20	0	0	0
1	B	616	4909	3145	852	892	20	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP B3EYF9
A	-1	ASN	-	expression tag	UNP B3EYF9
A	0	ALA	-	expression tag	UNP B3EYF9
A	458	HIS	PHE	engineered mutation	UNP B3EYF9
B	-2	SER	-	expression tag	UNP B3EYF9
B	-1	ASN	-	expression tag	UNP B3EYF9
B	0	ALA	-	expression tag	UNP B3EYF9
B	458	HIS	PHE	engineered mutation	UNP B3EYF9

- Molecule 2 is MALONATE ION (three-letter code: MLI) (formula: C<sub>3</sub>H<sub>2</sub>O<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 7 3 4	0	0
2	B	1	Total C O 7 3 4	0	0

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mn 1 1	0	0
3	B	1	Total Mn 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	131	Total O 131 131	0	0
4	B	109	Total O 109 109	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Polyketide synthase-related protein



- Molecule 1: Polyketide synthase-related protein



GLY	
ALA	
GLU	
I.ILE	
ARG	
GLY	
I.ILE	
I.LE	
ALA	
ASN	
TYR	
ARG	
PRO	
GLU	
ASP	
THR	
ASP	
ASN	
LEU	
GLY	
MET	
GLY	
I.LE	
LEU	
I.LE	
GLU	
TYR	
ASN	
LEU	
ARG	
ASP	
SER	
ALA	
LEU	
HIS	
SER	

## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.64Å    83.79Å    117.82Å 90.00°    103.09°    90.00°	Depositor
Resolution (Å)	47.34 – 2.09 47.66 – 2.09	Depositor EDS
% Data completeness (in resolution range)	97.7 (47.34-2.09) 90.1 (47.66-2.09)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	0.02 (at 2.08Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
$R$ , $R_{free}$	0.206 , 0.239 0.205 , 0.237	Depositor DCC
$R_{free}$ test set	1993 reflections (2.30%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.8	Xtriage
Anisotropy	0.408	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 38.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10088	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MLI, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.44	0/5032	0.63	0/6825
1	B	0.43	0/5017	0.64	2/6804 (0.0%)
All	All	0.43	0/10049	0.64	2/13629 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
All	All	0	3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	619	MET	CG-SD-CE	6.39	110.42	100.20
1	B	548	LEU	CB-CG-CD1	-5.36	101.89	111.00

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	34	SER	Peptide
1	A	367	ARG	Sidechain
1	B	367	ARG	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4923	0	4928	68	1
1	B	4909	0	4920	65	0
2	A	7	0	2	0	0
2	B	7	0	2	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	131	0	0	33	2
4	B	109	0	0	20	0
All	All	10088	0	9852	132	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:ILE:O	4:A:901:HOH:O	1.69	1.09
1:A:530:CYS:SG	4:A:905:HOH:O	2.31	0.87
1:A:235:GLU:OE2	4:A:902:HOH:O	1.94	0.86
1:B:157:LEU:O	4:B:901:HOH:O	1.96	0.83
1:A:256:ALA:HA	1:A:291:ARG:HH22	1.46	0.81
1:A:22:ARG:N	4:A:901:HOH:O	2.13	0.81
1:B:450:SER:OG	4:B:903:HOH:O	1.99	0.80
1:A:116:SER:O	4:A:903:HOH:O	1.99	0.79
1:A:240:ARG:NH2	4:A:902:HOH:O	2.14	0.79
1:B:119:LEU:N	4:B:905:HOH:O	2.16	0.78
1:A:602:ILE:O	4:A:905:HOH:O	2.04	0.75
1:B:563:ILE:HG21	4:B:1008:HOH:O	1.87	0.73
1:B:514:HIS:ND1	4:B:909:HOH:O	2.21	0.73
1:A:623:CYS:SG	4:A:1024:HOH:O	2.47	0.72
4:A:905:HOH:O	1:B:593:SER:OG	2.07	0.72
1:B:0:ALA:O	4:B:904:HOH:O	2.07	0.71
1:A:616:ARG:NH1	1:A:617:ASP:OD1	2.25	0.69
1:B:342:ILE:HD12	1:B:370:LEU:HG	1.75	0.69
1:B:478:GLN:NE2	4:B:911:HOH:O	2.23	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:269:LEU:HB2	1:B:270:PRO:HD3	1.76	0.67
1:A:27:PHE:HE2	4:A:901:HOH:O	1.77	0.67
1:A:44:HIS:ND1	4:A:907:HOH:O	2.28	0.67
1:A:198:ARG:NH1	4:A:909:HOH:O	2.29	0.66
1:A:543:ARG:NH1	4:A:906:HOH:O	2.17	0.66
1:A:543:ARG:NH1	4:A:908:HOH:O	2.29	0.64
1:A:311:LEU:HB2	4:A:949:HOH:O	1.98	0.62
1:A:558:ILE:HG13	1:A:563:ILE:HG12	1.82	0.62
1:A:161:LEU:HB3	1:A:165:VAL:CG2	2.31	0.61
1:B:63:HIS:ND1	1:B:78:GLU:OE2	2.33	0.61
1:B:1:MET:HA	4:B:904:HOH:O	2.00	0.61
1:B:573:SER:HB3	1:B:593:SER:HB2	1.84	0.59
1:A:382:ARG:NH2	4:A:912:HOH:O	2.36	0.59
1:A:230:ASP:HB2	1:A:234:HIS:H	1.68	0.58
1:B:533:GLU:HG3	4:B:984:HOH:O	2.02	0.58
1:B:524:VAL:HG21	1:B:539:THR:HG22	1.87	0.57
1:B:34:SER:HB2	1:B:35:PRO:HD3	1.87	0.57
1:B:161:LEU:O	1:B:166:GLN:NE2	2.36	0.57
1:A:237:HIS:HD2	4:A:989:HOH:O	1.87	0.57
1:B:338:LEU:HD21	1:B:355:HIS:CD2	2.39	0.56
1:B:421:TRP:O	1:B:425:VAL:HG23	2.05	0.56
1:B:255:PHE:HE1	1:B:368:SER:HG	1.54	0.56
1:B:353:GLU:OE2	1:B:358:HIS:ND1	2.39	0.56
1:B:107:ASN:HB3	4:B:1004:HOH:O	2.07	0.55
1:A:230:ASP:HB2	1:A:234:HIS:N	2.22	0.55
1:B:543:ARG:N	4:B:916:HOH:O	2.40	0.55
1:A:21:CYS:HB2	4:A:901:HOH:O	2.07	0.55
1:A:85:ILE:HG13	4:A:1028:HOH:O	2.06	0.54
1:A:227:PHE:N	4:A:904:HOH:O	2.01	0.54
1:B:488:SER:OG	4:B:906:HOH:O	2.18	0.54
1:B:-1:ASN:C	1:B:1:MET:H	2.10	0.54
1:A:256:ALA:HA	1:A:291:ARG:NH2	2.18	0.54
1:A:556:LEU:N	4:A:915:HOH:O	2.41	0.54
1:A:604:PRO:HB3	1:B:576:ALA:HA	1.89	0.54
1:B:237:HIS:HD2	4:B:951:HOH:O	1.90	0.53
1:A:558:ILE:HG22	1:A:559:GLU:HG2	1.90	0.53
1:A:193:ARG:NH1	4:A:913:HOH:O	2.38	0.53
1:B:323:LEU:HD22	1:B:337:VAL:HG13	1.91	0.52
1:B:367:ARG:HD2	1:B:371:ASP:OD2	2.09	0.52
1:B:317:ASP:OD1	1:B:318:TYR:N	2.42	0.52
1:A:89:ILE:HG12	1:A:134:LEU:HD22	1.90	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:540:HIS:O	1:A:544:ARG:HG2	2.10	0.51
1:A:85:ILE:HG13	4:A:1029:HOH:O	2.10	0.51
1:A:543:ARG:HD2	4:A:906:HOH:O	2.10	0.50
1:B:352:LEU:HD22	1:B:357:ILE:HD12	1.94	0.50
1:A:282:GLY:HA3	1:A:370:LEU:HD22	1.93	0.49
1:B:118:GLN:O	1:B:120:TRP:N	2.43	0.49
1:B:6:ASN:OD1	4:B:907:HOH:O	2.20	0.48
1:A:269:LEU:HA	4:A:968:HOH:O	2.13	0.48
1:A:272:GLU:HG3	1:A:309:TYR:CE1	2.48	0.48
1:A:547:GLU:OE2	4:A:906:HOH:O	2.20	0.48
1:B:605:GLU:HB3	1:B:606:PHE:CD2	2.49	0.48
1:B:517:LEU:HD21	1:B:547:GLU:OE2	2.13	0.47
1:A:386:LYS:HE2	4:A:912:HOH:O	2.13	0.47
1:B:33:GLU:HB2	1:B:36:LEU:HD11	1.96	0.47
1:B:86:SER:O	1:B:89:ILE:HG12	2.14	0.47
1:A:269:LEU:HB2	1:A:270:PRO:HD3	1.97	0.47
1:B:616:ARG:NH1	1:B:617:ASP:OD1	2.47	0.47
1:B:327:THR:HG23	1:B:335:HIS:NE2	2.30	0.47
1:B:251:HIS:HE1	4:B:923:HOH:O	1.98	0.46
1:A:449:LYS:HD2	1:A:495:PHE:CZ	2.49	0.46
1:A:514:HIS:HD2	4:A:928:HOH:O	1.98	0.45
1:B:558:ILE:HG13	1:B:563:ILE:HG12	1.99	0.45
1:B:381:LYS:NZ	1:B:419:GLU:OE1	2.42	0.45
1:A:107:ASN:HB2	1:A:168:GLU:OE2	2.17	0.45
1:A:313:LEU:O	1:A:335:HIS:HA	2.17	0.45
1:B:510:TYR:HB2	1:B:556:LEU:HD21	1.99	0.45
1:B:78:GLU:OE1	1:B:78:GLU:N	2.48	0.45
1:B:611:LEU:HD13	4:B:1008:HOH:O	2.17	0.45
1:A:510:TYR:HB3	1:A:558:ILE:HD13	1.99	0.45
1:B:4:LYS:HD2	1:B:4:LYS:HA	1.61	0.45
1:B:81:ILE:HD13	1:B:127:MET:HG3	2.00	0.44
1:A:391:LEU:HD12	1:A:393:TYR:OH	2.18	0.44
1:B:556:LEU:HD23	1:B:557:ILE:N	2.31	0.44
1:B:359:ASP:N	1:B:359:ASP:OD1	2.50	0.44
1:B:226:VAL:HA	4:B:902:HOH:O	2.17	0.44
1:A:89:ILE:HD12	1:A:120:TRP:CZ3	2.52	0.43
1:A:57:ARG:HG3	1:A:440:PRO:HG3	2.00	0.43
1:A:347:GLN:OE1	1:A:350:ARG:NH2	2.50	0.43
1:A:359:ASP:OD1	1:A:359:ASP:N	2.44	0.43
1:B:399:ASP:OD2	1:B:403:GLU:HB2	2.19	0.43
1:A:240:ARG:NH1	1:A:243:ASN:OD1	2.51	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:446:PHE:HB2	1:B:497:PHE:HE1	1.84	0.43
1:A:152:SER:O	1:A:154:ASP:N	2.51	0.43
1:A:153:GLU:C	1:A:155:LYS:H	2.21	0.43
1:B:527:GLU:OE2	1:B:601:ASN:ND2	2.49	0.43
1:A:341:ASP:OD1	1:A:342:ILE:N	2.52	0.42
1:A:70:GLU:O	1:A:71:LEU:HB2	2.20	0.42
1:A:142:ALA:O	1:A:145:LYS:HB2	2.20	0.42
1:B:446:PHE:CB	1:B:497:PHE:HE1	2.33	0.42
1:B:9:THR:HG23	1:B:205:VAL:HG11	2.02	0.42
1:A:615:LEU:HD22	4:A:915:HOH:O	2.19	0.42
1:B:548:LEU:HA	1:B:548:LEU:HD12	1.82	0.42
1:A:336:LEU:HG	1:A:338:LEU:HD13	2.01	0.41
1:A:381:LYS:HD3	1:A:384:GLU:OE2	2.19	0.41
1:A:473:LEU:HD22	1:A:625:LEU:HD12	2.02	0.41
1:A:263:LEU:HA	1:A:263:LEU:HD23	1.87	0.41
1:A:313:LEU:HD23	4:A:924:HOH:O	2.20	0.41
1:A:478:GLN:NE2	4:A:928:HOH:O	2.52	0.41
1:A:157:LEU:HG	1:A:158:LEU:HG	2.02	0.41
1:A:555:VAL:HG13	1:A:562:ILE:HG23	2.01	0.41
1:B:226:VAL:O	1:B:227:PHE:HB2	2.21	0.41
1:A:226:VAL:HA	4:A:904:HOH:O	2.21	0.41
1:B:190:GLU:HG3	1:B:193:ARG:NH2	2.36	0.41
1:B:119:LEU:HD23	1:B:119:LEU:HA	1.89	0.41
1:B:227:PHE:N	4:B:902:HOH:O	1.98	0.41
1:B:237:HIS:ND1	1:B:238:ILE:HG23	2.36	0.41
1:B:284:GLY:HA3	4:B:983:HOH:O	2.20	0.41
1:B:611:LEU:HD23	1:B:611:LEU:HA	1.84	0.41
1:A:98:GLN:O	1:A:102:GLU:HG2	2.21	0.40
1:B:451:GLU:OE2	4:B:910:HOH:O	2.21	0.40
1:A:605:GLU:HB2	4:A:1027:HOH:O	2.21	0.40
1:B:92:LEU:HD23	1:B:92:LEU:HA	1.93	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1007:HOH:O	4:A:1012:HOH:O[2_555]	1.90	0.30
4:A:1007:HOH:O	4:A:1015:HOH:O[2_555]	1.98	0.22
1:A:222:ASN:O	1:A:544:ARG:NH2[2_555]	2.12	0.08

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	612/713 (86%)	591 (97%)	18 (3%)	3 (0%)	29 26
1	B	612/713 (86%)	589 (96%)	21 (3%)	2 (0%)	41 41
All	All	1224/1426 (86%)	1180 (96%)	39 (3%)	5 (0%)	34 32

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	35	PRO
1	B	157	LEU
1	A	157	LEU
1	B	35	PRO
1	A	269	LEU

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	539/629 (86%)	529 (98%)	10 (2%)	57 63
1	B	535/629 (85%)	524 (98%)	11 (2%)	53 59
All	All	1074/1258 (85%)	1053 (98%)	21 (2%)	55 60

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	34	SER
1	A	86	SER
1	A	89	ILE
1	A	140	LEU
1	A	151	ASP
1	A	226	VAL
1	A	291	ARG
1	A	563	ILE
1	A	570	THR
1	B	69	LYS
1	B	152	SER
1	B	232	SER
1	B	238	ILE
1	B	263	LEU
1	B	497	PHE
1	B	539	THR
1	B	541	GLU
1	B	547	GLU
1	B	563	ILE
1	B	570	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	355	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	MLI	B	801	3	6,6,6	1.57	1 (16%)	7,7,7	1.16	0
2	MLI	A	801	3	6,6,6	1.91	1 (16%)	7,7,7	1.11	1 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MLI	B	801	3	-	2/4/4/4	-
2	MLI	A	801	3	-	4/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	MLI	C1-C3	3.25	1.56	1.51
2	B	801	MLI	C1-C3	2.07	1.54	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	MLI	O6-C2-C1	-2.18	115.71	122.08

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	MLI	C3-C1-C2-O7
2	B	801	MLI	C3-C1-C2-O7

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	A	801	MLI	C3-C1-C2-O6
2	B	801	MLI	C3-C1-C2-O6
2	A	801	MLI	C2-C1-C3-O9
2	A	801	MLI	C2-C1-C3-O8

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	616/713 (86%)	0.12	12 (1%) 66 71	29, 49, 69, 114	0
1	B	616/713 (86%)	0.17	13 (2%) 63 68	35, 53, 73, 90	0
All	All	1232/1426 (86%)	0.14	25 (2%) 65 69	29, 51, 71, 114	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	576	ALA	10.7
1	A	589	THR	5.9
1	B	548	LEU	5.5
1	B	575	GLU	4.9
1	B	269	LEU	4.8
1	A	269	LEU	3.8
1	B	328	ARG	3.6
1	B	589	THR	3.0
1	A	154	ASP	3.0
1	A	155	LYS	2.9
1	A	291	ARG	2.8
1	A	152	SER	2.7
1	B	590	PRO	2.6
1	B	34	SER	2.6
1	B	308	GLN	2.5
1	B	544	ARG	2.5
1	A	153	GLU	2.5
1	B	574	THR	2.4
1	A	544	ARG	2.4
1	B	238	ILE	2.4
1	B	224	LEU	2.2
1	A	563	ILE	2.1
1	A	559	GLU	2.1
1	A	-1	ASN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	224	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


## 6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MLI	A	801	7/7	0.96	0.12	37,38,43,50	0
2	MLI	B	801	7/7	0.96	0.12	38,44,47,52	0
3	MN	A	802	1/1	1.00	0.16	35,35,35,35	0
3	MN	B	802	1/1	1.00	0.13	36,36,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.