



Full wwPDB EM Validation Report ⓘ

May 13, 2025 – 02:56 PM EDT

PDB ID : 7URD / pdb_00007urd
EMDB ID : EMD-26709
Title : Human PORCN in complex with LGK974 and WNT3A peptide
Authors : Liu, Y.; Qi, X.; Li, X.
Deposited on : 2022-04-21
Resolution : 2.92 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0rc1
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	5% 77% 17% 7%
2	B	22	14% 77% 14% 9%
3	L	234	41% 5% 54%
4	H	250	39% 8% 52%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	AJP	A	504	X	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 5534 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 2 of Protein-serine O-palmitoleoyltransferase porcupine.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	432	Total	C	N	O	S	0	0
			3449	2291	573	562	23		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP Q9H237
A	-6	ASP	-	expression tag	UNP Q9H237
A	-5	TYR	-	expression tag	UNP Q9H237
A	-4	LYS	-	expression tag	UNP Q9H237
A	-3	ASP	-	expression tag	UNP Q9H237
A	-2	ASP	-	expression tag	UNP Q9H237
A	-1	ASP	-	expression tag	UNP Q9H237
A	0	ASP	-	expression tag	UNP Q9H237
A	1	LYS	-	expression tag	UNP Q9H237

- Molecule 2 is a protein called Isoform 2 of Protein Wnt-3a peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	20	Total	C	N	O	S	0	0
			158	100	29	25	4		


- Molecule 3 is a protein called 2C11 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	107	Total	C	N	O	S	0	0
			829	527	137	162	3		

- Molecule 4 is a protein called 2C11 heavy chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	119	Total	C	N	O	S	0	0
			926	584	152	185	5		

- Molecule 5 is 2-[(2P)-2',3-dimethyl[2,4'-bipyridin]-5-yl]-N-[(5P)-5-(pyrazin-2-yl)pyridin-2-yl]acetamide (CCD ID: O50) (formula: $C_{23}H_{20}N_6O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
5	A	1	Total	C	N	O	0
			30	23	6	1	

- Molecule 6 is CHOLESTEROL (CCD ID: CLR) (formula: $C_{27}H_{46}O$).




Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	O		0
			28	27	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
6	A	1	28	27	1	0

- Molecule 7 is Digitonin (CCD ID: AJP) (formula: C₅₆H₉₂O₂₉).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
7	A	1	65	45	20	0

- Molecule 8 is OLEIC ACID (CCD ID: OLA) (formula: C₁₈H₃₄O₂).




Mol	Chain	Residues	Atoms			AltConf
8	A	1	Total	C	O	0
			20	18	2	

- Molecule 9 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
9	A	1	Total	Zn	0
			1	1	

● Molecule 4: 2C11 heavy chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	397217	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	8.5	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.817	Depositor
Minimum map value	-3.055	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.087	Depositor
Recommended contour level	0.6	Depositor
Map size ($\text{\AA}$)	232.4, 232.4, 232.4	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, OLA, AJP, O50, CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	0/3555	0.37	0/4840
2	B	0.14	0/163	0.31	0/218
3	L	0.17	0/851	0.31	0/1152
4	H	0.16	0/949	0.29	0/1286
All	All	0.19	0/5518	0.34	0/7496

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3449	0	3462	60	0
2	B	158	0	148	2	0
3	L	829	0	794	8	0
4	H	926	0	873	13	0
5	A	30	0	0	0	0
6	A	56	0	92	13	0
7	A	65	0	0	29	0
8	A	20	0	33	1	0
9	A	1	0	0	0	0
All	All	5534	0	5402	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:504:AJP:C16	7:A:504:AJP:C15	1.75	1.62
7:A:504:AJP:C11	7:A:504:AJP:C12	1.79	1.60
7:A:504:AJP:C02	7:A:504:AJP:C01	1.95	1.43
7:A:504:AJP:C08	7:A:504:AJP:C07	1.98	1.39
7:A:504:AJP:C05	7:A:504:AJP:O09	1.78	1.30
7:A:504:AJP:C11	7:A:504:AJP:C07	2.12	1.28
1:A:439:TRP:CE2	6:A:502:CLR:H122	1.71	1.24
7:A:504:AJP:C08	7:A:504:AJP:C05	2.24	1.15
7:A:504:AJP:C07	7:A:504:AJP:C10	2.44	0.95
1:A:439:TRP:CE2	6:A:502:CLR:C12	2.53	0.92
7:A:504:AJP:C08	7:A:504:AJP:C06	2.49	0.88
7:A:504:AJP:C12	7:A:504:AJP:C08	2.52	0.87
7:A:504:AJP:C11	7:A:504:AJP:C81	2.53	0.86
1:A:439:TRP:CZ2	6:A:502:CLR:C12	2.58	0.85
7:A:504:AJP:C15	7:A:504:AJP:C11	2.55	0.85
7:A:504:AJP:C01	7:A:504:AJP:C03	2.54	0.85
1:A:334:LEU:HD23	7:A:504:AJP:C01	2.07	0.84
7:A:504:AJP:C16	7:A:504:AJP:C20	2.56	0.83
7:A:504:AJP:C01	7:A:504:AJP:C85	2.58	0.81
7:A:504:AJP:C08	7:A:504:AJP:C81	2.61	0.78
1:A:439:TRP:NE1	6:A:502:CLR:H122	2.01	0.76
7:A:504:AJP:C08	7:A:504:AJP:C04	2.64	0.75
1:A:360:ARG:NH1	1:A:371:VAL:O	2.20	0.74
3:L:47:GLU:HG2	3:L:48:ASN:H	1.55	0.71
1:A:164:THR:HA	1:A:168:GLY:HA3	1.72	0.71
7:A:504:AJP:C16	7:A:504:AJP:C80	2.70	0.69
1:A:296:VAL:HG11	1:A:405:LEU:HD21	1.76	0.67
4:H:58:GLN:HB2	4:H:64:LEU:HD23	1.76	0.67
7:A:504:AJP:C15	7:A:504:AJP:C17	2.69	0.66
1:A:352:ILE:HG12	1:A:445:THR:HG21	1.79	0.65
4:H:49:THR:HA	4:H:72:PRO:HB2	1.80	0.64
1:A:439:TRP:CZ2	6:A:502:CLR:H112	2.33	0.63
7:A:504:AJP:O09	7:A:504:AJP:C04	2.41	0.62
6:A:503:CLR:H212	6:A:503:CLR:H183	1.81	0.62
1:A:165:ILE:HG23	1:A:166:VAL:HG23	1.82	0.61
4:H:116:ALA:HB1	4:H:125:PHE:HB3	1.81	0.60
1:A:105:ILE:HG22	1:A:109:MET:HE2	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:VAL:HG13	1:A:296:VAL:HG13	1.85	0.59
4:H:72:PRO:O	4:H:93:ARG:NH1	2.36	0.58
1:A:216:PRO:HG3	1:A:238:ARG:HH22	1.69	0.57
7:A:504:AJP:C12	7:A:504:AJP:C10	2.74	0.57
1:A:369:ALA:HB1	1:A:390:VAL:HG22	1.88	0.55
1:A:304:MET:SD	1:A:336:HIS:NE2	2.79	0.55
6:A:503:CLR:H231	6:A:503:CLR:H162	1.88	0.55
1:A:137:LEU:HD21	1:A:150:PRO:HG2	1.89	0.55
1:A:168:GLY:HA2	1:A:257:SER:HB2	1.88	0.54
1:A:74:TRP:HB2	1:A:123:MET:HE1	1.89	0.54
1:A:439:TRP:CZ2	6:A:502:CLR:C11	2.89	0.54
4:H:25:GLN:NE2	4:H:113:TYR:O	2.41	0.54
4:H:26:SER:OG	4:H:40:SER:OG	2.25	0.53
3:L:56:TYR:HE1	3:L:109:GLN:HB3	1.74	0.53
1:A:35:ILE:HG22	1:A:162:VAL:HG21	1.91	0.53
4:H:39:MET:HG2	4:H:132:THR:HG21	1.90	0.53
1:A:439:TRP:CZ2	6:A:502:CLR:H121	2.42	0.52
1:A:90:ARG:O	1:A:95:ARG:NH1	2.43	0.52
3:L:27:SER:OG	3:L:42:THR:OG1	2.27	0.52
1:A:43:TRP:HZ2	1:A:56:THR:HB	1.76	0.51
1:A:169:PRO:HD3	1:A:257:SER:HB2	1.91	0.51
1:A:71:HIS:HB3	1:A:119:THR:HG23	1.93	0.51
1:A:380:CYS:O	1:A:385:ARG:NH2	2.44	0.51
7:A:504:AJP:O09	7:A:504:AJP:C06	2.48	0.51
4:H:31:VAL:HG11	4:H:105:LEU:HD12	1.91	0.51
1:A:216:PRO:HD3	1:A:238:ARG:HH12	1.76	0.50
7:A:504:AJP:C11	7:A:504:AJP:C13	2.77	0.50
1:A:242:SER:OG	1:A:413:ASP:OD1	2.18	0.50
1:A:147:GLY:HA3	3:L:111:HIS:O	2.12	0.49
7:A:504:AJP:C16	7:A:504:AJP:C12	2.75	0.49
4:H:25:GLN:O	4:H:130:GLN:NE2	2.45	0.49
1:A:193:VAL:HG11	1:A:263:LEU:HD13	1.94	0.49
6:A:503:CLR:H212	6:A:503:CLR:H121	1.95	0.48
1:A:28:GLN:NE2	2:B:215:LYS:O	2.35	0.48
4:H:117:ARG:HH21	4:H:127:TYR:HE2	1.62	0.47
1:A:100:SER:HB2	7:A:504:AJP:C04	2.44	0.47
7:A:504:AJP:C16	7:A:504:AJP:C14	2.82	0.47
1:A:241:GLU:HA	1:A:244:VAL:HG22	1.96	0.47
1:A:251:TYR:OH	1:A:287:VAL:HB	2.15	0.46
1:A:4:PHE:HE2	1:A:9:PHE:HD1	1.62	0.46
4:H:59:SER:HB2	4:H:62:LYS:HD3	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:504:AJP:C36	7:A:504:AJP:C28	2.92	0.45
4:H:117:ARG:HE	4:H:127:TYR:HD2	1.64	0.45
1:A:285:LEU:HD23	1:A:285:LEU:HA	1.85	0.45
1:A:25:GLY:O	1:A:29:ILE:HG12	2.17	0.45
1:A:174:HIS:HE1	3:L:113:GLY:HA3	1.82	0.44
1:A:257:SER:HA	1:A:260:THR:HG22	1.99	0.44
1:A:400:LEU:HD23	1:A:400:LEU:HA	1.86	0.44
1:A:371:VAL:HG11	1:A:393:LEU:HD23	2.00	0.43
1:A:439:TRP:HZ2	6:A:502:CLR:H112	1.77	0.43
1:A:311:TYR:O	1:A:315:ASN:ND2	2.49	0.43
1:A:441:SER:O	1:A:445:THR:HG23	2.18	0.43
1:A:334:LEU:CD2	7:A:504:AJP:C01	2.88	0.43
1:A:95:ARG:HB2	1:A:142:ASP:OD1	2.18	0.43
1:A:295:GLU:HA	1:A:298:THR:HG22	1.99	0.43
3:L:47:GLU:HG2	3:L:48:ASN:N	2.28	0.43
4:H:46:TYR:CZ	4:H:117:ARG:HD3	2.54	0.43
1:A:431:VAL:HG23	1:A:439:TRP:HZ2	1.84	0.43
3:L:109:GLN:HE21	3:L:116:TYR:HB3	1.84	0.43
1:A:411:LEU:HD11	1:A:430:THR:HA	2.02	0.42
3:L:57:GLN:NE2	3:L:106:TYR:OH	2.51	0.42
1:A:439:TRP:CD2	6:A:502:CLR:H122	2.40	0.42
1:A:85:VAL:HG21	1:A:102:THR:HG21	2.02	0.41
1:A:347:LEU:HD23	8:A:505:OLA:H172	2.02	0.41
1:A:447:GLY:HA2	1:A:450:ILE:HG12	2.02	0.41
1:A:183:ARG:HG3	1:A:275:LEU:HD11	2.03	0.41
1:A:372:LEU:HA	1:A:372:LEU:HD23	1.78	0.41
1:A:181:GLN:HE21	1:A:183:ARG:HH21	1.67	0.41
1:A:362:ARG:HD2	1:A:455:ILE:HG13	2.02	0.41
6:A:502:CLR:H182	6:A:502:CLR:H8	1.75	0.41
1:A:238:ARG:HA	1:A:238:ARG:HD3	1.85	0.40
1:A:4:PHE:HB2	1:A:8:GLU:HB2	2.03	0.40
2:B:201:LEU:HD23	2:B:219:TRP:CH2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/464 (92%)	405 (95%)	21 (5%)	0	100	100
2	B	18/22 (82%)	15 (83%)	3 (17%)	0	100	100
3	L	105/234 (45%)	101 (96%)	4 (4%)	0	100	100
4	H	117/250 (47%)	112 (96%)	5 (4%)	0	100	100
All	All	666/970 (69%)	633 (95%)	33 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/398 (92%)	365 (100%)	0	100	100
2	B	18/20 (90%)	18 (100%)	0	100	100
3	L	92/204 (45%)	92 (100%)	0	100	100
4	H	102/215 (47%)	102 (100%)	0	100	100
All	All	577/837 (69%)	577 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	24	GLN
1	A	66	HIS
1	A	91	HIS
1	A	174	HIS
1	A	181	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	309	ASN
1	A	432	HIS
3	L	111	HIS
4	H	52	ASN
4	H	78	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	CLR	A	503	-	31,31,31	0.83	2 (6%)	48,48,48	1.59	6 (12%)
5	O50	A	501	-	33,33,33	1.61	5 (15%)	45,45,45	2.11	20 (44%)
8	OLA	A	505	-	19,19,19	0.56	0	19,19,19	0.75	0
7	AJP	A	504	-	73,73,95	7.73	31 (42%)	111,116,149	3.16	35 (31%)
6	CLR	A	502	-	31,31,31	0.83	2 (6%)	48,48,48	1.58	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	CLR	A	503	-	-	2/10/68/68	0/4/4/4
5	O50	A	501	-	-	2/16/16/16	0/4/4/4
8	OLA	A	505	-	-	4/17/17/17	-
7	AJP	A	504	-	25/25/29/38	10/18/173/220	1/9/9/11
6	CLR	A	502	-	-	7/10/68/68	0/4/4/4

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	504	AJP	C07-C08	27.21	1.98	1.53
7	A	504	AJP	O09-C08	-25.29	1.00	1.43
7	A	504	AJP	O84-C05	-23.06	1.08	1.42
7	A	504	AJP	C12-C07	-18.65	1.21	1.56
7	A	504	AJP	C04-C05	-18.06	1.24	1.51
7	A	504	AJP	O09-C05	17.22	1.78	1.42
7	A	504	AJP	C03-C02	-14.43	1.13	1.52
7	A	504	AJP	C01-C02	13.51	1.95	1.52
7	A	504	AJP	C85-C02	-13.12	1.23	1.51
7	A	504	AJP	C12-C11	12.88	1.79	1.56
7	A	504	AJP	C16-C15	11.73	1.75	1.53
7	A	504	AJP	C11-C10	9.77	1.72	1.53
7	A	504	AJP	C10-C08	-9.65	1.31	1.53
7	A	504	AJP	O84-C85	7.74	1.54	1.43
7	A	504	AJP	C16-C11	-6.72	1.45	1.54
7	A	504	AJP	C13-C12	-6.10	1.43	1.54
7	A	504	AJP	C14-C15	5.86	1.63	1.53
7	A	504	AJP	C20-C15	-5.52	1.46	1.56
5	A	501	O50	C08-C07	5.15	1.54	1.49
7	A	504	AJP	C18-C19	4.97	1.65	1.53
7	A	504	AJP	C24-C23	4.93	1.61	1.52
5	A	501	O50	C16-N18	4.74	1.45	1.35
7	A	504	AJP	C07-C06	-4.66	1.41	1.54
7	A	504	AJP	O25-C23	-4.15	1.37	1.44
7	A	504	AJP	C18-C17	3.65	1.61	1.52
7	A	504	AJP	C17-C16	-3.42	1.47	1.53
7	A	504	AJP	O40-C35	2.93	1.49	1.41
7	A	504	AJP	O79-C22	-2.78	1.37	1.43
7	A	504	AJP	O64-C57	2.78	1.49	1.43
7	A	504	AJP	O44-C37	2.69	1.49	1.43
5	A	501	O50	C19-N18	2.40	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	501	O50	O17-C16	-2.40	1.18	1.23
7	A	504	AJP	C28-C29	-2.38	1.45	1.52
5	A	501	O50	C22-C25	2.36	1.52	1.49
6	A	502	CLR	C10-C9	-2.16	1.52	1.56
7	A	504	AJP	C22-C23	2.15	1.55	1.52
6	A	503	CLR	C10-C9	-2.13	1.52	1.56
7	A	504	AJP	C05-C06	2.12	1.57	1.53
6	A	503	CLR	C13-C14	-2.03	1.51	1.55
6	A	502	CLR	C13-C14	-2.03	1.51	1.55

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	504	AJP	O84-C05-C04	12.54	121.69	110.76
7	A	504	AJP	C03-C02-C85	10.36	121.16	108.59
7	A	504	AJP	C13-C12-C07	9.69	129.16	115.36
7	A	504	AJP	C11-C12-C07	-8.54	87.28	100.16
7	A	504	AJP	C12-C07-C06	7.03	141.29	120.50
7	A	504	AJP	O09-C05-C06	-7.01	95.24	104.56
7	A	504	AJP	C06-C07-C08	-6.83	93.32	104.28
7	A	504	AJP	O09-C08-C10	6.82	124.01	110.20
7	A	504	AJP	C20-C15-C16	-6.75	105.57	112.43
7	A	504	AJP	C21-C20-C19	6.62	113.56	107.23
7	A	504	AJP	C81-C12-C11	-6.21	98.09	111.58
7	A	504	AJP	C81-C12-C13	-5.73	102.16	110.61
5	A	501	O50	C02-C07-N06	-5.70	118.31	123.08
7	A	504	AJP	C13-C12-C11	5.02	117.92	108.11
6	A	503	CLR	C13-C17-C20	-4.96	111.83	119.50
7	A	504	AJP	C24-C19-C18	4.90	120.21	111.73
6	A	502	CLR	C13-C17-C20	-4.87	111.97	119.50
7	A	504	AJP	C05-C06-C07	4.86	110.53	103.37
6	A	503	CLR	C13-C14-C8	-4.40	108.16	114.41
6	A	502	CLR	C13-C14-C8	-4.35	108.24	114.41
7	A	504	AJP	C18-C19-C20	-4.06	105.51	112.31
7	A	504	AJP	C20-C21-C22	-3.96	107.67	114.17
6	A	502	CLR	C17-C13-C14	3.66	104.30	100.10
6	A	503	CLR	C17-C13-C14	3.66	104.30	100.10
5	A	501	O50	C24-C23-C22	-3.53	116.59	121.12
5	A	501	O50	C05-N06-C07	3.47	124.01	118.01
5	A	501	O50	C21-N20-C19	3.38	121.00	117.83
5	A	501	O50	C09-C08-C07	3.30	126.06	120.09
7	A	504	AJP	C55-O60-C59	-3.29	107.29	113.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	504	AJP	O09-C08-C07	3.03	111.06	104.08
7	A	504	AJP	C85-O84-C05	3.00	118.86	113.69
5	A	501	O50	C13-C12-N11	-2.99	120.31	123.97
7	A	504	AJP	C81-C12-C07	2.96	118.01	111.58
7	A	504	AJP	C01-C02-C85	-2.95	106.49	111.03
7	A	504	AJP	C80-C20-C19	-2.89	105.61	110.44
7	A	504	AJP	C21-C20-C15	2.86	113.93	110.10
5	A	501	O50	C19-N18-C16	-2.84	123.00	128.22
7	A	504	AJP	C80-C20-C15	-2.77	107.45	111.18
6	A	503	CLR	C11-C12-C13	-2.77	108.07	112.74
5	A	501	O50	C02-C03-C04	-2.75	119.12	122.22
5	A	501	O50	C04-C05-N06	-2.70	119.97	123.99
6	A	502	CLR	C11-C12-C13	-2.68	108.21	112.74
7	A	504	AJP	C83-C06-C05	2.65	119.21	114.94
7	A	504	AJP	C35-O34-C29	-2.53	111.97	117.98
5	A	501	O50	C08-C07-C02	2.53	126.46	123.52
7	A	504	AJP	C03-C04-C05	2.52	115.87	111.93
7	A	504	AJP	O79-C22-C21	-2.48	104.21	109.97
7	A	504	AJP	O40-C35-C36	2.43	114.21	109.49
7	A	504	AJP	C14-C13-C12	2.39	116.77	112.74
6	A	502	CLR	C4-C5-C10	2.36	119.44	116.42
5	A	501	O50	C03-C04-C05	2.35	119.08	116.90
6	A	503	CLR	C4-C5-C10	2.35	119.44	116.42
5	A	501	O50	C01-C02-C03	-2.34	115.45	119.57
5	A	501	O50	C13-C08-C07	-2.33	116.84	120.62
5	A	501	O50	C30-C25-C22	-2.31	119.01	122.10
7	A	504	AJP	C17-C16-C15	2.29	113.26	110.52
7	A	504	AJP	C04-C03-C02	2.27	116.20	111.67
7	A	504	AJP	C11-C16-C15	-2.24	105.21	109.17
5	A	501	O50	C03-C02-C07	2.24	119.50	117.16
7	A	504	AJP	O09-C05-C04	-2.11	104.25	108.54
6	A	502	CLR	C7-C6-C5	-2.09	121.48	125.02
6	A	503	CLR	C10-C9-C8	-2.08	109.68	112.71
5	A	501	O50	N18-C19-N20	2.07	121.09	114.87
5	A	501	O50	C22-C21-N20	-2.05	121.02	124.28
5	A	501	O50	C08-C09-C10	-2.04	119.31	120.19
5	A	501	O50	C15-C16-N18	2.03	118.53	114.73
5	A	501	O50	C28-N29-C30	2.01	120.37	116.85

All (25) chirality outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
-----	-------	-----	------	------

Mol	Chain	Res	Type	Atom
7	A	504	AJP	C26
7	A	504	AJP	C39
7	A	504	AJP	C22
7	A	504	AJP	C07
7	A	504	AJP	C05
7	A	504	AJP	C23
7	A	504	AJP	C10
7	A	504	AJP	C16
7	A	504	AJP	C20
7	A	504	AJP	C36
7	A	504	AJP	C35
7	A	504	AJP	C37
7	A	504	AJP	C19
7	A	504	AJP	C15
7	A	504	AJP	C56
7	A	504	AJP	C57
7	A	504	AJP	C11
7	A	504	AJP	C12
7	A	504	AJP	C59
7	A	504	AJP	C28
7	A	504	AJP	C27
7	A	504	AJP	C38
7	A	504	AJP	C30
7	A	504	AJP	C02
7	A	504	AJP	C55

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	504	AJP	C37-C36-O54-C55
7	A	504	AJP	O31-C26-O25-C23
7	A	504	AJP	C28-C29-O34-C35
6	A	502	CLR	C21-C20-C22-C23
7	A	504	AJP	C58-C59-C61-O62
7	A	504	AJP	O60-C59-C61-O62
6	A	502	CLR	C17-C20-C22-C23
6	A	503	CLR	C17-C20-C22-C23
6	A	503	CLR	C21-C20-C22-C23
5	A	501	O50	N20-C19-N18-C16
5	A	501	O50	C24-C19-N18-C16
7	A	504	AJP	C36-C35-O34-C29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	502	CLR	C13-C17-C20-C22
7	A	504	AJP	O40-C39-C41-O42
8	A	505	OLA	C10-C11-C12-C13
7	A	504	AJP	O31-C30-C32-O33
6	A	502	CLR	C13-C17-C20-C21
8	A	505	OLA	C11-C12-C13-C14
7	A	504	AJP	O40-C35-O34-C29
8	A	505	OLA	C12-C13-C14-C15
6	A	502	CLR	C16-C17-C20-C22
6	A	502	CLR	C16-C17-C20-C21
8	A	505	OLA	C9-C10-C11-C12
7	A	504	AJP	C30-C29-O34-C35
6	A	502	CLR	C22-C23-C24-C25




All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	A	504	AJP	C19-C20-C21-C22-C23-C24

4 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	503	CLR	3	0
8	A	505	OLA	1	0
7	A	504	AJP	29	0
6	A	502	CLR	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26709. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 142




Y Index: 131




Z Index: 157


6.3.2 Raw map



X Index: 144



Y Index: 131




Z Index: 157


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 28 nm³; this corresponds to an approximate mass of 25 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.342 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.342 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.92	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.65	4.02	3.69

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.65 differs from the reported value 2.92 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26709 and PDB model 7URD. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).

9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7640	0.5690
A	0.7620	0.5610
B	0.6600	0.5450
H	0.7980	0.5880
L	0.7510	0.5860

