



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 19, 2023 – 07:59 am BST

PDB ID : 8A90
Title : Crystal structure of FrsH
Authors : Schneberger, N.; Wirtz, D.A.; Cruesemann, M.; Hagelueken, G.
Deposited on : 2022-06-27
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3676 (2.60-2.56)
Clashscore	141614	4049 (2.60-2.56)
Ramachandran outliers	138981	3979 (2.60-2.56)
Sidechain outliers	138945	3979 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	531	 76% 22% ..
1	B	531	 74% 24% .

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 8535 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Non-heme diiron monooxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	528	Total 4218	C 2674	N 739	O 784	S 21	0	0	0
1	B	530	Total 4230	C 2682	N 741	O 786	S 21	0	0	0

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 4	C 2	O 2	0	0
2	A	1	Total 4	C 2	O 2	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0

- Molecule 4 is OXYGEN ATOM (three-letter code: O) (formula: O).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O 1 1	0	0
4	B	1	Total O 1 1	0	0

- Molecule 5 is FE (III) ION (three-letter code: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Fe 2 2	0	0
5	B	2	Total Fe 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	36	Total 36	O 36	0	0
6	B	19	Total 19	O 19	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Non-heme diiron monooxygenase



- Molecule 1: Non-heme diiron monooxygenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	117.72Å 117.72Å 234.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.02 – 2.57 48.02 – 2.57	Depositor EDS
% Data completeness (in resolution range)	87.5 (48.02-2.57) 81.1 (48.02-2.57)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.37 (at 2.58Å)	Xtrriage
Refinement program	PHENIX 1.20_4444	Depositor
R, R_{free}	0.217 , 0.264 0.216 , 0.262	Depositor DCC
R_{free} test set	1935 reflections (3.99%)	wwPDB-VP
Wilson B-factor (Å ²)	44.6	Xtrriage
Anisotropy	0.378	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 33.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	8535	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, FE, GOL, O

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/4321	0.56	2/5859 (0.0%)
1	B	0.29	1/4333 (0.0%)	0.63	6/5876 (0.1%)
All	All	0.29	1/8654 (0.0%)	0.60	8/11735 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	489	ARG	CB-CG	-6.24	1.35	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	489	ARG	CA-CB-CG	12.82	141.61	113.40
1	B	489	ARG	CB-CG-CD	-12.12	80.08	111.60
1	A	282	GLN	CA-CB-CG	10.66	136.86	113.40
1	B	489	ARG	CB-CA-C	-10.32	89.75	110.40
1	B	489	ARG	CG-CD-NE	-7.13	96.82	111.80
1	A	282	GLN	CB-CA-C	6.07	122.55	110.40
1	B	489	ARG	CD-NE-CZ	-5.64	115.70	123.60
1	B	489	ARG	NE-CZ-NH1	-5.21	117.70	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	74	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4218	0	4113	82	0
1	B	4230	0	4125	95	0
2	A	8	0	6	0	0
3	A	12	0	16	0	0
3	B	6	0	8	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
6	A	36	0	0	2	0
6	B	19	0	0	1	0
All	All	8535	0	8268	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:GLU:HA	1:B:489:ARG:HH12	1.01	1.11
1:B:173:GLU:CA	1:B:489:ARG:HH12	1.70	1.02
1:B:173:GLU:HA	1:B:489:ARG:NH1	1.82	0.93
1:A:130:GLN:HB3	1:B:409:VAL:HG11	1.54	0.89
1:A:329:ARG:HD2	1:B:329:ARG:HD3	1.62	0.80
1:B:177:PHE:HB3	1:B:180:ASN:HB2	1.62	0.80
1:A:177:PHE:HB3	1:A:180:ASN:HB2	1.65	0.78
1:B:107:ARG:NH2	6:B:701:HOH:O	2.22	0.70
1:B:307:GLN:HG2	1:B:491:VAL:HG13	1.71	0.70
1:A:341:LYS:O	1:A:342:LEU:HB2	1.89	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:GLU:OE1	1:B:413:ARG:NH1	2.27	0.68
1:B:489:ARG:HD2	1:B:490:PHE:HB3	1.76	0.67
1:B:483:GLY:HA3	1:B:492:VAL:HG11	1.74	0.67
1:B:57:GLU:OE2	1:B:74:LYS:HB2	1.95	0.67
1:B:105:LEU:HG	1:B:109:LEU:HD11	1.77	0.67
1:B:118:LEU:HD13	1:B:135:VAL:HG12	1.76	0.67
1:B:476:GLN:HG3	1:B:519:ALA:HB3	1.77	0.67
1:B:173:GLU:C	1:B:489:ARG:HH12	1.99	0.66
1:A:195:PRO:HG2	1:A:198:ASP:HB2	1.79	0.64
1:B:284:GLU:N	1:B:284:GLU:OE2	2.27	0.64
1:A:357:GLU:HB2	1:B:150:GLU:HG3	1.80	0.64
1:A:118:LEU:HD13	1:A:135:VAL:HG12	1.80	0.63
1:A:307:GLN:HG2	1:A:491:VAL:HG13	1.80	0.63
1:A:225:GLU:HA	1:A:228:ARG:HG3	1.80	0.63
1:B:487:TRP:HA	1:B:489:ARG:HH21	1.63	0.63
1:B:487:TRP:HA	1:B:489:ARG:NH2	2.13	0.62
1:B:497:THR:OG1	1:B:499:ASP:OD1	2.18	0.62
1:A:122:TYR:HA	1:A:125:LEU:HG	1.83	0.61
1:B:173:GLU:N	1:B:173:GLU:OE1	2.34	0.61
1:B:398:MET:HB2	1:B:421:VAL:HG11	1.82	0.61
1:B:405:ALA:HB2	1:B:468:ILE:HD11	1.80	0.61
1:A:226:ASP:N	1:A:226:ASP:OD1	2.35	0.59
1:A:29:VAL:O	1:A:346:ARG:NH1	2.36	0.59
1:A:254:VAL:HG13	1:A:531:LEU:HD21	1.84	0.58
1:A:398:MET:HB2	1:A:421:VAL:HG11	1.84	0.57
1:B:476:GLN:HG2	1:B:478:LEU:CD1	2.34	0.57
1:A:103:LEU:HD13	1:A:444:SER:HA	1.87	0.57
1:B:373:SER:O	1:B:385:LYS:NZ	2.37	0.57
1:B:94:ARG:HD2	1:B:157:TRP:HB3	1.86	0.57
1:A:341:LYS:HD3	1:A:354:VAL:HG21	1.87	0.57
1:A:341:LYS:HD3	1:A:354:VAL:CG2	2.35	0.56
1:B:173:GLU:CA	1:B:489:ARG:NH1	2.54	0.56
1:B:465:ALA:HA	1:B:468:ILE:HD12	1.87	0.55
1:A:33:GLN:NE2	1:A:335:PHE:O	2.29	0.55
1:B:14:LYS:HG2	1:B:175:ARG:HH21	1.72	0.54
1:B:476:GLN:HG2	1:B:478:LEU:HD11	1.89	0.54
1:A:34:HIS:CE1	1:A:38:ILE:HD11	2.41	0.54
1:B:107:ARG:NH1	1:B:444:SER:O	2.37	0.54
1:B:173:GLU:C	1:B:489:ARG:NH1	2.61	0.54
1:B:107:ARG:HG3	1:B:444:SER:HB2	1.91	0.53
1:A:398:MET:HE3	1:A:400:LEU:HD21	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:ARG:HD2	1:A:291:TYR:O	2.09	0.53
1:B:34:HIS:CE1	1:B:38:ILE:HD11	2.43	0.53
1:A:406:LYS:NZ	1:B:119:ASP:OD1	2.34	0.53
1:A:379:ASP:HB2	1:A:455:ARG:HG2	1.90	0.53
1:A:108:ARG:HH22	1:A:124:GLU:HG3	1.74	0.52
1:A:464:ARG:HA	1:A:467:ARG:HD2	1.91	0.52
1:B:33:GLN:O	1:B:37:ASN:ND2	2.42	0.52
1:A:498:PRO:HA	1:A:503:ILE:HG21	1.92	0.51
1:A:282:GLN:OE1	1:A:285:GLN:OE1	2.29	0.51
1:B:363:LEU:HD11	1:B:368:LEU:HD23	1.93	0.51
1:A:411:TYR:O	1:A:415:ILE:HG12	2.11	0.50
1:B:219:ASP:OD1	1:B:228:ARG:NH2	2.44	0.50
1:A:90:GLN:NE2	1:A:91:GLN:HG3	2.26	0.50
1:A:118:LEU:HD21	1:A:137:TYR:CZ	2.47	0.50
1:B:326:LEU:HB3	1:B:355:MET:HE2	1.94	0.50
1:A:121:ILE:HG21	1:A:135:VAL:HG21	1.94	0.50
1:A:73:LEU:HG	1:A:181:THR:HG23	1.93	0.50
1:B:341:LYS:HA	1:B:352:VAL:HG11	1.93	0.50
1:A:107:ARG:NH2	6:A:702:HOH:O	2.42	0.49
1:B:14:LYS:HE2	1:B:172:GLU:HG3	1.95	0.49
1:B:172:GLU:O	1:B:489:ARG:CZ	2.60	0.49
1:B:256:TYR:CE2	1:B:523:LEU:HB3	2.49	0.48
1:A:18:LEU:HD11	1:A:166:ALA:HB2	1.96	0.48
1:A:398:MET:SD	1:A:421:VAL:HG21	2.54	0.48
1:B:92:ALA:HB1	1:B:95:GLN:HB2	1.96	0.47
1:B:378:SER:HB3	1:B:435:LEU:HD12	1.96	0.47
1:A:90:GLN:HE21	1:A:91:GLN:HG3	1.80	0.47
1:A:46:LEU:HB3	1:A:85:TRP:HB2	1.96	0.47
1:A:282:GLN:HA	1:A:283:PRO:HD3	1.62	0.47
1:A:14:LYS:HG2	1:A:175:ARG:HH21	1.79	0.47
1:B:40:PHE:HB2	1:B:441:PRO:HB3	1.97	0.47
1:B:479:VAL:HB	1:B:522:ARG:HA	1.97	0.47
1:A:165:ILE:HD11	1:A:201:PHE:CE2	2.50	0.47
1:B:173:GLU:OE2	1:B:486:SER:HB2	2.15	0.47
1:A:106:ASP:O	1:A:110:GLN:HG2	2.16	0.46
1:A:366:GLY:HA3	1:A:391:SER:O	2.15	0.46
1:A:172:GLU:OE1	1:A:278:THR:OG1	2.24	0.46
1:A:485:GLU:HB2	1:A:488:PHE:CE2	2.50	0.46
1:A:494:LEU:HD22	1:A:495:GLU:O	2.14	0.46
1:B:173:GLU:O	1:B:489:ARG:NH1	2.48	0.46
1:B:41:ARG:HB2	1:B:441:PRO:HG3	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:485:GLU:N	1:B:485:GLU:OE1	2.48	0.46
1:B:421:VAL:O	1:B:474:CYS:HA	2.15	0.46
1:B:451:GLU:OE2	1:B:451:GLU:N	2.33	0.46
1:A:103:LEU:O	1:A:107:ARG:HG3	2.16	0.46
1:B:390:LEU:HB3	1:B:397:PHE:HB2	1.96	0.46
1:B:326:LEU:HB3	1:B:355:MET:CE	2.46	0.46
1:B:198:ASP:O	1:B:319:ARG:NH2	2.46	0.45
1:A:95:GLN:HG3	1:A:157:TRP:CZ3	2.51	0.45
1:A:281:HIS:O	1:A:282:GLN:HB2	2.17	0.45
1:A:429:GLU:OE2	1:A:496:TYR:OH	2.32	0.45
1:B:105:LEU:O	1:B:109:LEU:HD12	2.17	0.45
1:A:165:ILE:HD12	1:A:194:LEU:HB3	1.97	0.45
1:B:260:ALA:HB2	1:B:481:ALA:HB2	1.98	0.45
1:A:396:SER:HB2	1:A:422:ASP:H	1.82	0.45
1:A:478:LEU:HB3	1:A:523:LEU:HD21	1.97	0.45
1:A:232:ARG:NH1	1:A:235:PHE:O	2.50	0.45
1:A:105:LEU:O	1:A:109:LEU:HG	2.17	0.44
1:A:272:LEU:HB2	1:A:297:ILE:HG21	1.99	0.44
1:A:176:ALA:O	1:A:183:ARG:NH2	2.50	0.44
1:A:172:GLU:HG2	1:A:175:ARG:HE	1.83	0.44
1:B:155:GLU:HG3	1:B:156:ASP:N	2.33	0.44
1:B:190:MET:HE1	1:B:227:GLN:O	2.18	0.44
1:B:337:ASP:OD1	1:B:384:SER:HB2	2.18	0.44
1:A:47:LYS:HG3	1:A:85:TRP:CZ2	2.53	0.44
1:A:145:LEU:HD23	1:A:145:LEU:HA	1.74	0.44
1:A:153:TYR:CE1	1:A:342:LEU:HD23	2.53	0.44
1:B:366:GLY:HA3	1:B:391:SER:O	2.18	0.44
1:B:500:LYS:O	1:B:504:VAL:HG23	2.17	0.44
1:B:489:ARG:NH1	1:B:489:ARG:CG	2.78	0.43
1:A:14:LYS:NZ	1:A:280:ASP:OD1	2.43	0.43
1:B:196:PHE:O	1:B:319:ARG:NH1	2.48	0.43
1:B:261:CYS:HA	1:B:273:VAL:O	2.18	0.43
1:B:361:ILE:HG13	1:B:368:LEU:HG	1.99	0.43
1:A:194:LEU:HD12	1:A:195:PRO:HD2	2.01	0.43
1:B:272:LEU:HB3	1:B:300:VAL:HG22	2.00	0.43
1:B:77:ASP:O	1:B:81:VAL:HG23	2.18	0.43
1:B:274:ASP:OD1	1:B:303:THR:HG23	2.19	0.43
1:A:322:ILE:O	1:A:351:ASN:ND2	2.51	0.43
1:A:119:ASP:N	1:A:119:ASP:OD1	2.52	0.43
1:A:140:HIS:CD2	1:B:110:GLN:HG3	2.53	0.43
1:B:489:ARG:CD	1:B:490:PHE:HB3	2.46	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:277:LEU:HD13	1:B:290:PHE:HD1	1.83	0.43
1:A:254:VAL:HG22	1:A:529:MET:HB2	2.01	0.42
1:B:396:SER:OG	1:B:422:ASP:N	2.51	0.42
1:B:7:VAL:CG2	1:B:235:PHE:HB3	2.48	0.42
1:B:272:LEU:HG	1:B:275:PRO:HG3	2.01	0.42
1:A:329:ARG:CD	1:B:329:ARG:HD3	2.43	0.42
1:A:15:ILE:HG23	1:A:165:ILE:CG2	2.50	0.42
1:B:301:PHE:CE1	1:B:388:LEU:HB2	2.55	0.42
1:A:15:ILE:HG23	1:A:165:ILE:HG23	2.02	0.42
1:A:420:LYS:HG2	1:A:421:VAL:N	2.35	0.42
1:A:301:PHE:CE2	1:A:388:LEU:HB2	2.55	0.41
1:B:178:PHE:CZ	1:B:307:GLN:HG3	2.54	0.41
1:A:139:LEU:HD11	1:B:335:PHE:HB2	2.02	0.41
1:B:36:LEU:HD23	1:B:442:TYR:HA	2.01	0.41
1:B:276:PHE:CZ	1:B:491:VAL:HG21	2.55	0.41
1:A:36:LEU:HD13	1:A:442:TYR:HD1	1.85	0.41
1:A:484:GLN:OE1	1:A:496:TYR:N	2.38	0.41
1:B:41:ARG:C	1:B:44:PRO:HD2	2.41	0.41
1:B:176:ALA:O	1:B:490:PHE:HB2	2.20	0.41
1:B:302:LEU:O	1:B:386:HIS:NE2	2.49	0.41
1:B:427:GLY:HA2	1:B:480:TYR:O	2.20	0.41
1:A:15:ILE:HD13	1:A:208:ARG:NH2	2.36	0.41
1:B:73:LEU:HG	1:B:181:THR:HG23	2.01	0.41
1:A:369:VAL:HB	1:A:389:TYR:HB3	2.03	0.41
1:B:315:LEU:HD23	1:B:315:LEU:HA	1.86	0.41
1:B:498:PRO:HA	1:B:503:ILE:HG21	2.02	0.41
1:A:73:LEU:HD23	1:A:73:LEU:HA	1.87	0.41
1:A:159:ASP:N	1:A:159:ASP:OD1	2.54	0.41
1:A:427:GLY:O	6:A:701:HOH:O	2.22	0.41
1:B:447:ILE:HD12	1:B:448:GLY:H	1.85	0.41
1:B:489:ARG:HD2	1:B:490:PHE:N	2.36	0.41
1:A:427:GLY:HA2	1:A:480:TYR:O	2.21	0.41
1:B:369:VAL:HB	1:B:389:TYR:HB3	2.03	0.40
1:B:461:ASP:OD1	1:B:464:ARG:HG3	2.22	0.40
1:A:400:LEU:HB3	1:A:403:SER:OG	2.21	0.40
1:B:276:PHE:HZ	1:B:491:VAL:HG21	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	526/531 (99%)	508 (97%)	17 (3%)	1 (0%)	47	69
1	B	528/531 (99%)	509 (96%)	19 (4%)	0	100	100
All	All	1054/1062 (99%)	1017 (96%)	36 (3%)	1 (0%)	51	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	342	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	454/457 (99%)	436 (96%)	18 (4%)	31	55
1	B	455/457 (100%)	438 (96%)	17 (4%)	34	57
All	All	909/914 (100%)	874 (96%)	35 (4%)	32	56

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	14	LYS
1	A	76	SER
1	A	90	GLN
1	A	119	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	210	SER
1	A	219	ASP
1	A	226	ASP
1	A	237	THR
1	A	310	PHE
1	A	360	ASP
1	A	362	THR
1	A	373	SER
1	A	386	HIS
1	A	396	SER
1	A	408	ARG
1	A	420	LYS
1	A	480	TYR
1	B	4	SER
1	B	87	GLN
1	B	90	GLN
1	B	109	LEU
1	B	201	PHE
1	B	226	ASP
1	B	276	PHE
1	B	350	ASP
1	B	360	ASP
1	B	367	ARG
1	B	384	SER
1	B	386	HIS
1	B	430	CYS
1	B	450	ARG
1	B	454	SER
1	B	480	TYR
1	B	486	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	90	GLN
1	A	309	HIS
1	B	241	GLN
1	B	317	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GOL	A	602	-	5,5,5	0.91	0	5,5,5	1.00	0
2	ACT	A	601	1	3,3,3	1.15	0	3,3,3	1.51	0
2	ACT	A	604	-	3,3,3	1.30	0	3,3,3	1.53	0
3	GOL	A	603	-	5,5,5	0.91	0	5,5,5	0.99	0
3	GOL	B	601	-	5,5,5	0.91	0	5,5,5	0.99	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	601	-	-	2/4/4/4	-
3	GOL	A	602	-	-	0/4/4/4	-
3	GOL	A	603	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	601	GOL	C1-C2-C3-O3
3	B	601	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.


6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FE A 606:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around FE A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.