



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 7, 2023 – 01:31 pm BST

PDB ID : 8BUG
Title : Structure of DDB1 bound to HQ461-engaged CDK12-cyclin K
Authors : Kozicka, Z.; Kempf, G.; Focht, V.; Thoma, N.H.
Deposited on : 2022-11-30
Resolution : 3.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1028 (3.60-3.48)
Clashscore	141614	1109 (3.60-3.48)
Ramachandran outliers	138981	1073 (3.60-3.48)
Sidechain outliers	138945	1074 (3.60-3.48)
RSRZ outliers	127900	1079 (3.62-3.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	840	 6% 88% 10%
1	D	840	 3% 88% 10%
1	G	840	 7% 87% 11%
2	B	344	 7% 76% 17% 5%
2	E	344	 4% 80% 15% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	344	<p>3% 78% 16% 6%</p>
3	C	271	<p>2% 89% 8%</p>
3	F	271	<p>% 89% 8%</p>
3	I	271	<p>% 87% 8%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CIT	A	1201	-	-	-	X
4	CIT	H	1101	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 67369 atoms, of which 33595 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	826	12938	4105	6451	1094	1252	36	6451	0	0
1	D	827	12958	4111	6463	1095	1253	36	6463	0	0
1	G	826	12941	4106	6455	1093	1251	36	6455	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP Q16531
A	-2	GLY	-	expression tag	UNP Q16531
A	-1	GLY	-	expression tag	UNP Q16531
A	0	ARG	-	expression tag	UNP Q16531
A	700	GLY	-	linker	UNP Q16531
A	701	ASN	-	linker	UNP Q16531
A	702	GLY	-	linker	UNP Q16531
A	703	ASN	-	linker	UNP Q16531
A	704	SER	-	linker	UNP Q16531
A	705	GLY	-	linker	UNP Q16531
A	706	GLU	-	linker	UNP Q16531
A	707	ILE	-	linker	UNP Q16531
A	708	GLN	-	linker	UNP Q16531
D	-3	GLY	-	expression tag	UNP Q16531
D	-2	GLY	-	expression tag	UNP Q16531
D	-1	GLY	-	expression tag	UNP Q16531
D	0	ARG	-	expression tag	UNP Q16531
D	700	GLY	-	linker	UNP Q16531
D	701	ASN	-	linker	UNP Q16531
D	702	GLY	-	linker	UNP Q16531
D	703	ASN	-	linker	UNP Q16531
D	704	SER	-	linker	UNP Q16531
D	705	GLY	-	linker	UNP Q16531

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	706	GLU	-	linker	UNP Q16531
D	707	ILE	-	linker	UNP Q16531
D	708	GLN	-	linker	UNP Q16531
G	-3	GLY	-	expression tag	UNP Q16531
G	-2	GLY	-	expression tag	UNP Q16531
G	-1	GLY	-	expression tag	UNP Q16531
G	0	ARG	-	expression tag	UNP Q16531
G	700	GLY	-	linker	UNP Q16531
G	701	ASN	-	linker	UNP Q16531
G	702	GLY	-	linker	UNP Q16531
G	703	ASN	-	linker	UNP Q16531
G	704	SER	-	linker	UNP Q16531
G	705	GLY	-	linker	UNP Q16531
G	706	GLU	-	linker	UNP Q16531
G	707	ILE	-	linker	UNP Q16531
G	708	GLN	-	linker	UNP Q16531

- Molecule 2 is a protein called Cyclin-dependent kinase 12.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
			Total	C	H	N	O	P	S			
2	B	327	Total	C	H	N	O	P	S	2676	0	0
			5341	1706	2676	451	490	1	17			
2	E	325	Total	C	H	N	O	P	S	2674	0	0
			5309	1695	2663	447	486	1	17			
2	H	325	Total	C	H	N	O	P	S	2671	0	0
			5309	1695	2663	447	486	1	17			

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	709	GLY	-	expression tag	UNP Q9NYV4
B	710	GLY	-	expression tag	UNP Q9NYV4
B	711	GLY	-	expression tag	UNP Q9NYV4
B	965	ARG	LYS	engineered mutation	UNP Q9NYV4
B	1052	GLN	-	expression tag	UNP Q9NYV4
E	709	GLY	-	expression tag	UNP Q9NYV4
E	710	GLY	-	expression tag	UNP Q9NYV4
E	711	GLY	-	expression tag	UNP Q9NYV4
E	965	ARG	LYS	engineered mutation	UNP Q9NYV4
E	1052	GLN	-	expression tag	UNP Q9NYV4
H	709	GLY	-	expression tag	UNP Q9NYV4
H	710	GLY	-	expression tag	UNP Q9NYV4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	711	GLY	-	expression tag	UNP Q9NYV4
H	965	ARG	LYS	engineered mutation	UNP Q9NYV4
H	1052	GLN	-	expression tag	UNP Q9NYV4


- Molecule 3 is a protein called Cyclin-K.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
3	C	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			
3	F	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			
3	I	248	Total	C	H	N	O	S	2048	0	0
			4111	1341	2048	346	363	13			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	-3	GLY	-	expression tag	UNP O75909
C	-2	GLY	-	expression tag	UNP O75909
C	-1	GLY	-	expression tag	UNP O75909
C	0	ARG	-	expression tag	UNP O75909
F	-3	GLY	-	expression tag	UNP O75909
F	-2	GLY	-	expression tag	UNP O75909
F	-1	GLY	-	expression tag	UNP O75909
F	0	ARG	-	expression tag	UNP O75909
I	-3	GLY	-	expression tag	UNP O75909
I	-2	GLY	-	expression tag	UNP O75909
I	-1	GLY	-	expression tag	UNP O75909
I	0	ARG	-	expression tag	UNP O75909

- Molecule 4 is CITRIC ACID (three-letter code: CIT) (formula: C₆H₈O₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
4	A	1	Total 18	C 6	H 5	O 7	5	0
4	C	1	Total 18	C 6	H 5	O 7	5	0
4	D	1	Total 18	C 6	H 5	O 7	5	0
4	F	1	Total 18	C 6	H 5	O 7	5	0
4	H	1	Total 18	C 6	H 5	O 7	5	0
4	H	1	Total 18	C 6	H 5	O 7	5	0
4	I	1	Total 18	C 6	H 5	O 7	5	0

- Molecule 5 is 2-[2-[(6-methylpyridin-2-yl)amino]-1,3-thiazol-4-yl]-{N}-(5-methyl-1,3-thiazol-2-yl)ethanamide (three-letter code: RPW) (formula: C₁₅H₁₅N₅OS₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
5	B	1	Total	C	H	N	O	S	15	0
			38	15	15	5	1	2		
5	D	1	Total	C	H	N	O	S	15	0
			38	15	15	5	1	2		
5	G	1	Total	C	H	N	O	S	15	0
			38	15	15	5	1	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA damage-binding protein 1




- Molecule 1: DNA damage-binding protein 1







• Molecule 1: DNA damage-binding protein 1




• Molecule 2: Cyclin-dependent kinase 12




• Molecule 2: Cyclin-dependent kinase 12








• Molecule 2: Cyclin-dependent kinase 12




• Molecule 3: Cyclin-K



• Molecule 3: Cyclin-K



• Molecule 3: Cyclin-K



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	249.65Å 249.65Å 216.85Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	60.09 – 3.53 216.21 – 3.53	Depositor EDS
% Data completeness (in resolution range)	82.4 (60.09-3.53) 82.5 (216.21-3.53)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 3.49Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.188 , 0.231 0.205 , 0.240	Depositor DCC
R_{free} test set	3955 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	146.3	Xtrriage
Anisotropy	0.010	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 120.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	0.067 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	67369	wwPDB-VP
Average B, all atoms (Å ²)	178.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, RPW, CIT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.30	0/6604	0.58	1/8931 (0.0%)
1	D	0.30	0/6612	0.57	0/8942
1	G	0.32	1/6603 (0.0%)	0.58	0/8930
2	B	0.30	0/2713	0.58	0/3657
2	E	0.29	0/2693	0.57	0/3630
2	H	0.31	0/2693	0.57	0/3630
3	C	0.27	0/2120	0.49	0/2868
3	F	0.28	0/2120	0.51	0/2868
3	I	0.27	0/2120	0.51	0/2868
All	All	0.30	1/34278 (0.0%)	0.56	1/46324 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	292	ASP	CB-CG	-9.12	1.32	1.51

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1122	ARG	NE-CZ-NH1	5.50	123.05	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6487	6451	6451	52	2
1	D	6495	6463	6464	47	1
1	G	6486	6455	6454	61	2
2	B	2665	2676	2676	38	0
2	E	2646	2663	2663	35	0
2	H	2646	2663	2663	34	1
3	C	2063	2048	2048	2	0
3	F	2063	2048	2048	5	0
3	I	2063	2048	2048	7	0
4	A	13	5	5	0	0
4	C	13	5	5	0	0
4	D	13	5	5	0	0
4	F	13	5	5	0	0
4	H	26	10	10	0	0
4	I	13	5	5	0	0
5	B	23	15	0	0	0
5	D	23	15	0	2	0
5	G	23	15	0	1	0
All	All	33774	33595	33550	268	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (268) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:926:LEU:HD21	2:B:828:LEU:HD11	1.57	0.85
1:A:926:LEU:HD21	2:B:828:LEU:CD1	2.14	0.76
1:A:926:LEU:HD23	1:A:927:MET:HB3	1.71	0.72
2:E:799:ALA:HB1	2:E:804:LYS:HB2	1.80	0.64
1:G:946:ALA:HB1	1:G:992:LEU:HG	1.79	0.63
2:B:828:LEU:HD22	2:B:1034:PRO:HB3	1.80	0.63
3:F:231:TYR:OH	3:F:236:GLU:OE1	2.17	0.62
1:G:114:ARG:HD3	2:H:930:PHE:O	1.99	0.62
2:H:1027:LYS:HE2	2:H:1029:ALA:HB2	1.81	0.62
1:G:773:SER:O	1:G:775:THR:N	2.31	0.62
1:D:912:LEU:HD11	1:D:926:LEU:HD13	1.81	0.62
2:B:956:CYS:SG	2:B:959:VAL:HG22	2.41	0.61
1:D:947:ARG:HD3	5:D:1202:RPW:C15	2.31	0.60
1:A:926:LEU:O	1:A:953:TRP:HA	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:7:VAL:HG13	1:G:1091:GLY:HA3	1.84	0.60
2:H:787:VAL:HB	2:H:875:LEU:O	2.02	0.59
2:E:820:LEU:HD21	2:E:929:LEU:HD21	1.84	0.59
1:A:926:LEU:HD23	1:A:926:LEU:C	2.23	0.59
2:E:755:LEU:HD22	2:E:812:VAL:HG22	1.84	0.59
1:G:7:VAL:HG21	1:G:1139:ILE:HD11	1.85	0.59
1:G:770:LEU:HD21	1:G:865:GLU:HB2	1.85	0.59
1:D:368:GLU:OE1	1:D:374:GLN:NE2	2.36	0.59
1:A:366:ASP:OD2	1:A:371:GLY:N	2.35	0.58
1:G:1047:TRP:HZ3	1:G:1132:VAL:HG13	1.67	0.58
2:B:963:VAL:HA	2:B:966:LEU:HD12	1.84	0.58
2:H:865:ILE:HD11	2:H:925:ILE:HD13	1.86	0.58
1:G:43:VAL:HG23	1:G:52:VAL:HG21	1.85	0.58
1:G:72:GLU:OE2	1:G:103:ARG:NH2	2.37	0.58
1:G:852:GLN:O	1:G:858:LEU:HA	2.04	0.57
2:H:841:LYS:HD2	2:H:1023:VAL:HB	1.87	0.57
2:E:823:LEU:CD1	2:E:867:LEU:HD23	2.35	0.57
1:G:1109:VAL:HG12	1:G:1129:LEU:HD12	1.85	0.57
1:D:770:LEU:HD13	1:D:865:GLU:HB2	1.86	0.56
2:H:733:ILE:CG2	2:H:743:LYS:HB2	2.35	0.56
1:G:974:LEU:HD11	1:G:1000:LEU:HD22	1.88	0.56
3:I:63:ARG:HE	3:I:123:LEU:HD21	1.71	0.56
1:D:7:VAL:HG13	1:D:1091:GLY:HA3	1.88	0.55
1:G:947:ARG:HD3	5:G:1201:RPW:C15	2.37	0.55
2:B:865:ILE:HD12	2:B:875:LEU:HD12	1.87	0.55
1:A:904:ASN:HB3	1:A:906:TYR:CE1	2.41	0.55
2:E:823:LEU:O	2:E:829:VAL:HG22	2.06	0.55
2:B:951:LEU:HD21	2:B:986:PHE:HE2	1.71	0.55
2:E:755:LEU:CD2	2:E:812:VAL:HG22	2.37	0.55
2:H:823:LEU:CD1	2:H:867:LEU:HD23	2.36	0.55
1:D:907:ASN:HB2	2:E:730:ILE:HG22	1.89	0.54
2:E:894:ASN:HD21	2:E:909:GLY:HA2	1.73	0.54
2:B:819:ASP:O	2:B:823:LEU:HD12	2.08	0.54
2:E:865:ILE:CD1	2:E:925:ILE:HD13	2.38	0.54
1:A:775:THR:HG22	1:A:775:THR:O	2.07	0.54
1:D:883:SER:HB2	1:D:911:ALA:HB3	1.88	0.54
1:G:977:CYS:HB3	1:G:992:LEU:HD22	1.90	0.53
1:A:36:ASN:O	1:A:37:THR:OG1	2.20	0.53
1:G:768:SER:HB3	1:G:808:LEU:HD11	1.89	0.53
1:G:773:SER:C	1:G:775:THR:H	2.11	0.53
2:H:784:ARG:HH21	2:H:872:GLN:HG3	1.72	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:823:LEU:HB3	2:E:829:VAL:HG11	1.91	0.53
2:E:760:LEU:HD12	2:E:760:LEU:N	2.23	0.52
1:A:926:LEU:HD23	1:A:927:MET:CB	2.38	0.52
2:H:818:HIS:HB3	2:H:823:LEU:HD21	1.91	0.52
2:H:760:LEU:HD12	2:H:760:LEU:N	2.25	0.52
1:D:909:ILE:HD12	1:D:928:ARG:HG2	1.90	0.52
1:G:858:LEU:HD12	1:G:858:LEU:O	2.09	0.52
3:F:38:LEU:O	1:G:752:LEU:HA	2.09	0.52
1:G:1047:TRP:CZ3	1:G:1132:VAL:HG13	2.43	0.52
1:D:207:TRP:HB3	1:D:242:GLY:HA2	1.92	0.52
1:G:1023:PRO:HB3	1:G:1047:TRP:CE2	2.45	0.52
2:H:895:LYS:H	2:H:906:LEU:HD22	1.75	0.52
1:A:311:ALA:HB2	1:A:324:VAL:HG13	1.92	0.51
2:E:823:LEU:HD13	2:E:867:LEU:HD23	1.92	0.51
1:D:213:GLU:HG2	1:D:215:GLU:H	1.75	0.51
1:G:112:ILE:HD13	2:H:986:PHE:CE2	2.46	0.51
1:D:908:ASN:ND2	1:D:923:VAL:HG11	2.26	0.51
2:H:928:GLU:O	2:H:932:LYS:N	2.43	0.51
2:E:803:LYS:HG3	3:F:142:VAL:HG21	1.93	0.51
1:A:953:TRP:HD1	1:A:954:MET:N	2.09	0.51
2:B:821:MET:HE3	2:B:863:SER:HB3	1.93	0.51
1:D:816:LEU:HD13	1:D:831:VAL:HG22	1.93	0.51
2:E:856:LEU:HD11	2:E:915:PRO:HG3	1.93	0.51
1:A:387:LEU:HD11	1:A:735:VAL:HG21	1.92	0.50
2:E:727:PHE:CE1	2:E:753:VAL:HG21	2.46	0.50
1:A:7:VAL:HG12	1:A:1091:GLY:HA3	1.93	0.50
1:A:207:TRP:HB3	1:A:242:GLY:HA2	1.94	0.50
2:H:755:LEU:HD22	2:H:812:VAL:HG22	1.93	0.50
1:A:887:THR:HG23	1:A:906:TYR:CE1	2.47	0.50
1:D:60:LYS:O	1:D:81:THR:HA	2.12	0.50
2:E:733:ILE:CG2	2:E:743:LYS:HB2	2.42	0.49
1:G:378:CYS:HB3	1:G:721:PRO:HB2	1.94	0.49
2:H:741:VAL:HG22	2:H:756:LYS:HE3	1.94	0.49
1:G:1061:VAL:HG11	1:G:1104:LYS:HB3	1.95	0.49
2:H:865:ILE:CD1	2:H:925:ILE:HD13	2.42	0.49
2:B:954:SER:OG	2:B:978:TYR:N	2.43	0.49
1:D:929:SER:HB3	1:D:948:ASP:HB3	1.94	0.49
1:A:926:LEU:HD23	1:A:927:MET:N	2.27	0.48
1:D:1105:MET:SD	1:D:1130:ILE:HD11	2.53	0.48
1:A:59:GLY:HA2	1:A:1073:TRP:CZ3	2.48	0.48
2:B:820:LEU:HD12	2:B:824:LEU:HG	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:LEU:HD11	1:A:179:CYS:HB2	1.95	0.48
2:B:895:LYS:H	2:B:906:LEU:HD22	1.78	0.48
1:G:311:ALA:HB2	1:G:324:VAL:HG13	1.96	0.48
2:B:856:LEU:HD21	2:B:915:PRO:HG3	1.96	0.48
2:B:910:GLU:O	2:B:911:GLU:HB2	2.14	0.47
1:D:922:LEU:HD11	1:D:930:VAL:HB	1.95	0.47
2:E:733:ILE:HD11	2:E:741:VAL:HG12	1.94	0.47
1:G:292:ASP:OD2	1:G:294:THR:HG23	2.13	0.47
2:E:826:SER:HB2	2:E:828:LEU:HD12	1.95	0.47
1:G:36:ASN:O	1:G:37:THR:OG1	2.21	0.47
2:B:896:VAL:HG23	2:B:906:LEU:HD11	1.95	0.47
1:A:953:TRP:HD1	1:A:954:MET:H	1.60	0.47
1:A:926:LEU:CD2	1:A:927:MET:HB3	2.42	0.47
1:D:264:VAL:CG2	1:D:272:LEU:HG	2.45	0.47
2:E:823:LEU:HB3	2:E:829:VAL:CG1	2.45	0.47
1:G:207:TRP:HB3	1:G:242:GLY:HA2	1.96	0.47
1:D:146:ASP:OD1	1:D:147:ARG:N	2.48	0.47
1:G:375:LEU:HB2	1:G:1012:LEU:HD21	1.95	0.47
1:A:5:TYR:CE2	1:A:7:VAL:HG13	2.50	0.47
2:B:732:ILE:HG23	2:B:732:ILE:O	2.14	0.47
1:D:387:LEU:HG	1:D:717:LEU:HD11	1.97	0.47
2:E:811:LEU:HB2	2:E:813:PHE:HE1	1.80	0.47
2:H:727:PHE:CE1	2:H:753:VAL:HG21	2.49	0.47
2:B:1010:THR:O	2:B:1014:THR:HG23	2.15	0.46
1:A:248:ILE:HG12	1:A:250:PRO:HD3	1.97	0.46
1:D:224:GLU:N	1:D:225:PRO:HD2	2.30	0.46
2:E:865:ILE:HD12	2:E:925:ILE:HD13	1.96	0.46
1:G:387:LEU:HD11	1:G:735:VAL:HG21	1.97	0.46
1:G:908:ASN:ND2	1:G:923:VAL:HG11	2.29	0.46
2:H:865:ILE:HD11	2:H:925:ILE:CD1	2.45	0.46
1:A:184:ASP:HB2	1:A:185:PRO:CD	2.46	0.46
2:B:865:ILE:HD13	2:B:865:ILE:N	2.31	0.46
1:D:985:THR:HB	1:D:988:GLU:HG2	1.98	0.46
1:A:889:ARG:HD2	1:A:891:TYR:CZ	2.50	0.46
2:H:917:ILE:HG13	2:H:918:ASP:N	2.31	0.46
1:D:925:ASP:OD1	1:D:926:LEU:N	2.46	0.46
1:G:43:VAL:HG23	1:G:52:VAL:CG2	2.46	0.46
1:D:36:ASN:ND2	1:D:1001:GLY:O	2.49	0.46
1:D:912:LEU:HD11	1:D:926:LEU:CD1	2.45	0.46
2:B:917:ILE:HG13	2:B:918:ASP:N	2.31	0.45
1:D:709:LYS:HG2	1:D:710:LEU:N	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:736:LEU:HD13	1:D:813:ALA:HB1	1.97	0.45
2:E:774:GLU:HG2	2:E:778:LEU:HD12	1.98	0.45
1:G:908:ASN:HD21	1:G:923:VAL:HG11	1.80	0.45
2:H:739:GLY:HA3	2:H:757:LYS:O	2.17	0.45
2:H:890:ARG:HD3	2:H:890:ARG:HA	1.70	0.45
2:E:773:ARG:HD2	2:E:879:GLY:O	2.17	0.45
1:G:946:ALA:CB	1:G:992:LEU:HG	2.47	0.45
1:G:159:LEU:HD21	1:G:164:VAL:HG21	1.99	0.45
1:G:984:THR:O	1:G:984:THR:HG22	2.16	0.45
2:H:767:PHE:HD2	2:H:772:ILE:HG13	1.80	0.45
1:A:6:VAL:HG22	1:A:1040:VAL:HG22	1.99	0.45
1:D:114:ARG:HD3	2:E:930:PHE:O	2.16	0.45
2:E:733:ILE:HD11	2:E:741:VAL:CG1	2.46	0.45
1:G:10:GLN:HB3	1:G:1037:ILE:HB	1.99	0.45
1:G:387:LEU:HB2	1:G:715:VAL:HB	1.98	0.45
2:B:791:GLU:HG3	2:B:812:VAL:HG21	1.98	0.44
2:B:839:PHE:HA	2:B:873:ILE:HD13	1.99	0.44
1:G:213:GLU:HG2	1:G:215:GLU:H	1.81	0.44
1:G:936:LYS:HE3	1:G:943:GLU:OE1	2.16	0.44
2:B:773:ARG:HD3	2:B:881:ALA:O	2.18	0.44
1:G:909:ILE:HB	1:G:925:ASP:OD2	2.17	0.44
1:G:910:MET:CE	1:G:926:LEU:HD22	2.47	0.44
1:A:220:ILE:HB	1:A:230:ILE:HB	2.00	0.44
2:H:761:ASP:OD1	2:H:762:ASN:N	2.51	0.44
1:D:932:LEU:HD22	1:D:965:PHE:CZ	2.53	0.44
1:A:255:GLN:HB2	1:A:279:ARG:HH22	1.83	0.44
2:B:910:GLU:HG3	2:B:912:ARG:H	1.82	0.44
1:G:1011:SER:OG	1:G:1013:VAL:HG22	2.18	0.44
2:H:866:LEU:HD21	2:H:876:ALA:CB	2.48	0.44
1:D:950:ASN:OD1	1:D:950:ASN:N	2.51	0.44
2:E:721:LYS:HE3	3:F:149:GLN:O	2.18	0.44
1:G:853:TYR:HA	1:G:858:LEU:HA	2.00	0.44
1:A:118:THR:OG1	1:A:134:ARG:NH2	2.33	0.43
1:A:953:TRP:CD1	1:A:954:MET:N	2.86	0.43
1:A:973:ASN:HB3	1:A:1076:PHE:CE2	2.52	0.43
1:D:814:LEU:CD1	1:D:869:ALA:HB1	2.48	0.43
1:A:288:GLU:HB2	1:A:298:LYS:HB2	2.00	0.43
1:A:774:SER:O	1:A:775:THR:HB	2.18	0.43
2:H:866:LEU:HD21	2:H:876:ALA:HB2	1.99	0.43
1:A:947:ARG:HH11	1:A:947:ARG:CG	2.32	0.43
1:G:184:ASP:HB2	1:G:185:PRO:CD	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:890:LEU:HB2	1:D:942:PHE:HZ	1.83	0.43
1:G:953:TRP:O	1:G:969:GLU:HA	2.19	0.43
3:I:195:THR:HG21	3:I:257:LEU:HD11	2.01	0.43
2:B:751:GLU:OE1	2:B:790:LYS:NZ	2.51	0.43
1:D:18:CYS:SG	1:D:313:CYS:SG	3.13	0.43
1:D:378:CYS:SG	1:D:724:ILE:HB	2.59	0.43
1:A:223:PRO:HD3	1:A:271:TYR:OH	2.19	0.43
1:A:388:ARG:HA	1:A:713:ARG:O	2.19	0.43
2:H:757:LYS:HE3	2:H:759:ARG:HG2	2.00	0.43
3:I:195:THR:CG2	3:I:257:LEU:HD11	2.49	0.43
1:A:263:ARG:HB2	1:A:271:TYR:CE2	2.54	0.43
1:G:762:SER:O	1:G:803:HIS:HA	2.18	0.43
2:B:859:ASP:O	2:B:864:ASN:ND2	2.51	0.43
1:G:933:LEU:HD22	1:G:942:PHE:HB3	2.00	0.43
1:A:876:PHE:CZ	1:A:919:ASP:HA	2.54	0.43
1:A:92:LYS:HD2	1:A:101:ILE:HD11	2.00	0.42
1:D:1030:PHE:CZ	1:D:1038:GLY:HA3	2.54	0.42
3:I:253:GLN:O	3:I:257:LEU:HG	2.19	0.42
1:A:1016:ASN:O	1:A:1017:LEU:HB2	2.20	0.42
2:B:828:LEU:HD13	2:B:1034:PRO:HG3	2.02	0.42
2:E:722:ARG:NH1	2:E:791:GLU:OE2	2.52	0.42
2:H:993:ALA:HB2	2:H:1019:PHE:CE1	2.54	0.42
1:A:1030:PHE:CZ	1:A:1038:GLY:HA3	2.55	0.42
3:I:61:GLY:HA3	3:I:71:LEU:CD2	2.49	0.42
3:I:213:LEU:HB2	3:I:251:CYS:SG	2.60	0.42
1:A:991:HIS:HB2	2:B:735:GLU:OE2	2.19	0.42
2:E:844:MET:HE3	2:E:922:CYS:HB3	2.02	0.42
2:E:917:ILE:HG13	2:E:918:ASP:N	2.35	0.42
1:G:20:THR:HG23	1:G:315:THR:OG1	2.19	0.42
2:H:755:LEU:CD2	2:H:812:VAL:HG22	2.49	0.42
2:B:821:MET:CE	2:B:863:SER:HB3	2.50	0.42
2:B:849:TYR:O	2:B:853:LYS:HG2	2.20	0.42
1:D:849:VAL:HG11	1:D:851:PHE:CZ	2.55	0.42
1:G:731:GLN:OE1	1:G:796:GLN:NE2	2.52	0.42
1:A:223:PRO:HD2	1:A:268:GLY:HA3	2.01	0.42
1:D:841:ALA:HA	2:E:1037:GLN:HE22	1.85	0.42
1:A:226:PHE:CE2	1:A:287:LYS:HG2	2.54	0.42
1:A:1101:SER:OG	1:A:1104:LYS:HG2	2.19	0.42
2:B:841:LYS:HD2	2:B:1023:VAL:HB	2.02	0.42
1:D:910:MET:CE	1:D:926:LEU:HD22	2.50	0.42
1:A:23:PHE:N	1:A:30:ASN:OD1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1035:HIS:ND1	2:B:1037:GLN:HB2	2.35	0.42
1:D:1076:PHE:O	1:D:1082:THR:HA	2.20	0.42
1:G:998:PHE:HB2	1:G:1088:PHE:CG	2.55	0.42
1:G:1080:ARG:HD3	2:H:825:GLU:HA	2.01	0.42
1:D:288:GLU:HB2	1:D:298:LYS:HB2	2.02	0.42
2:E:993:ALA:HB2	2:E:1019:PHE:CE1	2.55	0.42
1:G:143:ILE:HG12	1:G:154:ALA:HB2	2.02	0.42
1:A:1007:PHE:CD1	1:A:1030:PHE:HB3	2.55	0.41
2:H:722:ARG:HE	2:H:726:LYS:HG3	1.85	0.41
3:I:158:GLU:OE1	3:I:162:GLN:NE2	2.50	0.41
1:A:883:SER:HB2	1:A:911:ALA:HB3	2.02	0.41
2:B:842:GLN:HG2	2:B:1025:LEU:HD11	2.02	0.41
1:D:375:LEU:HB2	1:D:1012:LEU:HD21	2.01	0.41
1:G:1030:PHE:CZ	1:G:1038:GLY:HA3	2.54	0.41
1:D:387:LEU:HB2	1:D:715:VAL:HB	2.02	0.41
5:D:1202:RPW:C6	2:E:816:MET:O	2.69	0.41
2:E:779:ARG:HB3	3:F:21:LYS:HE2	2.02	0.41
2:B:823:LEU:CD1	2:B:867:LEU:HD21	2.51	0.41
2:H:867:LEU:HB2	2:H:873:ILE:CD1	2.50	0.41
2:B:856:LEU:HD11	2:B:884:TYR:HB2	2.03	0.41
3:C:76:ILE:CD1	3:C:198:SER:HB3	2.51	0.41
2:E:773:ARG:HD3	2:E:881:ALA:O	2.20	0.41
1:G:979:LYS:O	1:G:981:SER:N	2.44	0.41
1:A:33:ILE:HD12	1:A:42:TYR:CE1	2.56	0.41
2:B:897:ILE:HD12	2:B:903:PRO:HD3	2.03	0.41
1:D:315:THR:CG2	1:D:323:PHE:HB3	2.51	0.41
3:C:184:MET:CE	3:C:267:HIS:HA	2.51	0.41
1:G:1106:GLN:HA	1:G:1109:VAL:HG22	2.03	0.41
2:H:980:ARG:NH2	2:H:998:ASP:OD1	2.50	0.41
1:A:318:ASP:OD1	1:A:319:ASN:N	2.54	0.41
1:D:749:THR:HG21	1:D:786:VAL:HG11	2.02	0.41
1:D:931:LEU:HD22	1:D:947:ARG:HH21	1.86	0.41
1:G:6:VAL:HG22	1:G:1040:VAL:HG22	2.03	0.41
2:B:773:ARG:HD2	2:B:879:GLY:O	2.20	0.41
2:H:876:ALA:O	2:H:878:PHE:HD1	2.03	0.41
2:H:906:LEU:HD21	2:H:913:TYR:CD1	2.56	0.41
1:A:791:LEU:HD23	1:A:858:LEU:HD21	2.03	0.40
1:D:284:LEU:HB2	1:D:301:ARG:HB3	2.03	0.40
1:D:975:PHE:HA	1:D:996:GLY:O	2.22	0.40
2:E:761:ASP:OD1	2:E:762:ASN:N	2.54	0.40
1:G:127:GLU:HB2	1:G:129:ARG:HG3	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:223:PRO:HD3	1:G:271:TYR:OH	2.21	0.40
1:G:275:ASP:OD1	1:G:275:ASP:C	2.59	0.40
2:B:865:ILE:CD1	2:B:875:LEU:HD12	2.49	0.40
1:D:876:PHE:CZ	1:D:919:ASP:HA	2.56	0.40
1:A:143:ILE:HG12	1:A:154:ALA:HB2	2.04	0.40
2:B:724:VAL:O	2:B:724:VAL:HG22	2.22	0.40
1:G:889:ARG:HD3	1:G:901:THR:HG23	2.02	0.40
1:G:1076:PHE:O	1:G:1082:THR:HA	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1122:ARG:NH1	1:G:292:ASP:O[2_565]	1.86	0.34
1:D:368:GLU:O	2:H:890:ARG:NH2[4_565]	1.99	0.21
1:A:1122:ARG:HH12	1:G:292:ASP:O[2_565]	1.53	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	822/840 (98%)	797 (97%)	25 (3%)	0	100	100
1	D	823/840 (98%)	800 (97%)	23 (3%)	0	100	100
1	G	822/840 (98%)	802 (98%)	20 (2%)	0	100	100
2	B	324/344 (94%)	315 (97%)	8 (2%)	1 (0%)	41	75
2	E	322/344 (94%)	314 (98%)	8 (2%)	0	100	100
2	H	322/344 (94%)	315 (98%)	7 (2%)	0	100	100
3	C	246/271 (91%)	242 (98%)	4 (2%)	0	100	100
3	F	246/271 (91%)	242 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	I	246/271 (91%)	243 (99%)	3 (1%)	0	100	100
All	All	4173/4365 (96%)	4070 (98%)	102 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	1029	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	721/728 (99%)	713 (99%)	8 (1%)	73	88
1	D	722/728 (99%)	716 (99%)	6 (1%)	81	92
1	G	721/728 (99%)	718 (100%)	3 (0%)	91	97
2	B	294/308 (96%)	282 (96%)	12 (4%)	30	64
2	E	292/308 (95%)	288 (99%)	4 (1%)	67	85
2	H	292/308 (95%)	287 (98%)	5 (2%)	60	83
3	C	223/242 (92%)	221 (99%)	2 (1%)	78	90
3	F	223/242 (92%)	222 (100%)	1 (0%)	91	97
3	I	223/242 (92%)	222 (100%)	1 (0%)	91	97
All	All	3711/3834 (97%)	3669 (99%)	42 (1%)	73	88

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	207	TRP
1	A	290	GLN
1	A	331	SER
1	A	908	ASN
1	A	910	MET
1	A	947	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	952	ASN
1	A	1014	MET
2	B	740	GLN
2	B	760	LEU
2	B	820	LEU
2	B	821	MET
2	B	823	LEU
2	B	896	VAL
2	B	991	SER
2	B	1025	LEU
2	B	1033	LEU
2	B	1036	TRP
2	B	1039	CYS
2	B	1040	HIS
3	C	231	TYR
3	C	257	LEU
1	D	7	VAL
1	D	331	SER
1	D	383	LYS
1	D	910	MET
1	D	929	SER
1	D	950	ASN
2	E	867	LEU
2	E	896	VAL
2	E	1036	TRP
2	E	1039	CYS
3	F	231	TYR
1	G	7	VAL
1	G	910	MET
1	G	1120	MET
2	H	867	LEU
2	H	896	VAL
2	H	1033	LEU
2	H	1036	TRP
2	H	1039	CYS
3	I	231	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	905	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPO	B	893	2	8,10,11	1.20	0	10,14,16	1.32	1 (10%)
2	TPO	E	893	2	8,10,11	1.69	1 (12%)	10,14,16	1.19	1 (10%)
2	TPO	H	893	2	8,10,11	1.16	0	10,14,16	1.28	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	B	893	2	-	5/9/11/13	-
2	TPO	E	893	2	-	6/9/11/13	-
2	TPO	H	893	2	-	6/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	893	TPO	P-O1P	3.46	1.61	1.50

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	893	TPO	P-OG1-CB	-2.96	114.28	123.21
2	H	893	TPO	P-OG1-CB	-2.70	115.05	123.21
2	E	893	TPO	P-OG1-CB	-2.30	116.27	123.21

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	893	TPO	N-CA-CB-OG1
2	B	893	TPO	C-CA-CB-CG2
2	B	893	TPO	CG2-CB-OG1-P
2	B	893	TPO	CB-OG1-P-O3P
2	E	893	TPO	N-CA-CB-CG2
2	E	893	TPO	N-CA-CB-OG1
2	E	893	TPO	C-CA-CB-CG2
2	E	893	TPO	CG2-CB-OG1-P
2	H	893	TPO	N-CA-CB-OG1
2	H	893	TPO	C-CA-CB-CG2
2	H	893	TPO	CG2-CB-OG1-P
2	H	893	TPO	CB-OG1-P-O3P
2	H	893	TPO	N-CA-CB-CG2
2	B	893	TPO	CB-OG1-P-O1P
2	H	893	TPO	CB-OG1-P-O1P
2	E	893	TPO	CB-OG1-P-O3P
2	E	893	TPO	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CIT	H	1101	-	12,12,12	1.06	0	17,17,17	1.50	2 (11%)
4	CIT	H	1102	-	12,12,12	1.09	0	17,17,17	1.44	1 (5%)
4	CIT	F	301	-	12,12,12	1.05	0	17,17,17	1.66	2 (11%)
4	CIT	I	301	-	12,12,12	1.07	0	17,17,17	1.95	4 (23%)
4	CIT	D	1201	-	12,12,12	1.04	0	17,17,17	1.59	2 (11%)
4	CIT	A	1201	-	12,12,12	1.06	0	17,17,17	1.54	1 (5%)
4	CIT	C	301	-	12,12,12	1.12	0	17,17,17	2.05	5 (29%)
5	RPW	B	1101	-	19,25,25	0.85	0	18,34,34	1.10	1 (5%)
5	RPW	G	1201	-	19,25,25	0.86	1 (5%)	18,34,34	1.07	1 (5%)
5	RPW	D	1202	-	19,25,25	0.87	1 (5%)	18,34,34	1.14	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CIT	H	1101	-	-	4/16/16/16	-
4	CIT	H	1102	-	-	3/16/16/16	-
4	CIT	F	301	-	-	0/16/16/16	-
4	CIT	I	301	-	-	2/16/16/16	-
4	CIT	D	1201	-	-	0/16/16/16	-
4	CIT	A	1201	-	-	0/16/16/16	-
4	CIT	C	301	-	-	10/16/16/16	-
5	RPW	B	1101	-	-	1/6/12/12	0/3/3/3
5	RPW	G	1201	-	-	1/6/12/12	0/3/3/3
5	RPW	D	1202	-	-	1/6/12/12	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	1202	RPW	C6-C7	-2.20	1.49	1.51
5	G	1201	RPW	C6-C7	-2.07	1.49	1.51

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	301	CIT	O6-C6-C3	4.71	121.23	113.05
4	D	1201	CIT	O6-C6-C3	4.35	120.60	113.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	301	CIT	O6-C6-C3	4.28	120.49	113.05
4	A	1201	CIT	O6-C6-C3	4.20	120.35	113.05
4	F	301	CIT	O6-C6-C3	3.99	119.97	113.05
4	H	1101	CIT	O6-C6-C3	3.91	119.83	113.05
4	H	1102	CIT	O6-C6-C3	3.87	119.78	113.05
4	C	301	CIT	C4-C3-C2	2.89	116.71	109.16
4	C	301	CIT	O7-C3-C6	-2.84	104.87	108.86
5	B	1101	RPW	C10-N4-C8	-2.68	119.92	128.52
4	I	301	CIT	O7-C3-C6	-2.67	105.12	108.86
4	C	301	CIT	O2-C1-C2	2.62	122.78	114.35
5	D	1202	RPW	C10-N4-C8	-2.54	120.36	128.52
4	C	301	CIT	O7-C3-C2	-2.54	103.46	109.40
5	G	1201	RPW	C10-N4-C8	-2.41	120.80	128.52
4	I	301	CIT	O7-C3-C2	-2.29	104.04	109.40
4	I	301	CIT	O4-C5-C4	2.17	121.32	114.35
4	H	1101	CIT	O4-C5-C4	2.17	121.32	114.35
5	D	1202	RPW	C4-C3-S1	2.14	122.24	119.88
4	F	301	CIT	O4-C5-C4	2.11	121.14	114.35
4	D	1201	CIT	O4-C5-C4	2.04	120.90	114.35

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	301	CIT	C1-C2-C3-O7
4	C	301	CIT	C1-C2-C3-C4
4	C	301	CIT	O7-C3-C6-O5
4	C	301	CIT	O7-C3-C6-O6
4	C	301	CIT	C4-C3-C6-O5
4	C	301	CIT	C4-C3-C6-O6
4	H	1102	CIT	C2-C3-C4-C5
4	H	1102	CIT	C6-C3-C4-C5
4	C	301	CIT	C1-C2-C3-C6
4	H	1101	CIT	C3-C4-C5-O4
4	H	1101	CIT	C3-C4-C5-O3
4	H	1102	CIT	O7-C3-C4-C5
4	I	301	CIT	C2-C3-C6-O5
4	I	301	CIT	C2-C3-C6-O6
4	C	301	CIT	O7-C3-C4-C5
4	H	1101	CIT	C2-C3-C6-O6
5	D	1202	RPW	N5-C10-N4-C8
5	G	1201	RPW	N5-C10-N4-C8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	H	1101	CIT	C4-C3-C6-O6
4	C	301	CIT	O1-C1-C2-C3
5	B	1101	RPW	N5-C10-N4-C8
4	C	301	CIT	O2-C1-C2-C3


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	1201	RPW	1	0
5	D	1202	RPW	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	826/840 (98%)	0.38	54 (6%) 18 13	111, 160, 243, 379	0
1	D	827/840 (98%)	0.30	23 (2%) 53 39	102, 152, 227, 314	0
1	G	826/840 (98%)	0.39	60 (7%) 15 11	118, 170, 256, 369	0
2	B	326/344 (94%)	0.50	25 (7%) 13 10	128, 171, 260, 327	0
2	E	323/344 (93%)	0.46	14 (4%) 35 25	115, 159, 240, 317	0
2	H	323/344 (93%)	0.42	11 (3%) 45 33	98, 139, 223, 338	0
3	C	248/271 (91%)	0.29	5 (2%) 65 52	118, 154, 211, 270	0
3	F	248/271 (91%)	0.36	3 (1%) 79 67	104, 129, 178, 277	0
3	I	248/271 (91%)	0.30	2 (0%) 86 75	107, 136, 185, 266	0
All	All	4195/4365 (96%)	0.37	197 (4%) 31 23	98, 156, 240, 379	0

All (197) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	1031	PRO	4.5
1	G	132	GLY	4.4
1	A	39	LEU	4.4
2	E	896	VAL	4.4
1	G	133	LEU	4.2
2	B	828	LEU	4.1
2	B	896	VAL	4.1
2	B	798	ASP	4.0
2	B	738	TYR	4.0
2	E	1036	TRP	3.9
1	A	1016	ASN	3.8
1	A	1035	GLY	3.8
1	G	253	ILE	3.7
1	G	1040	VAL	3.7
1	A	1097	PHE	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	1032	ASP	3.6
1	G	289	GLU	3.5
3	I	267	HIS	3.4
2	B	797	GLN	3.3
2	H	738	TYR	3.3
1	A	61	ILE	3.3
1	G	49	LEU	3.3
2	B	876	ALA	3.3
1	A	1019	GLU	3.2
2	H	720	GLY	3.2
1	G	131	ILE	3.2
1	G	328	LEU	3.1
1	A	33	ILE	3.1
2	B	804	LYS	3.1
3	C	164	LEU	3.0
1	A	100	ILE	3.0
1	A	1018	GLY	3.0
1	G	273	LEU	3.0
1	G	310	ILE	3.0
2	B	875	LEU	3.0
1	G	2	SER	3.0
1	A	88	ILE	3.0
2	B	800	LEU	3.0
1	A	356	LEU	2.9
1	D	367	LEU	2.9
1	G	282	MET	2.9
1	G	1136	LEU	2.9
2	E	828	LEU	2.9
2	E	831	PHE	2.9
2	E	829	VAL	2.9
1	A	32	LEU	2.9
1	A	23	PHE	2.9
1	A	975	PHE	2.9
1	A	34	ALA	2.9
1	G	375	LEU	2.8
1	G	327	ARG	2.8
1	G	1129	LEU	2.8
1	G	139	LEU	2.8
1	G	280	LEU	2.8
1	G	303	GLU	2.8
1	G	61	ILE	2.8
1	G	1088	PHE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	878	PHE	2.8
1	D	33	ILE	2.8
1	D	328	LEU	2.8
1	D	139	LEU	2.8
1	G	124	ILE	2.7
2	B	887	GLU	2.7
1	A	140	PHE	2.7
1	A	933	LEU	2.7
2	E	888	GLU	2.7
1	G	333	LEU	2.7
1	A	273	LEU	2.7
1	G	911	ALA	2.7
1	D	1031	GLY	2.6
1	G	1000	LEU	2.6
1	D	2	SER	2.6
1	G	829	PHE	2.6
1	A	89	LEU	2.6
1	A	297	LEU	2.6
1	G	931	LEU	2.6
1	A	229	ALA	2.6
2	B	799	ALA	2.6
2	H	829	VAL	2.5
1	A	1088	PHE	2.5
1	A	59	GLY	2.5
1	G	1039	LEU	2.5
1	G	297	LEU	2.5
1	G	387	LEU	2.5
1	G	1089	ILE	2.5
1	G	315	THR	2.5
2	B	776	LYS	2.5
2	B	839	PHE	2.5
2	E	913	TYR	2.5
2	B	720	GLY	2.5
1	G	64	MET	2.5
1	G	82	ALA	2.4
1	D	197	LEU	2.4
1	G	36	ASN	2.4
1	D	907	ASN	2.4
1	A	967	GLY	2.4
1	G	966	LEU	2.4
2	E	878	PHE	2.4
1	D	974	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	314	LEU	2.4
1	A	220	ILE	2.4
1	A	1094	ILE	2.4
1	G	322	VAL	2.4
2	H	798	ASP	2.4
1	G	57	MET	2.4
1	A	170	LEU	2.3
3	I	266	PRO	2.3
1	D	1005	ASN	2.3
1	A	1030	PHE	2.3
2	E	839	PHE	2.3
1	G	974	LEU	2.3
1	A	1079	GLU	2.3
1	A	57	MET	2.3
1	D	100	ILE	2.3
1	A	145	LEU	2.3
1	D	273	LEU	2.3
3	C	267	HIS	2.3
1	A	120	ILE	2.3
1	G	77	LEU	2.3
1	G	752	LEU	2.3
1	G	323	PHE	2.3
2	B	948	ILE	2.3
1	A	133	LEU	2.3
2	B	811	LEU	2.3
1	A	64	MET	2.3
3	F	264	GLN	2.3
1	G	4	ASN	2.3
1	G	39	LEU	2.3
2	B	780	GLN	2.3
2	H	896	VAL	2.3
3	C	205	ILE	2.2
1	A	40	GLU	2.2
1	A	112	ILE	2.2
2	H	839	PHE	2.2
1	G	287	LYS	2.2
1	G	880	LEU	2.2
2	B	885	ASN	2.2
1	D	1129	LEU	2.2
1	A	108	VAL	2.2
2	B	884	TYR	2.2
1	G	79	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	248	ILE	2.2
1	G	264	VAL	2.2
2	H	1039	CYS	2.2
1	D	31	LEU	2.2
1	G	272	LEU	2.2
1	D	1007	PHE	2.2
1	G	276	MET	2.2
1	D	82	ALA	2.2
1	A	135	LEU	2.2
1	A	336	LEU	2.2
3	F	54	ALA	2.2
1	G	922	LEU	2.2
1	D	253	ILE	2.2
1	D	135	LEU	2.1
1	A	41	ILE	2.1
1	D	133	LEU	2.1
2	H	1036	TRP	2.1
1	D	387	LEU	2.1
1	G	123	ILE	2.1
1	D	36	ASN	2.1
1	A	131	ILE	2.1
1	G	240	HIS	2.1
2	E	883	LEU	2.1
1	A	285	LEU	2.1
2	B	864	ASN	2.1
1	A	62	ALA	2.1
1	A	376	VAL	2.1
1	A	91	TYR	2.1
1	D	237	ILE	2.1
2	E	738	TYR	2.1
1	G	736	LEU	2.1
2	E	720	GLY	2.1
2	E	771	ALA	2.1
3	C	153	PHE	2.1
2	E	891	PRO	2.1
3	C	266	PRO	2.1
1	G	274	GLY	2.1
1	A	78	PHE	2.1
2	B	988	PHE	2.1
1	A	232	ILE	2.1
2	H	831	PHE	2.1
1	A	377	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1114	TYR	2.1
1	A	77	LEU	2.0
2	B	803	LYS	2.0
1	A	1129	LEU	2.0
1	G	5	TYR	2.0
1	A	49	LEU	2.0
1	A	87	CYS	2.0
1	G	977	CYS	2.0
3	F	140	VAL	2.0
2	B	855	PHE	2.0
1	D	120	ILE	2.0
1	A	914	LEU	2.0
1	G	311	ALA	2.0
2	B	933	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TPO	E	893	11/12	0.60	0.26	202,242,288,292	6
2	TPO	H	893	11/12	0.76	0.33	199,220,274,274	6
2	TPO	B	893	11/12	0.77	0.28	268,280,340,343	6

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	CIT	H	1101	13/13	0.46	0.74	136,192,218,245	5

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CIT	A	1201	13/13	0.78	0.42	183,204,262,262	5
4	CIT	H	1102	13/13	0.80	0.34	159,195,235,235	5
4	CIT	D	1201	13/13	0.81	0.23	162,203,220,246	5
4	CIT	C	301	13/13	0.82	0.25	148,190,230,230	5
4	CIT	F	301	13/13	0.82	0.23	124,186,207,226	5
4	CIT	I	301	13/13	0.83	0.41	163,196,208,213	5
5	RPW	G	1201	23/23	0.84	0.49	144,203,262,274	15
5	RPW	D	1202	23/23	0.86	0.63	144,216,263,274	15
5	RPW	B	1101	23/23	0.88	0.50	144,203,259,274	15

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around RPW D 1202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RPW B 1101:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.