

Full wwPDB EM Validation Report (i)

Jul 8, 2025 – 02:21 PM JST

PDB ID : 8K1M / pdb 00008k1m

 $EMDB\ ID \quad : \quad EMD\text{-}36795$

Title : mycobacterial efflux pump, apo state Authors : Wang, Y.; Wu, F.; Zhang, L.; Rao, Z.

Deposited on : 2023-07-11

Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*A user guide is available at

https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : FAILED

Mogul : 1.8.5 (274361), CSD as541be (2020)

MolProbity : 4-5-2 with Phenix2.0rc1

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

MapQ: FAILED

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.44

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM\ structures} \ (\#{ m Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain					
1	В	548	84%		12%	•		
2	С	289	66%	7%	27%	_		
2	D	289	65%	7% •	27%	_		



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7148 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


• Molecule 1 is a protein called Multidrug efflux system permease protein Rv1217c.

Mol	Chain	Residues	Atoms				AltConf	Trace	
1	В	529	Total 3847	C 2491	N 669	O 672	S 15	0	0

• Molecule 2 is a protein called Multidrug efflux system ATP-binding protein Rv1218c.

Mol	Chain	Residues	Atoms				AltConf	Trace	
2	C	211	Total	С	N	О	S	0	0
	2 C	211	1589	994	290	301	4		
2	D	211	Total	С	N	О	S	0	0
2	ע	211	1589	994	290	301	4	0	U


• Molecule 3 is (1S)-2-{[(S)-(2-aminoethoxy)(hydroxy)phosphoryl]oxy}-1-[(octadecanoylox y)methyl]ethyl (9Z)-octadec-9-enoate (CCD ID: L9Q) (formula: $C_{41}H_{80}NO_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
9	D	1	Total	С	N	О	Р	0
)	D	1	36	26	1	8	1	0



 \bullet Molecule 4 is CARDIOLIPIN (CCD ID: CDL) (formula: $\mathrm{C_{81}H_{156}O_{17}P_2}).$



Mol	Chain	Residues	Atoms			AltConf	
4	В	1	Total			Р	0
_	_	_	87	68	17	2	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Multidrug efflux system permease protein Rv1217c





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	270648	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	60	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	29000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CDL, L9Q

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	В	0.29	0/3927	0.54	5/5366~(0.1%)	
2	С	0.37	1/1612 (0.1%)	0.65	4/2180 (0.2%)	
2	D	0.48	0/1612	0.83	6/2180 (0.3%)	
All	All	0.36	1/7151 (0.0%)	0.64	15/9726 (0.2%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\textup{\AA})$	Ideal(A)
2	С	53	ARG	C-O	-5.62	1.16	1.24

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	D	110	ARG	N-CA-C	-7.87	102.32	112.23
2	С	109	MET	N-CA-C	-7.72	101.70	113.89
2	D	58	LEU	N-CA-C	6.49	118.35	111.28
2	С	58	LEU	N-CA-C	6.48	118.34	111.28
2	D	108	ARG	N-CA-C	-6.07	105.64	113.16
2	D	33	ARG	CA-C-O	-5.44	114.74	121.11
2	С	33	ARG	CA-C-O	-5.43	114.75	121.11
1	В	300	PRO	N-CA-C	-5.40	109.07	114.68
2	С	20	GLY	N-CA-C	-5.24	107.82	114.16
1	В	301	PHE	CA-C-N	5.10	125.61	120.00
1	В	301	PHE	C-N-CA	5.10	125.61	120.00
1	В	33	TYR	O-C-N	-5.08	116.73	122.12
1	В	300	PRO	CB-CA-C	5.04	117.38	110.52
2	D	153	HIS	CA-C-N	5.02	130.12	122.65
2	D	153	HIS	C-N-CA	5.02	130.12	122.65

There are no chirality outliers.



There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	3847	0	3988	40	0
2	С	1589	0	1633	10	0
2	D	1589	0	1633	14	0
3	В	36	0	43	0	0
4	В	87	0	121	4	0
All	All	7148	0	7418	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:LEU:HD13	2:D:105:LEU:HD21	1.46	0.97
1:B:472:PRO:HG3	1:B:544:ARG:NH1	2.04	0.71
2:D:85:ALA:HB3	2:D:157:LEU:HD23	1.76	0.67
2:C:85:ALA:HB3	2:C:157:LEU:HD23	1.77	0.67
1:B:60:VAL:HG21	1:B:99:GLY:HA2	1.78	0.64
1:B:78:MET:HE2	1:B:90:VAL:H	1.63	0.62
1:B:32:LEU:HD13	2:D:105:LEU:CD2	2.26	0.62
1:B:85:ALA:HB2	1:B:228:ALA:HB2	1.83	0.60
1:B:47:LEU:HD21	4:B:602:CDL:H411	1.83	0.59
2:C:104:ASP:O	2:C:108:ARG:HG2	2.05	0.56
1:B:361:LEU:HD21	1:B:446:VAL:HG22	1.87	0.56
1:B:191:PHE:HA	1:B:194:VAL:HG22	1.88	0.55
2:C:13:ARG:HG2	2:C:30:LEU:HG	1.89	0.55
2:D:13:ARG:HG2	2:D:30:LEU:HG	1.89	0.55
1:B:330:VAL:HG23	1:B:360:PHE:HD2	1.73	0.54
2:D:40:PHE:HB2	2:D:189:LEU:HD11	1.90	0.54
1:B:366:THR:HG22	1:B:370:MET:HE3	1.90	0.53
2:C:40:PHE:HB2	2:C:189:LEU:HD11	1.90	0.53
1:B:350:MET:HE2	1:B:493:SER:HB2	1.92	0.52



Continued from previous page...

Continued from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:B:402:ARG:HD2	1:B:542:ARG:HA	1.93	0.51
1:B:334:GLY:HA2	1:B:356:LEU:HD11	1.93	0.50
2:D:105:LEU:O	2:D:109:MET:HG3	2.12	0.49
1:B:459:LEU:C	1:B:461:SER:H	2.19	0.49
1:B:319:LEU:HD22	1:B:368:ILE:HG23	1.96	0.48
2:D:88:PRO:HB2	2:D:91:VAL:HG13	1.96	0.48
2:C:204:LYS:HA	2:C:217:GLY:O	2.14	0.48
2:D:88:PRO:HG2	2:D:91:VAL:CG1	2.43	0.48
1:B:209:ARG:HD2	4:B:602:CDL:HB61	1.96	0.47
2:D:204:LYS:HA	2:D:217:GLY:O	2.14	0.47
1:B:544:ARG:HD2	1:B:545:ASP:O	2.14	0.46
2:C:33:ARG:C	2:C:34:GLU:HG2	2.40	0.46
1:B:41:LEU:HB3	1:B:42:PRO:HD3	1.96	0.46
1:B:86:LEU:HD22	1:B:325:VAL:HG11	1.98	0.46
2:D:88:PRO:CB	2:D:91:VAL:HG13	2.47	0.45
1:B:352:GLY:H	1:B:359:ALA:HA	1.82	0.45
2:C:55:LEU:O	2:C:73:PRO:HB3	2.16	0.45
1:B:119:ILE:HG21	1:B:209:ARG:HG3	1.99	0.45
1:B:290:ALA:O	2:C:98:THR:OG1	2.31	0.45
2:D:55:LEU:O	2:D:73:PRO:HB3	2.16	0.45
2:C:29:ASP:C	2:C:30:LEU:HD12	2.43	0.44
1:B:545:ASP:O	1:B:547:ARG:HG3	2.17	0.44
1:B:406:LEU:HD13	1:B:541:PHE:CD2	2.53	0.44
1:B:36:ARG:HH22	1:B:130:ARG:HH21	1.65	0.44
1:B:337:LEU:HG	1:B:343:VAL:HG21	2.00	0.44
1:B:459:LEU:O	1:B:460:LEU:HB2	2.17	0.43
1:B:109:LEU:HD13	4:B:602:CDL:H401	2.00	0.43
1:B:337:LEU:HG	1:B:338:GLY:H	1.83	0.43
2:D:29:ASP:C	2:D:30:LEU:HD12	2.43	0.43
2:D:88:PRO:HG2	2:D:91:VAL:HG11	2.00	0.42
1:B:223:ARG:NH1	1:B:227:ASP:OD2	2.43	0.42
1:B:393:GLU:OE2	1:B:548:CYS:HB2	2.20	0.42
1:B:410:LEU:HD21	1:B:465:VAL:HG21	2.01	0.42
1:B:240:GLY:O	1:B:244:GLN:HG2	2.20	0.41
4:B:602:CDL:H122	4:B:602:CDL:H152	1.58	0.41
1:B:39:VAL:O	1:B:43:LEU:HD13	2.20	0.41
1:B:459:LEU:HD12	1:B:530:ASP:OD1	2.19	0.41
2:D:52:LEU:HD21	2:D:189:LEU:HD23	2.02	0.41
1:B:472:PRO:HG3	1:B:544:ARG:HH12	1.81	0.41
2:C:52:LEU:HD21	2:C:189:LEU:HD23	2.02	0.41
1:B:402:ARG:HG2	1:B:541:PHE:CE2	2.56	0.41



Continued from previous page...

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$
1:B:203:PRO:HB3	1:B:281:ALA:HB1	2.03	0.40
1:B:283:LEU:O	1:B:284:ILE:HG13	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	В	527/548 (96%)	489 (93%)	38 (7%)	0	100	100
2	С	209/289 (72%)	188 (90%)	21 (10%)	0	100	100
2	D	209/289 (72%)	190 (91%)	19 (9%)	0	100	100
All	All	945/1126 (84%)	867 (92%)	78 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	В	376/391 (96%)	376 (100%)	0	100	100	
2	С	171/239 (72%)	171 (100%)	0	100	100	
2	D	171/239 (72%)	168 (98%)	3 (2%)	54	82	
All	All	718/869 (83%)	715 (100%)	3 (0%)	88	97	



All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	67	ARG
2	D	105	LEU
2	D	108	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	499	GLN
2	С	38	HIS
2	D	38	HIS
2	D	153	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Res Link Bond lengths			Bond angles			
IVIOI	туре	Chain	rtes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	L9Q	В	601	-	35,35,50	0.38	0	38,40,55	0.45	0



	Mol	Type	Chain	Res	Link	Bo	ond leng	ths	Bo	ond angl	les
	MIOI	туре	Chain	rtes	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
Ī	4	CDL	В	602	-	86,86,99	0.96	7 (8%)	92,98,111	1.09	4 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	L9Q	В	601	-	-	10/39/39/54	-
4	CDL	В	602	_	-	58/97/97/110	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\mathring{\mathrm{A}})$	$Ideal(\AA)$
4	В	602	CDL	OA6-CA4	-2.62	1.40	1.46
4	В	602	CDL	OB8-CB7	2.57	1.40	1.33
4	В	602	CDL	OB6-CB5	2.45	1.41	1.34
4	В	602	CDL	OB6-CB4	-2.43	1.40	1.46
4	В	602	CDL	OA8-CA7	2.41	1.40	1.33
4	В	602	CDL	OA8-CA6	-2.14	1.40	1.45
4	В	602	CDL	OA6-CA5	2.04	1.40	1.34

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\mathbf{Ideal}(^{o})$
4	В	602	CDL	OA6-CA5-C11	3.94	119.99	111.50
4	В	602	CDL	OB6-CB5-C51	3.62	119.30	111.50
4	В	602	CDL	OA8-CA7-C31	2.63	120.16	111.91
4	В	602	CDL	OB8-CB7-C71	2.31	119.14	111.91

There are no chirality outliers.

All (68) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	В	602	CDL	O1-C1-CB2-OB2
4	В	602	CDL	CA2-OA2-PA1-OA4
4	В	602	CDL	C11-CA5-OA6-CA4
4	В	602	CDL	CB2-OB2-PB2-OB3
4	В	602	CDL	CB2-OB2-PB2-OB4
4	В	602	CDL	OB9-CB7-OB8-CB6



Continued from previous page...

Mol	Chain	Res	Type	Atoms	
4	В	602	CDL	OA7-CA5-OA6-CA4	
4	В	602	CDL	C71-CB7-OB8-CB6	
4	В	602	CDL	CB2-C1-CA2-OA2	
4	В	602	CDL	O1-C1-CA2-OA2	
4	В	602	CDL	CB5-C51-C52-C53	
4	В	602	CDL	CA2-OA2-PA1-OA5	
4	В	602	CDL	CA3-OA5-PA1-OA2	
4	В	602	CDL	CB2-OB2-PB2-OB5	
4	В	602	CDL	CA2-C1-CB2-OB2	
4	В	602	CDL	C51-C52-C53-C54	
4	В	602	CDL	C37-C38-C39-C40	
4	В	602	CDL	C54-C55-C56-C57	
4	В	602	CDL	C72-C73-C74-C75	
4	В	602	CDL	C41-C42-C43-C44	
4	В	602	CDL	C17-C18-C19-C20	
4	В	602	CDL	C12-C13-C14-C15	
4	В	602	CDL	C55-C56-C57-C58	
4	В	602	CDL	C11-C12-C13-C14	
4	В	602	CDL	CA7-C31-C32-C33	
4	В	602	CDL	C20-C21-C22-C23	
4	В	602	CDL	C58-C59-C60-C61	
4	В	602	CDL	C16-C17-C18-C19	
4	В	602	CDL	CB3-CB4-CB6-OB8	
4	В	602	CDL	C71-C72-C73-C74	
4	В	602	CDL	OB5-CB3-CB4-CB6	
4	В	602	CDL	CB7-C71-C72-C73	
3	В	601	L9Q	O2-C31-C32-C33	
4	В	602	CDL	OA5-CA3-CA4-OA6	
4	В	602	CDL	C34-C35-C36-C37	
4	В	602	CDL	C42-C43-C44-C45	
3	В	601	L9Q	C13-C14-C15-C16	
4	В	602	CDL	OB5-CB3-CB4-OB6	
3	В	601	L9Q	O2-C2-C3-O3	
3	В	601	L9Q	C32-C31-O2-C2	
3	В	601	L9Q	O31-C31-O2-C2	
4	В	602	CDL	CB4-CB3-OB5-PB2	
4	В	602	CDL	C19-C20-C21-C22	
4	В	602	CDL	CA2-OA2-PA1-OA3	
4	В	602	CDL	CA3-OA5-PA1-OA4	
4	В	602	CDL	OA5-CA3-CA4-CA6	
4	В	602	CDL	C73-C74-C75-C76	
4	В	602	CDL	C77-C78-C79-C80	



Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	В	602	CDL	C56-C57-C58-C59
4	В	602	CDL	OA9-CA7-OA8-CA6
4	В	602	CDL	C31-CA7-OA8-CA6
3	В	601	L9Q	C37-C38-C39-C40
4	В	602	CDL	OB6-CB4-CB6-OB8
3	В	601	L9Q	C4-O4P-P-O3P
3	В	601	L9Q	C1-C2-C3-O3
4	В	602	CDL	OB7-CB5-OB6-CB4
4	В	602	CDL	C18-C19-C20-C21
3	В	601	L9Q	O31-C31-C32-C33
4	В	602	CDL	CB6-CB4-OB6-CB5
4	В	602	CDL	CA5-C11-C12-C13
4	В	602	CDL	C36-C37-C38-C39
4	В	602	CDL	C33-C34-C35-C36
3	В	601	L9Q	C4-O4P-P-O1P
4	В	602	CDL	CA3-OA5-PA1-OA3
4	В	602	CDL	CB3-CB4-OB6-CB5
4	В	602	CDL	C52-C51-CB5-OB6
4	В	602	CDL	C76-C77-C78-C79
4	В	602	CDL	C52-C51-CB5-OB7


There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	602	CDL	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

