



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 28, 2024 – 12:33 pm GMT

PDB ID : 8PN5
Title : Crystal structure of the HC7-Glu200Ala mutant complexed to a triglycopeptide
Authors : Taleb, V.; Hurtado-Guerrero, R.
Deposited on : 2023-06-29
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5722 (1.74-1.70)
Clashscore	141614	6152 (1.74-1.70)
Ramachandran outliers	138981	6051 (1.74-1.70)
Sidechain outliers	138945	6051 (1.74-1.70)
RSRZ outliers	127900	5629 (1.74-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	627	
1	B	627	
1	C	627	
1	D	627	
1	E	627	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	627	
1	G	627	
1	H	627	
2	I	15	
2	J	15	
2	K	15	
2	L	15	
2	M	15	
2	N	15	
2	O	15	
2	P	15	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	G	701	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 25304 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DUF3472 domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	342	Total 2745	C 1740	N 463	O 538	S 4	0	2	0
1	B	343	Total 2748	C 1743	N 463	O 538	S 4	0	2	0
1	C	342	Total 2741	C 1740	N 462	O 535	S 4	0	3	0
1	D	342	Total 2735	C 1734	N 462	O 535	S 4	0	0	0
1	E	344	Total 2746	C 1740	N 464	O 538	S 4	0	1	0
1	F	344	Total 2752	C 1745	N 464	O 539	S 4	0	2	0
1	G	341	Total 2728	C 1732	N 461	O 531	S 4	0	1	0
1	H	342	Total 2730	C 1731	N 462	O 533	S 4	0	0	0

- Molecule 2 is a protein called Triglycopeptide.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	I	12	Total 72	C 44	N 13	O 15	0	0	1
2	J	12	Total 72	C 44	N 13	O 15	0	0	1
2	K	12	Total 72	C 44	N 13	O 15	0	0	1
2	L	12	Total 72	C 44	N 13	O 15	0	0	1
2	M	12	Total 72	C 44	N 13	O 15	0	0	1
2	N	11	Total 67	C 41	N 12	O 14	0	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	O	12	Total	C	N	O	0	0	1
			72	44	13	15			
2	P	12	Total	C	N	O	0	0	1
			72	44	13	15			

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	H	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	B	1	Total	Zn	0	0
			1	1		
4	E	1	Total	Zn	0	0
			1	1		
4	F	2	Total	Zn	0	0
			2	2		
4	G	2	Total	Zn	0	0
			2	2		
4	H	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
5	F	1	12	6	1	4	1	0	0

- Molecule 6 is 2-acetamido-2-deoxy-alpha-D-galactopyranose (three-letter code: A2G) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
6	I	1	14	8	1	5	0	0	
6	I	1	14	8	1	5	0	0	
6	I	1	14	8	1	5	0	0	
6	J	1	14	8	1	5	0	0	
6	J	1	14	8	1	5	0	0	
6	J	1	14	8	1	5	0	0	
6	K	1	14	8	1	5	0	0	
6	K	1	14	8	1	5	0	0	
6	K	1	14	8	1	5	0	0	
6	L	1	14	8	1	5	0	0	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	L	1	Total	C	N	O	0	0
			14	8	1	5		
6	L	1	Total	C	N	O	0	0
			14	8	1	5		
6	M	1	Total	C	N	O	0	0
			14	8	1	5		
6	M	1	Total	C	N	O	0	0
			14	8	1	5		
6	M	1	Total	C	N	O	0	0
			14	8	1	5		
6	N	1	Total	C	N	O	0	0
			14	8	1	5		
6	N	1	Total	C	N	O	0	0
			14	8	1	5		
6	N	1	Total	C	N	O	0	0
			14	8	1	5		
6	O	1	Total	C	N	O	0	0
			14	8	1	5		
6	O	1	Total	C	N	O	0	0
			14	8	1	5		
6	O	1	Total	C	N	O	0	0
			14	8	1	5		
6	P	1	Total	C	N	O	0	0
			14	8	1	5		
6	P	1	Total	C	N	O	0	0
			14	8	1	5		
6	P	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	344	Total	O	0	0
			344	344		
7	B	332	Total	O	0	0
			332	332		
7	C	312	Total	O	0	0
			312	312		
7	D	221	Total	O	0	0
			221	221		
7	E	217	Total	O	0	0
			217	217		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	F	251	Total 251	O 251	0	0
7	G	191	Total 191	O 191	0	0
7	H	277	Total 277	O 277	0	0
7	I	31	Total 31	O 31	0	0
7	J	36	Total 36	O 36	0	0
7	K	38	Total 38	O 38	0	0
7	L	29	Total 29	O 29	0	0
7	M	21	Total 21	O 21	0	0
7	N	32	Total 32	O 32	0	0
7	O	21	Total 21	O 21	0	0
7	P	27	Total 27	O 27	0	0


3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DUF3472 domain-containing protein




- Molecule 1: DUF3472 domain-containing protein







● Molecule 1: DUF3472 domain-containing protein




● Molecule 2: Triglycopeptide




- Molecule 2: Triglycopeptide





- Molecule 2: Triglycopeptide




- Molecule 2: Triglycopeptide




- Molecule 2: Triglycopeptide



- Molecule 2: Triglycopeptide




- Molecule 2: Triglycopeptide



- Molecule 2: Triglycopeptide





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	163.33Å 260.64Å 82.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.97 – 1.72 19.97 – 1.72	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.97-1.72) 100.0 (19.97-1.72)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 1.72Å)	Xtrriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.208 , 0.235 0.215 , 0.240	Depositor DCC
R_{free} test set	14960 reflections (4.03%)	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtrriage
Anisotropy	0.637	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 39.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	25304	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NH2, MES, ZN, A2G, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.70	1/2826 (0.0%)	0.83	2/3841 (0.1%)
1	B	0.73	1/2829 (0.0%)	0.83	2/3845 (0.1%)
1	C	0.69	1/2825 (0.0%)	0.81	2/3840 (0.1%)
1	D	0.67	1/2810 (0.0%)	0.80	1/3819 (0.0%)
1	E	0.65	1/2824 (0.0%)	0.80	2/3837 (0.1%)
1	F	0.70	1/2833 (0.0%)	0.82	1/3850 (0.0%)
1	G	0.66	1/2806 (0.0%)	0.79	1/3812 (0.0%)
1	H	0.67	1/2805 (0.0%)	0.81	2/3812 (0.1%)
2	I	1.40	0/72	1.54	2/100 (2.0%)
2	J	1.48	0/72	1.30	0/100
2	K	1.56	2/72 (2.8%)	1.48	0/100
2	L	1.33	1/72 (1.4%)	1.36	0/100
2	M	1.33	0/72	1.12	0/100
2	N	1.33	0/67	1.42	0/93
2	O	1.17	0/72	1.20	0/100
2	P	1.62	1/72 (1.4%)	1.48	0/100
All	All	0.71	12/23129 (0.1%)	0.83	15/31449 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	318	GLU	CD-OE2	10.21	1.36	1.25
1	F	318	GLU	CD-OE2	8.98	1.35	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	318	GLU	CD-OE1	8.21	1.34	1.25
1	E	318	GLU	CD-OE2	7.49	1.33	1.25
1	H	318	GLU	CD-OE2	7.43	1.33	1.25
2	K	12	PRO	CA-C	-6.12	1.40	1.52
1	A	318	GLU	CD-OE1	6.02	1.32	1.25
2	P	10	PRO	CA-C	-5.76	1.41	1.52
1	C	318	GLU	CD-OE2	5.71	1.31	1.25
2	K	10	PRO	CA-C	-5.44	1.42	1.52
2	L	12	PRO	CA-C	-5.28	1.42	1.52
1	D	318	GLU	CD-OE2	5.20	1.31	1.25

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	4	ALA	N-CA-CB	-6.46	101.06	110.10
1	A	207	GLN	CB-CA-C	-5.57	99.27	110.40
1	E	83	TYR	CB-CG-CD1	5.41	124.24	121.00
1	H	207	GLN	CB-CA-C	-5.39	99.62	110.40
1	E	207	GLN	CB-CA-C	-5.37	99.67	110.40
1	C	207	GLN	CB-CA-C	-5.35	99.70	110.40
1	G	207	GLN	CB-CA-C	-5.34	99.72	110.40
1	H	83	TYR	CB-CG-CD1	5.29	124.18	121.00
1	D	207	GLN	CB-CA-C	-5.23	99.95	110.40
1	F	207	GLN	CB-CA-C	-5.22	99.95	110.40
1	B	207	GLN	CB-CA-C	-5.20	100.00	110.40
2	I	7	THR	CA-CB-CG2	-5.11	105.24	112.40
1	B	83	TYR	CB-CG-CD1	5.08	124.05	121.00
1	A	83	TYR	CB-CG-CD1	5.03	124.02	121.00
1	C	83	TYR	CB-CG-CD1	5.01	124.00	121.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	131	GLU	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2745	0	2613	21	0
1	B	2748	0	2622	33	1
1	C	2741	0	2621	34	0
1	D	2735	0	2603	30	0
1	E	2746	0	2614	29	0
1	F	2752	0	2622	31	1
1	G	2728	0	2607	24	0
1	H	2730	0	2600	22	0
2	I	72	0	71	0	0
2	J	72	0	71	2	0
2	K	72	0	71	1	0
2	L	72	0	71	1	0
2	M	72	0	71	0	0
2	N	67	0	66	1	0
2	O	72	0	71	1	0
2	P	72	0	71	2	0
3	A	12	0	16	1	0
3	B	6	0	8	2	0
3	C	12	0	16	0	0
3	D	6	0	8	0	0
3	E	6	0	8	1	0
3	F	6	0	8	0	0
3	G	6	0	8	5	0
3	H	18	0	24	3	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	E	1	0	0	0	0
4	F	2	0	0	0	0
4	G	2	0	0	0	0
4	H	1	0	0	0	0
5	F	12	0	13	4	0
6	I	42	0	36	2	0
6	J	42	0	35	0	0
6	K	42	0	35	0	0
6	L	42	0	36	1	0
6	M	42	0	36	1	0
6	N	42	0	36	1	0
6	O	42	0	36	4	0
6	P	42	0	36	1	0
7	A	344	0	0	3	0
7	B	332	0	0	4	0
7	C	312	0	0	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	221	0	0	4	0
7	E	217	0	0	5	0
7	F	251	0	0	7	0
7	G	191	0	0	1	0
7	H	277	0	0	0	0
7	I	31	0	0	0	0
7	J	36	0	0	1	0
7	K	38	0	0	0	0
7	L	29	0	0	0	0
7	M	21	0	0	0	0
7	N	32	0	0	0	0
7	O	21	0	0	0	0
7	P	27	0	0	0	0
All	All	25304	0	21860	232	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (232) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:GLN:HG2	7:B:1370:HOH:O	1.31	1.28
1:C:349:LEU:HG	7:C:806:HOH:O	1.36	1.21
1:B:109:SER:HB3	7:B:1350:HOH:O	1.39	1.19
1:D:175:GLN:HG2	7:D:987:HOH:O	1.37	1.19
1:E:47:ASN:HB2	7:E:974:HOH:O	1.53	1.08
1:E:98:ARG:HH22	1:E:145:ASN:HD21	1.24	0.85
1:C:98:ARG:HH22	1:C:145:ASN:HD21	1.24	0.84
1:A:98:ARG:HH22	1:A:145:ASN:HD21	1.25	0.83
1:D:98:ARG:HH22	1:D:145:ASN:HD21	1.25	0.83
1:F:98:ARG:HH22	1:F:145:ASN:HD21	1.25	0.83
1:G:98:ARG:HH22	1:G:145:ASN:HD21	1.26	0.81
1:F:142[B]:ASP:OD2	5:F:702:MES:S	2.43	0.76
1:H:98:ARG:HH22	1:H:145:ASN:HD21	1.32	0.76
1:B:205:ASN:HA	1:B:207:GLN:HE22	1.53	0.74
1:B:98:ARG:HH22	1:B:145:ASN:HD21	1.33	0.74
1:G:205:ASN:HA	1:G:207:GLN:HE22	1.53	0.73
1:F:205:ASN:HA	1:F:207:GLN:HE22	1.54	0.73
1:H:205:ASN:HA	1:H:207:GLN:HE22	1.53	0.73
1:A:205:ASN:HA	1:A:207:GLN:HE22	1.53	0.73
1:D:325:MET:CE	1:D:370:LYS:HE2	2.19	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:205:ASN:HA	1:D:207:GLN:HE22	1.54	0.72
1:B:209[A]:VAL:HG12	7:B:1295:HOH:O	1.88	0.72
1:F:292:THR:HG21	1:F:371:VAL:HG23	1.71	0.72
1:D:292:THR:HG21	1:D:371:VAL:HG23	1.72	0.72
1:E:205:ASN:HA	1:E:207:GLN:HE22	1.53	0.72
1:B:292:THR:HG21	1:B:371:VAL:HG23	1.72	0.71
1:F:252:GLU:HG2	7:F:897:HOH:O	1.90	0.71
1:H:292:THR:HG21	1:H:371:VAL:HG23	1.71	0.71
1:D:325:MET:HE1	1:D:370:LYS:HE2	1.71	0.71
1:C:205:ASN:HA	1:C:207:GLN:HE22	1.56	0.70
1:A:292:THR:HG21	1:A:371:VAL:HG23	1.74	0.70
1:G:292:THR:HG21	1:G:371:VAL:HG23	1.72	0.70
1:E:292:THR:HG21	1:E:371:VAL:HG23	1.72	0.69
1:C:292:THR:HG21	1:C:371:VAL:HG23	1.73	0.69
5:F:702:MES:H61	7:F:1018:HOH:O	1.92	0.69
1:C:297:GLU:HG3	7:C:805:HOH:O	1.93	0.69
1:E:370:LYS:HE3	7:E:882:HOH:O	1.93	0.68
1:D:42:TYR:OH	2:P:10:PRO:HG3	1.97	0.64
1:F:207:GLN:NE2	7:F:801:HOH:O	2.32	0.62
1:C:347:ILE:HG23	7:C:806:HOH:O	1.99	0.61
1:B:141:TYR:CZ	1:B:168:LEU:HD23	2.36	0.60
1:G:141:TYR:CZ	1:G:168:LEU:HD23	2.36	0.60
1:E:141:TYR:CZ	1:E:168:LEU:HD23	2.37	0.59
1:F:252:GLU:CG	7:F:897:HOH:O	2.47	0.59
1:C:348:SER:C	7:C:806:HOH:O	2.41	0.59
1:H:42:TYR:OH	6:L:102:A2G:O7	2.20	0.58
2:J:4:ALA:HB3	7:J:209:HOH:O	2.02	0.58
1:C:141:TYR:CZ	1:C:168:LEU:HD23	2.39	0.58
1:E:95:ASN:ND2	5:F:702:MES:H52	2.18	0.58
1:H:294:TYR:O	1:H:375:ASN:HB2	2.03	0.58
1:D:141:TYR:CZ	1:D:168:LEU:HD23	2.39	0.57
1:A:141:TYR:CZ	1:A:168:LEU:HD23	2.40	0.57
1:B:65:PRO:HB2	1:B:66:TYR:CD2	2.40	0.57
1:E:42:TYR:OH	6:M:102:A2G:O7	2.23	0.57
1:B:157:GLN:HE22	1:B:188:ASN:H	1.52	0.57
1:F:141:TYR:CZ	1:F:168:LEU:HD23	2.40	0.57
1:F:205:ASN:HA	1:F:207:GLN:NE2	2.21	0.56
1:H:141:TYR:CZ	1:H:168:LEU:HD23	2.41	0.56
1:G:98:ARG:NH2	1:G:145:ASN:HD21	2.02	0.56
1:H:157:GLN:HE22	1:H:188:ASN:H	1.54	0.56
1:D:157:GLN:HE22	1:D:188:ASN:H	1.54	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:98:ARG:NH2	1:H:145:ASN:HD21	2.01	0.56
1:B:98:ARG:NH2	1:B:145:ASN:HD21	2.04	0.56
1:G:157:GLN:HE22	1:G:188:ASN:H	1.54	0.55
1:G:205:ASN:HA	1:G:207:GLN:NE2	2.21	0.55
1:C:205:ASN:HA	1:C:207:GLN:NE2	2.22	0.55
1:A:205:ASN:HA	1:A:207:GLN:NE2	2.20	0.55
1:E:157:GLN:HE22	1:E:188:ASN:H	1.53	0.55
1:H:98:ARG:HH22	1:H:145:ASN:ND2	2.03	0.55
1:C:157:GLN:HE22	1:C:188:ASN:H	1.53	0.54
1:B:157:GLN:NE2	1:B:188:ASN:H	2.06	0.54
1:A:98:ARG:HH22	1:A:145:ASN:ND2	2.03	0.54
1:H:205:ASN:HA	1:H:207:GLN:NE2	2.21	0.54
1:F:157:GLN:HE22	1:F:188:ASN:H	1.55	0.54
1:C:157:GLN:NE2	1:C:188:ASN:H	2.06	0.54
2:L:9:THR:HB	2:L:10:PRO:HD2	1.89	0.54
3:A:1002:GOL:O1	6:I:103:A2G:O3	2.22	0.53
1:C:347:ILE:HG12	7:C:806:HOH:O	2.08	0.53
1:B:203:LEU:O	1:B:203:LEU:HG	2.07	0.53
1:D:205:ASN:HA	1:D:207:GLN:NE2	2.21	0.53
1:F:142[B]:ASP:OD2	5:F:702:MES:O3S	2.26	0.53
1:A:157:GLN:HE22	1:A:188:ASN:H	1.55	0.53
1:B:205:ASN:HA	1:B:207:GLN:NE2	2.21	0.53
1:G:157:GLN:NE2	1:G:188:ASN:H	2.07	0.53
1:H:94:GLU:HB3	3:H:703:GOL:H31	1.91	0.53
1:A:292:THR:HG21	1:A:371:VAL:CG2	2.38	0.52
1:C:209[A]:VAL:HG11	7:C:810:HOH:O	2.09	0.52
1:E:157:GLN:NE2	1:E:188:ASN:H	2.07	0.52
1:E:205:ASN:HA	1:E:207:GLN:NE2	2.21	0.52
1:A:157:GLN:NE2	1:A:188:ASN:H	2.08	0.52
1:A:360:THR:CG2	7:A:1267:HOH:O	2.57	0.52
1:F:360:THR:CG2	7:F:962:HOH:O	2.56	0.52
1:F:157:GLN:NE2	1:F:188:ASN:H	2.08	0.52
1:H:157:GLN:NE2	1:H:188:ASN:H	2.07	0.52
1:D:157:GLN:NE2	1:D:188:ASN:H	2.07	0.51
1:D:325:MET:HE2	1:D:370:LYS:HE2	1.92	0.51
1:B:146:TYR:CD2	1:G:173[A]:LYS:HG2	2.44	0.51
1:H:254:LEU:HD13	1:H:274:LEU:HD21	1.92	0.51
1:A:42:TYR:OH	6:I:102:A2G:O7	2.27	0.51
1:E:-2:GLY:HA3	1:E:203:LEU:HD13	1.92	0.51
1:E:98:ARG:NH2	1:E:145:ASN:HD21	2.03	0.51
1:H:292:THR:HG21	1:H:371:VAL:CG2	2.40	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:98:ARG:HH22	1:B:145:ASN:ND2	2.05	0.50
1:A:98:ARG:NH2	1:A:145:ASN:HD21	2.01	0.50
1:G:292:THR:HG21	1:G:371:VAL:CG2	2.41	0.50
1:D:190:THR:HG22	7:D:964:HOH:O	2.11	0.50
1:D:292:THR:HG21	1:D:371:VAL:CG2	2.41	0.50
1:E:108:ILE:HD11	3:E:701:GOL:H31	1.94	0.50
1:D:42:TYR:OH	6:P:102:A2G:O7	2.29	0.49
1:B:254:LEU:HD13	1:B:274:LEU:HD21	1.94	0.49
1:G:98:ARG:HH22	1:G:145:ASN:ND2	2.04	0.49
1:C:292:THR:HG21	1:C:371:VAL:CG2	2.40	0.49
1:F:169:LYS:HE3	7:F:972:HOH:O	2.13	0.49
1:E:360:THR:CG2	7:E:930:HOH:O	2.60	0.48
1:B:108:ILE:HD11	3:B:1001:GOL:H2	1.94	0.48
1:E:292:THR:HG21	1:E:371:VAL:CG2	2.42	0.48
3:G:701:GOL:H11	6:O:102:A2G:C4	2.43	0.48
1:C:349:LEU:N	7:C:806:HOH:O	2.45	0.48
1:G:105:TRP:CB	3:G:701:GOL:H12	2.42	0.48
1:F:292:THR:HG21	1:F:371:VAL:CG2	2.39	0.48
1:B:292:THR:HG21	1:B:371:VAL:CG2	2.42	0.48
1:A:261:ASP:OD2	7:A:1101:HOH:O	2.20	0.47
1:C:360:THR:CG2	7:C:955:HOH:O	2.61	0.47
1:E:169:LYS:HE3	7:E:946:HOH:O	2.13	0.47
1:G:155:SER:HA	1:G:163:LYS:O	2.15	0.47
1:F:254:LEU:HD13	1:F:274:LEU:HD21	1.96	0.47
1:C:98:ARG:HH22	1:C:145:ASN:ND2	2.03	0.47
1:C:370:LYS:HE2	7:C:1079:HOH:O	2.13	0.47
1:G:42:TYR:OH	6:O:101:A2G:O7	2.31	0.47
1:E:155:SER:HA	1:E:163:LYS:O	2.15	0.46
1:E:173:LYS:HG2	1:F:146:TYR:CD2	2.51	0.46
1:C:155:SER:HA	1:C:163:LYS:O	2.16	0.46
3:G:701:GOL:H11	6:O:102:A2G:H4	1.96	0.46
1:H:155:SER:HA	1:H:163:LYS:O	2.16	0.46
2:K:9:THR:HB	2:K:10:PRO:HD2	1.97	0.46
1:D:129:GLY:O	7:D:801:HOH:O	2.21	0.46
1:F:360:THR:HG23	7:F:962:HOH:O	2.14	0.46
1:F:98:ARG:NH2	1:F:145:ASN:HD21	2.02	0.46
1:D:98:ARG:NH2	1:D:145:ASN:HD21	2.03	0.45
1:F:150:ARG:HB3	1:F:169:LYS:HB3	1.99	0.45
1:F:-2:GLY:HA3	1:F:203:LEU:HD13	1.97	0.45
1:G:254:LEU:HD13	1:G:274:LEU:HD21	1.99	0.45
1:F:251:SER:OG	1:F:252:GLU:OE1	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:N:9:THR:HB	2:N:10:PRO:HD2	1.99	0.45
1:A:155:SER:HA	1:A:163:LYS:O	2.17	0.45
1:E:360:THR:HG23	7:E:930:HOH:O	2.17	0.45
1:B:65:PRO:HB2	1:B:66:TYR:CE2	2.52	0.45
1:B:155:SER:HA	1:B:163:LYS:O	2.17	0.45
1:E:150:ARG:HB3	1:E:169:LYS:HB3	1.99	0.45
1:F:197:LEU:CD1	1:F:214:VAL:HG11	2.47	0.45
1:G:150:ARG:HB3	1:G:169:LYS:HB3	1.98	0.45
1:D:155:SER:HA	1:D:163:LYS:O	2.16	0.45
1:C:252:GLU:HG2	7:C:946:HOH:O	2.16	0.44
1:D:150:ARG:HB3	1:D:169:LYS:HB3	2.00	0.44
1:F:98:ARG:HH22	1:F:145:ASN:ND2	2.04	0.44
1:F:155:SER:HA	1:F:163:LYS:O	2.17	0.44
1:G:75:ASN:HB2	1:G:81:GLY:HA2	1.99	0.44
1:H:197:LEU:CD1	1:H:214:VAL:HG11	2.47	0.44
1:B:150:ARG:HB3	1:B:169:LYS:HB3	1.99	0.44
1:H:150:ARG:HB3	1:H:169:LYS:HB3	1.99	0.44
1:H:94:GLU:CB	3:H:703:GOL:H31	2.46	0.44
1:D:331:ASN:ND2	1:D:347:ILE:HD11	2.32	0.44
1:F:42:TYR:OH	6:N:102:A2G:O7	2.34	0.44
1:A:197:LEU:CD1	1:A:214:VAL:HG11	2.48	0.44
1:B:197:LEU:CD1	1:B:214:VAL:HG11	2.48	0.44
1:B:173:LYS:HG2	1:G:146:TYR:CD2	2.53	0.44
1:B:66:TYR:CD2	1:B:203:LEU:HD22	2.53	0.43
1:C:98:ARG:NH2	1:C:145:ASN:HD21	2.04	0.43
1:C:197:LEU:CD1	1:C:214:VAL:HG11	2.48	0.43
1:F:75:ASN:HA	1:F:193:TYR:CZ	2.54	0.43
1:B:376:GLU:HB2	1:B:377:SER:H	1.74	0.43
1:D:209:VAL:HG12	7:D:913:HOH:O	2.19	0.43
1:E:254:LEU:HD13	1:E:274:LEU:HD21	2.01	0.43
1:A:150:ARG:HB3	1:A:169:LYS:HB3	2.01	0.43
1:E:75:ASN:HA	1:E:193:TYR:CZ	2.54	0.43
3:G:701:GOL:H11	6:O:102:A2G:O4	2.19	0.43
2:J:9:THR:HB	2:J:10:PRO:HD2	1.99	0.43
1:B:75:ASN:HA	1:B:193:TYR:CZ	2.53	0.43
1:C:145:ASN:HD22	1:C:145:ASN:H	1.65	0.43
1:D:98:ARG:HH22	1:D:145:ASN:ND2	2.04	0.43
1:G:360:THR:CG2	7:G:877:HOH:O	2.66	0.43
1:G:141:TYR:CZ	1:G:168:LEU:CD2	3.02	0.42
1:C:141:TYR:CZ	1:C:168:LEU:CD2	3.02	0.42
1:C:284:LYS:CG	7:C:1093:HOH:O	2.66	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:O:9:THR:HB	2:O:10:PRO:HD2	2.00	0.42
1:C:251:SER:OG	1:C:252:GLU:OE1	2.34	0.42
1:B:77:GLY:C	3:B:1001:GOL:H32	2.39	0.42
1:E:141:TYR:CZ	1:E:168:LEU:CD2	3.03	0.42
1:A:141:TYR:CZ	1:A:168:LEU:CD2	3.03	0.42
1:C:75:ASN:HA	1:C:193:TYR:CZ	2.54	0.42
1:F:75:ASN:HB2	1:F:81:GLY:HA2	2.01	0.42
1:C:297:GLU:N	1:C:297:GLU:CD	2.73	0.42
1:D:141:TYR:CZ	1:D:168:LEU:CD2	3.02	0.42
1:B:141:TYR:CZ	1:B:168:LEU:CD2	3.01	0.42
1:C:150:ARG:HB3	1:C:169:LYS:HB3	2.01	0.41
1:D:75:ASN:HA	1:D:193:TYR:CZ	2.55	0.41
1:D:141:TYR:OH	1:D:168:LEU:HD23	2.21	0.41
1:E:-2:GLY:CA	1:E:203:LEU:HD13	2.50	0.41
1:F:141:TYR:CZ	1:F:168:LEU:CD2	3.02	0.41
1:G:75:ASN:HA	1:G:193:TYR:CZ	2.55	0.41
1:A:197:LEU:HD23	1:A:197:LEU:C	2.40	0.41
1:B:197:LEU:C	1:B:197:LEU:HD23	2.41	0.41
1:D:197:LEU:CD1	1:D:214:VAL:HG11	2.50	0.41
1:D:42:TYR:CZ	2:P:10:PRO:HG3	2.55	0.41
1:D:197:LEU:C	1:D:197:LEU:HD23	2.41	0.41
1:E:197:LEU:HD23	1:E:197:LEU:C	2.41	0.41
1:B:207:GLN:NE2	7:B:1118:HOH:O	2.54	0.41
1:C:197:LEU:C	1:C:197:LEU:HD23	2.41	0.41
1:C:209[A]:VAL:HG12	7:C:943:HOH:O	2.20	0.41
1:A:145:ASN:H	1:A:145:ASN:HD22	1.69	0.41
1:C:95:ASN:ND2	7:C:815:HOH:O	2.54	0.41
1:D:75:ASN:HB2	1:D:81:GLY:HA2	2.02	0.41
1:E:197:LEU:CD1	1:E:214:VAL:HG11	2.51	0.41
1:H:141:TYR:CZ	1:H:168:LEU:CD2	3.03	0.41
1:A:75:ASN:HA	1:A:193:TYR:CZ	2.55	0.41
1:G:105:TRP:HB2	3:G:701:GOL:H12	2.03	0.41
1:B:145:ASN:HD22	1:B:145:ASN:N	2.19	0.40
1:B:360:THR:HA	1:B:365:GLN:O	2.21	0.40
1:C:75:ASN:HB2	1:C:81:GLY:HA2	2.02	0.40
1:G:197:LEU:CD1	1:G:214:VAL:HG11	2.51	0.40
1:G:197:LEU:HD23	1:G:197:LEU:C	2.41	0.40
1:H:145:ASN:N	1:H:145:ASN:HD22	2.18	0.40
1:A:360:THR:HG23	7:A:1267:HOH:O	2.20	0.40
1:C:284:LYS:HG3	7:C:1093:HOH:O	2.21	0.40
1:E:145:ASN:H	1:E:145:ASN:HD22	1.68	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:357:ILE:O	1:F:368:GLU:HA	2.21	0.40
1:F:360:THR:HA	1:F:365:GLN:O	2.22	0.40
1:H:94:GLU:H	3:H:703:GOL:H31	1.85	0.40
1:H:197:LEU:C	1:H:197:LEU:HD23	2.41	0.40
1:B:75:ASN:HB2	1:B:81:GLY:HA2	2.03	0.40
1:D:145:ASN:HD22	1:D:145:ASN:H	1.69	0.40
1:E:75:ASN:HB2	1:E:81:GLY:HA2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:278:SER:OG	1:F:278:SER:OG[3_554]	1.87	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	342/627 (54%)	334 (98%)	8 (2%)	0	100	100
1	B	343/627 (55%)	332 (97%)	11 (3%)	0	100	100
1	C	343/627 (55%)	333 (97%)	10 (3%)	0	100	100
1	D	340/627 (54%)	330 (97%)	10 (3%)	0	100	100
1	E	343/627 (55%)	333 (97%)	10 (3%)	0	100	100
1	F	344/627 (55%)	335 (97%)	9 (3%)	0	100	100
1	G	340/627 (54%)	331 (97%)	9 (3%)	0	100	100
1	H	340/627 (54%)	330 (97%)	10 (3%)	0	100	100
2	I	10/15 (67%)	10 (100%)	0	0	100	100
2	J	10/15 (67%)	9 (90%)	1 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	K	10/15 (67%)	10 (100%)	0	0	100	100
2	L	10/15 (67%)	10 (100%)	0	0	100	100
2	M	10/15 (67%)	9 (90%)	1 (10%)	0	100	100
2	N	9/15 (60%)	9 (100%)	0	0	100	100
2	O	10/15 (67%)	10 (100%)	0	0	100	100
2	P	10/15 (67%)	10 (100%)	0	0	100	100
All	All	2814/5136 (55%)	2735 (97%)	79 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	298/545 (55%)	291 (98%)	7 (2%)	50	31
1	B	298/545 (55%)	287 (96%)	11 (4%)	34	14
1	C	297/545 (54%)	287 (97%)	10 (3%)	37	16
1	D	295/545 (54%)	288 (98%)	7 (2%)	49	29
1	E	296/545 (54%)	288 (97%)	8 (3%)	44	25
1	F	297/545 (54%)	287 (97%)	10 (3%)	37	16
1	G	294/545 (54%)	286 (97%)	8 (3%)	44	25
1	H	294/545 (54%)	285 (97%)	9 (3%)	40	19
2	I	7/8 (88%)	6 (86%)	1 (14%)	3	0
2	J	7/8 (88%)	6 (86%)	1 (14%)	3	0
2	K	7/8 (88%)	6 (86%)	1 (14%)	3	0
2	L	7/8 (88%)	6 (86%)	1 (14%)	3	0
2	M	7/8 (88%)	6 (86%)	1 (14%)	3	0
2	N	7/8 (88%)	5 (71%)	2 (29%)	0	0
2	O	7/8 (88%)	6 (86%)	1 (14%)	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	P	7/8 (88%)	6 (86%)	1 (14%)	3 0
All	All	2425/4424 (55%)	2346 (97%)	79 (3%)	38 17

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	LYS
1	A	83	TYR
1	A	203	LEU
1	A	207	GLN
1	A	210	ARG
1	A	346	SER
1	A	360	THR
1	B	46	LYS
1	B	83	TYR
1	B	203	LEU
1	B	207	GLN
1	B	210	ARG
1	B	254	LEU
1	B	346	SER
1	B	360	THR
1	B	375	ASN
1	B	376	GLU
1	B	377	SER
1	C	46	LYS
1	C	83	TYR
1	C	203	LEU
1	C	207	GLN
1	C	210	ARG
1	C	252	GLU
1	C	254	LEU
1	C	297	GLU
1	C	346	SER
1	C	360	THR
1	D	46	LYS
1	D	83	TYR
1	D	203	LEU
1	D	207	GLN
1	D	210	ARG
1	D	254	LEU
1	D	360	THR
1	E	83	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	203	LEU
1	E	207	GLN
1	E	210	ARG
1	E	254	LEU
1	E	346	SER
1	E	360	THR
1	E	376	GLU
1	F	46	LYS
1	F	83	TYR
1	F	111	LYS
1	F	203	LEU
1	F	207	GLN
1	F	210	ARG
1	F	252	GLU
1	F	254	LEU
1	F	346	SER
1	F	360	THR
1	G	46	LYS
1	G	83	TYR
1	G	203	LEU
1	G	207	GLN
1	G	210	ARG
1	G	254	LEU
1	G	346	SER
1	G	360	THR
1	H	83	TYR
1	H	115	LYS
1	H	146	TYR
1	H	203	LEU
1	H	207	GLN
1	H	210	ARG
1	H	254	LEU
1	H	346	SER
1	H	360	THR
2	I	7	THR
2	J	7	THR
2	K	7	THR
2	L	7	THR
2	M	7	THR
2	N	7	THR
2	N	10	PRO
2	O	7	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	7	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (60) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	145	ASN
1	A	157	GLN
1	A	188	ASN
1	A	207	GLN
1	A	221	ASN
1	A	331	ASN
1	A	365	GLN
1	A	375	ASN
1	B	145	ASN
1	B	157	GLN
1	B	207	GLN
1	B	221	ASN
1	B	244	ASN
1	B	331	ASN
1	B	365	GLN
1	B	375	ASN
1	C	95	ASN
1	C	145	ASN
1	C	157	GLN
1	C	207	GLN
1	C	221	ASN
1	C	331	ASN
1	C	365	GLN
1	D	145	ASN
1	D	157	GLN
1	D	207	GLN
1	D	221	ASN
1	D	365	GLN
1	D	375	ASN
1	E	95	ASN
1	E	145	ASN
1	E	157	GLN
1	E	207	GLN
1	E	221	ASN
1	E	331	ASN
1	E	365	GLN
1	F	95	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	145	ASN
1	F	157	GLN
1	F	188	ASN
1	F	207	GLN
1	F	221	ASN
1	F	328	GLN
1	F	331	ASN
1	F	365	GLN
1	F	375	ASN
1	G	145	ASN
1	G	157	GLN
1	G	188	ASN
1	G	207	GLN
1	G	221	ASN
1	G	331	ASN
1	G	365	GLN
1	H	145	ASN
1	H	157	GLN
1	H	188	ASN
1	H	207	GLN
1	H	221	ASN
1	H	331	ASN
1	H	365	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 45 ligands modelled in this entry, 8 are monoatomic - leaving 37 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	A2G	P	103	2	14,14,15	1.77	5 (35%)	17,19,21	1.82	6 (35%)
6	A2G	K	103	2	14,14,15	2.74	5 (35%)	17,19,21	1.85	6 (35%)
6	A2G	M	102	2	14,14,15	1.03	0	17,19,21	1.36	2 (11%)
3	GOL	C	701	-	5,5,5	0.18	0	5,5,5	0.58	0
3	GOL	C	702	-	5,5,5	0.16	0	5,5,5	0.37	0
6	A2G	O	102	2	14,14,15	1.25	1 (7%)	17,19,21	1.19	1 (5%)
6	A2G	J	101	2	14,14,15	2.38	6 (42%)	17,19,21	1.51	4 (23%)
3	GOL	A	1002	-	5,5,5	0.20	0	5,5,5	0.61	0
6	A2G	I	103	2	14,14,15	2.33	4 (28%)	17,19,21	1.48	2 (11%)
6	A2G	I	101	2	14,14,15	1.82	3 (21%)	17,19,21	1.08	1 (5%)
3	GOL	B	1001	-	5,5,5	0.20	0	5,5,5	0.46	0
6	A2G	K	101	2	14,14,15	1.67	4 (28%)	17,19,21	1.65	5 (29%)
3	GOL	G	701	-	5,5,5	0.10	0	5,5,5	0.33	0
6	A2G	I	102	2	14,14,15	1.61	2 (14%)	17,19,21	1.43	3 (17%)
5	MES	F	702	-	12,12,12	0.97	0	14,16,16	1.36	2 (14%)
6	A2G	O	103	2	14,14,15	1.71	4 (28%)	17,19,21	1.26	2 (11%)
6	A2G	J	102	2	14,14,15	1.25	1 (7%)	17,19,21	1.32	2 (11%)
3	GOL	F	701	-	5,5,5	0.16	0	5,5,5	0.38	0
6	A2G	P	101	2	14,14,15	1.79	5 (35%)	17,19,21	1.92	5 (29%)
6	A2G	N	103	2	14,14,15	1.73	4 (28%)	17,19,21	1.59	3 (17%)
3	GOL	A	1001	-	5,5,5	0.14	0	5,5,5	0.38	0
6	A2G	N	101	2	14,14,15	2.15	4 (28%)	17,19,21	1.32	2 (11%)
3	GOL	H	702	-	5,5,5	0.12	0	5,5,5	0.24	0
6	A2G	M	103	2	14,14,15	1.93	3 (21%)	17,19,21	1.76	2 (11%)
6	A2G	N	102	2	14,14,15	1.42	2 (14%)	17,19,21	1.42	1 (5%)
6	A2G	K	102	2	14,14,15	1.14	1 (7%)	17,19,21	2.04	5 (29%)
3	GOL	D	701	-	5,5,5	0.20	0	5,5,5	0.32	0
6	A2G	M	101	2	14,14,15	1.76	3 (21%)	17,19,21	1.06	0
6	A2G	L	101	2	14,14,15	2.30	3 (21%)	17,19,21	1.24	1 (5%)
3	GOL	E	701	-	5,5,5	0.10	0	5,5,5	0.46	0
6	A2G	L	103	2	14,14,15	2.26	2 (14%)	17,19,21	1.10	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	A2G	O	101	2	14,14,15	0.94	1 (7%)	17,19,21	1.25	1 (5%)
6	A2G	P	102	2	14,14,15	1.26	2 (14%)	17,19,21	1.32	3 (17%)
6	A2G	J	103	2	14,14,15	1.15	1 (7%)	17,19,21	1.38	2 (11%)
3	GOL	H	703	-	5,5,5	0.19	0	5,5,5	0.26	0
3	GOL	H	701	-	5,5,5	0.20	0	5,5,5	0.39	0
6	A2G	L	102	2	14,14,15	1.16	2 (14%)	17,19,21	1.51	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	A2G	P	103	2	-	0/6/23/26	0/1/1/1
6	A2G	K	103	2	-	0/6/23/26	0/1/1/1
6	A2G	M	102	2	-	0/6/23/26	0/1/1/1
3	GOL	C	701	-	-	2/4/4/4	-
3	GOL	C	702	-	-	0/4/4/4	-
6	A2G	O	102	2	-	0/6/23/26	0/1/1/1
6	A2G	J	101	2	-	0/6/23/26	0/1/1/1
3	GOL	A	1002	-	-	2/4/4/4	-
6	A2G	I	103	2	-	0/6/23/26	0/1/1/1
6	A2G	I	101	2	-	0/6/23/26	0/1/1/1
3	GOL	B	1001	-	-	0/4/4/4	-
6	A2G	K	101	2	-	0/6/23/26	0/1/1/1
3	GOL	G	701	-	-	2/4/4/4	-
6	A2G	I	102	2	-	0/6/23/26	0/1/1/1
5	MES	F	702	-	-	4/6/14/14	0/1/1/1
6	A2G	O	103	2	-	0/6/23/26	0/1/1/1
6	A2G	J	102	2	-	0/6/23/26	0/1/1/1
3	GOL	F	701	-	-	2/4/4/4	-
6	A2G	P	101	2	-	0/6/23/26	0/1/1/1
6	A2G	N	103	2	-	0/6/23/26	0/1/1/1
3	GOL	A	1001	-	-	0/4/4/4	-
6	A2G	N	101	2	-	0/6/23/26	0/1/1/1
3	GOL	H	702	-	-	0/4/4/4	-
6	A2G	M	103	2	-	0/6/23/26	0/1/1/1
6	A2G	N	102	2	-	0/6/23/26	0/1/1/1
6	A2G	K	102	2	-	0/6/23/26	0/1/1/1
3	GOL	D	701	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	A2G	M	101	2	-	0/6/23/26	0/1/1/1
6	A2G	L	101	2	-	0/6/23/26	0/1/1/1
3	GOL	E	701	-	-	4/4/4/4	-
6	A2G	L	103	2	-	0/6/23/26	0/1/1/1
6	A2G	O	101	2	-	0/6/23/26	0/1/1/1
6	A2G	P	102	2	-	0/6/23/26	0/1/1/1
6	A2G	J	103	2	-	0/6/23/26	0/1/1/1
3	GOL	H	703	-	-	4/4/4/4	-
3	GOL	H	701	-	-	2/4/4/4	-
6	A2G	L	102	2	-	0/6/23/26	0/1/1/1

All (68) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	L	103	A2G	O5-C5	6.64	1.56	1.43
6	L	101	A2G	C1-C2	5.99	1.61	1.52
6	M	103	A2G	C1-C2	5.77	1.61	1.52
6	K	103	A2G	C1-C2	5.71	1.60	1.52
6	J	101	A2G	O5-C5	5.31	1.54	1.43
6	N	101	A2G	O5-C5	5.13	1.53	1.43
6	K	103	A2G	C3-C2	-5.05	1.41	1.52
6	L	101	A2G	C3-C2	-4.55	1.42	1.52
6	I	103	A2G	C1-C2	4.45	1.59	1.52
6	K	103	A2G	C2-N2	4.45	1.53	1.46
6	M	101	A2G	O5-C5	4.40	1.52	1.43
6	J	101	A2G	O3-C3	-4.19	1.33	1.43
6	N	101	A2G	C3-C2	4.19	1.61	1.52
6	I	101	A2G	C1-C2	-4.17	1.46	1.52
6	I	103	A2G	O5-C5	-4.14	1.35	1.43
6	I	101	A2G	O5-C1	4.03	1.50	1.43
6	P	101	A2G	O5-C1	4.01	1.50	1.43
6	O	103	A2G	O5-C5	3.92	1.51	1.43
6	I	103	A2G	C2-N2	3.78	1.52	1.46
6	L	103	A2G	O4-C4	3.61	1.51	1.43
6	N	103	A2G	O3-C3	3.60	1.51	1.43
6	M	101	A2G	C8-C7	3.59	1.58	1.50
6	I	102	A2G	O5-C5	3.50	1.50	1.43
6	K	103	A2G	O3-C3	3.43	1.51	1.43
6	N	103	A2G	C1-C2	3.42	1.57	1.52
6	K	101	A2G	C4-C5	-3.41	1.45	1.53
6	P	103	A2G	C1-C2	3.40	1.57	1.52
6	I	103	A2G	C3-C2	-3.40	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	J	103	A2G	C1-C2	3.36	1.57	1.52
6	O	102	A2G	C1-C2	3.29	1.57	1.52
6	J	101	A2G	C3-C2	3.26	1.59	1.52
6	N	102	A2G	O5-C5	3.21	1.49	1.43
6	J	102	A2G	C1-C2	3.07	1.56	1.52
6	O	103	A2G	C1-C2	-3.03	1.47	1.52
6	P	103	A2G	O3-C3	2.91	1.49	1.43
6	L	101	A2G	O5-C1	-2.86	1.39	1.43
6	K	101	A2G	O3-C3	-2.83	1.36	1.43
6	P	102	A2G	C8-C7	2.79	1.56	1.50
6	N	103	A2G	C3-C2	-2.75	1.46	1.52
6	K	101	A2G	C1-C2	-2.65	1.48	1.52
6	M	103	A2G	C8-C7	2.60	1.55	1.50
6	P	103	A2G	O5-C5	-2.60	1.38	1.43
6	P	103	A2G	O5-C1	-2.56	1.39	1.43
6	J	101	A2G	C4-C5	-2.55	1.47	1.53
6	N	101	A2G	C1-C2	-2.45	1.48	1.52
6	P	101	A2G	C1-C2	-2.41	1.48	1.52
6	O	103	A2G	O3-C3	2.39	1.48	1.43
6	N	102	A2G	O4-C4	-2.38	1.37	1.43
6	L	102	A2G	C8-C7	2.37	1.55	1.50
6	P	101	A2G	C3-C2	2.32	1.57	1.52
6	P	101	A2G	C6-C5	2.26	1.59	1.51
6	M	101	A2G	C4-C5	-2.25	1.48	1.53
6	P	101	A2G	O5-C5	2.24	1.48	1.43
6	P	102	A2G	O5-C5	2.21	1.47	1.43
6	I	101	A2G	C6-C5	2.20	1.59	1.51
6	J	101	A2G	O6-C6	2.18	1.51	1.42
6	N	103	A2G	O5-C5	-2.13	1.39	1.43
6	O	101	A2G	O5-C1	2.11	1.47	1.43
6	I	102	A2G	C2-N2	2.10	1.49	1.46
6	O	103	A2G	O5-C1	2.09	1.47	1.43
6	J	101	A2G	C2-N2	-2.06	1.42	1.46
6	K	102	A2G	O5-C5	2.05	1.47	1.43
6	P	103	A2G	C3-C2	-2.04	1.48	1.52
6	K	101	A2G	O4-C4	2.04	1.47	1.43
6	M	103	A2G	C3-C2	-2.03	1.48	1.52
6	L	102	A2G	C4-C3	2.02	1.57	1.52
6	N	101	A2G	C8-C7	2.01	1.54	1.50
6	K	103	A2G	C4-C3	2.00	1.57	1.52

All (66) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	P	101	A2G	C1-O5-C5	4.74	118.61	112.19
6	M	103	A2G	O5-C5-C6	-4.57	100.04	107.20
6	K	102	A2G	C3-C4-C5	-4.11	102.90	110.24
6	N	102	A2G	O5-C5-C6	4.10	113.63	107.20
6	K	102	A2G	O5-C1-C2	-3.87	105.17	111.29
6	I	103	A2G	C1-C2-N2	-3.77	104.04	110.49
6	P	103	A2G	C1-C2-N2	-3.54	104.44	110.49
6	M	103	A2G	C4-C3-C2	-3.44	105.98	111.02
6	J	101	A2G	O4-C4-C5	3.41	117.77	109.30
6	J	103	A2G	C1-O5-C5	-3.39	107.60	112.19
6	K	103	A2G	C3-C4-C5	-3.26	104.42	110.24
6	O	102	A2G	C2-N2-C7	-3.25	118.27	122.90
6	K	102	A2G	O3-C3-C2	-3.22	102.80	109.47
6	J	102	A2G	C3-C4-C5	-3.06	104.78	110.24
6	K	101	A2G	O3-C3-C4	3.00	117.28	110.35
6	K	103	A2G	C4-C3-C2	-2.97	106.66	111.02
6	M	102	A2G	C1-O5-C5	2.93	116.17	112.19
6	N	103	A2G	C2-N2-C7	-2.93	118.72	122.90
6	K	103	A2G	C1-C2-N2	-2.88	105.56	110.49
5	F	702	MES	O2S-S-C8	-2.88	103.45	106.92
6	N	101	A2G	C4-C3-C2	-2.86	106.82	111.02
6	N	103	A2G	C1-C2-N2	-2.86	105.60	110.49
6	L	102	A2G	C1-O5-C5	2.86	116.07	112.19
6	K	103	A2G	C2-N2-C7	-2.82	118.88	122.90
6	K	103	A2G	O5-C1-C2	-2.79	106.89	111.29
6	P	102	A2G	O5-C1-C2	-2.74	106.96	111.29
6	L	101	A2G	C1-C2-N2	-2.73	105.82	110.49
6	P	101	A2G	O7-C7-C8	-2.73	116.98	122.06
5	F	702	MES	O1S-S-C8	-2.72	103.64	106.92
6	P	101	A2G	O7-C7-N2	2.69	126.90	121.95
6	I	102	A2G	O5-C5-C6	-2.69	102.99	107.20
6	I	101	A2G	C2-N2-C7	-2.67	119.10	122.90
6	P	102	A2G	C1-C2-N2	-2.63	106.00	110.49
6	J	103	A2G	C4-C3-C2	-2.57	107.25	111.02
6	P	103	A2G	C1-O5-C5	2.57	115.67	112.19
6	N	103	A2G	O5-C5-C6	-2.53	103.23	107.20
6	K	102	A2G	C2-N2-C7	-2.52	119.31	122.90
6	P	103	A2G	O3-C3-C2	2.52	114.67	109.47
6	K	101	A2G	O4-C4-C3	-2.51	104.54	110.35
6	L	102	A2G	O5-C1-C2	-2.45	107.41	111.29
6	O	103	A2G	O5-C5-C6	2.41	110.98	107.20
6	P	101	A2G	O5-C1-C2	-2.40	107.49	111.29
6	O	101	A2G	C1-O5-C5	2.40	115.44	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	K	102	A2G	O4-C4-C3	-2.38	104.84	110.35
6	P	102	A2G	O6-C6-C5	-2.38	103.12	111.29
6	L	102	A2G	C2-N2-C7	-2.37	119.53	122.90
6	K	101	A2G	O7-C7-C8	-2.37	117.66	122.06
6	K	101	A2G	O3-C3-C2	-2.36	104.57	109.47
6	P	101	A2G	O4-C4-C3	-2.32	104.98	110.35
6	P	103	A2G	O5-C1-C2	-2.30	107.66	111.29
6	J	101	A2G	C6-C5-C4	2.29	118.38	113.00
6	L	102	A2G	O7-C7-C8	-2.29	117.81	122.06
6	J	102	A2G	O6-C6-C5	-2.27	103.49	111.29
6	K	101	A2G	C3-C4-C5	-2.26	106.21	110.24
6	P	103	A2G	C3-C4-C5	-2.21	106.29	110.24
6	I	102	A2G	O4-C4-C5	-2.21	103.81	109.30
6	K	103	A2G	O3-C3-C2	2.14	113.89	109.47
6	M	102	A2G	O4-C4-C3	-2.13	105.42	110.35
6	O	103	A2G	C4-C3-C2	-2.13	107.90	111.02
6	N	101	A2G	O4-C4-C5	2.10	114.52	109.30
6	J	101	A2G	C3-C4-C5	-2.10	106.49	110.24
6	P	103	A2G	C2-N2-C7	-2.09	119.93	122.90
6	J	101	A2G	O3-C3-C4	2.06	115.12	110.35
6	I	103	A2G	O3-C3-C2	2.03	113.66	109.47
6	L	102	A2G	C3-C4-C5	-2.01	106.65	110.24
6	I	102	A2G	O7-C7-C8	-2.01	118.32	122.06

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	701	GOL	O1-C1-C2-C3
3	F	701	GOL	C1-C2-C3-O3
3	G	701	GOL	C1-C2-C3-O3
3	H	701	GOL	O1-C1-C2-C3
3	H	703	GOL	C1-C2-C3-O3
5	F	702	MES	C7-C8-S-O1S
5	F	702	MES	C7-C8-S-O3S
3	D	701	GOL	O1-C1-C2-O2
3	E	701	GOL	O2-C2-C3-O3
3	A	1002	GOL	C1-C2-C3-O3
3	D	701	GOL	O1-C1-C2-C3
3	E	701	GOL	O1-C1-C2-C3
3	E	701	GOL	C1-C2-C3-O3
3	H	703	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	701	GOL	O1-C1-C2-O2
3	H	701	GOL	O1-C1-C2-O2
3	H	703	GOL	O1-C1-C2-O2
3	H	703	GOL	O2-C2-C3-O3
3	E	701	GOL	O1-C1-C2-O2
3	D	701	GOL	C1-C2-C3-O3
3	A	1002	GOL	O2-C2-C3-O3
5	F	702	MES	C7-C8-S-O2S
3	D	701	GOL	O2-C2-C3-O3
3	G	701	GOL	O2-C2-C3-O3
3	F	701	GOL	O2-C2-C3-O3
5	F	702	MES	C8-C7-N4-C5

There are no ring outliers.

14 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	M	102	A2G	1	0
6	O	102	A2G	3	0
3	A	1002	GOL	1	0
6	I	103	A2G	1	0
3	B	1001	GOL	2	0
3	G	701	GOL	5	0
6	I	102	A2G	1	0
5	F	702	MES	4	0
6	N	102	A2G	1	0
3	E	701	GOL	1	0
6	O	101	A2G	1	0
6	P	102	A2G	1	0
3	H	703	GOL	3	0
6	L	102	A2G	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	342/627 (54%)	0.12	8 (2%) 60 65	19, 27, 44, 77	0
1	B	343/627 (54%)	0.25	11 (3%) 47 52	17, 27, 54, 96	0
1	C	342/627 (54%)	0.35	24 (7%) 16 19	18, 29, 53, 91	0
1	D	342/627 (54%)	0.39	23 (6%) 17 20	22, 34, 56, 85	0
1	E	344/627 (54%)	0.50	28 (8%) 12 14	21, 35, 64, 91	0
1	F	344/627 (54%)	0.34	21 (6%) 21 23	20, 31, 54, 92	0
1	G	341/627 (54%)	0.53	31 (9%) 9 10	22, 36, 66, 100	0
1	H	342/627 (54%)	0.26	15 (4%) 34 38	21, 31, 53, 83	0
2	I	11/15 (73%)	0.29	2 (18%) 1 1	24, 27, 40, 53	0
2	J	11/15 (73%)	-0.14	1 (9%) 9 10	19, 23, 35, 50	0
2	K	11/15 (73%)	-0.08	1 (9%) 9 10	22, 23, 34, 46	0
2	L	11/15 (73%)	0.27	1 (9%) 9 10	25, 29, 40, 45	0
2	M	11/15 (73%)	0.38	1 (9%) 9 10	30, 34, 54, 63	0
2	N	10/15 (66%)	0.00	1 (10%) 7 8	26, 29, 33, 44	0
2	O	11/15 (73%)	0.15	1 (9%) 9 10	28, 32, 47, 60	0
2	P	11/15 (73%)	0.52	1 (9%) 9 10	26, 31, 40, 54	0
All	All	2827/5136 (55%)	0.34	170 (6%) 21 24	17, 31, 57, 100	0

All (170) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	296	ASN	7.1
1	C	275	ASN	5.8
1	E	109	SER	5.7
2	P	4	ALA	5.6
1	E	351	THR	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	376	GLU	5.4
1	C	375	ASN	5.4
1	D	296	ASN	5.3
1	C	296	ASN	5.3
1	E	296	ASN	5.3
1	E	241	LEU	5.1
1	B	275	ASN	5.1
2	L	4	ALA	4.8
1	G	241	LEU	4.8
1	F	296	ASN	4.7
1	G	275	ASN	4.7
1	A	376	GLU	4.6
1	E	375	ASN	4.6
1	B	296	ASN	4.6
2	M	4	ALA	4.6
1	D	375	ASN	4.5
2	O	4	ALA	4.4
1	G	351	THR	4.4
1	B	351	THR	4.3
1	E	275	ASN	4.1
2	I	4	ALA	4.1
1	B	109	SER	4.1
1	A	109	SER	4.0
1	D	241	LEU	3.9
1	D	275	ASN	3.9
1	F	357	ILE	3.9
1	F	-1	GLY	3.9
1	B	375	ASN	3.8
1	D	357	ILE	3.8
2	K	4	ALA	3.7
2	J	4	ALA	3.7
1	F	36	ALA	3.7
1	G	263	ARG	3.7
1	C	295	GLU	3.6
1	E	-2	GLY	3.6
1	E	-1	GLY	3.5
1	E	357	ILE	3.5
1	A	377	SER	3.5
1	H	296	ASN	3.4
1	F	376	GLU	3.3
1	G	298	LYS	3.3
1	D	376	GLU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	374	LYS	3.3
1	F	241	LEU	3.3
1	A	275	ASN	3.3
1	G	36	ALA	3.2
1	H	-1	GLY	3.2
1	G	346	SER	3.2
1	G	374	LYS	3.2
1	D	0	GLY	3.2
1	F	109	SER	3.1
1	C	351	THR	3.1
1	D	109	SER	3.1
1	E	47	ASN	3.1
1	H	357	ILE	3.1
1	F	375	ASN	3.0
1	G	299	LEU	3.0
1	H	375	ASN	3.0
1	C	293	TYR	3.0
1	G	294	TYR	3.0
1	F	0	GLY	2.9
1	G	-1	GLY	2.9
1	G	352	ASN	2.9
1	F	-2	GLY	2.9
1	G	373	ILE	2.9
1	G	268	THR	2.9
1	A	263	ARG	2.8
1	H	241	LEU	2.8
1	G	324	ASN	2.8
1	H	319	ILE	2.8
1	D	41	VAL	2.8
1	D	108	ILE	2.7
1	G	109	SER	2.7
1	H	351	THR	2.7
1	G	240	PRO	2.7
1	E	290	LYS	2.7
1	E	41	VAL	2.7
1	H	263	ARG	2.7
1	D	359	LEU	2.7
1	C	357	ILE	2.7
1	E	281	GLU	2.7
1	F	111	LYS	2.7
1	F	263	ARG	2.6
1	G	261	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	324	ASN	2.6
1	H	0	GLY	2.6
1	A	241	LEU	2.6
1	H	374	LYS	2.6
1	C	-1	GLY	2.6
1	A	359	LEU	2.5
1	C	254	LEU	2.5
1	B	297	GLU	2.5
1	G	295	GLU	2.5
1	F	114	ILE	2.5
1	E	352	ASN	2.5
1	F	352	ASN	2.5
1	E	223	SER	2.5
1	E	346	SER	2.5
1	D	130	GLY	2.5
1	H	317	ILE	2.5
1	C	299	LEU	2.5
1	F	349	LEU	2.5
1	G	354	TYR	2.4
1	D	261	ASP	2.4
1	E	295	GLU	2.4
1	G	267	GLY	2.4
1	E	354	TYR	2.4
1	C	346	SER	2.4
1	G	348	SER	2.4
1	B	295	GLU	2.4
1	B	357	ILE	2.3
1	E	0	GLY	2.3
1	F	348	SER	2.3
1	C	347	ILE	2.3
1	E	108	ILE	2.3
1	F	351	THR	2.3
1	C	261	ASP	2.3
1	E	251	SER	2.3
1	C	307	ASP	2.3
1	G	355	ALA	2.3
1	F	317	ILE	2.3
1	C	252	GLU	2.3
1	G	293	TYR	2.3
1	C	290	LYS	2.3
1	D	263	ARG	2.2
1	G	297	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	352	ASN	2.2
1	C	164	PHE	2.2
1	D	53	ILE	2.2
1	D	317	ILE	2.2
2	I	5	ALA	2.2
1	F	41	VAL	2.2
1	E	376	GLU	2.2
1	H	297	GLU	2.2
1	C	301	ILE	2.2
2	N	5	ALA	2.2
1	B	348	SER	2.1
1	G	43	VAL	2.1
1	G	289	VAL	2.1
1	G	274	LEU	2.1
1	D	346	SER	2.1
1	E	348	SER	2.1
1	D	324	ASN	2.1
1	C	354	TYR	2.1
1	D	307	ASP	2.1
1	D	351	THR	2.1
1	H	109	SER	2.1
1	G	95	ASN	2.1
1	A	281	GLU	2.1
1	E	297	GLU	2.1
1	E	299	LEU	2.1
1	C	370	LYS	2.1
1	E	304	GLN	2.1
1	E	301	ILE	2.1
1	H	222	ILE	2.1
1	E	261	ASP	2.0
1	F	298	LYS	2.0
1	C	297	GLU	2.0
1	G	362	ILE	2.0
1	C	267	GLY	2.0
1	D	335	ASP	2.0
1	D	348	SER	2.0
1	F	295	GLU	2.0
1	B	350	PRO	2.0
1	D	352	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GOL	H	701	6/6	0.82	0.11	33,43,44,44	0
3	GOL	F	701	6/6	0.85	0.19	40,49,54,58	0
3	GOL	E	701	6/6	0.86	0.15	38,46,50,55	0
3	GOL	C	702	6/6	0.87	0.12	27,32,36,37	0
3	GOL	H	702	6/6	0.87	0.12	35,38,47,54	0
3	GOL	H	703	6/6	0.87	0.24	27,34,59,60	0
3	GOL	B	1001	6/6	0.88	0.11	30,36,43,47	0
3	GOL	A	1002	6/6	0.89	0.14	38,45,47,55	0
6	A2G	P	102	14/15	0.89	0.11	28,34,37,41	0
3	GOL	A	1001	6/6	0.90	0.18	35,38,43,44	0
6	A2G	M	102	14/15	0.90	0.11	31,37,40,40	0
3	GOL	D	701	6/6	0.90	0.12	34,45,49,50	0
6	A2G	N	102	14/15	0.91	0.08	29,33,35,36	0
6	A2G	O	101	14/15	0.91	0.10	30,35,38,40	0
6	A2G	O	102	14/15	0.91	0.09	28,32,37,37	0
3	GOL	G	701	6/6	0.91	0.12	40,48,50,50	0
6	A2G	I	102	14/15	0.92	0.08	26,30,33,33	0
6	A2G	L	101	14/15	0.93	0.08	26,28,32,34	0
5	MES	F	702	12/12	0.93	0.19	38,55,72,73	0
6	A2G	P	103	14/15	0.93	0.08	26,28,32,32	0
6	A2G	J	101	14/15	0.94	0.09	19,21,23,23	0
6	A2G	L	102	14/15	0.94	0.09	27,33,35,36	0
6	A2G	K	102	14/15	0.94	0.07	24,28,31,32	0
6	A2G	O	103	14/15	0.94	0.09	27,29,30,32	0
6	A2G	M	103	14/15	0.94	0.08	32,33,37,39	0
6	A2G	N	101	14/15	0.94	0.08	22,27,30,30	0
6	A2G	N	103	14/15	0.95	0.07	25,29,32,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	A2G	K	103	14/15	0.95	0.08	20,22,24,25	0
6	A2G	M	101	14/15	0.95	0.08	27,29,31,31	0
6	A2G	I	103	14/15	0.96	0.06	21,24,25,26	0
3	GOL	C	701	6/6	0.96	0.09	35,41,43,43	0
6	A2G	J	102	14/15	0.96	0.06	21,25,27,28	0
6	A2G	L	103	14/15	0.97	0.07	22,24,26,26	0
6	A2G	J	103	14/15	0.97	0.10	23,23,26,28	0
6	A2G	P	101	14/15	0.97	0.06	23,25,26,27	0
6	A2G	K	101	14/15	0.97	0.09	20,22,25,25	0
4	ZN	F	703	1/1	0.97	0.04	31,31,31,31	0
4	ZN	F	704	1/1	0.98	0.04	26,26,26,26	0
6	A2G	I	101	14/15	0.98	0.05	20,23,26,27	0
4	ZN	G	702	1/1	0.98	0.03	29,29,29,29	0
4	ZN	G	703	1/1	0.98	0.02	31,31,31,31	0
4	ZN	H	704	1/1	0.98	0.03	29,29,29,29	0
4	ZN	B	1002	1/1	0.99	0.04	25,25,25,25	0
4	ZN	E	702	1/1	0.99	0.03	30,30,30,30	0
4	ZN	A	1003	1/1	1.00	0.03	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.