



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 20, 2023 – 01:37 pm GMT

PDB ID : 8PP2  
Title : Binary crystal structure of positively supercharged ferritin variant Ftn(pos) and native(K86Q) human heavy chain ferritin (Mg formate condition)  
Authors : Lang, L.; Beck, T.  
Deposited on : 2023-07-06  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	172	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">94%</span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: yellow;"></span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: orange;"></span> <span style="position: absolute; top: -10px; right: 0;">6%</span> </div> </div>
1	B	172	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">2%</span> <span style="position: absolute; top: -10px; right: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">94%</span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: yellow;"></span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: orange;"></span> <span style="position: absolute; top: -10px; right: 0;">5%</span> </div> </div>
1	C	172	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">96%</span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: yellow;"></span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: orange;"></span> <span style="position: absolute; top: -10px; right: 0;">..</span> </div> </div>
1	D	172	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">94%</span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: yellow;"></span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: orange;"></span> <span style="position: absolute; top: -10px; right: 0;">6%</span> </div> </div>
1	E	172	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">%</span> <span style="position: absolute; top: -10px; right: 0;">94%</span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: yellow;"></span> <span style="position: absolute; top: -10px; right: 0; width: 20px; height: 10px; background-color: orange;"></span> <span style="position: absolute; top: -10px; right: 0;">6%</span> </div> </div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	172	<p>2% 95% . .</p>
2	G	172	<p>2% 92% 8% .</p>
2	H	172	<p>8% 86% 13% .</p>
2	I	172	<p>2% 86% 13% ..</p>
2	J	172	<p>88% 12% .</p>
2	K	172	<p>2% 89% 10% .</p>
2	L	172	<p>13% 83% 16% .</p>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 34658 atoms, of which 16829 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ferritin heavy chain, N-terminally processed.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	172	2863	903	1431	258	266	5	42	0	0
1	B	172	2863	903	1431	258	266	5	42	0	0
1	C	172	2887	909	1444	262	267	5	42	1	0
1	D	172	2863	903	1431	258	266	5	42	0	0
1	E	172	2863	903	1431	258	266	5	42	0	0
1	F	172	2863	903	1431	258	266	5	42	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	LYS	ALA	engineered mutation	UNP P02794
A	26	ARG	ASN	engineered mutation	UNP P02794
A	87	GLN	LYS	engineered mutation	UNP P02794
A	91	LYS	CYS	engineered mutation	UNP P02794
A	99	ARG	ASN	engineered mutation	UNP P02794
A	103	LYS	CYS	engineered mutation	UNP P02794
A	106	LYS	HIS	engineered mutation	UNP P02794
A	110	LYS	ASN	engineered mutation	UNP P02794
A	124	LYS	ASP	engineered mutation	UNP P02794
A	163	ARG	GLU	engineered mutation	UNP P02794
B	19	LYS	ALA	engineered mutation	UNP P02794
B	26	ARG	ASN	engineered mutation	UNP P02794
B	87	GLN	LYS	engineered mutation	UNP P02794
B	91	LYS	CYS	engineered mutation	UNP P02794
B	99	ARG	ASN	engineered mutation	UNP P02794
B	103	LYS	CYS	engineered mutation	UNP P02794
B	106	LYS	HIS	engineered mutation	UNP P02794

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	110	LYS	ASN	engineered mutation	UNP P02794
B	124	LYS	ASP	engineered mutation	UNP P02794
B	163	ARG	GLU	engineered mutation	UNP P02794
C	19	LYS	ALA	engineered mutation	UNP P02794
C	26	ARG	ASN	engineered mutation	UNP P02794
C	87	GLN	LYS	engineered mutation	UNP P02794
C	91	LYS	CYS	engineered mutation	UNP P02794
C	99	ARG	ASN	engineered mutation	UNP P02794
C	103	LYS	CYS	engineered mutation	UNP P02794
C	106	LYS	HIS	engineered mutation	UNP P02794
C	110	LYS	ASN	engineered mutation	UNP P02794
C	124	LYS	ASP	engineered mutation	UNP P02794
C	163	ARG	GLU	engineered mutation	UNP P02794
D	19	LYS	ALA	engineered mutation	UNP P02794
D	26	ARG	ASN	engineered mutation	UNP P02794
D	87	GLN	LYS	engineered mutation	UNP P02794
D	91	LYS	CYS	engineered mutation	UNP P02794
D	99	ARG	ASN	engineered mutation	UNP P02794
D	103	LYS	CYS	engineered mutation	UNP P02794
D	106	LYS	HIS	engineered mutation	UNP P02794
D	110	LYS	ASN	engineered mutation	UNP P02794
D	124	LYS	ASP	engineered mutation	UNP P02794
D	163	ARG	GLU	engineered mutation	UNP P02794
E	19	LYS	ALA	engineered mutation	UNP P02794
E	26	ARG	ASN	engineered mutation	UNP P02794
E	87	GLN	LYS	engineered mutation	UNP P02794
E	91	LYS	CYS	engineered mutation	UNP P02794
E	99	ARG	ASN	engineered mutation	UNP P02794
E	103	LYS	CYS	engineered mutation	UNP P02794
E	106	LYS	HIS	engineered mutation	UNP P02794
E	110	LYS	ASN	engineered mutation	UNP P02794
E	124	LYS	ASP	engineered mutation	UNP P02794
E	163	ARG	GLU	engineered mutation	UNP P02794
F	19	LYS	ALA	engineered mutation	UNP P02794
F	26	ARG	ASN	engineered mutation	UNP P02794
F	87	GLN	LYS	engineered mutation	UNP P02794
F	91	LYS	CYS	engineered mutation	UNP P02794
F	99	ARG	ASN	engineered mutation	UNP P02794
F	103	LYS	CYS	engineered mutation	UNP P02794
F	106	LYS	HIS	engineered mutation	UNP P02794
F	110	LYS	ASN	engineered mutation	UNP P02794
F	124	LYS	ASP	engineered mutation	UNP P02794

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	163	ARG	GLU	engineered mutation	UNP P02794

- Molecule 2 is a protein called Ferritin heavy chain, N-terminally processed.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
2	G	172	Total	C	H	N	O	S	46	0	0
			2778	885	1365	248	273	7			
2	H	172	Total	C	H	N	O	S	46	0	0
			2778	885	1365	248	273	7			
2	I	172	Total	C	H	N	O	S	46	0	0
			2778	885	1365	248	273	7			
2	J	172	Total	C	H	N	O	S	46	0	0
			2778	885	1365	248	273	7			
2	K	172	Total	C	H	N	O	S	46	0	0
			2778	885	1365	248	273	7			
2	L	172	Total	C	H	N	O	S	46	0	0
			2778	885	1365	248	273	7			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	87	GLN	LYS	engineered mutation	UNP P02794
H	87	GLN	LYS	engineered mutation	UNP P02794
I	87	GLN	LYS	engineered mutation	UNP P02794
J	87	GLN	LYS	engineered mutation	UNP P02794
K	87	GLN	LYS	engineered mutation	UNP P02794
L	87	GLN	LYS	engineered mutation	UNP P02794

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
3	A	1	14	3	8	3	2	0
3	A	1	14	3	8	3	2	0
3	B	1	14	3	8	3	2	0
3	C	1	14	3	8	3	2	0
3	E	1	14	3	8	3	2	0

- Molecule 4 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Fe		
4	A	1	1	1	0	0
4	B	1	1	1	0	0
4	C	1	1	1	0	0
4	D	1	1	1	0	0
4	E	1	1	1	0	0
4	F	1	1	1	0	0
4	G	1	1	1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	H	1	Total Fe 1 1	0	0
4	I	1	Total Fe 1 1	0	0
4	J	1	Total Fe 1 1	0	0
4	K	1	Total Fe 1 1	0	0
4	L	1	Total Fe 1 1	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0
5	F	1	Total Mg 1 1	0	0
5	G	1	Total Mg 1 1	0	0
5	J	1	Total Mg 1 1	0	0
5	K	1	Total Mg 1 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	84	Total O 84 84	0	0
6	B	71	Total O 71 71	0	0
6	C	97	Total O 97 97	0	0
6	D	106	Total O 106 106	0	0
6	E	105	Total O 105 105	0	0
6	F	102	Total O 102 102	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	29	Total 29	O 29	0	0
6	H	9	Total 9	O 9	0	0
6	I	30	Total 30	O 30	0	0
6	J	29	Total 29	O 29	0	0
6	K	27	Total 27	O 27	0	0
6	L	11	Total 11	O 11	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ferritin heavy chain, N-terminally processed




- Molecule 1: Ferritin heavy chain, N-terminally processed



- Molecule 1: Ferritin heavy chain, N-terminally processed



- Molecule 1: Ferritin heavy chain, N-terminally processed




- Molecule 1: Ferritin heavy chain, N-terminally processed




- Molecule 1: Ferritin heavy chain, N-terminally processed




- Molecule 2: Ferritin heavy chain, N-terminally processed




- Molecule 2: Ferritin heavy chain, N-terminally processed





- Molecule 2: Ferritin heavy chain, N-terminally processed





- Molecule 2: Ferritin heavy chain, N-terminally processed




- Molecule 2: Ferritin heavy chain, N-terminally processed



- Molecule 2: Ferritin heavy chain, N-terminally processed





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	126.80Å 126.80Å 175.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.06 – 2.00 49.01 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.06-2.00) 99.9 (49.01-2.00)	Depositor EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.8.0267, REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.203 , 0.247 0.209 , 0.249	Depositor DCC
$R_{free}$ test set	9313 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.9	Xtrriage
Anisotropy	0.369	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.47 , 55.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.028 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	34658	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, FE, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.70	0/1460	0.81	1/1957 (0.1%)
1	B	0.73	0/1460	0.81	2/1957 (0.1%)
1	C	0.76	0/1471	0.84	1/1971 (0.1%)
1	D	0.73	0/1460	0.83	0/1957
1	E	0.78	1/1460 (0.1%)	0.83	1/1957 (0.1%)
1	F	0.76	1/1460 (0.1%)	0.83	2/1957 (0.1%)
2	G	0.76	0/1442	0.81	0/1943
2	H	0.69	0/1442	0.84	0/1943
2	I	0.73	0/1442	0.81	0/1943
2	J	0.72	0/1442	0.86	5/1943 (0.3%)
2	K	0.74	0/1442	0.83	0/1943
2	L	0.69	0/1442	0.80	0/1943
All	All	0.73	2/17423 (0.0%)	0.83	12/23414 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	I	0	1
2	L	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	148	GLU	CD-OE1	-5.44	1.19	1.25
1	F	148	GLU	CD-OE1	-5.35	1.19	1.25

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	177	GLY	CA-C-O	-8.41	105.47	120.60
2	J	10	ARG	NE-CZ-NH1	7.58	124.09	120.30
1	F	64	ARG	NE-CZ-NH2	-7.43	116.58	120.30
2	J	10	ARG	CG-CD-NE	6.69	125.85	111.80
1	A	177	GLY	CA-C-O	-6.60	108.71	120.60
1	C	26	ARG	NE-CZ-NH1	6.55	123.57	120.30
1	B	64	ARG	NE-CZ-NH2	-5.82	117.39	120.30
1	F	64	ARG	CG-CD-NE	-5.63	99.98	111.80
2	J	23	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	B	177	GLY	CA-C-O	-5.22	111.20	120.60
2	J	23	ARG	NE-CZ-NH2	-5.19	117.70	120.30
2	J	10	ARG	NE-CZ-NH2	-5.03	117.78	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	I	161	ALA	Peptide
2	L	90	ASP	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1432	1431	1419	6	0
1	B	1432	1431	1419	7	0
1	C	1443	1444	1431	4	0
1	D	1432	1431	1419	5	0
1	E	1432	1431	1419	4	0
1	F	1432	1431	1419	5	0
2	G	1413	1365	1352	8	0
2	H	1413	1365	1352	19	0
2	I	1413	1365	1352	19	0
2	J	1413	1365	1352	14	0
2	K	1413	1365	1352	15	0
2	L	1413	1365	1352	17	2
3	A	12	16	16	0	0
3	B	6	8	8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	6	8	8	0	0
3	E	6	8	8	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
6	A	84	0	0	2	0
6	B	71	0	0	1	0
6	C	97	0	0	2	0
6	D	106	0	0	1	0
6	E	105	0	0	0	0
6	F	102	0	0	0	0
6	G	29	0	0	1	1
6	H	9	0	0	0	0
6	I	30	0	0	0	1
6	J	29	0	0	4	0
6	K	27	0	0	0	0
6	L	11	0	0	0	0
All	All	17829	16829	16678	111	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:101:MET:O	6:J:301:HOH:O	1.80	0.97

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:160:GLY:O	2:I:161:ALA:O	1.96	0.83
2:H:10:ARG:NH2	2:H:18:GLU:OE1	2.17	0.77
2:J:41:TYR:O	2:J:44:ARG:HG2	1.91	0.71
1:D:173:LYS:HE2	6:D:302:HOH:O	1.91	0.70
2:G:158:LYS:HG3	2:I:165:GLY:HA3	1.74	0.69
2:H:60:SER:OG	2:L:64:ARG:NH2	2.28	0.67
2:I:73:LEU:HD22	2:I:133:PHE:CE1	2.30	0.66
1:B:15:GLN:HG3	1:B:19:LYS:HE2	1.77	0.66
2:I:98:LEU:HD23	2:I:162:PRO:HD3	1.79	0.65
2:H:10:ARG:NH1	2:H:13:TYR:O	2.31	0.64
2:I:98:LEU:CD2	2:I:162:PRO:HD3	2.28	0.64
2:G:160:GLY:O	2:G:163:GLU:HG2	1.98	0.64
2:J:132:ASP:OD1	6:J:302:HOH:O	2.15	0.63
2:K:130:LEU:O	2:K:134:ILE:HG12	1.98	0.63
2:I:21:ILE:HD13	2:I:118:LEU:HD21	1.81	0.62
2:I:73:LEU:HD22	2:I:133:PHE:CD1	2.35	0.61
2:H:21:ILE:HD13	2:H:118:LEU:HD21	1.83	0.61
2:I:161:ALA:O	2:I:163:GLU:N	2.34	0.60
2:G:73:LEU:HG	2:G:73:LEU:O	2.00	0.59
1:F:73:LEU:HD22	1:F:133:PHE:CE2	2.38	0.59
2:G:20:ALA:HB1	2:G:118:LEU:CD1	2.33	0.58
1:A:163:ARG:HG2	6:A:341:HOH:O	2.03	0.58
2:J:149:LEU:HB3	6:J:301:HOH:O	2.04	0.57
2:H:50:LYS:HE2	2:H:54:LYS:HE3	1.87	0.57
2:H:156:LEU:O	2:H:159:MET:O	2.23	0.56
2:H:122:ALA:HB2	2:H:130:LEU:CD2	2.35	0.56
1:C:26:ARG:HD2	6:C:378:HOH:O	2.03	0.56
1:B:73:LEU:HD22	1:B:133:PHE:CE2	2.40	0.56
1:A:60:SER:OG	1:B:64:ARG:NH2	2.35	0.55
1:D:132:ASP:O	1:D:136:THR:HG23	2.06	0.54
2:H:64:ARG:NH2	2:L:60:SER:OG	2.35	0.54
1:E:154:THR:O	1:E:158:LYS:HG2	2.06	0.54
2:H:130:LEU:O	2:H:134:ILE:HG12	2.08	0.54
2:G:98:LEU:O	2:G:102:GLU:HG3	2.08	0.53
1:B:152:HIS:HD2	6:B:363:HOH:O	1.90	0.53
2:K:146:ILE:HG22	2:L:9:VAL:HB	1.90	0.53
1:B:73:LEU:HD22	1:B:133:PHE:CD2	2.44	0.53
2:J:105:LEU:N	6:J:301:HOH:O	2.43	0.52
1:E:64:ARG:NH1	1:F:64:ARG:HG2	2.25	0.51
2:J:73:LEU:HD22	2:J:133:PHE:CE1	2.46	0.51
2:I:60:SER:OG	2:J:64:ARG:NH2	2.36	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:95:GLU:OE1	1:F:99:ARG:NH1	2.43	0.51
2:H:73:LEU:HD22	2:H:133:PHE:CD1	2.46	0.51
2:J:38:MET:HE3	2:J:100:ALA:HB1	1.92	0.51
2:H:86:ILE:HG13	2:L:33:TYR:CE2	2.45	0.50
1:F:73:LEU:HD22	1:F:133:PHE:CD2	2.46	0.50
2:H:50:LYS:CE	2:H:54:LYS:HE3	2.41	0.50
2:H:14:HIS:CE1	2:H:125:LYS:HE3	2.46	0.50
2:J:130:LEU:O	2:J:134:ILE:HG12	2.12	0.50
2:K:14:HIS:CG	2:K:125:LYS:HD3	2.47	0.50
2:K:121:LEU:O	2:K:125:LYS:HG3	2.12	0.50
2:I:79:GLY:O	2:I:80:ARG:NH1	2.45	0.49
2:I:130:LEU:O	2:I:134:ILE:HG12	2.11	0.49
2:I:20:ALA:HB1	2:I:118:LEU:HD13	1.94	0.49
2:L:73:LEU:HD22	2:L:133:PHE:CD1	2.47	0.49
2:L:121:LEU:O	2:L:125:LYS:HG2	2.12	0.49
1:C:26:ARG:CD	6:C:378:HOH:O	2.60	0.48
2:J:73:LEU:HD22	2:J:133:PHE:CD1	2.47	0.48
2:L:73:LEU:HD22	2:L:133:PHE:CE1	2.48	0.48
1:E:142:GLN:O	1:E:146:ILE:HG12	2.14	0.48
1:A:20:ALA:HB1	1:A:118:LEU:HD13	1.95	0.48
2:I:64:ARG:NH1	2:J:64:ARG:HG2	2.30	0.47
1:B:19:LYS:HE3	2:L:90:ASP:OD1	2.15	0.47
2:L:51:ASN:HB3	2:L:176:LEU:HB3	1.96	0.47
2:H:20:ALA:HB1	2:H:118:LEU:HD13	1.96	0.47
2:H:73:LEU:HD22	2:H:133:PHE:CE1	2.50	0.47
2:I:122:ALA:HB2	2:I:130:LEU:HD23	1.97	0.47
1:E:130:LEU:O	1:E:134:ILE:HG12	2.16	0.46
1:A:73:LEU:O	1:A:73:LEU:HG	2.15	0.45
1:C:73:LEU:O	1:C:73:LEU:HG	2.11	0.45
2:H:14:HIS:CE1	2:H:125:LYS:CE	3.00	0.45
2:J:80:ARG:HD3	2:J:80:ARG:HA	1.77	0.45
2:I:115:LEU:HD13	2:I:138:TYR:HB3	1.99	0.45
2:K:102:GLU:OE2	2:K:157:ARG:NH2	2.45	0.45
2:L:80:ARG:HD3	2:L:80:ARG:HA	1.79	0.45
1:D:26:ARG:HD2	1:D:87:GLN:HE22	1.80	0.45
1:B:155:ASN:O	1:B:159:MET:HG3	2.18	0.44
2:H:122:ALA:HB2	2:H:130:LEU:HD22	1.99	0.44
2:K:73:LEU:HD13	2:K:133:PHE:CD2	2.52	0.44
2:K:35:TYR:OH	2:K:108:GLU:OE2	2.25	0.44
1:D:73:LEU:C	1:D:73:LEU:HD13	2.38	0.43
2:L:38:MET:CE	2:L:100:ALA:HB1	2.49	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:88:LYS:HG2	2:L:89:PRO:O	2.19	0.43
2:L:67:ALA:O	2:L:71:MET:HG3	2.18	0.43
2:L:71:MET:HB3	2:L:71:MET:HE2	1.93	0.43
2:K:69:LYS:HE2	2:K:137:HIS:CG	2.54	0.42
2:K:155:ASN:O	2:K:159:MET:HG3	2.19	0.42
2:K:14:HIS:CB	2:K:125:LYS:HD3	2.49	0.42
2:G:173:LYS:HE2	6:G:307:HOH:O	2.18	0.42
2:H:71:MET:HE2	2:H:71:MET:HB3	1.88	0.42
2:J:13:TYR:OH	2:J:21:ILE:HD12	2.20	0.42
1:A:45:ASP:HA	1:F:151:ASP:OD1	2.19	0.42
1:D:26:ARG:HD3	1:D:84:GLN:HB2	2.01	0.42
2:I:98:LEU:HD22	2:I:162:PRO:HD3	2.01	0.42
2:L:91:CYS:HB3	2:L:93:ASP:O	2.19	0.42
2:L:155:ASN:O	2:L:159:MET:HG3	2.20	0.42
1:A:90:ASP:HB2	6:A:328:HOH:O	2.19	0.41
2:J:98:LEU:HA	2:J:156:LEU:HD13	2.02	0.41
2:K:73:LEU:HD22	2:K:133:PHE:CD1	2.55	0.41
2:H:22:ASN:HA	2:H:25:ILE:HD12	2.02	0.41
2:I:88:LYS:HG2	2:I:89:PRO:O	2.21	0.41
2:K:42:PHE:CZ	2:K:97:GLY:HA2	2.56	0.41
2:I:80:ARG:HD3	2:I:80:ARG:HA	1.89	0.41
2:L:38:MET:O	2:L:42:PHE:CD2	2.74	0.41
2:G:149:LEU:O	2:G:153:VAL:HG23	2.21	0.41
2:G:73:LEU:HD13	2:G:133:PHE:CD1	2.56	0.41
2:I:174:HIS:HB3	2:K:173:LYS:HG3	2.02	0.40
2:K:14:HIS:CD2	2:K:125:LYS:HD3	2.56	0.40
2:K:69:LYS:HE2	2:K:137:HIS:ND1	2.36	0.40
1:C:7:SER:OG	1:C:9:VAL:HG22	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:45:ASP:O	2:L:154:THR:HG1[3_655]	1.42	0.18
2:L:169:TYR:HH	2:L:175:THR:OG1[3_655]	1.42	0.18
6:G:312:HOH:O	6:I:319:HOH:O[3_655]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	170/172 (99%)	167 (98%)	3 (2%)	0	100	100
1	B	170/172 (99%)	167 (98%)	3 (2%)	0	100	100
1	C	171/172 (99%)	167 (98%)	4 (2%)	0	100	100
1	D	170/172 (99%)	169 (99%)	1 (1%)	0	100	100
1	E	170/172 (99%)	168 (99%)	2 (1%)	0	100	100
1	F	170/172 (99%)	167 (98%)	3 (2%)	0	100	100
2	G	170/172 (99%)	165 (97%)	5 (3%)	0	100	100
2	H	170/172 (99%)	161 (95%)	8 (5%)	1 (1%)	25	19
2	I	170/172 (99%)	164 (96%)	4 (2%)	2 (1%)	13	7
2	J	170/172 (99%)	165 (97%)	5 (3%)	0	100	100
2	K	170/172 (99%)	164 (96%)	6 (4%)	0	100	100
2	L	170/172 (99%)	154 (91%)	16 (9%)	0	100	100
All	All	2041/2064 (99%)	1978 (97%)	60 (3%)	3 (0%)	51	49

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	I	161	ALA
2	H	85	ASP
2	I	162	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	154/154 (100%)	152 (99%)	2 (1%)	69	74
1	B	154/154 (100%)	153 (99%)	1 (1%)	86	90
1	C	155/154 (101%)	152 (98%)	3 (2%)	57	61
1	D	154/154 (100%)	151 (98%)	3 (2%)	57	61
1	E	154/154 (100%)	152 (99%)	2 (1%)	69	74
1	F	154/154 (100%)	153 (99%)	1 (1%)	86	90
2	G	153/153 (100%)	150 (98%)	3 (2%)	55	58
2	H	153/153 (100%)	151 (99%)	2 (1%)	69	74
2	I	153/153 (100%)	152 (99%)	1 (1%)	84	88
2	J	153/153 (100%)	151 (99%)	2 (1%)	69	74
2	K	153/153 (100%)	152 (99%)	1 (1%)	84	88
2	L	153/153 (100%)	149 (97%)	4 (3%)	46	48
All	All	1843/1842 (100%)	1818 (99%)	25 (1%)	67	72

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	GLU
1	A	158	LYS
1	B	33	TYR
1	C	33	TYR
1	C	87	GLN
1	C	173	LYS
1	D	33	TYR
1	D	91	LYS
1	D	163	ARG
1	E	33	TYR
1	E	45	ASP
1	F	33	TYR
2	G	64	ARG
2	G	73	LEU
2	G	113	GLN
2	H	54	LYS
2	H	125	LYS
2	I	33	TYR
2	J	10	ARG
2	J	33	TYR
2	K	173	LYS
2	L	33	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	L	92	ASP
2	L	95	GLU
2	L	101	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	B	126	ASN
1	B	152	HIS
1	D	87	GLN
1	F	126	ASN
2	H	51	ASN
2	H	174	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 23 ligands modelled in this entry, 18 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	GOL	A	202	-	5,5,5	0.13	0	5,5,5	0.33	0
3	GOL	B	201	-	5,5,5	0.17	0	5,5,5	0.45	0
3	GOL	A	201	-	5,5,5	0.13	0	5,5,5	0.28	0
3	GOL	E	201	-	5,5,5	0.16	0	5,5,5	0.73	0
3	GOL	C	201	-	5,5,5	0.16	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	202	-	-	1/4/4/4	-
3	GOL	B	201	-	-	1/4/4/4	-
3	GOL	A	201	-	-	2/4/4/4	-
3	GOL	E	201	-	-	1/4/4/4	-
3	GOL	C	201	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	201	GOL	O1-C1-C2-C3
3	E	201	GOL	C1-C2-C3-O3
3	A	201	GOL	O1-C1-C2-O2
3	B	201	GOL	O2-C2-C3-O3
3	A	202	GOL	O2-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	172/172 (100%)	-0.05	1 (0%) 89 88	19, 24, 38, 65	0
1	B	172/172 (100%)	0.01	3 (1%) 70 68	20, 24, 39, 71	0
1	C	172/172 (100%)	-0.06	1 (0%) 89 88	18, 22, 37, 67	0
1	D	172/172 (100%)	-0.01	1 (0%) 89 88	18, 22, 36, 66	0
1	E	172/172 (100%)	-0.09	1 (0%) 89 88	19, 23, 38, 75	0
1	F	172/172 (100%)	-0.05	3 (1%) 70 68	19, 22, 37, 71	0
2	G	172/172 (100%)	0.30	3 (1%) 70 68	26, 33, 48, 63	0
2	H	172/172 (100%)	0.69	14 (8%) 12 11	29, 43, 62, 76	0
2	I	172/172 (100%)	0.28	3 (1%) 70 68	25, 35, 50, 66	0
2	J	172/172 (100%)	0.39	0 100 100	27, 37, 53, 70	0
2	K	172/172 (100%)	0.28	3 (1%) 70 68	25, 36, 47, 56	0
2	L	172/172 (100%)	0.88	23 (13%) 3 2	34, 49, 71, 96	0
All	All	2064/2064 (100%)	0.21	56 (2%) 54 53	18, 31, 55, 96	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	I	161	ALA	6.0
2	L	153	VAL	4.2
1	B	163	ARG	4.1
1	A	163	ARG	3.6
2	L	164	SER	3.5
2	G	162	PRO	3.4
1	F	162	PRO	3.2
1	F	163	ARG	3.2
2	I	15	GLN	3.2
1	E	163	ARG	3.2
2	H	121	LEU	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	I	162	PRO	3.0
2	L	91	CYS	3.0
2	G	163	GLU	2.9
2	H	6	THR	2.8
2	L	163	GLU	2.8
1	C	163	ARG	2.8
2	L	98	LEU	2.8
2	L	130	LEU	2.7
2	H	130	LEU	2.7
2	H	87	GLN	2.7
2	H	165	GLY	2.7
2	G	161	ALA	2.6
2	L	104	ALA	2.6
1	D	163	ARG	2.6
2	L	100	ALA	2.6
1	B	165	GLY	2.5
1	F	165	GLY	2.5
2	L	101	MET	2.5
2	L	41	TYR	2.5
2	L	167	ALA	2.5
2	L	165	GLY	2.5
2	L	120	LYS	2.4
2	L	158	LYS	2.4
2	K	123	THR	2.4
2	K	118	LEU	2.3
2	L	86	ILE	2.3
2	H	82	PHE	2.3
2	L	162	PRO	2.3
2	H	160	GLY	2.3
2	H	123	THR	2.3
2	L	47	VAL	2.3
2	H	15	GLN	2.2
2	H	86	ILE	2.2
2	H	118	LEU	2.2
2	L	105	LEU	2.2
2	L	50	LYS	2.2
2	H	13	TYR	2.2
2	L	146	ILE	2.1
2	H	7	SER	2.1
1	B	162	PRO	2.1
2	H	19	ALA	2.1
2	L	42	PHE	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	L	134	ILE	2.0
2	L	103	CYS	2.0
2	K	161	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	GOL	E	201	6/6	0.83	0.21	34,40,42,42	2
3	GOL	A	202	6/6	0.88	0.13	35,37,40,42	2
3	GOL	B	201	6/6	0.90	0.12	31,36,36,37	2
4	FE	H	201	1/1	0.90	0.12	63,63,63,63	0
3	GOL	A	201	6/6	0.91	0.16	32,40,46,46	2
4	FE	L	201	1/1	0.92	0.12	73,73,73,73	0
5	MG	J	202	1/1	0.92	0.06	62,62,62,62	0
5	MG	G	202	1/1	0.93	0.06	33,33,33,33	0
3	GOL	C	201	6/6	0.93	0.12	26,32,35,36	2
5	MG	F	202	1/1	0.94	0.18	51,51,51,51	0
5	MG	K	202	1/1	0.94	0.06	42,42,42,42	0
4	FE	J	201	1/1	0.97	0.08	52,52,52,52	0
4	FE	G	201	1/1	0.98	0.06	48,48,48,48	0
4	FE	D	201	1/1	0.98	0.09	35,35,35,35	0
4	FE	K	201	1/1	0.99	0.07	53,53,53,53	0
4	FE	F	201	1/1	0.99	0.08	35,35,35,35	0
5	MG	B	203	1/1	0.99	0.10	21,21,21,21	0
5	MG	C	203	1/1	0.99	0.04	26,26,26,26	0
4	FE	B	202	1/1	0.99	0.09	38,38,38,38	0
4	FE	C	202	1/1	0.99	0.08	35,35,35,35	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	FE	I	201	1/1	0.99	0.04	48,48,48,48	0
4	FE	A	203	1/1	0.99	0.07	37,37,37,37	0
4	FE	E	202	1/1	1.00	0.07	34,34,34,34	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.