



Full wwPDB EM Validation Report ⓘ

Nov 15, 2023 – 03:40 am GMT

PDB ID : 8PS1
EMDB ID : EMD-17842
Title : Asymmetric unit of the yeast fatty acid synthase in the non-rotated state with ACP at the ketosynthase domain (FASamn sample)
Authors : Singh, K.; Bunzel, G.; Graf, B.; Yip, K.M.; Stark, H.; Chari, A.
Deposited on : 2023-07-13
Resolution : 2.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1887	 78% 5% 16%
1	B	1887	 8% 91%
2	G	2051	 94% 5%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 29787 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fatty acid synthase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1584	Total	C	N	O	S	0	0
			12379	7837	2089	2405	48		
1	B	163	Total	C	N	O	S	0	0
			1223	775	205	240	3		

- Molecule 2 is a protein called Fatty acid synthase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	G	2034	Total	C	N	O	S	0	0
			16010	10261	2661	3032	56		

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
3	A	1	Total	C	N	O	P	0
			48	21	7	17	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
3	G	1	48	21	7	17	3	0

- Molecule 4 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: $C_{17}H_{21}N_4O_9P$).




Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
4	G	1	31	17	4	9	1	0

- Molecule 5 is COENZYME A (three-letter code: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
5	G	1	48	21	7	16	3	1	0



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	121299	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	5000	Depositor
Maximum defocus (nm)	25000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.284	Depositor
Minimum map value	-0.074	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.06	Depositor
Map size (Å)	253.19998, 253.19998, 253.19998	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.055, 1.055, 1.055	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: J8W, FMN, COA, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	3/12613 (0.0%)	0.88	3/17048 (0.0%)
1	B	0.68	0/1241	0.80	0/1675
2	G	0.67	0/16362	0.85	1/22199 (0.0%)
All	All	0.70	3/30216 (0.0%)	0.86	4/40922 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1317	GLU	CD-OE1	5.35	1.31	1.25
1	A	1026	GLU	CD-OE2	5.25	1.31	1.25
1	A	1310	GLU	CD-OE2	5.25	1.31	1.25

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1180	ARG	NE-CZ-NH1	6.94	123.77	120.30
2	G	1150	ARG	CB-CA-C	-5.32	99.77	110.40
1	A	340	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	A	1221	GLU	CB-CA-C	5.17	120.73	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	12379	0	12317	50	0
1	B	1223	0	1265	2	0
2	G	16010	0	15979	60	0
3	A	48	0	25	0	0
3	G	48	0	25	0	0
4	G	31	0	19	4	0
5	G	48	0	32	0	0
All	All	29787	0	29662	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:1150:ARG:HD2	2:G:1193:THR:HG21	1.72	0.71
1:A:865:CYS:HB2	1:A:917:CYS:SG	2.30	0.71
1:A:1189:ILE:H	1:A:1380:GLN:HE21	1.42	0.67
2:G:1838:MET:CE	2:G:1976:PHE:HD1	2.10	0.64
2:G:1838:MET:HE1	2:G:1976:PHE:HD1	1.64	0.62
2:G:1736:MET:HG2	2:G:1751:ILE:HD13	1.83	0.61
1:A:706:THR:HB	1:A:737:PHE:HB3	1.82	0.61
1:A:41:THR:HG21	2:G:1663:THR:HG22	1.85	0.59
1:A:1186:ALA:HB3	1:A:1188:GLN:HE21	1.68	0.58
1:A:790:PHE:CE2	1:A:794:ILE:HD11	2.38	0.58
2:G:806:MET:HE1	2:G:1054:LEU:O	2.04	0.57
2:G:597:MET:HA	4:G:2101:FMN:N5	2.20	0.57
2:G:1054:LEU:HB2	4:G:2101:FMN:HM72	1.86	0.57
2:G:1638:ILE:HD13	2:G:1657:ILE:CG1	2.35	0.56
2:G:1782:THR:HG22	2:G:1827:LEU:HD21	1.89	0.55
2:G:1789:PHE:CD2	2:G:1817:SER:HB3	2.41	0.54
2:G:915:ALA:HA	2:G:1000:ILE:HD11	1.89	0.54
2:G:864:LEU:HD11	2:G:868:PHE:CZ	2.43	0.54
1:A:1411:THR:HA	1:A:1648:GLN:O	2.07	0.53
2:G:145:LEU:HD21	2:G:156:LEU:HD21	1.91	0.53
2:G:1201:VAL:HG11	2:G:1226:ASN:HB2	1.89	0.53
1:A:771:PHE:CE1	1:A:825:PRO:HB3	2.44	0.53
1:A:413:LEU:HD11	1:A:451:MET:SD	2.49	0.52
2:G:234:ILE:N	2:G:235:PRO:CD	2.71	0.52
2:G:1629:VAL:HG12	2:G:1637:LEU:O	2.09	0.52
1:A:35:PHE:CD1	2:G:1663:THR:HG21	2.45	0.52
2:G:1838:MET:CE	2:G:1976:PHE:CD1	2.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:1782:THR:CG2	2:G:1827:LEU:HD21	2.40	0.51
2:G:1804:PHE:CZ	2:G:2010:TYR:HB2	2.45	0.51
1:A:1673:TYR:CZ	1:A:1677:VAL:HG21	2.45	0.51
1:A:17:LEU:HD23	2:G:2014:LEU:HD23	1.93	0.51
1:A:518:LYS:HG3	1:A:519:VAL:HG23	1.93	0.51
1:B:249:TYR:CE1	1:B:284:LYS:HD2	2.46	0.50
1:A:1531:LEU:HD21	1:A:1660:TYR:CZ	2.47	0.50
2:G:1838:MET:HE1	2:G:1976:PHE:CD1	2.45	0.50
1:A:995:LEU:HD13	1:A:1674:VAL:HG22	1.94	0.50
2:G:653:TYR:HA	2:G:659:LEU:HD11	1.94	0.50
2:G:1339:PHE:N	2:G:1340:PRO:HD2	2.27	0.50
1:A:1248:GLY:O	1:A:1331:GLY:HA2	2.12	0.49
2:G:679:LEU:HD21	2:G:681:ILE:HD11	1.94	0.49
1:A:1600:LEU:HD11	1:A:1655:VAL:HG12	1.95	0.49
2:G:1890:ASN:HB2	2:G:1899:VAL:HB	1.94	0.49
2:G:767:PHE:HD2	2:G:771:PHE:CE2	2.31	0.49
1:A:891:MET:SD	1:A:939:PHE:CE2	3.06	0.49
2:G:1638:ILE:HD13	2:G:1657:ILE:HG13	1.95	0.48
2:G:808:ALA:HB3	2:G:811:VAL:HG23	1.96	0.48
1:A:1815:ALA:HB2	1:A:1871:ILE:HD11	1.96	0.47
2:G:848:SER:HB3	2:G:854:ILE:HD11	1.96	0.47
1:A:443:SER:HA	1:A:447:LEU:HD23	1.97	0.47
1:A:704:VAL:HG23	1:A:763:TRP:CZ3	2.51	0.46
2:G:528:ILE:HG21	2:G:547:ILE:HG13	1.97	0.46
2:G:1048:VAL:O	2:G:1051:THR:OG1	2.28	0.46
2:G:1339:PHE:N	2:G:1340:PRO:CD	2.77	0.46
2:G:965:SER:O	2:G:968:GLN:NE2	2.48	0.46
2:G:369:SER:HB2	2:G:428:HIS:HB2	1.98	0.45
2:G:1323:MET:CE	2:G:1357:TYR:HB2	2.45	0.45
1:A:702:LYS:HG3	1:A:731:THR:HB	1.99	0.45
2:G:1546:THR:HG21	2:G:1616:VAL:HG11	1.99	0.45
1:A:1791:PHE:HZ	1:A:1813:TRP:HB2	1.81	0.44
2:G:602:VAL:HG12	2:G:620:ALA:HB3	1.98	0.44
1:A:1816:LYS:HB3	1:A:1834:LEU:HD12	1.99	0.44
1:A:671:VAL:HG21	1:A:910:THR:HG22	1.99	0.44
2:G:806:MET:HE1	4:G:2101:FMN:HM71	1.98	0.44
2:G:593:LEU:HB3	2:G:616:THR:OG1	2.17	0.44
1:A:1600:LEU:CD1	1:A:1655:VAL:HG12	2.48	0.44
2:G:1638:ILE:HD13	2:G:1657:ILE:HG12	1.98	0.43
1:A:413:LEU:CD1	1:A:451:MET:HG2	2.49	0.43
2:G:1330:GLY:HA2	2:G:1374:THR:HG21	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1544:THR:O	1:A:1545:SER:HB3	2.18	0.43
1:A:655:LEU:HD22	1:A:916:LEU:HD21	2.01	0.43
2:G:648:GLY:HA3	2:G:678:PHE:CZ	2.54	0.43
2:G:827:VAL:HG11	2:G:840:THR:HG22	2.01	0.43
1:A:1293:SER:O	1:A:1293:SER:OG	2.28	0.43
1:A:1470:LEU:HD13	1:A:1489:ARG:HG2	2.01	0.43
2:G:233:SER:OG	2:G:235:PRO:HD2	2.18	0.43
1:A:1531:LEU:HD21	1:A:1660:TYR:CE1	2.54	0.43
2:G:806:MET:CE	4:G:2101:FMN:HM71	2.49	0.43
2:G:105:ALA:HB1	2:G:119:THR:CG2	2.48	0.43
2:G:372:ASN:HB3	2:G:515:LEU:HD21	2.01	0.43
2:G:598:THR:HA	2:G:599:PRO:HA	1.79	0.43
2:G:1854:MET:HE2	2:G:1972:ILE:HG21	2.00	0.43
1:A:1367:ARG:O	1:A:1370:THR:HB	2.20	0.42
2:G:1804:PHE:CE2	2:G:2010:TYR:HB2	2.54	0.42
1:A:852:ARG:HA	1:A:855:SER:OG	2.19	0.42
1:A:1138:LYS:HG3	1:A:1163:TYR:CE1	2.53	0.42
2:G:176:LEU:HD13	2:G:247:ALA:HB3	2.02	0.42
1:A:1195:ALA:HB1	1:A:1200:ILE:HD12	2.02	0.42
1:B:150:LEU:HD21	1:B:193:GLU:OE2	2.19	0.42
2:G:159:ILE:HA	2:G:271:THR:O	2.19	0.42
2:G:370:LEU:HB2	2:G:378:VAL:HB	2.01	0.42
1:A:413:LEU:HD11	1:A:451:MET:HG2	2.01	0.42
1:A:1186:ALA:HB3	1:A:1188:GLN:NE2	2.35	0.41
1:A:719:GLN:HG3	1:A:1612:ASP:HA	2.02	0.41
1:A:1246:CYS:SG	1:A:1327:CYS:SG	3.07	0.41
1:A:1181:PHE:CE2	1:A:1183:ARG:HB2	2.55	0.41
2:G:1778:GLN:HB2	2:G:1779:PRO:HD3	2.02	0.41
1:A:1752:THR:O	1:A:1756:ILE:HG12	2.21	0.41
2:G:64:PHE:O	2:G:68:VAL:HG23	2.21	0.41
1:A:1523:ARG:NH2	1:A:1564:LEU:O	2.49	0.41
1:A:334:ASP:HA	1:A:337:VAL:HG12	2.03	0.41
2:G:767:PHE:HD1	2:G:796:PHE:CE2	2.39	0.41
1:A:1787:ILE:HD12	1:A:1809:PHE:CE1	2.56	0.40
1:A:1211:ILE:HD13	1:A:1283:MET:HE3	2.04	0.40
1:A:1842:VAL:HG23	1:A:1845:ASN:HB2	2.03	0.40
2:G:844:VAL:HG21	2:G:866:LYS:HD2	2.03	0.40
1:A:821:GLN:HA	1:A:863:THR:OG1	2.22	0.40
1:A:1541:PHE:CD2	1:A:1553:GLU:HG2	2.55	0.40
1:A:1305:CYS:HB2	1:A:1645:GLY:HA2	2.04	0.40
2:G:1878:VAL:HG22	2:G:1944:ILE:HG12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1576/1887 (84%)	1491 (95%)	81 (5%)	4 (0%)	41	72
1	B	161/1887 (8%)	143 (89%)	16 (10%)	2 (1%)	13	39
2	G	2029/2051 (99%)	1907 (94%)	119 (6%)	3 (0%)	51	81
All	All	3766/5825 (65%)	3541 (94%)	216 (6%)	9 (0%)	50	78

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	G	1091	GLY
2	G	2034	GLY
1	A	22	PHE
1	A	829	ASN
1	A	1545	SER
1	B	276	ARG
1	A	951	SER
1	B	178	GLY
2	G	185	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1340/1566 (86%)	1325 (99%)	15 (1%)	73	92

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	135/1566 (9%)	133 (98%)	2 (2%)	65	89
2	G	1772/1788 (99%)	1758 (99%)	14 (1%)	81	94
All	All	3247/4920 (66%)	3216 (99%)	31 (1%)	77	93

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	343	LEU
1	A	413	LEU
1	A	523	SER
1	A	702	LYS
1	A	940	THR
1	A	1086	ASP
1	A	1164	SER
1	A	1284	SER
1	A	1332	TYR
1	A	1333	ASP
1	A	1370	THR
1	A	1391	ASP
1	A	1643	SER
1	A	1808	SER
1	A	1850	GLU
1	B	230	SER
1	B	241	PHE
2	G	73	GLU
2	G	233	SER
2	G	318	SER
2	G	340	SER
2	G	380	SER
2	G	481	ASP
2	G	599	PRO
2	G	1373	SER
2	G	1381	VAL
2	G	1551	GLU
2	G	1585	SER
2	G	1586	SER
2	G	1772	SER
2	G	1937	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	GLN
1	A	344	GLN
1	A	356	ASN
1	A	379	ASN
1	A	618	ASN
1	A	743	GLN
1	A	1188	GLN
1	A	1380	GLN
1	A	1444	ASN
1	A	1542	HIS
2	G	102	HIS
2	G	155	GLN
2	G	245	GLN
2	G	365	GLN
2	G	440	ASN
2	G	500	HIS
2	G	640	GLN
2	G	718	ASN
2	G	747	HIS
2	G	1055	HIS
2	G	1217	ASN
2	G	1352	HIS
2	G	1355	ASN
2	G	1523	ASN
2	G	1529	GLN
2	G	1669	GLN
2	G	1697	HIS
2	G	1890	ASN
2	G	1912	ASN
2	G	1983	ASN
2	G	2020	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	J8W	G	1808	2	10,11,12	1.75	1 (10%)	9,13,15	1.33	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	J8W	G	1808	2	-	3/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	1808	J8W	OG-C2	4.84	1.47	1.33

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	1808	J8W	C3-C1-C2	-2.26	105.07	113.15
2	G	1808	J8W	OG-C2-C1	2.25	117.45	111.39

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	1808	J8W	O7-C2-OG-CB
2	G	1808	J8W	C1-C2-OG-CB
2	G	1808	J8W	C-CA-CB-OG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FMN	G	2101	-	33,33,33	1.41	4 (12%)	48,50,50	1.65	11 (22%)
3	NAP	A	1901	-	45,52,52	0.86	1 (2%)	56,80,80	1.43	9 (16%)
3	NAP	G	2103	-	45,52,52	1.22	5 (11%)	56,80,80	1.33	4 (7%)
5	COA	G	2102	-	41,50,50	0.73	1 (2%)	52,75,75	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FMN	G	2101	-	-	5/18/18/18	0/3/3/3
3	NAP	A	1901	-	-	3/31/67/67	0/5/5/5
3	NAP	G	2103	-	-	7/31/67/67	0/5/5/5
5	COA	G	2102	-	-	6/44/64/64	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	2101	FMN	C9A-C5A	4.32	1.48	1.41
3	G	2103	NAP	C5A-C4A	3.39	1.49	1.40
3	G	2103	NAP	C2A-N3A	3.14	1.37	1.32
5	G	2102	COA	P3B-O3B	2.85	1.64	1.59
4	G	2101	FMN	O2-C2	2.70	1.29	1.24
3	G	2103	NAP	O4D-C1D	2.53	1.44	1.41
4	G	2101	FMN	C9-C8	-2.36	1.36	1.39
3	G	2103	NAP	C4A-N3A	2.25	1.38	1.35
3	G	2103	NAP	O4B-C1B	2.23	1.44	1.41
4	G	2101	FMN	C5A-N5	-2.10	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1901	NAP	C5A-N7A	-2.05	1.32	1.39

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	2101	FMN	O3P-P-O5'	-4.74	94.12	106.73
3	G	2103	NAP	N3A-C2A-N1A	-4.25	122.03	128.68
3	G	2103	NAP	C3N-C7N-N7N	4.22	122.81	117.75
4	G	2101	FMN	O2P-P-O5'	3.74	116.67	106.73
3	A	1901	NAP	N3A-C2A-N1A	-3.61	123.04	128.68
3	A	1901	NAP	O7N-C7N-N7N	-3.48	117.63	122.58
3	A	1901	NAP	C3N-C7N-N7N	3.44	121.88	117.75
4	G	2101	FMN	C10-N1-C2	3.12	123.15	116.90
4	G	2101	FMN	O4-C4-C4A	-2.83	119.09	126.60
3	A	1901	NAP	C4A-C5A-N7A	-2.80	106.48	109.40
3	A	1901	NAP	O2X-P2B-O1X	2.79	121.62	110.68
3	A	1901	NAP	PN-O3-PA	-2.75	123.38	132.83
4	G	2101	FMN	C4'-C3'-C2'	-2.70	107.74	113.36
4	G	2101	FMN	C4-C4A-N5	2.33	121.55	118.23
4	G	2101	FMN	C4A-C10-N10	2.25	119.78	116.48
4	G	2101	FMN	P-O5'-C5'	2.25	124.48	118.30
4	G	2101	FMN	O2-C2-N1	-2.22	118.15	121.83
3	A	1901	NAP	O2N-PN-O1N	2.20	123.13	112.24
3	G	2103	NAP	N6A-C6A-N1A	2.19	123.13	118.57
3	A	1901	NAP	O5B-PA-O1A	-2.15	100.66	109.07
4	G	2101	FMN	O2-C2-N3	2.15	122.83	118.65
3	G	2103	NAP	C2A-N1A-C6A	2.14	122.42	118.75
4	G	2101	FMN	O2'-C2'-C3'	2.05	114.08	109.10
3	A	1901	NAP	C5N-C4N-C3N	-2.04	117.93	120.34

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	G	2103	NAP	C5B-O5B-PA-O1A
3	G	2103	NAP	C5B-O5B-PA-O2A
5	G	2102	COA	CCP-O6A-P2A-O4A
4	G	2101	FMN	O3'-C3'-C4'-C5'
4	G	2101	FMN	C2'-C3'-C4'-C5'
4	G	2101	FMN	C2'-C3'-C4'-O4'
3	G	2103	NAP	O4B-C4B-C5B-O5B
5	G	2102	COA	S1P-C2P-C3P-N4P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	G	2102	COA	C3B-O3B-P3B-O7A
5	G	2102	COA	CCP-O6A-P2A-O3A
5	G	2102	COA	P1A-O3A-P2A-O5A
4	G	2101	FMN	C4'-C5'-O5'-P
3	G	2103	NAP	C4B-C5B-O5B-PA
3	A	1901	NAP	O4D-C4D-C5D-O5D
4	G	2101	FMN	O3'-C3'-C4'-O4'
3	G	2103	NAP	C5B-O5B-PA-O3
3	A	1901	NAP	O4B-C4B-C5B-O5B
3	G	2103	NAP	C3B-C4B-C5B-O5B
3	G	2103	NAP	PA-O3-PN-O1N
5	G	2102	COA	P1A-O3A-P2A-O4A
3	A	1901	NAP	C3D-C4D-C5D-O5D


There are no ring outliers.


1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	2101	FMN	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17842. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 120




Y Index: 120




Z Index: 120


6.2.2 Raw map



X Index: 120



Y Index: 120




Z Index: 120


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 127




Y Index: 106




Z Index: 164


6.3.2 Raw map



X Index: 127



Y Index: 95




Z Index: 164


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_17842_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 201 nm^3 ; this corresponds to an approximate mass of 181 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.17	3.86	3.24

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.17 differs from the reported value 2.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-17842 and PDB model 8PS1. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).









9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8400	 0.5880
A	 0.8620	 0.6110
B	 0.7740	 0.4480
G	 0.8280	 0.5810

