



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2024 – 04:34 pm GMT

PDB ID : 8RIV  
Title : T2R-TTL-1-K08 complex  
Authors : Boiarska, Z.; Homer, J.A.; Steinmetz, M.O.; Moses, J.E.; Protta, A.E.P.  
Deposited on : 2023-12-19  
Resolution : 2.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	5% (Poor fit), 90% (0-1 outliers), 7% (2-3 outliers), 0% (4+ outliers), 0% (Not modelled)
1	C	451	2% (Poor fit), 91% (0-1 outliers), 6% (2-3 outliers), 0% (4+ outliers), 0% (Not modelled)
2	B	445	4% (Poor fit), 87% (0-1 outliers), 8% (2-3 outliers), 5% (4+ outliers), 0% (Not modelled)
2	D	445	9% (Poor fit), 84% (0-1 outliers), 11% (2-3 outliers), 5% (4+ outliers), 0% (Not modelled)
3	E	143	11% (Poor fit), 76% (0-1 outliers), 9% (2-3 outliers), 15% (4+ outliers), 0% (Not modelled)

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
4	F	384	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MG	F	402	-	-	-	X

## 2 Entry composition [i](#)

There are 13 unique types of molecules in this entry. The entry contains 34704 atoms, of which 17015 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	437	6740	2162	3324	581	652	21	0	0	0
1	C	440	6798	2178	3355	585	657	23	0	2	0

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
2	B	422	6556	2097	3219	571	643	26	0	2	0
2	D	423	6523	2087	3202	564	643	27	0	0	0

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
3	E	122	2044	625	1029	183	201	6	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043

- Molecule 4 is a protein called Tubulin tyrosine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
4	F	343	5583	1800	2776	481	512	14	0	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	?	-	ALA	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	MET	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	GLY	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	THR	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	VAL	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	ALA	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	THR	deletion	UNP A0A8V0Z8P0
F	?	-	HIS	deletion	UNP A0A8V0Z8P0
F	?	-	PRO	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	VAL	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	LYS	deletion	UNP A0A8V0Z8P0
F	?	-	ASN	deletion	UNP A0A8V0Z8P0
F	?	-	HIS	deletion	UNP A0A8V0Z8P0
F	?	-	GLY	deletion	UNP A0A8V0Z8P0
F	?	-	PHE	deletion	UNP A0A8V0Z8P0
F	379	HIS	-	expression tag	UNP A0A8V0Z8P0
F	380	HIS	-	expression tag	UNP A0A8V0Z8P0
F	381	HIS	-	expression tag	UNP A0A8V0Z8P0
F	382	HIS	-	expression tag	UNP A0A8V0Z8P0
F	383	HIS	-	expression tag	UNP A0A8V0Z8P0
F	384	HIS	-	expression tag	UNP A0A8V0Z8P0

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
5	A	1	Total	C	H	N	O	P	0	0
			41	10	9	5	14	3		
5	C	1	Total	C	H	N	O	P	0	0
			41	10	9	5	14	3		

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total Ca 1 1	0	0

- Molecule 8 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
8	B	1	38	10	10	5	11	2	0	0
8	D	1	38	10	10	5	11	2	0	0

- Molecule 9 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula:  $C_6H_{13}NO_4S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
9	B	1	25	6	13	1	4	1	0	0


- Molecule 10 is (4-fluoranyl-2-methyl-1 {H}-indol-5-yl) 3,4,5-trimethoxybenzenesulfonate (three-letter code: A1H01) (formula:  $C_{18}H_{18}FNO_6S$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	
			Total	C	F	H	N	O			S
10	B	1	45	18	1	18	1	6	1	0	0
10	D	1	45	18	1	18	1	6	1	0	0




- Molecule 11 is IMIDAZOLE (three-letter code: IMD) (formula:  $C_3H_5N_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	N		
11	B	1	10	3	5	2	0	0
11	B	1	10	3	5	2	0	0

- Molecule 12 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula:  $C_{11}H_{18}N_5O_{12}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
12	F	1	44	11	13	5	12	3	0	0


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	11	Total 11	O 11	0	0
13	B	26	Total 26	O 26	0	0
13	C	73	Total 73	O 73	0	0
13	D	2	Total 2	O 2	0	0
13	E	3	Total 3	O 3	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain





- Molecule 2: Tubulin beta-2B chain







• Molecule 3: Stathmin-4



• Molecule 4: Tubulin tyrosine ligase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	104.93Å 156.36Å 183.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.11 – 2.78 48.11 – 2.78	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.11-2.78) 99.3 (48.11-2.78)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.57 (at 2.77Å)	Xtrriage
Refinement program	PHENIX 1.21rc1_5058	Depositor
R, $R_{free}$	0.180 , 0.231 0.188 , 0.238	Depositor DCC
$R_{free}$ test set	3781 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	85.3	Xtrriage
Anisotropy	0.234	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 67.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	34704	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	119.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MES, CA, GTP, IMD, MG, GDP, A1H01, ACP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/3494	0.47	0/4744
1	C	0.28	0/3529	0.49	0/4791
2	B	0.26	0/3420	0.49	0/4630
2	D	0.26	0/3394	0.48	0/4598
3	E	0.25	0/1023	0.44	0/1357
4	F	0.25	0/2869	0.48	0/3873
All	All	0.26	0/17729	0.48	0/23993

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3416	3324	3322	18	0
1	C	3443	3355	3342	19	1
2	B	3337	3219	3203	19	1
2	D	3321	3202	3201	33	0
3	E	1015	1029	1028	7	0
4	F	2807	2776	2776	21	0
5	A	32	9	12	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	9	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	B	28	10	12	1	0
8	D	28	10	12	0	0
9	B	12	13	13	1	0
10	B	27	18	0	0	0
10	D	27	18	0	0	0
11	B	10	10	10	0	0
12	F	31	13	14	0	0
13	A	11	0	0	0	0
13	B	26	0	0	0	0
13	C	73	0	0	0	0
13	D	2	0	0	0	0
13	E	3	0	0	0	0
All	All	17689	17015	16957	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:135:TYR:OH	4:F:164:SER:O	2.03	0.77
2:D:415:GLU:OE1	2:D:415:GLU:N	2.24	0.69
1:A:226:ASN:ND2	1:A:367:ASP:OD2	2.28	0.67
3:E:14[B]:CYS:SG	3:E:15:THR:N	2.67	0.66
1:C:4[A]:CYS:SG	1:C:136:LEU:HD13	2.36	0.65
4:F:135:TYR:HE2	4:F:166:ALA:HB2	1.63	0.63
4:F:135:TYR:CE2	4:F:166:ALA:HB2	2.33	0.62
3:E:24:LEU:O	3:E:24:LEU:HD23	1.99	0.62
2:B:221:THR:HG21	1:C:326:LYS:HA	1.83	0.60
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.84	0.58
4:F:225:SER:OG	4:F:260:ASN:ND2	2.35	0.58
2:B:172:MET:HG3	2:B:387:LEU:HD21	1.86	0.58

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:186:ASN:OD1	2:D:408:TYR:OH	2.19	0.56
4:F:31:ARG:HA	4:F:31:ARG:HE	1.70	0.56
2:B:70:LEU:HD12	2:B:99:ALA:HB2	1.87	0.56
2:B:23:VAL:HG21	2:B:232:SER:HB3	1.86	0.55
2:D:31:ASP:OD1	2:D:33:THR:OG1	2.09	0.55
2:D:118:VAL:HG13	2:D:153:LEU:HD21	1.88	0.55
1:A:311:LYS:HE3	1:A:344:VAL:HG12	1.89	0.54
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.89	0.54
2:D:118:VAL:CG1	2:D:153:LEU:HD21	2.38	0.54
1:A:187:SER:HB3	1:A:391:LEU:HD21	1.90	0.54
1:C:1:MET:HG3	1:C:131:GLY:HA3	1.90	0.53
2:D:177:VAL:HG21	2:D:206:ASN:HB3	1.90	0.53
2:B:309:HIS:O	2:B:436:GLN:NE2	2.42	0.52
1:C:335:ILE:HG23	1:C:339:ARG:HG3	1.92	0.52
1:C:221:ARG:CG	1:C:221:ARG:O	2.58	0.51
2:D:181:VAL:HG11	2:D:404:PHE:CE2	2.45	0.51
2:D:358:ILE:HD12	2:D:358:ILE:N	2.25	0.51
4:F:221:LEU:HD21	4:F:267:PHE:CD2	2.45	0.51
1:A:167:LEU:HD23	1:A:200:CYS:HB3	1.93	0.51
2:D:67:LEU:N	2:D:67:LEU:HD12	2.27	0.50
4:F:197:ARG:NH1	4:F:257:GLU:OE2	2.44	0.50
2:D:69:ASP:HA	2:D:145:THR:HG21	1.94	0.49
4:F:16:GLU:OE2	4:F:19:ARG:NH1	2.45	0.49
2:D:36:TYR:OH	2:D:40:SER:O	2.30	0.49
2:B:212:ILE:HG23	2:B:275:LEU:HD13	1.95	0.49
2:D:109:THR:HG23	3:E:137:LYS:NZ	2.27	0.49
2:D:428:LEU:C	2:D:428:LEU:HD23	2.33	0.49
4:F:61:LEU:HD22	4:F:358:VAL:HG11	1.94	0.48
1:A:15:GLN:NE2	5:A:501:GTP:O6	2.44	0.48
4:F:178:GLN:N	4:F:178:GLN:OE1	2.46	0.48
4:F:31:ARG:HA	4:F:31:ARG:NE	2.28	0.48
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.95	0.47
2:B:158:ARG:NH1	2:B:196:GLU:O	2.47	0.47
2:D:112:ALA:O	2:D:115:VAL:HG12	2.15	0.47
4:F:266:GLU:OE1	4:F:266:GLU:N	2.41	0.47
1:A:187:SER:CB	1:A:391:LEU:HD21	2.45	0.46
1:C:159:VAL:HA	3:E:94:ILE:HG23	1.97	0.46
4:F:20:LEU:O	4:F:24:THR:HG23	2.16	0.46
2:B:2:ARG:HA	2:B:131:CYS:O	2.16	0.46
1:C:320:ARG:HA	1:C:356:ASN:O	2.15	0.46
2:B:295:MET:SD	2:B:375:ALA:HB1	2.56	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.98	0.46
1:C:248:LEU:HD12	1:C:357:TYR:OH	2.16	0.45
4:F:40:MET:CE	4:F:52:LEU:HD21	2.46	0.45
2:D:428:LEU:HD21	2:D:432:TYR:CE2	2.50	0.45
2:B:69:ASP:O	2:B:94:PHE:HA	2.17	0.45
2:D:91:ASN:N	2:D:91:ASN:OD1	2.49	0.45
2:D:204:ILE:HG22	2:D:209:LEU:HD11	1.98	0.45
1:A:233:GLN:NE2	1:A:361:THR:O	2.38	0.45
1:C:131:GLY:O	1:C:132:LEU:C	2.56	0.44
2:D:36:TYR:CD1	2:D:46:LEU:HD21	2.52	0.44
2:D:46:LEU:HA	2:D:49:ILE:HB	1.99	0.44
2:D:133:GLN:OE1	2:D:252:LEU:HD22	2.18	0.44
1:C:248:LEU:HD13	1:C:355:ILE:HD12	1.99	0.44
2:D:208:ALA:O	2:D:212:ILE:HG13	2.16	0.44
2:D:236:SER:O	2:D:243:ARG:NH2	2.51	0.44
1:C:244:PHE:CD1	1:C:358:GLN:HG3	2.53	0.43
1:C:344:VAL:HG21	1:C:346:TRP:CE2	2.53	0.43
2:B:143:GLY:HA3	8:B:501:GDP:O3A	2.19	0.43
1:C:93:ILE:HG22	1:C:114:ILE:HD11	1.99	0.43
1:C:221:ARG:O	1:C:221:ARG:HG3	2.19	0.43
2:B:253[A]:ARG:NH1	9:B:503:MES:O1S	2.51	0.43
2:B:286:LEU:HD23	2:B:291:LEU:HD23	2.00	0.43
4:F:193:GLU:O	4:F:195:GLY:N	2.49	0.43
2:D:291:LEU:HD11	2:D:375:ALA:HB3	2.00	0.43
1:C:194:THR:O	1:C:194:THR:HG22	2.19	0.42
2:D:428:LEU:HD23	2:D:428:LEU:O	2.18	0.42
2:B:414:ASP:OD1	2:B:415:GLU:N	2.53	0.42
4:F:81:ILE:CD1	4:F:87:LEU:HD13	2.50	0.42
4:F:277:THR:OG1	4:F:278:THR:N	2.52	0.42
1:A:345:ASP:O	3:E:28:SER:N	2.49	0.42
1:A:349:THR:HB	3:E:25:LYS:HB2	2.01	0.42
2:B:295:MET:HG2	2:B:377:PHE:HB2	2.01	0.42
1:C:440:VAL:HG12	1:C:440:VAL:O	2.20	0.42
1:A:25:CYS:SG	1:A:86:LEU:HD21	2.59	0.42
4:F:338:CYS:SG	4:F:339:ALA:N	2.93	0.42
1:A:179:THR:HG22	1:A:179:THR:O	2.19	0.42
2:B:103:TRP:CE3	2:B:189:LEU:HD13	2.54	0.42
2:D:109:THR:HG22	2:D:110:GLU:N	2.35	0.42
4:F:10:ASN:N	4:F:10:ASN:OD1	2.53	0.42
1:A:93:ILE:HD11	1:A:121:ARG:HG3	2.02	0.42
1:C:27:GLU:OE2	1:C:236:SER:OG	2.25	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:265:ILE:O	1:A:265:ILE:HG22	2.19	0.41
1:C:331:ALA:O	1:C:335:ILE:HG13	2.20	0.41
2:D:416:MET:HA	2:D:419:THR:HG22	2.01	0.41
2:B:171:VAL:HA	2:B:204:ILE:O	2.20	0.41
1:A:265:ILE:N	1:A:265:ILE:HD12	2.35	0.41
2:B:264:ARG:NE	2:B:431:GLU:OE1	2.53	0.41
1:A:261:PRO:HG2	1:A:313:MET:HE3	2.03	0.41
2:D:4:ILE:CD1	2:D:252:LEU:HD21	2.51	0.41
2:D:133:GLN:CB	2:D:252:LEU:HD23	2.51	0.41
1:A:50:ASN:O	1:A:64:ARG:NH1	2.54	0.41
1:A:167:LEU:HD12	1:A:252:LEU:HG	2.02	0.41
2:D:119:LEU:O	2:D:122:VAL:HG22	2.21	0.41
3:E:76:ARG:NH1	3:E:79:GLU:OE2	2.53	0.41
1:C:7:ILE:HG21	1:C:153:LEU:HD21	2.03	0.40
4:F:14:TYR:CD1	4:F:41:LEU:HD12	2.57	0.40
4:F:63:ASN:C	4:F:312:PHE:O	2.60	0.40
2:D:295:MET:CE	2:D:375:ALA:HB1	2.51	0.40
2:D:385:GLN:HB2	2:D:429:VAL:HG13	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:411:GLU:OE1	1:C:282:TYR:OH[4_555]	2.06	0.14

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	435/451 (96%)	422 (97%)	13 (3%)	0	100 100
1	C	440/451 (98%)	430 (98%)	10 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	420/445 (94%)	408 (97%)	12 (3%)	0	100	100
2	D	419/445 (94%)	411 (98%)	8 (2%)	0	100	100
3	E	119/143 (83%)	119 (100%)	0	0	100	100
4	F	331/384 (86%)	315 (95%)	16 (5%)	0	100	100
All	All	2164/2319 (93%)	2105 (97%)	59 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	368/379 (97%)	364 (99%)	4 (1%)	73	90
1	C	373/379 (98%)	373 (100%)	0	100	100
2	B	368/383 (96%)	367 (100%)	1 (0%)	92	97
2	D	365/383 (95%)	363 (100%)	2 (0%)	88	95
3	E	111/127 (87%)	107 (96%)	4 (4%)	35	66
4	F	308/342 (90%)	304 (99%)	4 (1%)	69	89
All	All	1893/1993 (95%)	1878 (99%)	15 (1%)	81	93

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASP
1	A	71	GLU
1	A	164	LYS
1	A	336	LYS
2	B	139	HIS
2	D	91	ASN
2	D	139	HIS
3	E	6	MET
3	E	61	ARG

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
3	E	96	MET
3	E	135	LYS
4	F	3	THR
4	F	10	ASN
4	F	172	PHE
4	F	236	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	358	GLN
2	B	249	ASN
2	B	433	GLN
1	C	256	GLN
2	D	249	ASN
2	D	337	ASN
4	F	180	HIS
4	F	252	ASN
4	F	333	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 8 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	GDP	D	501	-	24,30,30	0.96	1 (4%)	30,47,47	1.28	4 (13%)
11	IMD	B	505	-	3,5,5	0.16	0	4,5,5	0.97	0
11	IMD	B	506	-	3,5,5	0.15	0	4,5,5	0.98	0
9	MES	B	503	-	12,12,12	1.09	1 (8%)	14,16,16	0.90	0
10	A1H01	B	504	-	27,29,29	0.93	1 (3%)	37,43,43	1.76	9 (24%)
8	GDP	B	501	6	24,30,30	0.99	1 (4%)	30,47,47	1.00	2 (6%)
5	GTP	C	501	6	26,34,34	1.16	2 (7%)	32,54,54	1.45	6 (18%)
12	ACP	F	401	-	27,33,33	2.34	3 (11%)	32,52,52	1.12	2 (6%)
5	GTP	A	501	6	26,34,34	1.18	2 (7%)	32,54,54	1.42	5 (15%)
10	A1H01	D	503	-	27,29,29	0.97	1 (3%)	37,43,43	1.66	7 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GDP	D	501	-	-	0/12/32/32	0/3/3/3
11	IMD	B	505	-	-	-	0/1/1/1
11	IMD	B	506	-	-	-	0/1/1/1
9	MES	B	503	-	-	0/6/14/14	0/1/1/1
10	A1H01	B	504	-	-	4/17/17/17	0/3/3/3
8	GDP	B	501	6	-	3/12/32/32	0/3/3/3
5	GTP	C	501	6	-	8/18/38/38	0/3/3/3
12	ACP	F	401	-	-	4/15/38/38	0/3/3/3
5	GTP	A	501	6	-	6/18/38/38	0/3/3/3
10	A1H01	D	503	-	-	4/17/17/17	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	F	401	ACP	PB-O3A	11.05	1.70	1.58
5	A	501	GTP	C5-C6	-4.12	1.39	1.47
5	C	501	GTP	C5-C6	-4.02	1.39	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	501	GDP	C6-N1	-2.81	1.33	1.37
9	B	503	MES	C8-S	2.80	1.81	1.77
8	D	501	GDP	C6-N1	-2.47	1.34	1.37
10	B	504	A1H01	C17-C16	-2.32	1.36	1.39
10	D	503	A1H01	C17-C16	-2.32	1.36	1.39
12	F	401	ACP	PB-O2B	-2.18	1.51	1.56
12	F	401	ACP	C8-N7	-2.16	1.30	1.34
5	A	501	GTP	C2-N3	2.09	1.38	1.33
5	C	501	GTP	C2-N3	2.03	1.38	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	D	503	A1H01	O3-C3-C2	4.86	123.69	115.16
10	B	504	A1H01	O3-C3-C2	4.83	123.65	115.16
10	D	503	A1H01	O3-C3-C4	-4.63	116.15	124.12
10	B	504	A1H01	O3-C3-C4	-4.61	116.19	124.12
8	D	501	GDP	PA-O3A-PB	-3.81	119.75	132.83
5	C	501	GTP	PB-O3B-PG	-3.58	120.53	132.83
10	B	504	A1H01	C17-C14-C13	3.21	109.07	106.27
5	A	501	GTP	C5-C6-N1	3.16	119.53	113.95
5	C	501	GTP	C5-C6-N1	3.15	119.51	113.95
10	D	503	A1H01	C17-C14-C13	3.07	108.95	106.27
5	A	501	GTP	C8-N7-C5	3.04	108.79	102.99
5	A	501	GTP	PB-O3B-PG	-3.03	122.44	132.83
5	C	501	GTP	C8-N7-C5	2.96	108.64	102.99
5	C	501	GTP	C2-N1-C6	-2.86	119.84	125.10
12	F	401	ACP	O1G-PG-C3B	-2.85	105.10	111.24
5	A	501	GTP	C2-N1-C6	-2.82	119.91	125.10
10	B	504	A1H01	C10-O6-S1	2.80	125.10	119.44
5	A	501	GTP	PA-O3A-PB	-2.71	123.53	132.83
12	F	401	ACP	O2B-PB-O1B	2.70	119.10	110.07
10	B	504	A1H01	C11-C12-C13	-2.70	117.44	120.84
8	D	501	GDP	C3'-C2'-C1'	2.60	104.89	100.98
10	D	503	A1H01	C11-C12-C13	-2.60	117.57	120.84
10	B	504	A1H01	O2-C2-C3	2.54	123.78	120.12
5	C	501	GTP	PA-O3A-PB	-2.52	124.17	132.83
10	D	503	A1H01	O2-C2-C3	2.48	123.70	120.12
10	D	503	A1H01	O6-C10-C11	2.48	123.80	119.32
10	B	504	A1H01	O6-C10-C11	2.45	123.74	119.32
8	D	501	GDP	C8-N7-C5	2.44	107.64	102.99
8	B	501	GDP	C8-N7-C5	2.32	107.41	102.99

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	D	501	GDP	C5-C6-N1	2.31	118.03	113.95
8	B	501	GDP	PA-O3A-PB	-2.31	124.91	132.83
5	C	501	GTP	O6-C6-C5	-2.24	120.00	124.37
10	B	504	A1H01	O2-C2-C1	-2.23	116.92	120.12
10	D	503	A1H01	O2-C2-C1	-2.09	117.11	120.12
10	B	504	A1H01	C11-C10-C15	2.03	120.84	117.75

There are no chirality outliers.

All (29) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	B	501	GDP	C5'-O5'-PA-O1A
8	B	501	GDP	C5'-O5'-PA-O2A
12	F	401	ACP	C5'-O5'-PA-O1A
12	F	401	ACP	C5'-O5'-PA-O3A
10	B	504	A1H01	C2-C3-O3-C9
10	D	503	A1H01	C2-C3-O3-C9
10	D	503	A1H01	C4-C3-O3-C9
10	B	504	A1H01	C4-C3-O3-C9
10	B	504	A1H01	C1-C2-O2-C8
10	D	503	A1H01	C1-C2-O2-C8
5	C	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	PB-O3A-PA-O2A
5	A	501	GTP	C5'-O5'-PA-O2A
10	D	503	A1H01	C3-C2-O2-C8
10	B	504	A1H01	C3-C2-O2-C8
5	C	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3A-PA-O2A
12	F	401	ACP	O4'-C4'-C5'-O5'
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C5'-O5'-PA-O3A
8	B	501	GDP	C5'-O5'-PA-O3A
5	A	501	GTP	PB-O3A-PA-O1A
12	F	401	ACP	C5'-O5'-PA-O2A

There are no ring outliers.



3 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	503	MES	1	0
8	B	501	GDP	1	0
5	A	501	GTP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	437/451 (96%)	0.54	22 (5%) 28 23	70, 102, 142, 202	0
1	C	440/451 (97%)	0.29	8 (1%) 68 65	56, 76, 112, 143	0
2	B	422/445 (94%)	0.50	17 (4%) 38 33	57, 87, 125, 157	0
2	D	423/445 (95%)	0.70	40 (9%) 8 5	73, 122, 159, 190	0
3	E	122/143 (85%)	0.54	16 (13%) 3 2	73, 114, 168, 194	0
4	F	343/384 (89%)	2.02	156 (45%) 0 0	89, 148, 203, 230	0
All	All	2187/2319 (94%)	0.75	259 (11%) 4 3	56, 105, 173, 230	0

All (259) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	173	ILE	8.2
4	F	134	ALA	7.6
4	F	161	LEU	7.5
2	D	1	MET	7.3
4	F	105	LEU	7.3
4	F	166	ALA	7.1
4	F	20	LEU	7.0
4	F	103	THR	7.0
4	F	100	ILE	6.9
4	F	201	ILE	6.8
4	F	149	ALA	6.6
4	F	170	LEU	6.6
4	F	131	PHE	6.5
4	F	21	LEU	6.3
4	F	198	LYS	6.0
2	D	83	PHE	6.0
4	F	224	SER	5.9
4	F	169	LEU	5.7
4	F	148	ILE	5.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	F	128	ARG	5.6
3	E	27	PRO	5.5
4	F	181	VAL	5.4
4	F	172	PHE	5.4
4	F	142	ARG	5.4
2	D	401	ARG	5.3
4	F	249	TYR	5.3
4	F	255	ARG	5.2
4	F	239	HIS	5.2
4	F	132	LEU	5.1
4	F	240	LEU	5.1
4	F	323	GLU	5.1
4	F	130	VAL	5.1
4	F	244	CYS	5.0
1	A	262	TYR	4.9
3	E	45	PRO	4.9
4	F	150	LYS	4.9
4	F	236	LYS	4.9
4	F	253	TYR	4.8
4	F	223	THR	4.8
4	F	238	CYS	4.8
4	F	256	TYR	4.8
4	F	162	ILE	4.8
2	D	404	PHE	4.8
2	D	82	PRO	4.7
4	F	147	TRP	4.7
4	F	6	VAL	4.6
4	F	228	TYR	4.6
4	F	361	LEU	4.5
4	F	336	PRO	4.4
4	F	330	ILE	4.4
4	F	346	LEU	4.4
4	F	320	MET	4.3
4	F	182	ILE	4.3
2	D	94	PHE	4.3
4	F	13	VAL	4.3
4	F	190	LEU	4.3
4	F	197	ARG	4.3
4	F	199	PHE	4.3
4	F	264	PHE	4.2
3	E	48	GLU	4.2
4	F	376	ILE	4.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	F	129	GLU	4.2
2	D	217	LEU	4.2
4	F	338	CYS	4.1
4	F	17	VAL	4.1
4	F	317	PHE	4.1
4	F	99	VAL	4.1
4	F	14	TYR	4.1
4	F	225	SER	4.0
4	F	191	LEU	4.0
4	F	206	LEU	4.0
4	F	248	GLU	4.0
2	D	37	HIS	3.9
4	F	167	SER	3.9
4	F	235	ASP	3.9
4	F	9	GLU	3.9
4	F	245	ILE	3.9
4	F	314	LEU	3.9
4	F	137	ARG	3.9
3	E	26	PRO	3.9
4	F	251	LYS	3.9
4	F	25	GLY	3.9
4	F	254	GLY	3.8
1	C	251	ASP	3.8
4	F	259	GLY	3.8
4	F	220	VAL	3.8
4	F	44	ARG	3.7
1	A	178	SER	3.7
4	F	180	HIS	3.7
1	C	253	THR	3.7
4	F	252	ASN	3.6
4	F	250	SER	3.6
4	F	41	LEU	3.6
4	F	375	PHE	3.6
2	B	37	HIS	3.6
4	F	164	SER	3.6
2	D	406	HIS	3.6
4	F	227	PRO	3.6
2	D	177	VAL	3.5
4	F	204	TRP	3.5
4	F	246	GLN	3.5
1	A	42	ILE	3.5
4	F	241	THR	3.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	F	179	VAL	3.4
4	F	39	LEU	3.4
4	F	315	PHE	3.3
4	F	337	ALA	3.3
2	B	283	TYR	3.3
4	F	271	LEU	3.3
2	D	86	ILE	3.3
2	B	36	TYR	3.3
2	D	61	TYR	3.3
4	F	353	VAL	3.3
2	B	97	SER	3.2
3	E	46	SER	3.2
4	F	98	TYR	3.2
1	A	66	VAL	3.2
4	F	160	ILE	3.2
4	F	261	GLU	3.2
3	E	25	LYS	3.2
2	B	61	TYR	3.2
4	F	139	ARG	3.2
2	D	87	PHE	3.1
2	B	59	ASN	3.1
4	F	30	LEU	3.1
2	B	83	PHE	3.1
4	F	258	GLU	3.1
2	B	437	ASP	3.1
4	F	101	TYR	3.1
4	F	283	ILE	3.1
4	F	196	HIS	3.1
3	E	141	GLU	3.1
2	D	418	PHE	3.0
4	F	231	ALA	3.0
1	A	43	GLY	3.0
4	F	267	PHE	3.0
4	F	136	ASN	3.0
3	E	23	ILE	3.0
3	E	140	LYS	3.0
4	F	243	HIS	3.0
4	F	31	ARG	3.0
4	F	104	ASN	3.0
4	F	332	VAL	3.0
3	E	50	ILE	2.9
4	F	138	ARG	2.9

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	F	133	ALA	2.9
4	F	229	ASN	2.9
2	D	399	PHE	2.9
2	D	403	ALA	2.9
4	F	242	ASN	2.9
2	D	441	ASP	2.9
4	F	184	LYS	2.9
1	C	1	MET	2.9
4	F	319	PHE	2.8
2	D	46	LEU	2.8
4	F	178	GLN	2.8
4	F	183	GLN	2.8
4	F	16	GLU	2.8
4	F	8	ASP	2.8
4	F	102	PRO	2.7
2	D	42	LEU	2.7
4	F	260	ASN	2.7
2	D	78	VAL	2.7
4	F	23	ALA	2.7
1	A	177	VAL	2.7
2	D	58	GLY	2.7
3	E	11	LEU	2.7
4	F	27	TRP	2.7
4	F	163	SER	2.7
3	E	52	LYS	2.6
1	C	340	SER	2.6
2	D	275	LEU	2.6
3	E	142	GLU	2.6
4	F	143	GLU	2.6
4	F	360	PRO	2.6
1	A	346	TRP	2.6
1	A	281	ALA	2.6
4	F	257	GLU	2.6
1	A	83	TYR	2.6
4	F	377	LYS	2.6
4	F	4	PHE	2.5
2	B	30	ILE	2.5
4	F	214	TYR	2.5
2	D	55	GLU	2.5
1	A	179	THR	2.5
2	D	405	LEU	2.5
4	F	342	LEU	2.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
4	F	226	GLU	2.5
4	F	279	LEU	2.5
4	F	263	PHE	2.5
2	D	295	MET	2.5
2	B	46	LEU	2.5
2	D	256	ALA	2.4
4	F	32	LYS	2.4
4	F	135	TYR	2.4
4	F	200	ASP	2.4
1	C	257	THR	2.4
2	D	67	LEU	2.4
3	E	7	GLU	2.4
1	C	4[A]	CYS	2.4
4	F	205	VAL	2.4
2	B	42	LEU	2.4
2	D	218	LYS	2.4
4	F	7	ARG	2.4
1	A	180	ALA	2.4
4	F	210	LEU	2.4
1	A	170	SER	2.4
1	A	347	CYS	2.4
2	B	179	ASP	2.4
4	F	247	LYS	2.4
1	A	149	PHE	2.4
2	D	92	PHE	2.3
2	D	179	ASP	2.3
4	F	24	THR	2.3
4	F	28	LYS	2.3
1	A	171	ILE	2.3
2	B	98	GLY	2.3
4	F	5	VAL	2.3
4	F	140	GLU	2.2
4	F	193	GLU	2.2
4	F	275	LEU	2.2
4	F	1	MET	2.2
1	A	10	GLY	2.2
4	F	295	LEU	2.2
4	F	189	PRO	2.2
4	F	222	ARG	2.2
2	D	373	MET	2.2
4	F	174	ASP	2.2
1	A	135	PHE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	49	ILE	2.2
4	F	221	LEU	2.2
4	F	327	VAL	2.2
2	D	270	PRO	2.2
2	B	277	SER	2.1
2	D	202	TYR	2.1
2	D	96	GLN	2.1
4	F	230	SER	2.1
3	E	139	LEU	2.1
2	B	313	LEU	2.1
1	A	283	HIS	2.1
1	C	249	ASN	2.1
2	D	59	ASN	2.1
2	B	53	TYR	2.1
2	D	322	ARG	2.1
2	D	323	MET	2.1
4	F	237	THR	2.1
1	A	286	LEU	2.0
4	F	185	TYR	2.0
1	A	65	ALA	2.0
4	F	316	GLY	2.0
3	E	8	VAL	2.0
1	A	335	ILE	2.0
1	C	108	TYR	2.0
4	F	141	GLY	2.0
1	A	67	PHE	2.0
2	D	75	MET	2.0
2	D	172	MET	2.0
2	D	400	ARG	2.0
4	F	127	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	CA	E	201	1/1	0.49	0.38	146,146,146,146	0
6	MG	F	402	1/1	0.56	1.86	174,174,174,174	0
12	ACP	F	401	31/31	0.80	0.24	134,169,208,208	0
6	MG	D	502	1/1	0.83	0.14	129,129,129,129	0
11	IMD	B	505	5/5	0.86	0.33	129,140,166,168	0
11	IMD	B	506	5/5	0.92	0.25	114,137,160,166	0
7	CA	A	503	1/1	0.92	0.06	144,144,144,144	0
10	A1H01	D	503	27/27	0.95	0.31	53,99,127,152	45
9	MES	B	503	12/12	0.95	0.18	68,86,106,111	0
8	GDP	D	501	28/28	0.96	0.17	83,118,153,163	0
10	A1H01	B	504	27/27	0.96	0.30	67,96,130,138	0
8	GDP	B	501	28/28	0.97	0.30	43,61,89,96	0
5	GTP	C	501	32/32	0.98	0.25	53,65,82,97	0
6	MG	C	502	1/1	0.98	0.19	59,59,59,59	0
7	CA	C	503	1/1	0.98	0.15	115,115,115,115	0
5	GTP	A	501	32/32	0.98	0.31	57,76,107,112	0
6	MG	A	502	1/1	0.99	0.31	93,93,93,93	0
6	MG	B	502	1/1	0.99	0.73	79,79,79,79	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around ACP F 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around A1H01 D 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GDP D 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around A1H01 B 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers [i](#)

There are no such residues in this entry.