



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 7, 2024 – 11:38 PM EST

PDB ID : 8TJT
Title : The Fab fragment of an anti-glucagon receptor (GCGR) antibody
Authors : Dai, J.; Carter, P.J.; Sudhamsu, J.; Kung, J.
Deposited on : 2023-07-24
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	214	 2% 84% 15%
1	B	214	 2% 85% 14%
1	C	214	 0% 85% 14%
1	L	214	 0% 86% 11%
2	D	227	 4% 81% 16%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	227	 <p>3% 88% 10%</p>
2	F	227	 <p>4% 81% 16%</p>
2	H	227	 <p>2% 88% 10%</p>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 13042 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called anti-GCGR Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	213	Total 1588	C 996	N 262	O 325	S 5	0	0	0
1	B	212	Total 1600	C 1004	N 265	O 326	S 5	0	0	0
1	C	212	Total 1594	C 996	N 263	O 330	S 5	0	0	0
1	L	210	Total 1607	C 1009	N 268	O 325	S 5	0	0	0

- Molecule 2 is a protein called anti-GCGR Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	221	Total 1628	C 1040	N 266	O 317	S 5	0	0	0
2	E	223	Total 1670	C 1066	N 271	O 328	S 5	0	0	0
2	F	221	Total 1609	C 1028	N 261	O 315	S 5	0	0	0
2	H	223	Total 1654	C 1055	N 269	O 325	S 5	0	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	11	Total 11	O 11	0	0
3	B	10	Total 10	O 10	0	0
3	C	11	Total 11	O 11	0	0
3	D	10	Total 10	O 10	0	0


Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	14	Total 14	O 14	0	0
3	F	10	Total 10	O 10	0	0
3	H	12	Total 12	O 12	0	0
3	L	14	Total 14	O 14	0	0


CYS


- Molecule 2: anti-GCGR Fab heavy chain

Chain D: 





- Molecule 2: anti-GCGR Fab heavy chain

Chain E: 




- Molecule 2: anti-GCGR Fab heavy chain

Chain F: 



- Molecule 2: anti-GCGR Fab heavy chain

Chain H: 



4 Data and refinement statistics i

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	203.01Å 203.01Å 137.28Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.78 – 2.70 34.78 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (34.78-2.70) 93.1 (34.78-2.70)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 2.68Å)	Xtrriage
Refinement program	PHENIX 1.20rc3-4406_final	Depositor
R, R_{free}	0.204 , 0.252 0.205 , 0.252	Depositor DCC
R_{free} test set	1991 reflections (3.44%)	wwPDB-VP
Wilson B-factor (Å ²)	54.3	Xtrriage
Anisotropy	0.332	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 42.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.020 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13042	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/1623	0.47	0/2215
1	B	0.25	0/1634	0.48	0/2222
1	C	0.25	0/1628	0.48	0/2218
1	L	0.25	0/1641	0.47	0/2227
2	D	0.25	0/1673	0.48	0/2292
2	E	0.26	0/1716	0.49	0/2347
2	F	0.25	0/1654	0.46	0/2268
2	H	0.25	0/1700	0.47	0/2325
All	All	0.25	0/13269	0.48	0/18114

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1588	0	1463	19	0
1	B	1600	0	1511	17	0
1	C	1594	0	1491	16	0
1	L	1607	0	1551	14	0
2	D	1628	0	1505	18	0
2	E	1670	0	1577	11	0
2	F	1609	0	1462	20	0
2	H	1654	0	1542	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	11	0	0	0	0
3	B	10	0	0	0	0
3	C	11	0	0	0	0
3	D	10	0	0	0	0
3	E	14	0	0	0	0
3	F	10	0	0	0	0
3	H	12	0	0	0	0
3	L	14	0	0	0	0
All	All	13042	0	12102	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:GLN:HB2	1:A:47:LEU:HD11	1.68	0.76
1:C:120:PRO:HD3	1:C:132:VAL:HG22	1.77	0.65
1:A:147:GLN:HE22	1:B:11:LEU:HG	1.61	0.64
2:D:394:ALA:HA	2:D:404:LEU:HB3	1.80	0.62
2:H:364:LEU:HD11	2:H:437:VAL:HG21	1.82	0.61
1:B:37:GLN:HB2	1:B:47:LEU:HD11	1.84	0.60
1:A:192:TYR:HB2	1:A:209:PHE:CE2	2.37	0.60
1:C:37:GLN:HB2	1:C:47:LEU:HD11	1.84	0.60
2:F:297:MET:HB3	2:F:300:LEU:HD21	1.85	0.59
2:E:378:VAL:HG22	2:E:424:VAL:HG22	1.86	0.58
1:C:30:SER:HA	1:C:71:PHE:HZ	1.69	0.58
1:A:106:ILE:H	1:A:166:GLN:HE22	1.52	0.57
1:C:75:ILE:HG21	1:C:78:LEU:HD23	1.87	0.56
2:D:352:PRO:HB3	2:D:364:LEU:HB3	1.86	0.56
1:A:119:PRO:HB3	1:A:209:PHE:CE1	2.41	0.55
1:A:118:PHE:HB2	1:A:133:VAL:HG22	1.88	0.54
2:E:369:LYS:HG2	2:E:370:ASP:OD1	2.07	0.54
2:F:227:GLN:HG2	2:F:228:PRO:HD2	1.89	0.54
2:F:265:PHE:HB2	2:F:284:ILE:HG12	1.89	0.53
2:H:322:TYR:HB3	1:L:32:ALA:HB2	1.91	0.53
2:F:312:ARG:HD3	2:F:327:ASP:OD1	2.09	0.53
2:E:227:GLN:HG3	2:E:228:PRO:HD2	1.91	0.52
1:L:61:ARG:CZ	1:L:79:GLN:HG3	2.40	0.51
2:F:244:TYR:HD1	2:F:288:THR:HG21	1.75	0.51
2:D:226:VAL:HG11	2:D:300:LEU:HD13	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:243:ILE:HD12	2:F:267:PRO:HG2	1.93	0.51
2:H:365:GLY:HA2	2:H:407:VAL:HA	1.92	0.51
2:F:250:TRP:HD1	2:F:284:ILE:HD12	1.75	0.51
1:A:47:LEU:HA	1:A:58:VAL:HG21	1.92	0.51
2:E:318:ASP:HB3	2:E:321:ASP:HB3	1.93	0.51
2:F:410:VAL:HG11	2:F:420:TYR:HE1	1.76	0.51
1:B:164:THR:HG22	1:B:174:SER:H	1.77	0.50
1:A:15:VAL:HG11	1:C:110:VAL:HG22	1.92	0.50
2:D:243:ILE:HD12	2:D:267:PRO:HG2	1.93	0.49
1:L:122:ASP:HA	1:L:125:LEU:HD23	1.93	0.49
1:A:32:ALA:HB1	2:D:323:PHE:HB3	1.95	0.49
1:B:167:ASP:OD2	1:B:169:LYS:N	2.46	0.49
2:F:410:VAL:HG11	2:F:420:TYR:CE1	2.47	0.49
1:A:133:VAL:HG12	1:A:178:THR:HG23	1.95	0.49
2:F:286:ALA:HA	2:F:293:ALA:HA	1.95	0.49
2:D:287:ASP:OD1	2:D:289:SER:HB3	2.13	0.48
2:D:327:ASP:HB2	2:D:328:TYR:CD1	2.49	0.48
2:F:249:HIS:CE1	2:F:264:GLU:HG3	2.49	0.48
2:D:415:LEU:HA	2:D:420:TYR:HE2	1.79	0.48
1:L:61:ARG:NE	1:L:82:ASP:OD2	2.46	0.48
2:F:287:ASP:OD2	2:F:290:LYS:HG3	2.14	0.47
2:D:286:ALA:HA	2:D:293:ALA:HA	1.97	0.47
2:D:347:VAL:HG13	2:D:368:VAL:HG12	1.95	0.47
1:B:14:SER:O	1:B:17:ASP:OD2	2.33	0.46
1:B:105:GLU:OE2	1:B:105:GLU:HA	2.15	0.46
1:C:18:ARG:HD3	1:L:153:ALA:HB2	1.96	0.46
1:A:28:SER:HB3	1:A:69:THR:HG22	1.97	0.46
2:D:361:THR:HG23	2:D:411:PRO:HA	1.95	0.46
1:C:153:ALA:HB2	1:L:18:ARG:HD3	1.97	0.46
2:F:321:ASP:O	2:F:324:LYS:NZ	2.48	0.46
2:H:394:ALA:HB2	2:H:404:LEU:HD23	1.97	0.46
1:C:2:ILE:HD13	1:L:4:MET:HG3	1.97	0.46
1:C:61:ARG:NH1	1:C:82:ASP:OD1	2.49	0.46
1:A:136:LEU:HB2	1:A:175:LEU:HB3	1.97	0.46
1:A:61:ARG:NE	1:A:79:GLN:HG3	2.30	0.45
2:E:415:LEU:H	2:E:415:LEU:HD12	1.81	0.45
2:E:345:PRO:HB3	2:E:371:TYR:HB3	1.98	0.45
1:C:12:SER:HB3	1:C:107:LYS:HG2	1.97	0.45
1:A:124:GLN:HE22	1:A:131:SER:HB2	1.82	0.45
1:B:136:LEU:HB2	1:B:175:LEU:HB3	1.99	0.45
1:C:85:THR:HA	1:C:103:LYS:HA	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:394:ALA:HB2	2:F:404:LEU:HD23	1.99	0.45
2:F:394:ALA:HA	2:F:404:LEU:HB3	1.98	0.45
1:A:11:LEU:HD13	1:B:156:SER:HB2	1.98	0.44
2:H:303:GLU:HB2	1:L:4:MET:HE1	1.99	0.44
2:F:350:LEU:HD21	2:F:367:LEU:HB2	1.98	0.44
1:B:183:LYS:HE3	1:B:183:LYS:HB3	1.77	0.44
1:L:136:LEU:HB2	1:L:175:LEU:HB3	2.00	0.44
1:A:150:VAL:HG22	1:A:192:TYR:CD2	2.53	0.44
2:D:249:HIS:CE1	2:D:264:GLU:HG3	2.52	0.44
1:A:61:ARG:NH1	1:A:82:ASP:OD1	2.51	0.44
1:C:119:PRO:HB3	1:C:209:PHE:CE2	2.53	0.44
2:F:282:PHE:CE2	2:F:297:MET:HG2	2.53	0.44
1:L:151:ASP:HA	1:L:191:VAL:HG13	2.00	0.44
1:C:179:LEU:HG	1:C:181:LEU:HD11	1.99	0.43
2:E:349:PRO:HD3	2:E:435:LYS:HE2	2.00	0.43
2:H:345:PRO:HB3	2:H:371:TYR:HB3	2.00	0.43
2:F:369:LYS:NZ	2:F:370:ASP:OD2	2.51	0.43
2:D:312:ARG:HD3	2:D:328:TYR:HD1	1.83	0.43
2:E:305:THR:HG23	2:E:336:THR:HA	2.01	0.43
2:D:408:VAL:HG13	2:D:410:VAL:HG23	2.01	0.42
1:L:161:GLU:HG2	1:L:175:LEU:HD21	2.01	0.42
1:B:108:ARG:HG2	1:B:109:THR:N	2.34	0.42
2:D:247:TYR:HB2	2:D:313:SER:HB3	2.00	0.42
2:D:394:ALA:HB2	2:D:404:LEU:HD23	2.00	0.42
1:L:4:MET:HE3	1:L:4:MET:HB2	1.89	0.42
2:D:322:TYR:HD1	2:D:322:TYR:H	1.68	0.42
2:E:216:VAL:HG11	2:E:328:TYR:CD1	2.55	0.42
1:L:149:LYS:HE3	1:L:195:GLU:HB2	2.01	0.42
1:B:66:ARG:HD2	1:B:71:PHE:CE2	2.55	0.42
1:B:35:TRP:CZ3	1:B:88:CYS:HB3	2.54	0.42
2:E:278:VAL:HB	2:E:282:PHE:CG	2.55	0.42
1:C:124:GLN:O	1:C:127:SER:OG	2.37	0.41
1:A:118:PHE:CD1	2:D:350:LEU:HB3	2.54	0.41
1:B:66:ARG:HG2	1:B:66:ARG:HH11	1.86	0.41
1:B:119:PRO:HB3	1:B:209:PHE:CE2	2.55	0.41
1:B:26:SER:N	1:B:90:GLN:OE1	2.53	0.41
1:B:66:ARG:HG2	1:B:66:ARG:NH1	2.34	0.41
2:F:345:PRO:HB3	2:F:371:TYR:HB3	2.03	0.41
2:F:365:GLY:HA3	2:F:407:VAL:HA	2.03	0.41
2:H:435:LYS:HD3	2:H:435:LYS:HA	1.69	0.41
1:B:123:GLU:OE1	1:B:123:GLU:N	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:225:LEU:HD11	2:E:373:PRO:HG3	2.03	0.41
2:H:347:VAL:HG21	2:H:424:VAL:HG11	2.01	0.40
2:H:397:GLN:HA	1:L:160:GLN:HE22	1.86	0.40
1:A:149:LYS:HB2	1:A:193:ALA:HB3	2.03	0.40
1:C:24:ARG:HG2	2:H:398:SER:OG	2.21	0.40
1:C:78:LEU:HD23	1:C:78:LEU:HA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/214 (99%)	200 (95%)	11 (5%)	0	100	100
1	B	208/214 (97%)	197 (95%)	11 (5%)	0	100	100
1	C	208/214 (97%)	197 (95%)	11 (5%)	0	100	100
1	L	206/214 (96%)	197 (96%)	9 (4%)	0	100	100
2	D	217/227 (96%)	210 (97%)	7 (3%)	0	100	100
2	E	219/227 (96%)	206 (94%)	13 (6%)	0	100	100
2	F	217/227 (96%)	207 (95%)	10 (5%)	0	100	100
2	H	219/227 (96%)	213 (97%)	6 (3%)	0	100	100
All	All	1705/1764 (97%)	1627 (95%)	78 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	168/188 (89%)	159 (95%)	9 (5%)	22	47
1	B	176/188 (94%)	170 (97%)	6 (3%)	37	66
1	C	176/188 (94%)	170 (97%)	6 (3%)	37	66
1	L	180/188 (96%)	169 (94%)	11 (6%)	18	41
2	D	167/188 (89%)	160 (96%)	7 (4%)	30	58
2	E	179/188 (95%)	176 (98%)	3 (2%)	60	84
2	F	161/188 (86%)	156 (97%)	5 (3%)	40	69
2	H	174/188 (93%)	166 (95%)	8 (5%)	27	54
All	All	1381/1504 (92%)	1326 (96%)	55 (4%)	31	60

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	SER
1	A	14	SER
1	A	15	VAL
1	A	66	ARG
1	A	122	ASP
1	A	142	ARG
1	A	170	ASP
1	A	191	VAL
1	A	209	PHE
1	B	14	SER
1	B	30	SER
1	B	60	SER
1	B	93	SER
1	B	122	ASP
1	B	176	SER
1	C	54	LEU
1	C	56	SER
1	C	61	ARG
1	C	88	CYS
1	C	142	ARG
1	C	177	SER
2	D	216	VAL
2	D	242	ASN
2	D	283	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	346	SER
2	D	395	VAL
2	D	423	ASN
2	D	432	LYS
2	E	412	SER
2	E	415	LEU
2	E	423	ASN
2	F	216	VAL
2	F	289	SER
2	F	312	ARG
2	F	313	SER
2	F	395	VAL
2	H	301	ARG
2	H	312	ARG
2	H	338	SER
2	H	387	SER
2	H	409	THR
2	H	412	SER
2	H	422	CYS
2	H	439	PRO
1	L	4	MET
1	L	7	SER
1	L	10	SER
1	L	56	SER
1	L	66	ARG
1	L	77	SER
1	L	105	GLU
1	L	159	SER
1	L	168	SER
1	L	172	THR
1	L	191	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	GLN
1	A	147	GLN
1	B	90	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/214 (99%)	-0.17	4 (1%) 66 69	48, 66, 102, 153	0
1	B	212/214 (99%)	-0.09	4 (1%) 66 69	47, 69, 95, 143	0
1	C	212/214 (99%)	-0.11	3 (1%) 75 77	49, 68, 106, 152	0
1	L	210/214 (98%)	-0.10	1 (0%) 91 92	48, 65, 95, 124	0
2	D	221/227 (97%)	0.02	9 (4%) 37 36	45, 73, 124, 154	0
2	E	223/227 (98%)	-0.09	7 (3%) 49 49	42, 68, 114, 136	0
2	F	221/227 (97%)	-0.05	9 (4%) 37 36	47, 71, 130, 167	0
2	H	223/227 (98%)	-0.11	5 (2%) 62 63	45, 70, 111, 139	0
All	All	1735/1764 (98%)	-0.09	42 (2%) 59 60	42, 68, 117, 167	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	417	THR	6.8
2	H	359	GLY	5.6
2	D	410	VAL	5.1
2	E	415	LEU	4.1
2	F	414	SER	4.0
2	E	360	GLY	3.9
2	E	416	GLY	3.8
2	H	441	SER	3.6
2	E	417	THR	3.5
2	E	355	LYS	3.4
2	D	411	PRO	3.4
1	A	28	SER	3.3
2	D	384	ALA	3.3
2	E	362	ALA	3.2
1	B	30	SER	3.2
2	F	415	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	29	VAL	3.1
1	L	94	TYR	2.8
2	D	413	SER	2.8
2	D	416	GLY	2.7
2	H	215	GLU	2.6
2	D	425	ASN	2.5
2	F	384	ALA	2.5
2	F	413	SER	2.5
2	H	322	TYR	2.5
2	F	354	SER	2.5
1	B	106	ILE	2.4
2	H	360	GLY	2.3
1	A	94	TYR	2.3
2	F	319	TRP	2.3
2	D	440	LYS	2.3
1	C	94	TYR	2.3
1	B	212	GLY	2.2
2	D	362	ALA	2.2
1	B	128	GLY	2.2
2	F	385	LEU	2.1
1	C	25	ALA	2.1
2	D	414	SER	2.1
1	C	1	ASP	2.1
2	E	418	GLN	2.1
2	F	416	GLY	2.1
1	A	68	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.