



Full wwPDB EM Validation Report ⓘ

Jan 29, 2026 – 12:38 PM EST

PDB ID : 9DAW / pdb_00009daw
EMDB ID : EMD-46700
Title : STING oligomer bound to cGAMP, C53 and PI(3,5)P2
Authors : Li, J.; Zhang, X.; Bai, X.
Deposited on : 2024-08-22
Resolution : 2.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY


The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	13054 (2.40 - 3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	354	 86% 5% 8%
1	B	354	 84% 6% 10%
1	C	354	 86% 5% 8%
1	D	354	 84% 6% 10%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 21080 atoms, of which 10576 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Stimulator of interferon genes protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	324	Total	C	H	N	O	S	0	0
			5125	1632	2574	452	454	13		
1	B	319	Total	C	H	N	O	S	0	0
			5064	1613	2544	446	448	13		
1	C	324	Total	C	H	N	O	S	0	0
			5125	1632	2574	452	454	13		
1	D	319	Total	C	H	N	O	S	0	0
			5064	1613	2544	446	448	13		

There are 44 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	232	ARG	HIS	conflict	UNP Q86WV6
A	345	THR	-	expression tag	UNP Q86WV6
A	346	SER	-	expression tag	UNP Q86WV6
A	347	SER	-	expression tag	UNP Q86WV6
A	348	GLY	-	expression tag	UNP Q86WV6
A	349	LEU	-	expression tag	UNP Q86WV6
A	350	GLU	-	expression tag	UNP Q86WV6
A	351	VAL	-	expression tag	UNP Q86WV6
A	352	LEU	-	expression tag	UNP Q86WV6
A	353	PHE	-	expression tag	UNP Q86WV6
A	354	GLN	-	expression tag	UNP Q86WV6
B	232	ARG	HIS	conflict	UNP Q86WV6
B	345	THR	-	expression tag	UNP Q86WV6
B	346	SER	-	expression tag	UNP Q86WV6
B	347	SER	-	expression tag	UNP Q86WV6
B	348	GLY	-	expression tag	UNP Q86WV6
B	349	LEU	-	expression tag	UNP Q86WV6
B	350	GLU	-	expression tag	UNP Q86WV6
B	351	VAL	-	expression tag	UNP Q86WV6
B	352	LEU	-	expression tag	UNP Q86WV6
B	353	PHE	-	expression tag	UNP Q86WV6
B	354	GLN	-	expression tag	UNP Q86WV6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	232	ARG	HIS	conflict	UNP Q86WV6
C	345	THR	-	expression tag	UNP Q86WV6
C	346	SER	-	expression tag	UNP Q86WV6
C	347	SER	-	expression tag	UNP Q86WV6
C	348	GLY	-	expression tag	UNP Q86WV6
C	349	LEU	-	expression tag	UNP Q86WV6
C	350	GLU	-	expression tag	UNP Q86WV6
C	351	VAL	-	expression tag	UNP Q86WV6
C	352	LEU	-	expression tag	UNP Q86WV6
C	353	PHE	-	expression tag	UNP Q86WV6
C	354	GLN	-	expression tag	UNP Q86WV6
D	232	ARG	HIS	conflict	UNP Q86WV6
D	345	THR	-	expression tag	UNP Q86WV6
D	346	SER	-	expression tag	UNP Q86WV6
D	347	SER	-	expression tag	UNP Q86WV6
D	348	GLY	-	expression tag	UNP Q86WV6
D	349	LEU	-	expression tag	UNP Q86WV6
D	350	GLU	-	expression tag	UNP Q86WV6
D	351	VAL	-	expression tag	UNP Q86WV6
D	352	LEU	-	expression tag	UNP Q86WV6
D	353	PHE	-	expression tag	UNP Q86WV6
D	354	GLN	-	expression tag	UNP Q86WV6

- Molecule 2 is (2R)-3-[[[(R)-hydroxy{[(1S,2R,3R,4S,5S,6R)-2,4,6-trihydroxy-3,5-bis(phosphonoxy)cyclohexyl]oxy}phosphoryl]oxy}propane-1,2-diyl di[(9Z)-octadec-9-enoate] (CCD ID: A1BBH) (formula: C₄₅H₈₅O₁₉P₃) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total 147	C 45	H 80	O 19	P 3	0
2	C	1	Total 147	C 45	H 80	O 19	P 3	0

- Molecule 3 is CHOLESTEROL HEMISUCCINATE (CCD ID: Y01) (formula: $\text{C}_{31}\text{H}_{50}\text{O}_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total 84	C 31	H 49	O 4	0
3	C	1	Total 84	C 31	H 49	O 4	0

- Molecule 4 is cGAMP (CCD ID: 1SY) (formula: $\text{C}_{20}\text{H}_{24}\text{N}_{10}\text{O}_{13}\text{P}_2$) (labeled as "Ligand of Interest" by depositor).



-
- ORTEP diagram of the 9IM molecule. The structure shows a central benzimidazole core substituted with a 2,4,6-trifluorophenyl group and a 2-chloro-4-fluorophenyl group. The atoms are labeled as follows: C01-C34, N06, N21, O05, O20, Cl01, F05, F10, F25, F28, F31. Thermal ellipsoids are drawn at the 50% probability level.

Mol	Chain	Residues	Atoms							AltConf
5	B	1	Total	C	Cl	F	H	N	O	0
			53	25	1	4	19	2	2	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms							AltConf
			Total	C	Cl	F	H	N	O	
5	D	1	53	25	1	4	19	2	2	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Stimulator of interferon genes protein




- Molecule 1: Stimulator of interferon genes protein



- Molecule 1: Stimulator of interferon genes protein



- Molecule 1: Stimulator of interferon genes protein



L325	Q3356	GLU
S326		GLU
Q327		LYS
		GLU
		GLU
		VAL
		THR
		VAL
		GLY
		THR
		SER
		SER
		GLY
		LEU
		GLU
		VAL
		LEU
		PHE
		GLN

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	219323	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.2	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.038	Depositor
Minimum map value	-0.014	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.005	Depositor
Map size (Å)	257.8992, 257.8992, 257.8992	wwPDB
Map dimensions	312, 312, 312	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8266, 0.8266, 0.8266	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Y01, 9IM, 1SY, A1BBH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/2609	0.31	0/3544
1	B	0.11	0/2576	0.26	0/3495
1	C	0.16	0/2609	0.31	0/3544
1	D	0.11	0/2576	0.26	0/3495
All	All	0.14	0/10370	0.29	0/14078

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2551	2574	2571	12	0
1	B	2520	2544	2541	13	0
1	C	2551	2574	2571	12	0
1	D	2520	2544	2541	13	0
2	A	67	80	0	0	0
2	C	67	80	0	0	0
3	A	35	49	49	1	0
3	C	35	49	49	1	0
4	B	45	22	22	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	45	22	22	0	0
5	B	34	19	0	0	0
5	D	34	19	0	0	0
All	All	10504	10576	10366	44	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:SER:O	1:B:327:GLN:N	2.35	0.59
1:D:324:SER:O	1:D:327:GLN:N	2.35	0.59
1:C:276:GLN:NE2	1:D:297:ASP:OD2	2.39	0.55
1:A:276:GLN:NE2	1:B:297:ASP:OD2	2.39	0.55
1:C:270:ALA:HB3	1:D:165:ILE:HD13	1.89	0.54
1:A:270:ALA:HB3	1:B:165:ILE:HD13	1.89	0.54
1:A:324:SER:O	1:A:327:GLN:N	2.44	0.51
1:C:324:SER:O	1:C:327:GLN:N	2.44	0.51
1:A:220:ARG:NH1	1:A:246:GLU:OE2	2.44	0.51
1:C:220:ARG:NH1	1:C:246:GLU:OE2	2.44	0.50
1:B:324:SER:O	1:B:325:LEU:C	2.55	0.50
1:D:324:SER:O	1:D:325:LEU:C	2.55	0.49
1:D:290:LEU:O	1:D:294:THR:HG22	2.13	0.49
1:B:290:LEU:O	1:B:294:THR:HG22	2.13	0.48
1:A:324:SER:O	1:A:325:LEU:C	2.56	0.48
1:B:223:ASP:OD1	1:B:224:LYS:N	2.44	0.48
1:C:324:SER:O	1:C:325:LEU:C	2.56	0.48
1:A:208:VAL:HG11	1:A:266:GLN:HG3	1.95	0.47
1:C:208:VAL:HG11	1:C:266:GLN:HG3	1.95	0.47
1:C:165:ILE:HD13	1:D:270:ALA:HB3	1.98	0.45
1:A:165:ILE:HD13	1:B:270:ALA:HB3	1.98	0.45
1:D:223:ASP:OD1	1:D:224:LYS:N	2.44	0.45
1:B:86:ARG:O	1:B:90:GLY:N	2.48	0.43
1:C:235:ILE:HG22	1:C:236:LYS:O	2.19	0.43
1:C:172:LEU:HB2	1:C:173:PRO:HD3	2.01	0.42
1:D:172:LEU:HB2	1:D:173:PRO:HD3	2.00	0.42
1:A:172:LEU:HB2	1:A:173:PRO:HD3	2.01	0.42
1:B:212:LEU:HD21	1:B:259:LEU:HD23	2.01	0.42
1:C:236:LYS:O	1:C:237:ASP:C	2.62	0.42
1:A:235:ILE:HG22	1:A:236:LYS:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:172:LEU:HB2	1:B:173:PRO:HD3	2.00	0.42
1:D:212:LEU:HD21	1:D:259:LEU:HD23	2.01	0.42
1:B:324:SER:O	1:B:326:SER:N	2.53	0.42
1:D:86:ARG:O	1:D:90:GLY:N	2.48	0.41
1:A:236:LYS:O	1:A:237:ASP:C	2.62	0.41
3:A:402:Y01:HAQ1	1:C:20:LYS:HE2	2.02	0.41
1:D:324:SER:O	1:D:326:SER:N	2.53	0.41
1:D:220:ARG:NH1	1:D:246:GLU:OE2	2.53	0.41
1:A:202:LEU:N	1:A:312:ILE:O	2.52	0.41
1:B:220:ARG:NH1	1:B:246:GLU:OE2	2.53	0.41
1:B:263:THR:HG21	4:B:401:1SY:O29	2.21	0.40
1:D:308:ASN:OD1	1:D:308:ASN:N	2.54	0.40
1:A:20:LYS:HE2	3:C:403:Y01:HAQ1	2.03	0.40
1:C:202:LEU:N	1:C:312:ILE:O	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	318/354 (90%)	312 (98%)	6 (2%)	0	100	100
1	B	311/354 (88%)	306 (98%)	5 (2%)	0	100	100
1	C	318/354 (90%)	312 (98%)	6 (2%)	0	100	100
1	D	311/354 (88%)	306 (98%)	5 (2%)	0	100	100
All	All	1258/1416 (89%)	1236 (98%)	22 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/300 (91%)	272 (100%)	1 (0%)	89	97
1	B	270/300 (90%)	269 (100%)	1 (0%)	89	97
1	C	273/300 (91%)	272 (100%)	1 (0%)	89	97
1	D	270/300 (90%)	269 (100%)	1 (0%)	89	97
All	All	1086/1200 (90%)	1082 (100%)	4 (0%)	88	97

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99	LEU
1	B	68	GLU
1	C	99	LEU
1	D	68	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	HIS
1	B	7	HIS
1	B	72	HIS
1	B	273	GLN
1	C	7	HIS
1	D	61	ASN
1	D	72	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	1SY	C	401	-	42,51,51	2.10	18 (42%)	52,80,80	2.16	10 (19%)
3	Y01	C	403	-	38,38,38	0.54	0	57,57,57	0.98	3 (5%)
3	Y01	A	402	-	38,38,38	0.54	0	57,57,57	1.02	3 (5%)
5	9IM	B	402	-	37,37,37	2.41	7 (18%)	53,56,56	2.80	14 (26%)
4	1SY	B	401	-	42,51,51	2.13	19 (45%)	52,80,80	2.12	8 (15%)
5	9IM	D	401	-	37,37,37	2.41	7 (18%)	53,56,56	2.80	14 (26%)
2	A1BBH	C	402	-	67,67,67	1.26	7 (10%)	82,85,85	1.01	5 (6%)
2	A1BBH	A	401	-	67,67,67	1.26	7 (10%)	82,85,85	1.01	5 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	1SY	C	401	-	-	10/22/62/62	0/6/7/7
3	Y01	C	403	-	-	7/19/77/77	0/4/4/4
3	Y01	A	402	-	-	7/19/77/77	0/4/4/4
5	9IM	B	402	-	-	2/13/33/33	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	1SY	B	401	-	-	10/22/62/62	0/6/7/7
5	9IM	D	401	-	-	2/13/33/33	0/4/4/4
2	A1BBH	C	402	-	-	31/64/88/88	0/1/1/1
2	A1BBH	A	401	-	-	32/64/88/88	0/1/1/1

All (65) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	401	9IM	C04-N06	8.09	1.45	1.36
5	B	402	9IM	C04-N06	8.05	1.45	1.36
5	D	401	9IM	C16-N06	7.25	1.53	1.39
5	B	402	9IM	C16-N06	7.21	1.53	1.39
5	B	402	9IM	C19-N21	5.68	1.46	1.33
5	D	401	9IM	C19-N21	5.68	1.46	1.33
5	B	402	9IM	C02-C04	-5.25	1.47	1.52
5	D	401	9IM	C02-C04	-5.18	1.47	1.52
4	B	401	1SY	C1'-N9	-4.40	1.39	1.49
4	C	401	1SY	C1'-N9	-4.40	1.39	1.49
4	B	401	1SY	C40-N39	4.21	1.43	1.33
4	C	401	1SY	C40-N39	4.21	1.43	1.33
2	C	402	A1BBH	P24-O23	3.97	1.66	1.59
2	A	401	A1BBH	P24-O23	3.96	1.66	1.59
2	A	401	A1BBH	P19-O18	3.82	1.66	1.59
2	C	402	A1BBH	P19-O18	3.82	1.66	1.59
4	B	401	1SY	C3'-C4'	-3.51	1.43	1.52
4	B	401	1SY	C2-N3	3.50	1.37	1.32
4	C	401	1SY	C2-N3	3.48	1.37	1.32
4	C	401	1SY	C3'-C4'	-3.47	1.43	1.52
4	B	401	1SY	O31-C32	3.35	1.45	1.40
4	B	401	1SY	C40-N41	3.22	1.41	1.34
2	C	402	A1BBH	O48-C49	3.22	1.42	1.33
2	A	401	A1BBH	O48-C49	3.20	1.42	1.33
4	B	401	1SY	P18-O20	3.19	1.69	1.59
4	C	401	1SY	C2'-C3'	-3.18	1.46	1.53
4	B	401	1SY	O4'-C1'	3.14	1.45	1.40
4	B	401	1SY	C2'-C3'	-3.13	1.46	1.53
4	C	401	1SY	C40-N41	3.13	1.41	1.34
4	C	401	1SY	P18-O20	3.12	1.68	1.59
5	D	401	9IM	C16-C34	3.05	1.43	1.39
5	B	402	9IM	C16-C34	3.04	1.43	1.39
4	C	401	1SY	O4'-C1'	3.04	1.44	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	401	1SY	O31-C32	3.02	1.44	1.40
4	B	401	1SY	C36-N42	3.02	1.47	1.37
4	C	401	1SY	C22-C21	-2.89	1.46	1.53
4	B	401	1SY	C22-C21	-2.84	1.46	1.53
4	C	401	1SY	C36-N42	2.79	1.47	1.37
4	C	401	1SY	C37-C38	2.75	1.52	1.47
4	B	401	1SY	C40-N42	2.74	1.44	1.37
4	B	401	1SY	C37-C38	2.63	1.52	1.47
2	C	402	A1BBH	O28-C29	2.60	1.41	1.34
2	A	401	A1BBH	O28-C29	2.60	1.41	1.34
2	C	402	A1BBH	P05-O08	2.56	1.67	1.59
2	A	401	A1BBH	P05-O08	2.53	1.66	1.59
4	C	401	1SY	C40-N42	2.44	1.43	1.37
2	C	402	A1BBH	O28-C02	-2.32	1.41	1.46
2	A	401	A1BBH	O28-C02	-2.32	1.41	1.46
5	B	402	9IM	C14-CL1	2.30	1.79	1.73
4	C	401	1SY	C25-C24	-2.30	1.44	1.51
5	D	401	9IM	C14-CL1	2.26	1.79	1.73
5	B	402	9IM	O05-C04	-2.23	1.18	1.22
4	B	401	1SY	C16-C4'	2.20	1.58	1.51
5	D	401	9IM	O05-C04	-2.20	1.18	1.22
4	C	401	1SY	C16-C4'	2.19	1.58	1.51
4	C	401	1SY	C2-N1	2.15	1.37	1.33
4	B	401	1SY	C32-N33	-2.14	1.44	1.50
4	B	401	1SY	C2-N1	2.08	1.37	1.33
2	A	401	A1BBH	P05-O04	2.07	1.67	1.59
4	B	401	1SY	P27-O28	2.07	1.65	1.59
4	B	401	1SY	C25-C24	-2.07	1.45	1.51
4	C	401	1SY	P27-O28	2.06	1.65	1.59
4	C	401	1SY	C32-N33	-2.06	1.44	1.50
2	C	402	A1BBH	P05-O04	2.05	1.67	1.59
4	B	401	1SY	C6-N01	2.01	1.41	1.34

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	402	9IM	C34-C02-C04	13.58	108.21	101.70
5	D	401	9IM	C34-C02-C04	13.47	108.16	101.70
4	B	401	1SY	C5-C6-N01	7.71	132.05	120.31
4	C	401	1SY	C5-C6-N01	7.70	132.04	120.31
5	B	402	9IM	C29-C30-C23	-6.53	119.59	124.45
5	D	401	9IM	C29-C30-C23	-6.47	119.64	124.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	401	1SY	N3-C2-N1	-6.37	120.02	128.67
4	B	401	1SY	N3-C2-N1	-6.37	120.03	128.67
5	D	401	9IM	C16-N06-C04	-5.90	107.73	111.16
5	B	402	9IM	C16-N06-C04	-5.78	107.81	111.16
5	D	401	9IM	C26-C24-C23	-5.77	120.16	124.45
5	B	402	9IM	C26-C24-C23	-5.75	120.17	124.45
4	B	401	1SY	N01-C6-N1	-5.06	107.52	118.33
4	C	401	1SY	N01-C6-N1	-5.05	107.55	118.33
4	C	401	1SY	C4'-O4'-C1'	-4.42	105.88	109.92
4	B	401	1SY	C4'-O4'-C1'	-4.29	106.00	109.92
4	B	401	1SY	C24-O31-C32	-4.28	106.00	109.92
5	B	402	9IM	C30-C23-C24	4.25	120.26	114.54
5	D	401	9IM	C30-C23-C24	4.23	120.24	114.54
4	C	401	1SY	C24-O31-C32	-4.04	106.23	109.92
2	A	401	A1BBH	C60-C59-C58	3.97	154.59	124.83
2	C	402	A1BBH	C60-C59-C58	3.97	154.58	124.83
2	A	401	A1BBH	O28-C29-C31	3.88	119.86	111.48
2	C	402	A1BBH	O28-C29-C31	3.87	119.85	111.48
4	C	401	1SY	C34-N35-C37	3.27	108.12	102.55
4	B	401	1SY	C34-N35-C37	3.27	108.11	102.55
5	B	402	9IM	C30-C29-C27	3.24	120.12	116.67
5	D	401	9IM	C30-C29-C27	3.17	120.05	116.67
3	A	402	Y01	CAQ-CBG-CBI	3.14	107.53	103.84
5	B	402	9IM	C07-N06-C16	3.02	129.43	124.79
5	D	401	9IM	C07-N06-C16	2.99	129.38	124.79
5	D	401	9IM	C14-C08-C09	2.98	119.92	115.20
5	B	402	9IM	C14-C08-C09	2.95	119.87	115.20
5	B	402	9IM	C24-C26-C27	2.92	119.78	116.67
5	D	401	9IM	C24-C26-C27	2.92	119.78	116.67
2	C	402	A1BBH	O48-C49-C51	2.90	120.68	111.83
2	A	401	A1BBH	O48-C49-C51	2.89	120.65	111.83
3	C	403	Y01	CAQ-CBG-CBI	2.88	107.23	103.84
5	B	402	9IM	C34-C16-N06	-2.84	107.94	109.78
5	D	401	9IM	C17-C16-C34	-2.84	118.74	121.99
5	B	402	9IM	C26-C27-C29	-2.82	120.07	123.50
5	D	401	9IM	C34-C16-N06	-2.81	107.96	109.78
5	D	401	9IM	C26-C27-C29	-2.78	120.12	123.50
5	B	402	9IM	C17-C16-C34	-2.76	118.83	121.99
4	C	401	1SY	O30-P27-O28	2.63	117.40	106.70
4	B	401	1SY	O30-P27-O26	2.52	118.97	107.57
4	B	401	1SY	O30-P27-O28	2.51	116.92	106.70
2	A	401	A1BBH	C09-C10-C12	2.50	114.18	109.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	402	A1BBH	C09-C10-C12	2.49	114.16	109.11
5	B	402	9IM	F31-C30-C23	2.25	120.44	117.64
5	D	401	9IM	F31-C30-C23	2.24	120.44	117.64
3	A	402	Y01	CAU-CBI-CBG	-2.23	103.91	107.25
4	C	401	1SY	P27-O26-C25	-2.22	108.61	121.35
4	C	401	1SY	O30-P27-O26	2.22	117.64	107.57
3	A	402	Y01	CBF-CBD-CBG	-2.17	106.25	109.09
5	D	401	9IM	C11-C09-C08	-2.15	120.08	123.99
4	C	401	1SY	O31-C32-C21	2.15	110.28	106.61
2	A	401	A1BBH	C16-C09-C10	2.14	113.83	110.86
3	C	403	Y01	CAU-CBI-CBG	-2.13	104.05	107.25
2	C	402	A1BBH	C16-C09-C10	2.12	113.81	110.86
5	B	402	9IM	C11-C09-C08	-2.12	120.15	123.99
3	C	403	Y01	CBF-CBD-CBG	-2.03	106.43	109.09

There are no chirality outliers.

All (101) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	A1BBH	C03-O04-P05-O06
2	C	402	A1BBH	C03-O04-P05-O06
3	A	402	Y01	CAR-CBC-OAW-CAY
3	A	402	Y01	CAM-CAY-OAW-CBC
3	C	403	Y01	CAR-CBC-OAW-CAY
3	C	403	Y01	CAM-CAY-OAW-CBC
4	B	401	1SY	C16-O17-P18-O44
4	B	401	1SY	C21-O20-P18-O17
4	B	401	1SY	C25-O26-P27-O28
4	B	401	1SY	C25-O26-P27-O29
4	B	401	1SY	C25-O26-P27-O30
4	C	401	1SY	C16-O17-P18-O19
4	C	401	1SY	C16-O17-P18-O20
4	C	401	1SY	C16-O17-P18-O44
4	C	401	1SY	C21-O20-P18-O17
4	C	401	1SY	C25-O26-P27-O28
4	C	401	1SY	C25-O26-P27-O29
4	C	401	1SY	C25-O26-P27-O30
2	A	401	A1BBH	O50-C49-O48-C01
2	C	402	A1BBH	O50-C49-O48-C01
5	B	402	9IM	C08-C07-N06-C04
5	D	401	9IM	C08-C07-N06-C04
3	A	402	Y01	OAG-CAY-OAW-CBC

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	C	403	Y01	OAG-CAY-OAW-CBC
2	A	401	A1BBH	C51-C49-O48-C01
2	C	402	A1BBH	C51-C49-O48-C01
2	A	401	A1BBH	C31-C29-O28-C02
2	C	402	A1BBH	C31-C29-O28-C02
5	B	402	9IM	C08-C07-N06-C16
5	D	401	9IM	C08-C07-N06-C16
2	C	402	A1BBH	O30-C29-O28-C02
4	B	401	1SY	C22-C24-C25-O26
4	B	401	1SY	O31-C24-C25-O26
2	A	401	A1BBH	O30-C29-O28-C02
2	A	401	A1BBH	C49-C51-C52-C53
2	C	402	A1BBH	C49-C51-C52-C53
2	A	401	A1BBH	C41-C42-C43-C44
3	A	402	Y01	CAX-CAL-CAM-CAY
3	C	403	Y01	CAX-CAL-CAM-CAY
2	C	402	A1BBH	C41-C42-C43-C44
2	A	401	A1BBH	C63-C64-C65-C66
2	C	402	A1BBH	C63-C64-C65-C66
2	A	401	A1BBH	C32-C33-C34-C35
2	C	402	A1BBH	C32-C33-C34-C35
2	A	401	A1BBH	C39-C40-C41-C42
2	C	402	A1BBH	C39-C40-C41-C42
2	A	401	A1BBH	C60-C61-C62-C63
2	A	401	A1BBH	C01-C02-O28-C29
2	C	402	A1BBH	C01-C02-O28-C29
2	C	402	A1BBH	C60-C61-C62-C63
2	A	401	A1BBH	C01-C02-C03-O04
2	C	402	A1BBH	C01-C02-C03-O04
2	C	402	A1BBH	C34-C35-C36-C37
2	A	401	A1BBH	C34-C35-C36-C37
3	A	402	Y01	CAJ-CAO-CBB-CBE
2	A	401	A1BBH	O28-C02-C03-O04
2	C	402	A1BBH	O28-C02-C03-O04
2	A	401	A1BBH	C61-C62-C63-C64
2	C	402	A1BBH	C61-C62-C63-C64
3	C	403	Y01	CAJ-CAO-CBB-CBE
4	B	401	1SY	C21-O20-P18-O44
4	C	401	1SY	C21-O20-P18-O44
2	C	402	A1BBH	C53-C54-C55-C56
2	A	401	A1BBH	C53-C54-C55-C56
2	C	402	A1BBH	C36-C37-C38-C39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	401	A1BBH	C36-C37-C38-C39
4	B	401	1SY	C16-O17-P18-O19
2	C	402	A1BBH	C40-C41-C42-C43
2	C	402	A1BBH	C52-C53-C54-C55
2	A	401	A1BBH	C52-C53-C54-C55
2	A	401	A1BBH	C40-C41-C42-C43
2	A	401	A1BBH	C51-C52-C53-C54
2	C	402	A1BBH	C51-C52-C53-C54
2	C	402	A1BBH	C43-C44-C45-C46
2	A	401	A1BBH	C43-C44-C45-C46
2	A	401	A1BBH	C12-O23-P24-O27
2	C	402	A1BBH	C12-O23-P24-O27
2	A	401	A1BBH	C55-C56-C57-C58
2	C	402	A1BBH	C55-C56-C57-C58
4	C	401	1SY	C22-C24-C25-O26
3	A	402	Y01	CAM-CAL-CAX-OAH
3	C	403	Y01	CAM-CAL-CAX-OAH
3	A	402	Y01	CAM-CAL-CAX-OAF
3	C	403	Y01	CAM-CAL-CAX-OAF
2	C	402	A1BBH	C44-C45-C46-C47
2	A	401	A1BBH	C44-C45-C46-C47
2	A	401	A1BBH	C58-C59-C60-C61
2	C	402	A1BBH	C58-C59-C60-C61
4	B	401	1SY	C21-O20-P18-O19
2	A	401	A1BBH	C12-O23-P24-O26
2	C	402	A1BBH	C12-O23-P24-O26
2	A	401	A1BBH	O48-C49-C51-C52
2	C	402	A1BBH	O48-C49-C51-C52
2	A	401	A1BBH	O50-C49-C51-C52
2	C	402	A1BBH	O50-C49-C51-C52
2	C	402	A1BBH	C62-C63-C64-C65
2	A	401	A1BBH	O28-C29-C31-C32
2	C	402	A1BBH	O28-C29-C31-C32
2	A	401	A1BBH	C62-C63-C64-C65
2	A	401	A1BBH	C33-C34-C35-C36
4	C	401	1SY	O31-C24-C25-O26

There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	403	Y01	1	0



Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	Y01	1	0
4	B	401	1SY	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








Ligand 9IM B 402




Ligand 1SY B 401









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-46700. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 156




Y Index: 156




Z Index: 156


6.2.2 Raw map



X Index: 156



Y Index: 156




Z Index: 156


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 152




Y Index: 139




Z Index: 187


6.3.2 Raw map



X Index: 160



Y Index: 139




Z Index: 187


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.005. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 181 nm³; this corresponds to an approximate mass of 163 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.345 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.345 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.90	-	-
Author-provided FSC curve	2.85	3.19	2.89
Unmasked-calculated*	3.16	3.62	3.19

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-46700 and PDB model 9DAW. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 90% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8980	0.5720
A	0.8910	0.5690
B	0.9060	0.5750
C	0.8880	0.5690
D	0.9060	0.5740

