

Full wwPDB EM Validation Report (i)

Sep 2, 2025 – 01:26 AM JST

PDB ID : 9K1X / pdb 00009k1x

EMDB ID : EMD-61983

Title : Cryo-EM structure of human taurine transporter TauT bound with GES in an

occluded state

Authors : Du, B.; Yan, K. Deposited on : 2024-10-16

Resolution : 3.06 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : FAILED

Mogul : 1.8.5 (274361), CSD as541be (2020)

MolProbity : 4-5-2 with Phenix2.0rc1

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

MapQ : FAILED

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.45.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM~structures} \ (\#{ m Entries})$		
Clashscore	210492	15764		
Ramachandran outliers	207382	16835		
Sidechain outliers	206894	16415		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain					
1	A	651	74%	6% •	19%			
2	Н	118	94%			6%		
3	L	138	68% 9	1%	22%	_		

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	3S5	A	701	-	-	X	-
6	CL	A	704	-	-	X	-



2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 5568 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Sodium- and chloride-dependent taurine transporter.

Mol	Chain	Residues		Atoms			AltConf	Trace	
1	A	529	Total 3976	C 2673	N 605	O 668	S 30	0	0

There are 43 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	319	HIS	LYS	engineered mutation	UNP P31641
A	320	ASN	TYR	engineered mutation	UNP P31641
A	322	VAL	SER	engineered mutation	UNP P31641
A	486	ASN	ASP	engineered mutation	UNP P31641
A	487	ARG	ASN	engineered mutation	UNP P31641
A	488	PHE	LEU	engineered mutation	UNP P31641
A	489	SER	TYR	engineered mutation	UNP P31641
A	490	GLU	ASP	engineered mutation	UNP P31641
A	491	ASP	GLY	engineered mutation	UNP P31641
A	493	ARG	GLU	engineered mutation	UNP P31641
A	498	PHE	TYR	engineered mutation	UNP P31641
A	499	PRO	ARG	engineered mutation	UNP P31641
A	621	GLY	-	expression tag	UNP P31641
A	622	SER	-	expression tag	UNP P31641
A	623	ASP	-	expression tag	UNP P31641
A	624	GLU	-	expression tag	UNP P31641
A	625	VAL	-	expression tag	UNP P31641
A	626	ASP	-	expression tag	UNP P31641
A	627	ALA	-	expression tag	UNP P31641
A	628	GLY	-	expression tag	UNP P31641
A	629	SER	-	expression tag	UNP P31641
A	630	HIS	-	expression tag	UNP P31641
A	631 HIS - expression tag		UNP P31641		
A	632	HIS	- expression tag		UNP P31641
A	633	HIS	- expression tag		UNP P31641
A	634	HIS	-	expression tag	UNP P31641
A	635	HIS	-	expression tag	UNP P31641
A	636	HIS	-	expression tag	UNP P31641

Continued on next page...



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	637	HIS	-	expression tag	UNP P31641
A	638	HIS	-	expression tag	UNP P31641
A	639	HIS	-	expression tag	UNP P31641
A	640	GLY	-	expression tag	UNP P31641
A	641	SER	-	expression tag	UNP P31641
A	642	VAL	-	expression tag	UNP P31641
A	643	GLU	-	expression tag	UNP P31641
A	644	ASP	-	expression tag	UNP P31641
A	645	TYR	-	expression tag	UNP P31641
A	646	LYS	-	expression tag	UNP P31641
A	647	ASP	-	expression tag	UNP P31641
A	648	ASP	-	expression tag	UNP P31641
A	649	ASP	-	expression tag	UNP P31641
A	650	ASP	-	expression tag	UNP P31641
A	651	LYS	-	expression tag	UNP P31641

• Molecule 2 is a protein called Fragment antigen binding heavy chain.


Mol	Chain	Residues	Atoms			AltConf	Trace		
2	П	118	Total	С	N	О	S	0	0
	11	110	852	540	148	160	4	0	U

• Molecule 3 is a protein called Fragment antigen binding light chain.

Mol	Chain	Residues	Atoms			AltConf	Trace		
3	L	107	Total 726	C 462	N 121	O 139	S 4	0	0

• Molecule 4 is Taurocyamine (CCD ID: 3S5) (formula: $C_3H_9N_3O_3S$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			AltConf		
4	Λ	1	Total	С	N	О	S	0
4	A	1	10	3	3	3	1	

• Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
5	A	2	Total Na 2 2	0

• Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
6	A	1	Total Cl 1 1	0

• Molecule 7 is water.


Mol	Chain	Residues	Atoms	AltConf
7	A	1	Total O 1 1	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sodium- and chloride-dependent taurine transporter





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	254623	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, 3S5, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Clasia	Bond lengths		Bond angles		
Mol Chain	RMSZ	# Z > 5	RMSZ	# Z > 5		
1	A	0.26	0/4103	0.45	$2/5627 \ (0.0\%)$	
2	Н	0.13	0/871	0.33	0/1185	
3	L	0.14	0/745	0.36	0/1024	
All	All	0.23	0/5719	0.42	2/7836 (0.0%)	

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	A	280	PRO	CA-N-CD	-9.48	98.73	112.00
1	A	322	VAL	CG1-CB-CG2	5.12	122.06	110.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3976	0	3807	34	0
2	Н	852	0	768	5	0
3	L	726	0	615	9	0
4	A	10	0	8	5	0
5	A	2	0	0	0	0
6	A	1	0	0	3	0

Continued on next page...



Continued from previous page...

Mol	Chain	Non-H	H(model)	$\operatorname{nodel}) \mid \operatorname{H}(\operatorname{added}) \mid$		Symm-Clashes
7	A	1	0	0	2	0
All	All	5568	0	5198	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A 4 a 1	A + a 2	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
2:H:67:ARG:NH1	2:H:85:SER:O	2.08	0.87
1:A:301:SER:OG	6:A:704:CL:CL	2.41	0.76
1:A:301:SER:CB	6:A:704:CL:CL	2.76	0.70
1:A:134:LEU:HD21	4:A:701:3S5:H1	1.59	0.65
1:A:438:ILE:O	1:A:442:LEU:HD22	1.97	0.65
3:L:48:TRP:CE2	3:L:59:VAL:HG23	2.33	0.64
1:A:280:PRO:O	1:A:280:PRO:HD2	1.96	0.63
1:A:58:PHE:HA	4:A:701:3S5:C06	2.29	0.62
1:A:406:GLU:HG3	7:A:801:HOH:O	2.00	0.61
1:A:127:SER:O	1:A:131:VAL:HG23	2.01	0.59
1:A:402:SER:O	1:A:406:GLU:HG2	2.02	0.59
1:A:557:VAL:HB	1:A:558:PRO:HD3	1.85	0.58
1:A:408:GLU:O	1:A:412:THR:HG22	2.04	0.57
1:A:134:LEU:HD21	4:A:701:3S5:N01	2.21	0.55
1:A:493:ARG:NE	2:H:100:GLU:O	2.39	0.55
2:H:67:ARG:NH2	2:H:90:ASP:OD2	2.41	0.53
1:A:406:GLU:CG	7:A:801:HOH:O	2.56	0.52
1:A:58:PHE:HA	4:A:701:3S5:H7	1.92	0.51
1:A:301:SER:HB2	6:A:704:CL:CL	2.49	0.49
3:L:48:TRP:CZ2	3:L:59:VAL:HG23	2.48	0.49
1:A:359:ILE:HD12	1:A:359:ILE:H	1.79	0.48
1:A:58:PHE:CD1	1:A:58:PHE:C	2.91	0.48
3:L:2:ASN:OD1	3:L:2:ASN:C	2.56	0.47
1:A:168:THR:HG22	1:A:169:PRO:HD2	1.96	0.47
1:A:332:LEU:O	1:A:336:THR:HG22	2.14	0.47
1:A:58:PHE:HA	4:A:701:3S5:H8	1.96	0.46
1:A:135:ASN:ND2	1:A:407:VAL:HG22	2.30	0.46
1:A:512:THR:HB	1:A:513:PRO:HD3	1.99	0.45
3:L:29:VAL:O	3:L:72:TYR:OH	2.25	0.45
1:A:69:TYR:CD1	1:A:69:TYR:C	2.95	0.45
3:L:34:LEU:HD13	3:L:72:TYR:CD1	2.52	0.45
1:A:490:GLU:OE1	2:H:52:SER:OG	2.29	0.44

Continued on next page...



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${ m distance}({ m \AA})$	overlap (Å)
3:L:4:LEU:HD11	3:L:91:GLN:HG2	2.00	0.44
1:A:86:PHE:HZ	1:A:519:CYS:HG	1.63	0.43
3:L:21:MET:HE2	3:L:74:LEU:HD22	2.01	0.43
1:A:162:CYS:HA	1:A:167:ASN:ND2	2.33	0.42
1:A:249:THR:HG23	1:A:397:LEU:HD22	2.00	0.42
3:L:52:THR:O	3:L:52:THR:HG22	2.18	0.42
1:A:282:ILE:H	1:A:282:ILE:HG13	1.47	0.41
1:A:110:ILE:HD11	1:A:128:VAL:HG21	2.02	0.41
1:A:556:CYS:O	1:A:560:VAL:HG23	2.21	0.41
1:A:476:CYS:SG	1:A:512:THR:HG21	2.60	0.41
2:H:6:GLU:HB2	2:H:113:THR:HG23	2.03	0.41
1:A:335:GLY:O	1:A:339:VAL:HG23	2.20	0.40
1:A:386:PHE:CE2	1:A:390:LEU:HD11	2.56	0.40
3:L:13:THR:CG2	3:L:14:SER:N	2.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	525/651 (81%)	510 (97%)	15 (3%)	0	100	100
2	Н	116/118 (98%)	114 (98%)	2 (2%)	0	100	100
3	L	105/138 (76%)	101 (96%)	4 (4%)	0	100	100
All	All	746/907 (82%)	725 (97%)	21 (3%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Rotameric Outliers		Percentiles	
1	A	395/561~(70%)	387 (98%)	8 (2%)	50 71
2	Н	78/98 (80%)	78 (100%)	0	100 100
3	L	62/116 (53%)	62 (100%)	0	100 100
All	All	535/775 (69%)	527 (98%)	8 (2%)	60 77

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	PHE
1	A	69	TYR
1	A	131	VAL
1	A	282	ILE
1	A	292	ILE
1	A	401	ASP
1	A	442	LEU
1	A	553	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	GLN
1	A	212	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Type Chain Re		Res	Link			Bond lengths Bond angle		les	
Moi Type	Chain Res		Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
4	3S5	A	701	5	9,9,9	4.13	6 (66%)	10,12,12	1.25	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	3S5	A	701	5	-	4/7/7/7	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\mathring{A})$	Ideal(A)
4	A	701	3S5	O10-S07	6.96	1.65	1.45
4	A	701	3S5	O09-S07	6.82	1.65	1.45
4	A	701	3S5	O08-S07	5.06	1.65	1.47
4	A	701	3S5	C02-N04	-4.30	1.25	1.33
4	A	701	3S5	C06-S07	2.52	1.81	1.77
4	A	701	3S5	C02-N01	-2.25	1.25	1.34

All (1) bond angle outliers are listed below:

\mathbf{Mol}	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^o)$
4	A	701	3S5	O08-S07-C06	2.30	109.49	105.77

There are no chirality outliers.



All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	701	3S5	C05-C06-S07-O08
4	A	701	3S5	C05-C06-S07-O10
4	A	701	3S5	C06-C05-N04-C02
4	A	701	3S5	C05-C06-S07-O09

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	701	3S5	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

