



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 9, 2026 – 10:14 AM EST

PDB ID : 9N2W / pdb\_00009n2w  
Title : Dienelactone hydrolase family protein SaDLH from Solimonas aquatica  
Authors : Schnettler Fernandez, J.D.F.; Campbell, E.C.; Hollfelder, F.  
Deposited on : 2025-01-29  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.48


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	<div style="display: flex; align-items: center;"> <div style="width: 83%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 4%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">83% <span style="float: right;">13%</span></p>
1	B	238	<div style="display: flex; align-items: center;"> <div style="width: 88%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 4%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">88% <span style="float: right;">13%</span></p>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dienelactone hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	237	1815	1139	335	331	10	0	1	0
1	B	237	1815	1139	335	331	10	0	1	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	84	Total	O	0	0
			84	84		
2	B	58	Total	O	0	0
			58	58		


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dienelactone hydrolase



- Molecule 1: Dienelactone hydrolase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.45Å 76.41Å 72.46Å 90.00° 107.77° 90.00°	Depositor
Resolution (Å)	69.00 – 1.90 69.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	95.5 (69.00-1.90) 95.5 (69.00-1.90)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.29 (at 1.90Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.243 , 0.298 0.243 , 0.296	Depositor DCC
$R_{free}$ test set	2114 reflections (4.83%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.7	Xtrriage
Anisotropy	0.744	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 36.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3772	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.83% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CSD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/1842	0.56	0/2496
1	B	0.36	0/1842	0.56	0/2496
All	All	0.36	0/3684	0.56	0/4992

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1815	0	1791	20	0
1	B	1815	0	1792	22	0
2	A	84	0	0	0	0
2	B	58	0	0	2	0
All	All	3772	0	3583	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:LYS:HD2	1:A:173:LYS:H	1.28	0.97
1:B:119[A]:CSD:OD2	1:B:200:HIS:NE2	2.26	0.67
1:B:119[A]:CSD:SG	1:B:200:HIS:NE2	2.61	0.63
1:B:71:TYR:CZ	1:B:80:HIS:HD2	2.19	0.61
1:B:74:VAL:O	1:B:78:ARG:HG3	2.02	0.60
1:A:2:LYS:HD2	1:A:3:SER:H	1.71	0.56
1:A:43:ASP:O	1:A:47:GLU:HG2	2.06	0.55
1:A:173:LYS:HD2	1:A:173:LYS:N	2.11	0.54
1:A:72:GLU:H	1:A:72:GLU:CD	2.17	0.53
1:A:174:GLU:H	1:A:174:GLU:CD	2.17	0.53
1:A:197:ASN:OD1	1:B:187:ARG:HD3	2.10	0.52
1:B:46:ARG:O	1:B:50:GLN:HG3	2.11	0.51
1:B:82:GLN:O	1:B:86:GLU:HG2	2.11	0.51
1:A:173:LYS:H	1:A:173:LYS:CD	2.10	0.50
1:A:176:MET:O	1:A:180:GLU:HG3	2.11	0.49
1:A:74:VAL:O	1:A:78:ARG:HG3	2.13	0.48
1:B:151:GLY:O	1:B:155:LYS:NZ	2.46	0.48
1:A:81:LEU:HD11	1:A:85:PHE:CZ	2.49	0.48
1:B:79:VAL:HG12	1:B:80:HIS:ND1	2.29	0.48
1:B:79:VAL:HG12	1:B:80:HIS:CE1	2.49	0.48
1:B:119[A]:CSD:OD2	1:B:200:HIS:CE1	2.66	0.48
1:A:128:LEU:O	1:A:131:CYS:HB2	2.13	0.47
1:B:29:ALA:HB3	1:B:58:VAL:HG23	1.97	0.46
1:A:42:ALA:O	1:A:46:ARG:HG3	2.16	0.46
1:B:18:GLU:HG2	1:B:20:TYR:CZ	2.50	0.46
1:B:96:GLN:NE2	2:B:307:HOH:O	2.48	0.46
1:B:153:GLU:H	1:B:153:GLU:CD	2.22	0.46
1:B:92:ARG:O	1:B:96:GLN:HG3	2.16	0.45
1:A:75:ALA:O	1:A:79:VAL:HG13	2.18	0.44
1:B:77:MET:SD	1:B:77:MET:C	3.00	0.44
1:A:44:HIS:O	1:A:47:GLU:HG3	2.19	0.42
1:A:109:ASP:OD1	1:A:111:GLN:HB2	2.20	0.42
1:B:73:ASP:OD2	1:B:73:ASP:C	2.62	0.42
1:B:176:MET:O	1:B:180:GLU:HG3	2.19	0.42
1:A:142:HIS:CE1	1:A:201:SER:HA	2.54	0.42
1:A:3:SER:HA	1:A:19:LEU:O	2.20	0.41
1:B:191:GLN:HG3	2:B:343:HOH:O	2.21	0.40
1:A:77:MET:C	1:A:77:MET:SD	3.04	0.40
1:B:48:ARG:HD3	1:B:48:ARG:HA	1.79	0.40
1:B:115:ALA:O	1:B:138:ILE:HA	2.22	0.40
1:A:115:ALA:O	1:A:138:ILE:HA	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	234/238 (98%)	228 (97%)	6 (3%)	0	100	100
1	B	234/238 (98%)	223 (95%)	9 (4%)	2 (1%)	14	7
All	All	468/476 (98%)	451 (96%)	15 (3%)	2 (0%)	30	22

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	154	GLN
1	B	199	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/172 (100%)	171 (99%)	1 (1%)	84	86
1	B	172/172 (100%)	171 (99%)	1 (1%)	84	86
All	All	344/344 (100%)	342 (99%)	2 (1%)	84	86

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	79	VAL
1	B	106	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	GLN
1	A	50	GLN
1	A	54	GLN
1	A	65	HIS
1	A	105	GLN
1	A	157	GLN
1	B	44	HIS
1	B	80	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CSD	A	119[A]	1	4,7,8	0.80	0	1,8,10	4.14	1 (100%)
1	CSD	B	119[A]	1	4,7,8	0.53	0	1,8,10	2.33	1 (100%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSD	A	119[A]	1	-	1/2/6/8	-
1	CSD	B	119[A]	1	-	1/2/6/8	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	119[A]	CSD	OD1-SG-CB	4.14	113.23	105.60
1	B	119[A]	CSD	OD1-SG-CB	2.33	109.89	105.60

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	119[A]	CSD	N-CA-CB-SG
1	B	119[A]	CSD	CA-CB-SG-OD1

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	119[A]	CSD	3	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	236/238 (99%)	3.18	197 (83%) <b>0</b> <b>0</b>	25, 38, 64, 80	0
1	B	236/238 (99%)	3.35	209 (88%) <b>0</b> <b>0</b>	25, 39, 69, 89	0
All	All	472/476 (99%)	3.26	406 (86%) <b>0</b> <b>0</b>	25, 38, 66, 89	0

All (406) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	81	LEU	9.9
1	B	1	MET	8.4
1	B	85	PHE	7.8
1	A	1	MET	7.7
1	A	25	ALA	7.5
1	B	23	GLU	7.2
1	B	150	PRO	7.1
1	A	21	TRP	7.0
1	A	26	THR	6.9
1	B	82	GLN	6.8
1	B	83	PRO	6.8
1	A	24	ALA	6.7
1	A	81	LEU	6.7
1	B	79	VAL	6.6
1	A	150	PRO	6.4
1	B	26	THR	6.4
1	B	84	LEU	6.3
1	A	71	TYR	6.3
1	B	21	TRP	6.3
1	B	76	SER	6.1
1	B	25	ALA	6.1
1	B	149	LEU	6.0
1	A	23	GLU	6.0
1	B	74	VAL	5.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	79	VAL	5.7
1	A	85	PHE	5.7
1	A	76	SER	5.7
1	B	22	ASP	5.7
1	B	146	LEU	5.6
1	A	75	ALA	5.6
1	A	82	GLN	5.6
1	A	74	VAL	5.6
1	A	86	GLU	5.4
1	B	91	TRP	5.4
1	A	27	GLN	5.4
1	A	80	HIS	5.4
1	B	86	GLU	5.3
1	A	237	PHE	5.3
1	A	47	GLU	5.3
1	B	27	GLN	5.2
1	A	236	VAL	5.2
1	A	89	ALA	5.1
1	B	24	ALA	5.1
1	A	28	PRO	5.0
1	B	53	ALA	5.0
1	A	70	VAL	5.0
1	A	151	GLY	5.0
1	A	149	LEU	4.9
1	B	47	GLU	4.9
1	B	106	THR	4.8
1	B	173	LYS	4.8
1	B	80	HIS	4.8
1	B	151	GLY	4.8
1	B	75	ALA	4.7
1	A	42	ALA	4.7
1	B	166	ALA	4.7
1	A	54	GLN	4.7
1	A	157	GLN	4.6
1	B	42	ALA	4.6
1	B	78	ARG	4.6
1	B	28	PRO	4.6
1	B	71	TYR	4.6
1	A	84	LEU	4.5
1	A	2	LYS	4.5
1	B	174	GLU	4.5
1	B	64	LEU	4.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	110	ALA	4.4
1	B	206	ASP	4.4
1	B	39	PHE	4.4
1	A	144	GLY	4.4
1	A	146	LEU	4.4
1	B	16	LEU	4.4
1	B	113	LEU	4.4
1	B	12	GLY	4.4
1	A	209	THR	4.3
1	A	180	GLU	4.3
1	A	6	VAL	4.3
1	B	49	ALA	4.3
1	A	73	ASP	4.3
1	B	213	PRO	4.3
1	A	112	ARG	4.3
1	A	49	ALA	4.2
1	B	38	ALA	4.2
1	A	171	ILE	4.2
1	A	172	LYS	4.2
1	B	18	GLU	4.2
1	B	35	PHE	4.2
1	B	152	ASP	4.2
1	A	78	ARG	4.1
1	A	205	ARG	4.1
1	B	72	GLU	4.1
1	B	157	GLN	4.1
1	B	69	ALA	4.1
1	A	106	THR	4.1
1	B	177	ALA	4.1
1	A	206	ASP	4.1
1	B	232	LEU	4.1
1	A	22	ASP	4.0
1	B	109	ASP	4.0
1	A	19	LEU	4.0
1	B	169	PRO	4.0
1	B	236	VAL	4.0
1	A	29	ALA	4.0
1	A	177	ALA	4.0
1	B	170	LEU	4.0
1	A	118	PHE	4.0
1	B	124	THR	4.0
1	B	55	LEU	4.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	58	VAL	4.0
1	B	179	VAL	4.0
1	A	15	PHE	4.0
1	A	46	ARG	3.9
1	B	70	VAL	3.9
1	A	69	ALA	3.9
1	B	154	GLN	3.9
1	B	40	GLY	3.9
1	B	156	ILE	3.9
1	B	41	LEU	3.9
1	A	186	ASP	3.9
1	A	8	TYR	3.9
1	B	195	TYR	3.9
1	B	4	GLN	3.9
1	B	87	ASN	3.9
1	A	170	LEU	3.9
1	B	112	ARG	3.9
1	A	148	PRO	3.9
1	A	20	TYR	3.8
1	B	68	GLY	3.8
1	A	4	GLN	3.8
1	A	220	ALA	3.8
1	B	227	ALA	3.8
1	A	39	PHE	3.8
1	B	153	GLU	3.8
1	B	147	ALA	3.8
1	B	148	PRO	3.8
1	B	237	PHE	3.8
1	B	2	LYS	3.8
1	A	213	PRO	3.7
1	B	19	LEU	3.7
1	B	77	MET	3.7
1	A	120	LEU	3.7
1	A	147	ALA	3.7
1	A	181	ALA	3.7
1	B	133	ALA	3.7
1	B	178	ALA	3.7
1	A	91	TRP	3.7
1	B	190	TRP	3.7
1	A	90	ASP	3.7
1	B	192	LEU	3.7
1	B	88	ARG	3.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	43	ASP	3.6
1	B	15	PHE	3.6
1	A	123	ALA	3.6
1	B	110	ALA	3.6
1	B	111	GLN	3.6
1	B	73	ASP	3.6
1	B	56	GLY	3.6
1	A	183	LEU	3.6
1	B	123	ALA	3.6
1	B	208	ALA	3.5
1	B	171	ILE	3.5
1	B	194	VAL	3.5
1	B	99	LEU	3.5
1	B	226	TRP	3.5
1	B	61	ALA	3.5
1	B	65	HIS	3.5
1	A	87	ASN	3.5
1	A	204	ASN	3.5
1	A	174	GLU	3.5
1	B	33	LEU	3.5
1	A	152	ASP	3.5
1	A	133	ALA	3.5
1	A	219	ALA	3.5
1	B	29	ALA	3.5
1	B	214	ALA	3.5
1	A	16	LEU	3.5
1	A	64	LEU	3.5
1	A	192	LEU	3.5
1	A	185	ARG	3.5
1	A	234	ALA	3.5
1	B	59	ALA	3.5
1	A	83	PRO	3.4
1	B	108	VAL	3.4
1	B	140	GLY	3.4
1	A	179	VAL	3.4
1	A	41	LEU	3.4
1	B	36	PRO	3.4
1	B	3	SER	3.4
1	A	138	ILE	3.4
1	B	54	GLN	3.4
1	B	185	ARG	3.4
1	A	50	GLN	3.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	184	ARG	3.4
1	B	103	GLN	3.4
1	B	205	ARG	3.4
1	B	211	GLN	3.4
1	A	173	LYS	3.3
1	B	172	LYS	3.3
1	A	122	GLY	3.3
1	A	111	GLN	3.3
1	A	217	TYR	3.3
1	B	144	GLY	3.3
1	A	108	VAL	3.3
1	A	58	VAL	3.3
1	A	194	VAL	3.3
1	B	234	ALA	3.3
1	A	77	MET	3.3
1	A	176	MET	3.3
1	A	233	LEU	3.3
1	B	135	LEU	3.3
1	A	72	GLU	3.3
1	B	20	TYR	3.3
1	A	5	GLN	3.3
1	B	66	GLY	3.3
1	A	18	GLU	3.2
1	A	59	ALA	3.2
1	A	100	ALA	3.2
1	B	210	ARG	3.2
1	A	107	PRO	3.2
1	B	11	ALA	3.2
1	A	68	GLY	3.2
1	A	67	GLU	3.2
1	B	180	GLU	3.2
1	A	36	PRO	3.2
1	B	120	LEU	3.2
1	A	226	TRP	3.2
1	B	176	MET	3.2
1	A	14	ARG	3.2
1	A	99	LEU	3.1
1	A	113	LEU	3.1
1	A	109	ASP	3.1
1	B	67	GLU	3.1
1	B	162	LEU	3.1
1	B	209	THR	3.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	193	ILE	3.1
1	A	104	ALA	3.1
1	A	158	ALA	3.1
1	A	191	GLN	3.1
1	A	153	GLU	3.1
1	A	207	ALA	3.1
1	A	228	ALA	3.1
1	B	118	PHE	3.1
1	B	132	GLY	3.1
1	B	34	VAL	3.1
1	A	214	ALA	3.0
1	A	140	GLY	3.0
1	A	55	LEU	3.0
1	B	90	ASP	3.0
1	A	7	VAL	3.0
1	B	136	LYS	3.0
1	A	129	ALA	3.0
1	A	33	LEU	3.0
1	B	233	LEU	3.0
1	A	193	ILE	2.9
1	A	232	LEU	2.9
1	B	105	GLN	2.9
1	B	32	VAL	2.9
1	B	218	ASP	2.9
1	B	167	ASP	2.9
1	A	188	VAL	2.9
1	B	225	SER	2.9
1	B	45	ALA	2.9
1	B	95	ALA	2.9
1	B	184	ARG	2.9
1	B	199	VAL	2.9
1	B	46	ARG	2.8
1	A	132	GLY	2.8
1	A	154	GLN	2.8
1	B	215	MET	2.8
1	B	93	ALA	2.8
1	A	167	ASP	2.8
1	B	188	VAL	2.8
1	B	101	ALA	2.8
1	A	105	GLN	2.8
1	B	204	ASN	2.8
1	B	145	VAL	2.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	101	ALA	2.8
1	B	44	HIS	2.8
1	B	128	LEU	2.7
1	A	189	ASP	2.7
1	A	38	ALA	2.7
1	A	53	ALA	2.7
1	A	114	ALA	2.7
1	A	137	ALA	2.7
1	A	178	ALA	2.7
1	B	30	PRO	2.7
1	B	107	PRO	2.7
1	B	37	ASP	2.7
1	A	35	PHE	2.7
1	A	34	VAL	2.7
1	A	37	ASP	2.7
1	A	202	PHE	2.7
1	B	182	GLU	2.7
1	B	92	ARG	2.7
1	B	138	ILE	2.7
1	B	52	LEU	2.7
1	A	190	TRP	2.6
1	A	203	THR	2.6
1	A	208	ALA	2.6
1	B	129	ALA	2.6
1	A	31	GLY	2.6
1	B	17	GLY	2.6
1	A	169	PRO	2.6
1	A	11	ALA	2.6
1	B	6	VAL	2.6
1	B	114	ALA	2.6
1	A	230	GLN	2.6
1	B	5	GLN	2.6
1	B	127	GLU	2.6
1	B	200	HIS	2.6
1	A	30	PRO	2.6
1	B	126	LEU	2.6
1	A	165	GLY	2.6
1	B	202	PHE	2.6
1	B	7	VAL	2.6
1	A	156	ILE	2.6
1	A	52	LEU	2.6
1	A	10	GLY	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	219	ALA	2.6
1	B	155	LYS	2.5
1	A	199	VAL	2.5
1	A	56	GLY	2.5
1	B	196	GLY	2.5
1	A	215	MET	2.5
1	B	104	ALA	2.5
1	B	50	GLN	2.5
1	B	235	GLU	2.5
1	B	10	GLY	2.5
1	B	189	ASP	2.5
1	B	60	LEU	2.5
1	A	227	ALA	2.5
1	B	160	VAL	2.5
1	B	131	CYS	2.4
1	A	126	LEU	2.4
1	A	135	LEU	2.4
1	B	115	ALA	2.4
1	A	92	ARG	2.4
1	A	155	LYS	2.4
1	B	14	ARG	2.4
1	A	121	GLY	2.4
1	B	231	GLY	2.4
1	B	62	ALA	2.4
1	B	158	ALA	2.4
1	A	134	PRO	2.4
1	B	134	PRO	2.4
1	A	160	VAL	2.4
1	B	141	PHE	2.4
1	B	165	GLY	2.4
1	B	8	TYR	2.4
1	B	183	LEU	2.4
1	B	187	ARG	2.4
1	B	98	ALA	2.4
1	B	221	ALA	2.4
1	B	228	ALA	2.4
1	A	51	ARG	2.3
1	A	45	ALA	2.3
1	B	181	ALA	2.3
1	A	88	ARG	2.3
1	A	210	ARG	2.3
1	B	203	THR	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	57	TYR	2.3
1	B	102	LEU	2.3
1	B	212	SER	2.3
1	A	17	GLY	2.3
1	A	48	ARG	2.3
1	B	51	ARG	2.3
1	B	89	ALA	2.3
1	A	187	ARG	2.3
1	A	136	LYS	2.3
1	A	142	HIS	2.3
1	A	57	TYR	2.3
1	B	223	ARG	2.2
1	A	12	GLY	2.2
1	A	40	GLY	2.2
1	A	231	GLY	2.2
1	A	103	GLN	2.2
1	B	201	SER	2.2
1	B	13	ARG	2.2
1	A	62	ALA	2.2
1	A	115	ALA	2.2
1	A	143	ALA	2.2
1	A	32	VAL	2.2
1	A	145	VAL	2.2
1	B	139	VAL	2.2
1	A	221	ALA	2.2
1	B	97	ALA	2.2
1	A	235	GLU	2.2
1	B	63	ASP	2.2
1	B	137	ALA	2.2
1	A	13	ARG	2.2
1	A	124	THR	2.1
1	B	125	CYS	2.1
1	B	217	TYR	2.1
1	B	9	ARG	2.1
1	A	95	ALA	2.1
1	A	128	LEU	2.1
1	A	166	ALA	2.1
1	A	116	ILE	2.1
1	B	96	GLN	2.1
1	A	9	ARG	2.1
1	B	48	ARG	2.1
1	A	60	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	66	GLY	2.1
1	B	31	GLY	2.1
1	A	93	ALA	2.0
1	A	102	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSD	A	119[A]	8/9	0.72	0.19	27,31,39,44	8
1	CSD	B	119[A]	8/9	0.73	0.17	28,31,43,43	8

## 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.