



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 3, 2026 – 08:03 AM EST

PDB ID : 9PAC / pdb_00009pac
Title : Crystal structure of MERS-CoV 3CLpro with ALG-097608 (Inhibitor 1)
Authors : Reddem, E.R.; Forouhad, F.; Shapiro, L.; Stoycheva, A.
Deposited on : 2025-06-25
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	8487 (2.30-2.26)
Clashscore	180529	9437 (2.30-2.26)
Ramachandran outliers	177936	9341 (2.30-2.26)
Sidechain outliers	177891	9342 (2.30-2.26)
RSRZ outliers	164620	8487 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	3% 81% 17% ..
1	B	306	2% 82% 16% .
1	C	306	% 82% 16% ..
1	D	306	6% 77% 20% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 9728 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3C-like proteinase nsp5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	304	Total	C	N	O	S	0	0	0
			2312	1469	383	435	25			
1	D	300	Total	C	N	O	S	0	0	0
			2288	1453	379	431	25			
1	A	304	Total	C	N	O	S	0	0	0
			2312	1469	383	435	25			
1	B	300	Total	C	N	O	S	0	0	0
			2288	1453	379	431	25			

- Molecule 2 is (1R,2R,3S,6S,7S)-4-[(2S)-3,3-dimethyl-2-(2,2,2-trifluoroacetamido)butanoyl]-10,10-difluoro-N-[(1E,2R)-1-imino-3-[(3R)-2-oxo-3,4-dihydro-2H-pyrrol-3-yl]propan-2-yl]-4-azatricyclo[5.2.1.0 2,6]decane-3-carboxamide (non-preferred name) (CCD ID: A1CHF) (formula: C₂₅H₃₂F₅N₅O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	F	N	O	0	0
			39	25	5	5	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			39	25	5	5	4		
2	B	1	Total	C	F	N	O	0	0
			39	25	5	5	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	107	Total	O	0	0
			107	107		
3	D	59	Total	O	0	0
			59	59		
3	A	130	Total	O	0	0
			130	130		
3	B	115	Total	O	0	0
			115	115		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3C-like proteinase nsp5




- Molecule 1: 3C-like proteinase nsp5



- Molecule 1: 3C-like proteinase nsp5



- Molecule 1: 3C-like proteinase nsp5



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.05Å 94.86Å 152.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.04 – 2.28 33.04 – 2.28	Depositor EDS
% Data completeness (in resolution range)	96.5 (33.04-2.28) 96.4 (33.04-2.28)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.21.1_5286	Depositor
R, R_{free}	0.194 , 0.269 0.196 , 0.271	Depositor DCC
R_{free} test set	2006 reflections (3.46%)	wwPDB-VP
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.428	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9728	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.76 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.1110e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1CHF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2366	0.55	0/3221
1	B	0.35	0/2340	0.54	0/3183
1	C	0.34	0/2366	0.53	0/3221
1	D	0.34	0/2340	0.58	1/3183 (0.0%)
All	All	0.34	0/9412	0.55	1/12808 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	45	PRO	N-CA-C	-12.08	91.38	110.95

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	187	ALA	Peptide
1	C	187	ALA	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2312	0	2261	37	0
1	B	2288	0	2234	38	0
1	C	2312	0	2261	32	0
1	D	2288	0	2235	39	0
2	A	39	0	0	1	0
2	B	39	0	0	0	0
2	C	39	0	0	0	0
3	A	130	0	0	10	0
3	B	115	0	0	2	1
3	C	107	0	0	6	0
3	D	59	0	0	4	0
All	All	9728	0	8991	138	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:GLN:HB2	1:A:184:MET:HE1	1.55	0.88
1:D:277:GLN:NE2	3:D:401:HOH:O	2.14	0.81
1:A:168:MET:HE2	1:A:184:MET:HE2	1.62	0.79
1:D:216:LEU:HD13	1:D:300:ILE:HG21	1.68	0.75
1:C:186:GLY:O	3:C:501:HOH:O	2.05	0.74
1:A:171:ALA:O	3:A:502:HOH:O	2.08	0.72
1:C:54:TYR:HB3	1:C:85:MET:HE1	1.69	0.72
1:C:286:MET:HG3	1:D:285:THR:HG21	1.72	0.72
1:B:166:HIS:HE1	1:B:175:HIS:HB3	1.55	0.70
1:C:290:GLU:OE2	3:C:502:HOH:O	2.11	0.69
1:A:81:VAL:O	3:A:503:HOH:O	2.12	0.68
1:C:126:THR:HG23	1:B:249:GLN:HE22	1.60	0.67
1:B:43:MET:HE2	1:B:57:LEU:HB3	1.77	0.67
1:D:166:HIS:HE1	1:D:175:HIS:HB3	1.60	0.66
1:B:70:LYS:HB3	1:B:76:ALA:HB3	1.76	0.66
1:A:283:GLY:O	1:B:286:MET:HE3	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:GLU:OE2	3:A:504:HOH:O	2.15	0.65
1:B:40:ARG:HA	1:B:90:LEU:HG	1.78	0.65
1:D:12:ASP:OD2	3:D:402:HOH:O	2.15	0.64
1:B:215:ILE:HD13	1:B:260:VAL:HG21	1.80	0.64
1:D:52:PRO:HD2	1:D:191:LYS:HG2	1.79	0.63
1:A:155:LYS:HG3	1:A:160:ILE:HD13	1.80	0.63
1:B:43:MET:HE1	1:B:57:LEU:C	2.23	0.62
1:D:51:ASP:HA	1:D:191:LYS:HE2	1.82	0.61
1:C:253:MET:SD	1:C:303:VAL:HG11	2.40	0.61
1:D:253:MET:HE1	1:D:303:VAL:HG11	1.82	0.60
1:D:303:VAL:HG13	1:B:303:VAL:HG13	1.82	0.60
1:C:169:GLU:OE1	1:D:1:SER:N	2.34	0.60
1:D:298:MET:HE3	1:D:304:VAL:HA	1.83	0.60
1:C:27:LEU:HD13	1:C:39:PRO:HD2	1.83	0.60
1:B:5:LYS:H	1:B:5:LYS:HE2	1.66	0.60
1:D:181:ASP:OD1	1:D:183:THR:HG22	2.01	0.60
1:C:23:GLY:O	3:C:503:HOH:O	2.17	0.59
1:B:276:PHE:O	1:B:278:GLY:N	2.33	0.58
1:B:191:LYS:HG2	1:B:193:VAL:HG13	1.84	0.58
1:B:43:MET:HE3	1:B:61:MET:HE3	1.87	0.57
1:C:1:SER:HB3	1:D:143:PHE:O	2.05	0.57
1:B:88:THR:HG21	1:B:184:MET:HE2	1.87	0.56
1:C:37:TRP:CH2	1:C:91:LYS:HD2	2.41	0.55
1:D:203:CYS:O	1:D:207:VAL:HG23	2.07	0.55
1:A:70:LYS:NZ	3:A:507:HOH:O	2.33	0.55
1:A:198:LEU:HD23	1:A:199:THR:N	2.22	0.55
1:D:300:ILE:HG22	1:D:301:MET:HG2	1.90	0.54
1:B:43:MET:HB3	1:B:61:MET:HE3	1.89	0.54
1:A:285:THR:OG1	3:A:501:HOH:O	2.01	0.54
1:C:40:ARG:HA	1:C:90:LEU:HG	1.88	0.53
1:D:215:ILE:HD13	1:D:260:VAL:HG21	1.90	0.53
1:A:86:GLN:NE2	3:A:510:HOH:O	2.38	0.53
1:A:47:ASP:N	1:A:47:ASP:OD1	2.42	0.52
1:D:210:TRP:CE2	1:D:288:GLU:HB2	2.45	0.51
1:A:168:MET:CE	1:A:188:PHE:HB3	2.41	0.51
1:A:224:LYS:HG2	1:A:225:PRO:HD2	1.92	0.51
1:C:108:THR:O	3:C:504:HOH:O	2.19	0.51
1:C:30:LEU:HD13	1:C:151:VAL:HG11	1.93	0.51
1:B:43:MET:CE	1:B:57:LEU:HB3	2.41	0.51
1:B:166:HIS:CE1	1:B:175:HIS:HB3	2.42	0.51
1:C:166:HIS:HE1	1:C:175:HIS:HB3	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:189:MET:HG3	1:B:191:LYS:HB3	1.92	0.50
1:A:47:ASP:HB2	1:A:48:GLN:NE2	2.27	0.50
1:D:210:TRP:CD2	1:D:288:GLU:HB2	2.46	0.50
1:A:40:ARG:HA	1:A:90:LEU:HG	1.94	0.50
1:A:280:GLN:HG2	1:A:284:SER:H	1.77	0.50
1:A:168:MET:HE1	1:A:188:PHE:HB3	1.93	0.49
1:A:288:GLU:HG3	3:A:533:HOH:O	2.12	0.49
1:D:46:ALA:C	1:D:48:GLN:H	2.21	0.49
1:A:227:ARG:HB3	1:A:263:GLU:HB3	1.94	0.49
1:C:69:GLN:HE22	1:B:227:ARG:HH22	1.59	0.49
1:B:27:LEU:HD13	1:B:39:PRO:HD2	1.94	0.49
1:D:261:ALA:HB3	1:D:264:GLN:HG3	1.94	0.48
1:D:155:LYS:HB2	1:D:155:LYS:HE2	1.60	0.48
1:B:143:PHE:HB3	1:B:147:SER:OG	2.13	0.48
1:C:126:THR:HG23	1:B:249:GLN:NE2	2.27	0.48
1:D:272:LEU:HD21	1:D:276:PHE:CZ	2.50	0.47
1:D:43:MET:O	1:D:45:PRO:HD3	2.15	0.47
1:C:110:LYS:HE3	1:C:110:LYS:HB2	1.56	0.47
1:D:167:GLN:HB2	1:D:177:GLY:HA2	1.97	0.47
1:D:236:TRP:CE2	1:D:270:GLN:HG2	2.50	0.47
1:B:301:MET:HB2	1:B:303:VAL:HG23	1.97	0.47
1:B:5:LYS:H	1:B:5:LYS:CE	2.27	0.46
1:B:140:LYS:HA	1:B:140:LYS:HD2	1.77	0.46
1:A:43:MET:HB3	1:A:61:MET:HE3	1.98	0.46
1:A:109:VAL:HG22	1:A:113:ALA:HB3	1.97	0.46
1:D:184:MET:HE2	1:D:184:MET:HB2	1.86	0.46
1:A:276:PHE:HB2	1:A:285:THR:HG22	1.97	0.46
3:A:501:HOH:O	1:B:286:MET:HB3	2.16	0.46
1:D:40:ARG:HA	1:D:90:LEU:HG	1.98	0.46
1:A:119:ALA:O	1:A:126:THR:HG22	2.15	0.45
1:A:167:GLN:CB	1:A:184:MET:HE1	2.37	0.45
1:A:279:LYS:HD3	1:A:279:LYS:HA	1.60	0.45
1:C:109:VAL:HG22	1:C:113:ALA:HB3	1.98	0.45
1:C:257:LYS:HG2	1:C:301:MET:SD	2.56	0.45
1:C:33:ASP:O	1:C:97:ALA:HA	2.16	0.45
1:C:184:MET:HE2	1:C:184:MET:HB2	1.79	0.45
1:A:98:ASN:HB3	1:A:101:THR:OG1	2.17	0.45
1:A:257:LYS:HA	1:A:257:LYS:HD3	1.77	0.45
1:C:98:ASN:HB3	1:C:101:THR:OG1	2.17	0.45
1:D:130:THR:HG23	3:D:420:HOH:O	2.16	0.45
1:C:203:CYS:O	1:C:207:VAL:HG23	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:33:ASP:O	1:B:97:ALA:HA	2.17	0.44
1:A:301:MET:HE3	1:A:301:MET:HB2	1.86	0.44
1:D:58:LEU:HD13	1:D:85:MET:HG3	1.99	0.44
1:A:198:LEU:HD23	1:A:199:THR:H	1.82	0.44
1:C:43:MET:HE3	1:C:43:MET:HB2	1.90	0.44
1:D:223:VAL:O	1:D:224:LYS:HE3	2.17	0.44
1:B:135:PRO:HG2	1:B:201:LYS:O	2.18	0.44
1:A:257:LYS:NZ	3:A:520:HOH:O	2.50	0.43
1:B:116:SER:O	1:B:152:GLY:HA2	2.17	0.43
1:C:61:MET:O	3:C:505:HOH:O	2.21	0.43
1:A:170:LEU:HD13	2:A:401:A1CHF:F2	2.08	0.43
1:C:134:ARG:HD3	3:C:522:HOH:O	2.18	0.43
1:A:171:ALA:HB3	1:A:174:THR:OG1	2.19	0.43
1:B:25:MET:HE2	1:B:44:CYS:O	2.20	0.42
1:B:252:ASP:O	1:B:256:VAL:HG23	2.19	0.42
1:B:43:MET:HE1	1:B:58:LEU:N	2.34	0.42
1:B:111:PRO:HA	1:B:133:MET:O	2.18	0.42
1:A:275:GLY:C	1:A:277:GLN:HG2	2.45	0.42
1:D:46:ALA:O	1:D:47:ASP:HB3	2.19	0.42
1:C:57:LEU:O	1:C:61:MET:HG2	2.20	0.42
1:C:88:THR:HG21	1:C:184:MET:HE2	2.02	0.42
1:D:52:PRO:CD	1:D:191:LYS:HG2	2.50	0.42
1:B:111:PRO:HB3	1:B:135:PRO:HA	2.02	0.42
1:B:227:ARG:HD2	3:B:564:HOH:O	2.20	0.41
1:C:75:PRO:HB2	3:B:569:HOH:O	2.20	0.41
1:D:216:LEU:HD22	1:D:301:MET:CE	2.50	0.41
1:A:156:GLU:HG2	1:A:161:ASN:OD1	2.21	0.41
1:D:134:ARG:HD3	1:D:140:LYS:HE3	2.03	0.41
1:B:57:LEU:HD23	1:B:57:LEU:HA	1.95	0.41
1:B:137:TYR:HB3	1:B:186:GLY:N	2.35	0.41
1:C:17:MET:HG3	1:C:120:CYS:SG	2.61	0.41
1:D:88:THR:HG21	1:D:184:MET:HE2	2.03	0.41
1:D:90:LEU:HB3	1:D:92:LEU:HD13	2.03	0.41
1:A:72:ILE:HD13	1:A:125:PRO:HD3	2.03	0.41
1:D:190:ASP:OD1	1:D:190:ASP:N	2.54	0.40
1:A:285:THR:N	3:A:501:HOH:O	2.44	0.40
1:D:118:LEU:HD11	1:D:125:PRO:HB3	2.03	0.40
1:C:121:TYR:CE2	1:C:147:SER:HB3	2.57	0.40
1:D:53:ASN:HB3	3:D:447:HOH:O	2.21	0.40
1:B:43:MET:HE3	1:B:61:MET:CG	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:544:HOH:O	3:B:566:HOH:O[4_535]	2.07	0.13

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	302/306 (99%)	288 (95%)	14 (5%)	0	100	100
1	B	296/306 (97%)	287 (97%)	8 (3%)	1 (0%)	37	45
1	C	302/306 (99%)	299 (99%)	3 (1%)	0	100	100
1	D	296/306 (97%)	280 (95%)	15 (5%)	1 (0%)	37	45
All	All	1196/1224 (98%)	1154 (96%)	40 (3%)	2 (0%)	44	53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	187	ALA
1	B	277	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/257 (99%)	243 (95%)	12 (5%)	22	30
1	B	253/257 (98%)	248 (98%)	5 (2%)	50	65

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	255/257 (99%)	247 (97%)	8 (3%)	35	49
1	D	253/257 (98%)	242 (96%)	11 (4%)	25	34
All	All	1016/1028 (99%)	980 (96%)	36 (4%)	31	43

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	3	LEU
1	C	27	LEU
1	C	67	SER
1	C	110	LYS
1	C	161	ASN
1	C	250	SER
1	C	277	GLN
1	C	282	LEU
1	D	4	VAL
1	D	47	ASP
1	D	48	GLN
1	D	50	SER
1	D	65	SER
1	D	91	LYS
1	D	155	LYS
1	D	170	LEU
1	D	199	THR
1	D	205	VAL
1	D	282	LEU
1	A	1	SER
1	A	21	THR
1	A	27	LEU
1	A	47	ASP
1	A	69	GLN
1	A	71	HIS
1	A	107	THR
1	A	109	VAL
1	A	151	VAL
1	A	231	VAL
1	A	280	GLN
1	A	285	THR
1	B	67	SER
1	B	132	VAL
1	B	170	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	246	VAL
1	B	279	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	34	ASN
1	C	48	GLN
1	C	69	GLN
1	C	280	GLN
1	D	19	GLN
1	D	34	ASN
1	D	48	GLN
1	D	122	ASN
1	D	226	ASN
1	B	8	HIS
1	B	69	GLN
1	B	240	ASN
1	B	249	GLN
1	B	297	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1CHF	A	401	1	38,42,42	0.90	2 (5%)	51,67,67	1.96	7 (13%)
2	A1CHF	C	401	1	38,42,42	1.08	2 (5%)	51,67,67	2.05	10 (19%)
2	A1CHF	B	401	1	38,42,42	1.07	1 (2%)	51,67,67	1.94	10 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1CHF	A	401	1	-	6/36/89/89	0/5/4/4
2	A1CHF	C	401	1	-	4/36/89/89	0/5/4/4
2	A1CHF	B	401	1	-	6/36/89/89	0/5/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	A1CHF	C5-C3	-3.17	1.51	1.55
2	B	401	A1CHF	C5-C3	-3.13	1.51	1.55
2	A	401	A1CHF	C5-C3	-2.26	1.52	1.55
2	C	401	A1CHF	C3-C4	-2.25	1.50	1.53
2	A	401	A1CHF	C3-C4	-2.19	1.50	1.53

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	A1CHF	F5-C17-F4	8.66	115.94	105.55
2	C	401	A1CHF	F5-C17-F4	6.63	113.51	105.55
2	B	401	A1CHF	F5-C17-F4	6.60	113.47	105.55
2	A	401	A1CHF	C21-C19-N3	5.75	119.37	110.69
2	B	401	A1CHF	C21-C19-N3	5.67	119.25	110.69
2	C	401	A1CHF	C21-C19-N3	5.38	118.81	110.69
2	C	401	A1CHF	C17-C16-C15	5.08	103.18	99.14
2	B	401	A1CHF	C17-C16-C15	4.69	102.87	99.14
2	C	401	A1CHF	C17-C13-C14	4.56	102.77	99.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	A1CHF	C10-C13-C14	4.25	109.93	107.20
2	B	401	A1CHF	C1-C2-N1	4.24	121.28	115.24
2	A	401	A1CHF	C10-C13-C14	3.57	109.49	107.20
2	A	401	A1CHF	C17-C16-C15	3.48	101.91	99.14
2	C	401	A1CHF	C23-C22-C25	2.99	106.98	102.87
2	B	401	A1CHF	C10-C13-C14	2.98	109.11	107.20
2	B	401	A1CHF	C17-C13-C14	2.97	101.50	99.14
2	A	401	A1CHF	C11-C16-C15	-2.95	102.94	109.48
2	C	401	A1CHF	C11-C16-C15	-2.90	103.04	109.48
2	C	401	A1CHF	C11-C12-N2	2.52	106.90	103.59
2	C	401	A1CHF	C1-C2-N1	2.45	118.73	115.24
2	C	401	A1CHF	C3-C4-N2	2.40	121.33	118.46
2	B	401	A1CHF	C10-C11-C12	2.30	107.43	104.60
2	B	401	A1CHF	C11-C12-N2	2.22	106.51	103.59
2	B	401	A1CHF	C11-C16-C15	-2.18	104.64	109.48
2	B	401	A1CHF	C23-C22-C25	2.17	105.84	102.87
2	A	401	A1CHF	C23-C22-C25	2.08	105.72	102.87
2	A	401	A1CHF	C4-C3-N1	-2.05	104.91	107.40

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	401	A1CHF	C21-C19-N3-C18
2	C	401	A1CHF	C19-C21-C22-C23
2	C	401	A1CHF	C19-C21-C22-C25
2	A	401	A1CHF	C21-C19-N3-C18
2	A	401	A1CHF	C19-C21-C22-C23
2	B	401	A1CHF	C21-C19-N3-C18
2	B	401	A1CHF	C19-C21-C22-C23
2	B	401	A1CHF	C19-C21-C22-C25
2	C	401	A1CHF	N3-C19-C21-C22
2	A	401	A1CHF	N3-C19-C21-C22
2	B	401	A1CHF	N3-C19-C21-C22
2	A	401	A1CHF	C19-C21-C22-C25
2	A	401	A1CHF	F1-C1-C2-N1
2	A	401	A1CHF	F2-C1-C2-N1
2	B	401	A1CHF	F1-C1-C2-N1
2	B	401	A1CHF	F2-C1-C2-N1


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	A1CHF	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/306 (99%)	-0.14	10 (3%) 49 51	11, 21, 42, 59	0
1	B	300/306 (98%)	-0.21	5 (1%) 69 70	10, 21, 36, 56	0
1	C	304/306 (99%)	-0.24	3 (0%) 79 80	12, 20, 39, 52	0
1	D	300/306 (98%)	0.28	18 (6%) 29 30	13, 30, 54, 73	0
All	All	1208/1224 (98%)	-0.08	36 (2%) 52 54	10, 22, 45, 73	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	277	GLN	5.4
1	C	187	ALA	5.3
1	D	304	VAL	5.1
1	D	50	SER	5.0
1	D	46	ALA	4.9
1	D	47	ASP	4.5
1	D	49	LEU	4.4
1	B	303	VAL	4.2
1	B	186	GLY	4.0
1	D	45	PRO	4.0
1	B	64	HIS	4.0
1	D	48	GLN	3.5
1	B	304	VAL	3.4
1	A	171	ALA	3.1
1	A	286	MET	3.1
1	A	187	ALA	3.0
1	D	76	ALA	3.0
1	D	196	VAL	2.8
1	D	171	ALA	2.6
1	D	172	ASN	2.5
1	D	51	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	304	VAL	2.5
1	D	187	ALA	2.4
1	B	302	GLY	2.3
1	D	62	THR	2.2
1	D	65	SER	2.2
1	D	59	ILE	2.2
1	D	57	LEU	2.2
1	A	170	LEU	2.2
1	A	77	ASN	2.1
1	A	196	VAL	2.1
1	A	47	ASP	2.1
1	A	283	GLY	2.1
1	C	194	HIS	2.1
1	D	61	MET	2.1
1	C	277	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1CHF	C	401	39/39	0.91	0.09	15,24,40,46	0
2	A1CHF	B	401	39/39	0.92	0.07	12,18,27,32	0
2	A1CHF	A	401	39/39	0.93	0.07	14,21,35,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1CHF C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1CHF B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1CHF A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.