



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 1, 2025 – 04:01 pm GMT

PDB ID : 9R43 / pdb_00009r43
Title : FAD-dependent oxidoreductase McrA
Authors : Tjallinks, G.; Mattevi, A.
Deposited on : 2025-05-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	448	
1	B	448	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:


Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	B	504	-	-	X	-

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mitomycin radical oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	441	Total 3335	C 2100	N 600	O 627	S 8	0	0	0
1	B	441	Total 3308	C 2086	N 591	O 623	S 8	0	0	0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $\text{C}_{27}\text{H}_{33}\text{N}_9\text{O}_{15}\text{P}_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0
4	B	1	Total C O 7 4 3	0	0

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	115	Total	O	0	0
			115	115		
6	B	128	Total	O	0	0
			128	128		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Mitomycin radical oxidase



• Molecule 1: Mitomycin radical oxidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	77.87Å 80.49Å 163.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	72.34 – 2.10 72.34 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.7 (72.34-2.10) 97.7 (72.34-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.202 , 0.247 0.211 , 0.249	Depositor DCC
R_{free} test set	2955 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	42.2	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.229 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7166	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EPE, FAD, ACT, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/3419	1.20	10/4672 (0.2%)
1	B	0.67	0/3392	1.23	11/4640 (0.2%)
All	All	0.68	0/6811	1.21	21/9312 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	7
1	B	0	7
All	All	0	14

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	243	VAL	N-CA-CB	-8.11	99.86	111.21
1	B	188	MET	CG-SD-CE	7.98	118.45	100.90
1	A	256	ARG	CD-NE-CZ	-7.77	113.52	124.40
1	A	371	VAL	N-CA-CB	7.10	118.05	110.17
1	B	64	HIS	CB-CG-CD2	-6.62	122.59	131.20
1	B	188	MET	CB-CA-C	-6.44	96.59	109.35
1	A	445	GLU	CB-CG-CD	6.27	123.26	112.60
1	B	12	ASP	CA-CB-CG	6.07	118.67	112.60
1	A	441	ILE	O-C-N	-6.03	117.27	121.55
1	B	13	GLN	CB-CA-C	-5.80	100.21	109.08
1	B	319	ASP	CA-CB-CG	5.71	118.31	112.60
1	A	146	ASP	CA-CB-CG	5.57	118.17	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	176	ARG	CD-NE-CZ	5.50	132.10	124.40
1	A	399	PHE	CA-CB-CG	5.47	119.28	113.80
1	B	157	ASP	CA-CB-CG	5.27	117.87	112.60
1	B	350	PRO	N-CA-CB	5.26	105.95	103.22
1	A	153	LEU	N-CA-CB	-5.19	101.85	111.13
1	B	439	PHE	CA-CB-CG	-5.14	108.66	113.80
1	A	319	ASP	CA-CB-CG	5.09	117.69	112.60
1	A	373	GLU	CB-CA-C	5.07	118.43	109.80
1	B	146	ASP	CA-CB-CG	5.05	117.65	112.60

There are no chirality outliers.

All (14) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	139	ARG	Sidechain
1	A	140	ARG	Sidechain
1	A	20	ARG	Sidechain
1	A	256	ARG	Sidechain
1	A	271	ARG	Sidechain
1	A	285	ARG	Sidechain
1	A	380	ARG	Sidechain
1	B	139	ARG	Sidechain
1	B	140	ARG	Sidechain
1	B	176	ARG	Sidechain
1	B	248	ARG	Sidechain
1	B	256	ARG	Sidechain
1	B	309	ARG	Sidechain
1	B	378	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3335	0	3228	40	0
1	B	3308	0	3185	49	0
2	A	53	0	30	0	0
2	B	53	0	30	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	15	0	18	4	0
3	B	15	0	18	1	0
4	A	63	0	90	4	0
4	B	49	0	70	2	0
5	A	16	0	12	1	0
5	B	16	0	12	4	0
6	A	115	0	0	4	0
6	B	128	0	0	1	0
All	All	7166	0	6693	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:ASP:CB	6:A:698:HOH:O	2.27	0.83
1:B:385:ASP:HB3	6:B:672:HOH:O	1.79	0.82
1:B:251:PHE:H	5:B:513:ACT:H3	1.49	0.78
1:A:274:ARG:HG2	1:A:274:ARG:HH11	1.48	0.76
1:B:122:ASN:CG	1:B:300:THR:HG21	2.11	0.76
1:A:152:ARG:NH1	1:A:162:ASP:OD2	2.23	0.71
1:A:274:ARG:HG2	1:A:274:ARG:NH1	2.06	0.69
1:A:221:VAL:HG21	1:A:364:PHE:HZ	1.58	0.68
1:B:102:ARG:NH2	1:B:122:ASN:HD22	1.92	0.67
1:A:176:ARG:NH2	1:A:354:PRO:O	2.29	0.66
1:B:300:THR:HG22	1:B:300:THR:O	1.97	0.65
1:B:130:VAL:HG23	1:B:179:LYS:HA	1.80	0.64
1:A:140:ARG:HE	4:A:515:PEG:C1	2.12	0.63
1:B:208:GLU:O	5:B:504:ACT:C	2.47	0.62
1:A:155:THR:HG23	1:A:157:ASP:OD1	2.00	0.61
1:B:254:HIS:CE1	1:B:256:ARG:HD3	2.35	0.60
1:A:136:LEU:HD12	1:A:292:VAL:CG2	2.32	0.59
1:A:140:ARG:HE	4:A:515:PEG:H11	1.68	0.59
1:A:235:VAL:HG23	1:A:337:VAL:HG12	1.85	0.59
1:B:122:ASN:CB	1:B:300:THR:HG21	2.34	0.58
1:A:130:VAL:HG23	1:A:179:LYS:HA	1.87	0.57
1:B:51:ALA:HB2	1:B:434:MET:HE1	1.88	0.56
1:A:30:ARG:HD3	6:A:696:HOH:O	2.06	0.56
1:B:235:VAL:HG23	1:B:337:VAL:HG12	1.88	0.56
1:A:87:ASP:OD2	1:A:90:ARG:HD3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:ARG:HH11	1:A:152:ARG:HG2	1.71	0.55
1:B:20:ARG:NH1	1:B:29:SER:O	2.40	0.55
1:B:208:GLU:O	5:B:504:ACT:O	2.25	0.55
1:B:245:GLU:HA	1:B:248:ARG:HD2	1.89	0.54
1:B:448:THR:O	1:B:448:THR:HG22	2.08	0.53
1:A:274:ARG:HH11	1:A:274:ARG:CG	2.17	0.53
3:B:505:EPE:H61	3:B:505:EPE:O3S	2.09	0.52
1:A:29:SER:CB	1:A:70:ALA:H	2.24	0.51
1:B:68:VAL:HG12	1:B:69:SER:O	2.11	0.51
1:B:382:ASP:O	1:B:386:ARG:HG3	2.11	0.49
1:B:122:ASN:OD1	1:B:300:THR:HG21	2.11	0.49
1:A:149:ARG:HH11	1:A:149:ARG:HG3	1.77	0.49
1:B:23:LEU:CD2	1:B:300:THR:HG23	2.43	0.49
1:A:136:LEU:HD12	1:A:292:VAL:HG22	1.96	0.48
1:B:221:VAL:HG22	1:B:342:HIS:CE1	2.48	0.48
1:A:139:ARG:NE	1:A:342:HIS:ND1	2.61	0.48
1:A:271:ARG:HA	1:A:274:ARG:HD2	1.95	0.48
4:A:515:PEG:H32	6:A:602:HOH:O	2.14	0.47
1:A:16:TYR:CE2	1:A:20:ARG:HD3	2.48	0.47
1:B:196:THR:O	1:B:197:ARG:HG2	2.14	0.47
1:B:233:LEU:HD12	1:B:338:THR:O	2.15	0.46
1:B:423:ARG:HD3	5:B:511:ACT:H1	1.96	0.46
1:A:221:VAL:HG21	1:A:364:PHE:CZ	2.45	0.46
1:B:220:TRP:HA	4:B:508:PEG:H32	1.97	0.46
1:A:25:ARG:NH2	3:A:502:EPE:H22	2.31	0.46
1:A:149:ARG:HG3	1:A:149:ARG:NH1	2.31	0.45
1:B:207:GLY:O	1:B:330:PRO:HG3	2.16	0.45
1:A:139:ARG:NH2	1:A:342:HIS:CE1	2.85	0.45
1:B:23:LEU:HD22	1:B:300:THR:HG23	1.98	0.45
1:B:100:ARG:HH11	1:B:122:ASN:ND2	2.14	0.45
1:B:92:THR:HG21	1:B:149:ARG:HH11	1.82	0.45
1:B:309:ARG:HH11	1:B:403:GLU:CB	2.30	0.45
1:B:255:LEU:CD2	1:B:257:ILE:HD11	2.46	0.45
1:B:309:ARG:HH11	1:B:403:GLU:HB3	1.82	0.45
1:A:176:ARG:NH2	1:A:355:ASN:HB3	2.32	0.44
1:B:361:ASP:OD1	1:B:361:ASP:N	2.49	0.44
1:A:21:LEU:O	3:A:502:EPE:H31	2.18	0.44
1:A:161:ARG:HH12	1:A:429:TYR:HE1	1.64	0.44
3:A:502:EPE:H62	3:A:502:EPE:H71	1.83	0.44
1:B:171:LEU:O	1:B:175:VAL:HG23	2.17	0.44
1:A:238:PRO:HB2	1:A:240:LEU:HG	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:514:ACT:C	6:A:642:HOH:O	2.65	0.43
1:A:68:VAL:HG12	1:A:69:SER:O	2.18	0.43
1:A:426:LYS:HG2	1:A:441:ILE:O	2.19	0.43
1:A:79:ARG:NH1	3:A:502:EPE:H51	2.34	0.42
1:B:214:LEU:HD11	1:B:234:LEU:HD11	2.01	0.42
1:A:87:ASP:O	1:A:91:ALA:N	2.53	0.42
1:B:300:THR:O	1:B:300:THR:CG2	2.65	0.42
1:B:245:GLU:N	1:B:246:PRO:CD	2.82	0.42
1:B:20:ARG:HG2	1:B:21:LEU:HG	2.01	0.42
1:B:176:ARG:O	1:B:355:ASN:HB2	2.19	0.42
1:A:130:VAL:CG2	1:A:179:LYS:HA	2.50	0.41
1:B:148:VAL:HB	1:B:176:ARG:HD3	2.02	0.41
1:B:153:LEU:CD1	1:B:185:VAL:HG22	2.51	0.41
1:A:109:ALA:HB3	1:A:110:PRO:HD3	2.01	0.41
1:B:136:LEU:HD12	1:B:292:VAL:CG2	2.50	0.41
1:A:131:GLY:HA3	1:A:398:ASN:OD1	2.21	0.41
1:B:226:GLU:H	4:B:509:PEG:H42	1.86	0.41
1:A:337:VAL:HG13	4:A:504:PEG:H42	2.03	0.41
1:B:148:VAL:HG11	1:B:151:LEU:HD23	2.03	0.41
1:B:145:ALA:O	1:B:176:ARG:HD2	2.21	0.41
1:B:243:VAL:HG13	1:B:247:LEU:HB2	2.03	0.41
1:A:222:ARG:HG2	1:A:222:ARG:HH11	1.85	0.40
1:B:102:ARG:HH21	1:B:122:ASN:HD22	1.65	0.40
1:B:139:ARG:NE	1:B:342:HIS:ND1	2.69	0.40
1:B:271:ARG:N	1:B:272:PRO:CD	2.85	0.40
1:B:16:TYR:CE2	1:B:20:ARG:HD3	2.57	0.40
1:A:114:ALA:HB1	1:A:289:TYR:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	439/448 (98%)	421 (96%)	18 (4%)	0	100	100
1	B	439/448 (98%)	419 (95%)	20 (5%)	0	100	100
All	All	878/896 (98%)	840 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/344 (97%)	328 (98%)	6 (2%)	54	61
1	B	329/344 (96%)	317 (96%)	12 (4%)	30	32
All	All	663/688 (96%)	645 (97%)	18 (3%)	40	44

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	GLU
1	A	52	GLU
1	A	162	ASP
1	A	276	LEU
1	A	428	GLN
1	A	445	GLU
1	B	49	LEU
1	B	71	ASP
1	B	151	LEU
1	B	155	THR
1	B	160	LEU
1	B	221	VAL
1	B	242	ASP
1	B	243	VAL
1	B	256	ARG
1	B	275	GLU
1	B	276	LEU
1	B	366	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	122	ASN
1	B	236	HIS
1	B	254	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	A	501	1	53,58,58	0.67	0	68,89,89	0.64	1 (1%)
4	PEG	B	512	-	6,6,6	0.15	0	5,5,5	0.07	0
3	EPE	A	502	-	15,15,15	0.58	1 (6%)	18,20,20	0.52	0
5	ACT	A	507	-	3,3,3	0.75	0	3,3,3	1.07	0
4	PEG	B	510	-	6,6,6	0.26	0	5,5,5	0.35	0
5	ACT	B	507	-	3,3,3	0.98	0	3,3,3	0.90	0
4	PEG	A	503	-	6,6,6	0.15	0	5,5,5	0.09	0
4	PEG	A	509	-	6,6,6	0.25	0	5,5,5	0.11	0
4	PEG	A	515	-	6,6,6	0.24	0	5,5,5	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	A	506	-	3,3,3	1.13	0	3,3,3	0.88	0
4	PEG	B	506	-	6,6,6	0.17	0	5,5,5	0.22	0
4	PEG	A	508	-	6,6,6	0.25	0	5,5,5	0.15	0
4	PEG	B	509	-	6,6,6	0.12	0	5,5,5	0.09	0
5	ACT	B	511	-	3,3,3	1.18	0	3,3,3	0.66	0
4	PEG	A	505	-	6,6,6	0.21	0	5,5,5	0.20	0
2	FAD	B	501	1	53,58,58	0.68	0	68,89,89	0.65	1 (1%)
3	EPE	B	505	-	15,15,15	0.65	1 (6%)	18,20,20	0.88	0
5	ACT	A	514	-	3,3,3	1.05	0	3,3,3	0.80	0
4	PEG	A	504	-	6,6,6	0.12	0	5,5,5	0.09	0
4	PEG	B	503	-	6,6,6	0.28	0	5,5,5	0.29	0
4	PEG	A	512	-	6,6,6	0.18	0	5,5,5	0.15	0
5	ACT	B	504	-	3,3,3	1.03	0	3,3,3	0.95	0
5	ACT	B	513	-	3,3,3	1.76	1 (33%)	3,3,3	0.44	0
4	PEG	B	502	-	6,6,6	0.14	0	5,5,5	0.09	0
4	PEG	B	508	-	6,6,6	0.12	0	5,5,5	0.07	0
4	PEG	A	510	-	6,6,6	0.28	0	5,5,5	0.21	0
5	ACT	A	511	-	3,3,3	1.11	0	3,3,3	0.70	0
4	PEG	A	513	-	6,6,6	0.25	0	5,5,5	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	501	1	-	0/30/50/50	0/6/6/6
4	PEG	B	512	-	-	2/4/4/4	-
3	EPE	A	502	-	-	9/9/19/19	0/1/1/1
4	PEG	B	510	-	-	3/4/4/4	-
4	PEG	A	503	-	-	3/4/4/4	-
4	PEG	A	509	-	-	3/4/4/4	-
4	PEG	A	515	-	-	2/4/4/4	-
4	PEG	B	506	-	-	3/4/4/4	-
4	PEG	A	508	-	-	2/4/4/4	-
4	PEG	B	509	-	-	2/4/4/4	-
4	PEG	A	505	-	-	2/4/4/4	-
2	FAD	B	501	1	-	0/30/50/50	0/6/6/6
3	EPE	B	505	-	-	3/9/19/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	504	-	-	1/4/4/4	-
4	PEG	B	503	-	-	2/4/4/4	-
4	PEG	A	512	-	-	2/4/4/4	-
4	PEG	B	502	-	-	4/4/4/4	-
4	PEG	B	508	-	-	2/4/4/4	-
4	PEG	A	510	-	-	1/4/4/4	-
4	PEG	A	513	-	-	2/4/4/4	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	513	ACT	O-C	2.35	1.33	1.22
3	A	502	EPE	O3S-S	2.15	1.55	1.47
3	B	505	EPE	O3S-S	2.09	1.55	1.47

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	C5A-C6A-N6A	2.35	123.92	120.35
2	B	501	FAD	C5A-C6A-N6A	2.27	123.81	120.35

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	EPE	C10-C9-N1-C2
3	A	502	EPE	C10-C9-N1-C6
3	A	502	EPE	S-C10-C9-N1
3	B	505	EPE	S-C10-C9-N1
4	B	502	PEG	O2-C3-C4-O4
4	A	515	PEG	O1-C1-C2-O2
4	B	512	PEG	O2-C3-C4-O4
3	A	502	EPE	C9-C10-S-O3S
4	A	510	PEG	O2-C3-C4-O4
4	B	510	PEG	O1-C1-C2-O2
3	A	502	EPE	N4-C7-C8-O8
4	A	505	PEG	O1-C1-C2-O2
4	A	513	PEG	O1-C1-C2-O2
4	B	506	PEG	O2-C3-C4-O4
4	B	512	PEG	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	505	PEG	O2-C3-C4-O4
4	A	509	PEG	O1-C1-C2-O2
4	B	509	PEG	O1-C1-C2-O2
4	B	509	PEG	O2-C3-C4-O4
4	B	510	PEG	O2-C3-C4-O4
3	B	505	EPE	C10-C9-N1-C6
4	A	508	PEG	O2-C3-C4-O4
4	B	502	PEG	O1-C1-C2-O2
4	A	503	PEG	C4-C3-O2-C2
4	A	509	PEG	C4-C3-O2-C2
4	A	515	PEG	C4-C3-O2-C2
3	A	502	EPE	C9-C10-S-O1S
3	A	502	EPE	C9-C10-S-O2S
4	A	504	PEG	C1-C2-O2-C3
4	A	508	PEG	O1-C1-C2-O2
4	B	503	PEG	C1-C2-O2-C3
4	B	502	PEG	C1-C2-O2-C3
4	B	506	PEG	O1-C1-C2-O2
4	A	512	PEG	C1-C2-O2-C3
4	A	503	PEG	C1-C2-O2-C3
4	B	502	PEG	C4-C3-O2-C2
4	B	508	PEG	C4-C3-O2-C2
3	A	502	EPE	C8-C7-N4-C5
4	A	512	PEG	O2-C3-C4-O4
4	A	513	PEG	C1-C2-O2-C3
3	B	505	EPE	C10-C9-N1-C2
4	B	506	PEG	C1-C2-O2-C3
4	A	509	PEG	C1-C2-O2-C3
4	B	510	PEG	C4-C3-O2-C2
3	A	502	EPE	C8-C7-N4-C3
4	B	503	PEG	O2-C3-C4-O4
4	A	503	PEG	O2-C3-C4-O4
4	B	508	PEG	C1-C2-O2-C3

There are no ring outliers.

10 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	EPE	4	0
4	A	515	PEG	3	0
4	B	509	PEG	1	0
5	B	511	ACT	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	505	EPE	1	0
5	A	514	ACT	1	0
4	A	504	PEG	1	0
5	B	504	ACT	2	0
5	B	513	ACT	1	0
4	B	508	PEG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/448 (98%)	0.37	7 (1%) 70 71	32, 44, 68, 89	0
1	B	441/448 (98%)	0.42	18 (4%) 42 44	31, 45, 66, 97	0
All	All	882/896 (98%)	0.40	25 (2%) 55 57	31, 45, 67, 97	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	448	THR	3.7
1	A	391	SER	3.1
1	B	49	LEU	3.1
1	A	49	LEU	3.0
1	B	391	SER	2.9
1	B	160	LEU	2.9
1	B	300	THR	2.7
1	B	73	ALA	2.7
1	B	448	THR	2.7
1	A	277	GLY	2.5
1	B	12	ASP	2.5
1	B	9	LEU	2.5
1	B	21	LEU	2.5
1	B	105	LEU	2.4
1	B	33	TYR	2.4
1	B	15	GLY	2.3
1	B	208	GLU	2.3
1	A	33	TYR	2.3
1	B	276	LEU	2.2
1	B	302	MET	2.2
1	B	8	ALA	2.2
1	A	276	LEU	2.1
1	B	89	ALA	2.0
1	B	118	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	386	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PEG	B	502	7/7	0.52	0.27	51,56,63,65	0
5	ACT	B	513	4/4	0.54	0.28	55,56,61,65	0
3	EPE	A	502	15/15	0.56	0.24	59,83,159,165	0
5	ACT	B	511	4/4	0.60	0.24	59,65,67,70	0
4	PEG	A	515	7/7	0.68	0.15	64,75,91,96	0
5	ACT	A	506	4/4	0.69	0.24	70,73,77,82	0
4	PEG	B	512	7/7	0.70	0.15	82,91,100,104	0
5	ACT	A	507	4/4	0.72	0.19	68,70,75,75	0
5	ACT	A	511	4/4	0.72	0.17	68,71,72,73	0
3	EPE	B	505	15/15	0.74	0.25	78,93,126,128	0
5	ACT	B	504	4/4	0.78	0.17	50,51,52,57	0
5	ACT	B	507	4/4	0.80	0.13	68,72,72,76	0
4	PEG	B	509	7/7	0.80	0.16	58,65,76,77	0
4	PEG	A	503	7/7	0.80	0.19	48,55,61,65	0
4	PEG	B	508	7/7	0.81	0.19	63,65,77,78	0
4	PEG	B	510	7/7	0.81	0.18	62,65,76,77	0
4	PEG	A	508	7/7	0.82	0.18	70,71,81,81	0
4	PEG	A	509	7/7	0.85	0.16	64,65,76,76	0
4	PEG	A	510	7/7	0.86	0.16	54,66,68,71	0
4	PEG	A	504	7/7	0.86	0.14	54,58,61,67	0
4	PEG	A	512	7/7	0.87	0.15	66,70,72,73	0
4	PEG	A	513	7/7	0.89	0.14	55,61,77,78	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ACT	A	514	4/4	0.89	0.10	63,64,68,70	0
4	PEG	B	506	7/7	0.89	0.15	51,59,66,70	0
4	PEG	B	503	7/7	0.93	0.11	52,56,61,69	0
4	PEG	A	505	7/7	0.94	0.11	51,55,57,60	0
2	FAD	A	501	53/53	0.96	0.07	29,33,38,42	0
2	FAD	B	501	53/53	0.96	0.07	29,33,37,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.