

# Full wwPDB X-ray Structure Validation Report (i)

### Nov 11, 2025 – 03:08 pm GMT

PDB ID : 9RCJ / pdb 00009rcj

Title: Laccase (multicopper oxidase) from Pediococcus pentosaceus 4618 mutant

M455A-M456A soaked with Copper 20 seconds

Authors : Paredes, F.; Casino, P.

Deposited on : 2025-05-29

Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

Mol Probity : 4-5-2 with Phenix 2.0

Mogul : 1.8.4, CSD as541be (2020)

Xtriage (Phenix) : 2.0

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.010 (Gargrove)

Density-Fitness : 1.0.12

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.46

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	Similar resolution $(\# \text{Entries, resolution range}(\text{\AA}))$
$R_{free}$	164625	1096 (2.46-2.46)
Clashscore	180529	1178 (2.46-2.46)
Ramachandran outliers	177936	1170 (2.46-2.46)
Sidechain outliers	177891	1170 (2.46-2.46)
RSRZ outliers	164620	1096 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	532	81%	5% •	13%
1	В	532	80%	6% •	13%
1	С	532	• 99%		
1	F	532	• 99%		



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7502 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Multicopper oxidase domain-containing protein.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	A	461	Total C N O S	0 1		0
	71	101	3619 2314 616 677 12		1	
1	В	463	Total C N O S	0	0	0
1	D	400	3601 2304 611 675 11			
1	C	5	Total C N O	0	0	0
1		9	45  27  13  5	U		
1 E		E 4	Total C N O	0	0	0
1	T,	$\Gamma$ 4	35   21   10   4	0		

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	initiating methionine	UNP A0AB73HHR8
A	-21	GLY	-	expression tag	UNP A0AB73HHR8
A	-20	SER	-	expression tag	UNP A0AB73HHR8
A	-19	SER	-	expression tag	UNP A0AB73HHR8
A	-18	HIS	-	expression tag	UNP A0AB73HHR8
A	-17	HIS	-	expression tag	UNP A0AB73HHR8
A	-16	HIS	-	expression tag	UNP A0AB73HHR8
A	-15	HIS	-	expression tag	UNP A0AB73HHR8
A	-14	HIS	-	expression tag	UNP A0AB73HHR8
A	-13	HIS	-	expression tag	UNP A0AB73HHR8
A	-12	SER	-	expression tag	UNP A0AB73HHR8
A	-11	SER	-	expression tag	UNP A0AB73HHR8
A	-10	GLY	-	expression tag	UNP A0AB73HHR8
A	-9	LEU	-	expression tag	UNP A0AB73HHR8
A	-8	VAL	-	expression tag	UNP A0AB73HHR8
A	-7	PRO	-	expression tag	UNP A0AB73HHR8
A	-6	ARG	-	expression tag	UNP A0AB73HHR8
A	-5	GLY	-	expression tag	UNP A0AB73HHR8
A	-4	SER	-	expression tag	UNP A0AB73HHR8
A	-3	HIS	-	expression tag	UNP A0AB73HHR8
A	-2	MET	-	expression tag	UNP A0AB73HHR8



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	ALA	-	expression tag	UNP A0AB73HHR8
A	0	SER	-	expression tag	UNP A0AB73HHR8
A	12	PRO	GLN	variant	UNP A0AB73HHR8
A	241	ASN	ASP	variant	UNP A0AB73HHR8
A	253	ALA	SER	variant	UNP A0AB73HHR8
A	455	ALA	MET	engineered mutation	UNP A0AB73HHR8
A	456	ALA	MET	engineered mutation	UNP A0AB73HHR8
В	-22	MET	-	initiating methionine	UNP A0AB73HHR8
В	-21	GLY	-	expression tag	UNP A0AB73HHR8
В	-20	SER	_	expression tag	UNP A0AB73HHR8
В	-19	SER	-	expression tag	UNP A0AB73HHR8
В	-18	HIS	-	expression tag	UNP A0AB73HHR8
В	-17	HIS	_	expression tag	UNP A0AB73HHR8
В	-16	HIS	-	expression tag	UNP A0AB73HHR8
В	-15	HIS	-	expression tag	UNP A0AB73HHR8
В	-14	HIS	-	expression tag	UNP A0AB73HHR8
В	-13	HIS	-	expression tag	UNP A0AB73HHR8
В	-12	SER	-	expression tag	UNP A0AB73HHR8
В	-11	SER	-	expression tag	UNP A0AB73HHR8
В	-10	GLY	-	expression tag	UNP A0AB73HHR8
В	-9	LEU	-	expression tag	UNP A0AB73HHR8
В	-8	VAL	-	expression tag	UNP A0AB73HHR8
В	-7	PRO	-	expression tag	UNP A0AB73HHR8
В	-6	ARG	-	expression tag	UNP A0AB73HHR8
В	-5	GLY	-	expression tag	UNP A0AB73HHR8
В	-4	SER	-	expression tag	UNP A0AB73HHR8
В	-3	HIS	-	expression tag	UNP A0AB73HHR8
В	-2	MET	-	expression tag	UNP A0AB73HHR8
В	-1	ALA	-	expression tag	UNP A0AB73HHR8
В	0	SER	-	expression tag	UNP A0AB73HHR8
В	12	PRO	GLN	variant	UNP A0AB73HHR8
В	241	ASN	ASP	variant	UNP A0AB73HHR8
В	253	ALA	SER	variant	UNP A0AB73HHR8
В	455	ALA	MET	engineered mutation	UNP A0AB73HHR8
В	456	ALA	MET	engineered mutation	UNP A0AB73HHR8
C	-1	MET	-	initiating methionine	UNP A0AB73HHR8
C	0	GLY	-	expression tag	UNP A0AB73HHR8
C	1	SER	-	expression tag	UNP A0AB73HHR8
С	2	SER	-	expression tag	UNP A0AB73HHR8
С	3	HIS	-	expression tag	UNP A0AB73HHR8
С	4	HIS	-	expression tag	UNP A0AB73HHR8
С	5	HIS	-	expression tag	UNP A0AB73HHR8



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	6	HIS	-	expression tag	UNP A0AB73HHR8
С	7	HIS	-	expression tag	UNP A0AB73HHR8
С	8	HIS	-	expression tag	UNP A0AB73HHR8
С	9	SER	-	expression tag	UNP A0AB73HHR8
С	10	SER	-	expression tag	UNP A0AB73HHR8
С	11	GLY	-	expression tag	UNP A0AB73HHR8
С	12	LEU	-	expression tag	UNP A0AB73HHR8
С	13	VAL	-	expression tag	UNP A0AB73HHR8
С	14	PRO	-	expression tag	UNP A0AB73HHR8
С	15	ARG	-	expression tag	UNP A0AB73HHR8
С	16	GLY	-	expression tag	UNP A0AB73HHR8
С	17	SER	-	expression tag	UNP A0AB73HHR8
С	18	HIS	-	expression tag	UNP A0AB73HHR8
С	19	MET	-	expression tag	UNP A0AB73HHR8
С	20	ALA	-	expression tag	UNP A0AB73HHR8
С	21	SER	-	expression tag	UNP A0AB73HHR8
С	33	PRO	GLN	variant	UNP A0AB73HHR8
С	262	ASN	ASP	variant	UNP A0AB73HHR8
С	274	ALA	SER	variant	UNP A0AB73HHR8
С	476	ALA	MET	engineered mutation	UNP A0AB73HHR8
С	477	ALA	MET	engineered mutation	UNP A0AB73HHR8
F	0	MET	-	initiating methionine	UNP A0AB73HHR8
F	1	GLY	-	expression tag	UNP A0AB73HHR8
F	2	SER	-	expression tag	UNP A0AB73HHR8
F	3	SER	-	expression tag	UNP A0AB73HHR8
F	4	HIS	-	expression tag	UNP A0AB73HHR8
F	5	HIS	-	expression tag	UNP A0AB73HHR8
F	6	HIS	-	expression tag	UNP A0AB73HHR8
F	7	HIS	-	expression tag	UNP A0AB73HHR8
F	8	HIS	-	expression tag	UNP A0AB73HHR8
F	9	HIS	-	expression tag	UNP A0AB73HHR8
F	10	SER	-	expression tag	UNP A0AB73HHR8
F	11	SER	-	expression tag	UNP A0AB73HHR8
F	12	GLY	-	expression tag	UNP A0AB73HHR8
F	13	LEU	-	expression tag	UNP A0AB73HHR8
F	14	VAL	-	expression tag	UNP A0AB73HHR8
F	15	PRO	-	expression tag	UNP A0AB73HHR8
F	16	ARG	-	expression tag	UNP A0AB73HHR8
F	17	GLY	-	expression tag	UNP A0AB73HHR8
F	18	SER	-	expression tag	UNP A0AB73HHR8
F	19	HIS	-	expression tag	UNP A0AB73HHR8
F	20	MET	-	expression tag	UNP A0AB73HHR8




I 'omtamalod	trom	mmonia	maaa
Continued		$mea_{mons}$	Dude
00,000,000	.,. 0	p. 0000 ao	pagain

Chain	Residue	Modelled	Actual	Comment	Reference
F	21	ALA	-	expression tag	UNP A0AB73HHR8
F	22	SER	-	expression tag	UNP A0AB73HHR8
F	34	PRO	GLN	variant	UNP A0AB73HHR8
F	263	ASN	ASP	variant	UNP A0AB73HHR8
F	275	ALA	SER	variant	UNP A0AB73HHR8
F	477	ALA	MET	engineered mutation	UNP A0AB73HHR8
F	478	ALA	MET	engineered mutation	UNP A0AB73HHR8

• Molecule 2 is COPPER (II) ION (CCD ID: CU) (formula: Cu) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	7	Total Cu 7 7	0	0
2	В	6	Total Cu 6 6	0	0

• Molecule 3 is SULFATE ION (CCD ID: SO4) (formula:  $O_4S$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	С	1	Total O S 5 4 1	0	0

• Molecule 4 is water.




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	89	Total O 89 89	0	0
4	В	88	Total O 88 88	0	0
4	С	1	Total O 1 1	0	0
4	F	1	Total O 1 1	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Multicopper oxidase domain-containing protein







GGLN

TILE

GGLN

THR

P PHE

P PHE

P PHE

P PRO

P PRO

GGLN

GGLN

GGLN

MET

TYPR

A ASP



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants	123.40Å 123.40Å 180.34Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
Resolution (Å)	52.39 - 2.45	Depositor
resolution (A)	52.39 - 2.45	EDS
% Data completeness	100.0 (52.39 - 2.45)	Depositor
(in resolution range)	100.0 (52.39 - 2.45)	EDS
$R_{merge}$	0.20	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.35  (at  2.45Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
$R, R_{free}$	0.190 , $0.231$	Depositor
it, it <sub>free</sub>	0.199 , $0.234$	DCC
$R_{free}$ test set	2982 reflections $(5.06\%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.4	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	$0.35 \; ,  28.8$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7502	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	В	ond angles
MIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z >5
1	A	0.50	0/3738	0.91	$4/5122 \ (0.1\%)$
1	В	0.59	1/3716 (0.0%)	1.00	7/5096 (0.1%)
1	С	0.77	0/48	2.19	4/64 (6.2%)
1	F	0.74	0/37	1.77	0/49
All	All	0.55	$1/7539 \ (0.0\%)$	0.98	15/10331 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintenain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	В	0	1
All	All	0	3

### All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	Observed(A)	$\operatorname{Ideal}(\text{\AA})$
1	В	152	PRO	N-CD	17.63	1.72	1.47

### All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$Ideal(^{o})$
1	В	151	CYS	CB-CA-C	21.45	134.78	109.47
1	В	151	CYS	N-CA-C	-14.25	87.41	109.64
1	В	152	PRO	N-CA-C	-11.01	83.48	112.10
1	В	152	PRO	N-CA-CB	10.89	114.58	102.60
1	В	152	PRO	CA-N-CD	-8.75	99.25	111.50
1	A	151	CYS	CB-CA-C	8.28	119.67	110.15



Continued	trom	mmoninonic	maaa
COHABABACA		DIEUIUU	DUIUE
0 0 1000100000			

Mol	Chain	Res	Type	Atoms	${f Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	В	160	HIS	CB-CA-C	-8.18	95.82	110.37
1	A	152	PRO	N-CA-C	-6.47	95.26	112.10
1	A	151	CYS	N-CA-C	-6.31	98.61	109.15
1	С	5	HIS	CA-CB-CG	-6.12	107.68	113.80
1	С	6	HIS	CA-CB-CG	-5.80	108.00	113.80
1	В	161	GLY	N-CA-C	5.35	123.45	115.64
1	С	5	HIS	CB-CA-C	5.26	120.07	111.23
1	A	115	PRO	N-CA-CB	-5.25	96.82	102.60
1	С	3	HIS	CB-CA-C	5.00	118.92	109.37

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	180	ARG	Sidechain
1	A	245	ARG	Sidechain
1	В	180	ARG	Sidechain

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3619	0	3406	14	0
1	В	3601	0	3364	22	0
1	С	45	0	29	0	0
1	F	35	0	22	0	0
2	A	7	0	0	0	0
2	В	6	0	0	0	0
3	A	5	0	0	0	0
3	С	5	0	0	0	0
4	A	89	0	0	0	0
4	В	88	0	0	0	0
4	С	1	0	0	0	0
4	F	1	0	0	0	0
All	All	7502	0	6821	36	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 3.

All (36) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:152:PRO:N	1:B:152:PRO:CD	1.72	1.34
1:B:260:GLN:HE22	1:B:413:ASN:HD22	1.41	0.68
1:A:260:GLN:HE22	1:A:413:ASN:HD22	1.41	0.67
1:A:200.GEN.HE22 1:A:152:PRO:O	1:A:153:SER:CB	2.51	0.59
1:A:152:F RO:O	1:B:152:PRO:CD	2.70	
1:A:104:THR:CG2	1:A:119:GLY:O	2.70	0.57 0.57
	1:A:119:GLY:O 1:B:153:SER:CB		
1:B:152:PRO:O 1:A:104:THR:HG23		2.54	0.55
	1:A:119:GLY:O	2.07	0.54
1:A:7:TYR:CZ	1:A:249:ARG:HB3	2.44	0.52
1:A:102:LEU:C	1:A:102:LEU:HD12	2.37	0.50
1:B:104:THR:CG2	1:B:119:GLY:O	2.60	0.49
1:B:149:HIS:O	1:B:149:HIS:ND1	2.45	0.49
1:B:102:LEU:C	1:B:102:LEU:HD12	2.38	0.48
1:B:370:GLN:HE22	1:B:378:TRP:HE1	1.62	0.48
1:B:72:TRP:HB2	1:B:160:HIS:O	2.15	0.47
1:B:251:HIS:HE1	1:B:305:ASP:O	1.98	0.47
1:A:111:ASN:H	1:A:139:GLN:HE22	1.63	0.46
1:A:7:TYR:CE1	1:A:276:HIS:HB3	2.53	0.44
1:B:442:MET:HE2	1:B:444:HIS:CD2	2.53	0.44
1:B:446:HIS:O	1:B:446:HIS:ND1	2.49	0.44
1:B:149:HIS:N	1:B:150:PRO:CD	2.81	0.44
1:B:7:TYR:CZ	1:B:249:ARG:HB3	2.52	0.44
1:A:264:ASP:HB2	1:A:418:LYS:HA	2.00	0.43
1:B:7:TYR:CE1	1:B:276:HIS:HB3	2.53	0.43
1:B:151:CYS:C	1:B:152:PRO:O	2.53	0.42
1:B:348:GLN:HE22	1:B:358:GLY:HA2	1.85	0.42
1:A:149:HIS:N	1:A:150:PRO:CD	2.82	0.42
1:A:370:GLN:HE22	1:A:378:TRP:HE1	1.68	0.41
1:B:165:MET:SD	1:B:188:PRO:HB3	2.61	0.41
1:B:104:THR:HG23	1:B:119:GLY:O	2.20	0.41
1:A:108:HIS:CE1	1:A:394:HIS:CE1	3.08	0.41
1:B:370:GLN:O	1:B:461:THR:HA	2.20	0.41
1:A:121:CYS:SG	1:A:442:MET:SD	3.19	0.40
1:A:104:THR:HG21	1:A:149:HIS:HB3	2.02	0.40
1:B:110:ALA:HA	1:B:139:GLN:HE22	1.87	0.40
1:B:122:HIS:CE1	1:B:363:MET:HG2	2.56	0.40

There are no symmetry-related clashes.



### 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$_{ m ntiles}$
1	A	$460/532\ (86\%)$	442 (96%)	17 (4%)	1 (0%)	44	54
1	В	461/532~(87%)	446 (97%)	14 (3%)	1 (0%)	44	54
1	C	3/532~(1%)	3 (100%)	0	0	100	100
1	F	2/532~(0%)	2 (100%)	0	0	100	100
All	All	926/2128 (44%)	893 (96%)	31 (3%)	2 (0%)	44	54

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	153	SER
1	В	153	SER

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	382/452~(84%)	374 (98%)	8 (2%)	48	64
1	В	375/452 (83%)	370 (99%)	5 (1%)	65	78
1	С	4/452 (1%)	3 (75%)	1 (25%)	0	0
1	F	3/452 (1%)	3 (100%)	0	100	100
All	All	764/1808 (42%)	750 (98%)	14 (2%)	54	68

All (14) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	102	LEU
1	A	104	THR
1	A	115	PRO
1	A	134	ASP
1	A	322	THR
1	A	336	VAL
1	A	340	LEU
1	A	464	PRO
1	В	102	LEU
1	В	104	THR
1	В	324	LEU
1	В	336	VAL
1	В	340	LEU
1	С	4	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	62	GLN
1	A	139	GLN
1	A	199	ASN
1	A	251	HIS
1	A	260	GLN
1	A	348	GLN
1	A	370	GLN
1	A	458	GLN
1	В	111	ASN
1	В	139	GLN
1	В	251	HIS
1	В	260	GLN
1	В	348	GLN
1	В	370	GLN
1	В	391	HIS
1	В	458	GLN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 15 ligands modelled in this entry, 13 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	True	Chain	Dec	Link	Bond lengths			Bond angles		
MIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SO4	С	601	-	4,4,4	0.34	0	6,6,6	0.11	0
3	SO4	A	608	-	4,4,4	0.33	0	6,6,6	0.14	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.



The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q < 0.9
1	A	461/532~(86%)	-0.13	12 (2%) 57 60	24, 42, 65, 97	1 (0%)
1	В	463/532 (87%)	-0.19	13 (2%) 55 57	30, 41, 62, 81	0
1	С	5/532 (0%)	2.23	2 (40%) 1 0	45, 49, 64, 71	0
1	F	4/532 (0%)	5.02	4 (100%) 0 0	86, 91, 100, 113	0
All	All	933/2128 (43%)	-0.12	31 (3%) 49 51	24, 42, 64, 113	1 (0%)

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	2	SER	7.7
1	F	3	SER	7.7
1	F	4	HIS	5.5
1	В	385	ASP	5.4
1	A	321	GLN	4.9
1	A	323	THR	4.7
1	A	322	THR	4.1
1	F	6	HIS	4.0
1	В	2	LYS	3.6
1	В	464	PRO	3.6
1	A	385	ASP	3.5
1	A	320	ASP	3.1
1	В	384	ASN	2.9
1	В	132	HIS	2.8
1	F	5	HIS	2.8
1	A	4	TYR	2.8
1	В	152	PRO	2.7
1	В	350	MET	2.7
1	В	333	ALA	2.6
1	В	28	ASP	2.6
1	A	319	PRO	2.5



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	464	PRO	2.4
1	В	322	THR	2.4
1	A	295	HIS	2.4
1	В	3	ASN	2.4
1	A	293	GLN	2.2
1	A	374	LYS	2.2
1	В	323	THR	2.2
1	A	90	HIS	2.1
1	В	387	PRO	2.1
1	С	4	HIS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	CU	В	606	1/1	0.76	0.11	105,105,105,105	0
2	CU	A	606	1/1	0.78	0.12	108,108,108,108	0
2	CU	В	605	1/1	0.81	0.27	133,133,133,133	0
2	CU	A	605	1/1	0.85	0.21	121,121,121,121	0
2	CU	A	607	1/1	0.86	0.13	104,104,104,104	0
3	SO4	A	608	5/5	0.90	0.20	65,68,76,79	0
2	CU	A	604	1/1	0.91	0.09	89,89,89,89	0
2	CU	A	602	1/1	0.97	0.10	62,62,62,62	0
2	CU	В	603	1/1	0.98	0.08	60,60,60,60	0
3	SO4	С	601	5/5	0.98	0.06	39,45,47,48	0
2	CU	A	603	1/1	0.99	0.05	58,58,58,58	0
2	CU	В	602	1/1	0.99	0.06	47,47,47,47	0
2	CU	A	601	1/1	0.99	0.03	42,42,42,42	0




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	CU	В	604	1/1	0.99	0.06	58,58,58,58	0
2	CU	В	601	1/1	1.00	0.05	47,47,47,47	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.
























# Electron density around SO4 A 608: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)








# Electron density around CU A 602: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











### Electron density around SO4 C 601:

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)





























# 6.5 Other polymers (i)

There are no such residues in this entry.

