



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 7, 2023 – 03:06 am GMT

PDB ID : 1H18  
Title : Pyruvate Formate-Lyase (E.coli) in complex with Pyruvate  
Authors : Becker, A.; Kabsch, W.  
Deposited on : 2002-07-04  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PG4	B	9013	-	-	-	X

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 13667 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called FORMATE ACETYLTRANSFERASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	759	Total 6172	C 3906	N 1050	O 1174	S 42	0	39	0
1	B	759	Total 6172	C 3906	N 1050	O 1174	S 42	0	39	0

- Molecule 2 is PYRUVIC ACID (three-letter code: PYR) (formula: C<sub>3</sub>H<sub>4</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 6	C 3	O 3	0	0
2	B	1	Total 6	C 3	O 3	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Na 3 3	0	0
3	B	4	Total Na 4 4	0	0

- Molecule 4 is L-TREITOL (three-letter code: DTL) (formula:  $C_4H_{10}O_4$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 8 4 4	0	0
4	A	1	Total C O 8 4 4	0	0
4	B	1	Total C O 8 4 4	0	0
4	B	1	Total C O 8 4 4	0	0

- Molecule 5 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula:  $C_8H_{18}O_5$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 13 8 5	0	0
5	A	1	Total C O 13 8 5	0	0
5	A	1	Total C O 13 8 5	0	0
5	B	1	Total C O 13 8 5	0	0
5	B	1	Total C O 13 8 5	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	633	Total O 633 633	0	0
6	B	574	Total O 574 574	0	0

SEQUENCE-PLOTS INFOmissingINFO

### 3 Data and refinement statistics i

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	158.91Å 158.91Å 159.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 48.16 – 2.30	Depositor EDS
% Data completeness (in resolution range)	95.2 (15.00-2.30) 95.3 (48.16-2.30)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.55 (at 2.29Å)	Xtrriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.183 , 0.234 0.182 , 0.230	Depositor DCC
$R_{free}$ test set	1734 reflections (2.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.5	Xtrriage
Anisotropy	0.076	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 50.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.016 for -h,l,k 0.004 for -l,-k,-h	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	13667	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 4 Model quality [i](#)

### 4.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PYR, DTL, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	2.04	4/6477 (0.1%)	0.86	6/8742 (0.1%)
1	B	0.46	0/6477	0.65	0/8742
All	All	1.48	4/12954 (0.0%)	0.76	6/17484 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	146[A]	GLN	CD-NE2	112.60	4.14	1.32
1	A	146[B]	GLN	CD-NE2	112.60	4.14	1.32
1	A	146[A]	GLN	CB-CG	12.89	1.87	1.52
1	A	146[B]	GLN	CB-CG	12.89	1.87	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	146[A]	GLN	CG-CD-NE2	-30.02	44.66	116.70
1	A	146[B]	GLN	CG-CD-NE2	-30.02	44.66	116.70
1	A	146[A]	GLN	OE1-CD-NE2	-17.91	80.70	121.90
1	A	146[B]	GLN	OE1-CD-NE2	-17.91	80.70	121.90
1	A	146[A]	GLN	CA-CB-CG	-9.83	91.77	113.40
1	A	146[B]	GLN	CA-CB-CG	-9.83	91.77	113.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	146[A]	GLN	Sidechain
1	A	181	TYR	Sidechain

## 4.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6172	0	6153	122	0
1	B	6172	0	6153	139	0
2	A	6	0	0	2	0
2	B	6	0	0	3	0
3	A	3	0	0	0	0
3	B	4	0	0	0	0
4	A	16	0	20	2	0
4	B	16	0	20	2	0
5	A	39	0	54	2	0
5	B	26	0	36	1	0
6	A	633	0	0	8	0
6	B	574	0	0	14	0
All	All	13667	0	12436	261	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (261) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146[A]:GLN:CB	1:A:146[A]:GLN:CG	1.87	1.49
1:A:132:MET:SD	6:A:2183:HOH:O	1.97	1.22
1:A:110[B]:ILE:HD12	1:A:270:ASN:HB3	1.49	0.94
1:A:146[A]:GLN:CG	1:A:146[A]:GLN:CA	2.46	0.93
1:B:606:ILE:HG22	1:B:607:THR:H	1.32	0.92
1:A:602:SER:HB3	1:A:661:ASP:HB3	1.54	0.88
1:B:442:MET:HE1	1:B:536:LEU:HG	1.54	0.86

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:GLN:HG2	6:B:2305:HOH:O	1.75	0.85
1:B:110[B]:ILE:HD12	1:B:270:ASN:HB3	1.58	0.84
1:B:543:LYS:HB2	1:B:560:GLU:HB3	1.60	0.81
1:A:418:CYS:SG	2:A:1001:PYR:CA	2.70	0.80
1:A:748[B]:GLN:NE2	1:A:751[B]:ILE:HD11	1.97	0.78
1:B:250:ASN:HD21	1:B:253:GLU:HG3	1.46	0.78
1:B:79:SER:HB3	1:B:110[A]:ILE:HD13	1.66	0.75
1:B:418:CYS:SG	2:B:1001:PYR:CA	2.74	0.75
1:A:649:THR:O	1:A:653:LYS:HG3	1.89	0.73
1:A:250:ASN:ND2	1:A:253:GLU:H	1.85	0.73
1:B:250:ASN:ND2	1:B:253:GLU:H	1.87	0.72
1:A:526[A]:ILE:HD11	1:A:603:VAL:HG22	1.72	0.70
1:A:16:LYS:HG2	1:A:20[A]:GLN:OE1	1.92	0.69
1:A:706:ASN:HD21	1:A:734:GLY:N	1.90	0.69
1:B:568:ASN:HB3	1:B:642[B]:LYS:HD2	1.74	0.69
1:B:116:LYS:HB2	1:B:117:MET:HE1	1.75	0.69
1:A:16:LYS:HG2	1:A:20[B]:GLN:HE22	1.59	0.68
1:A:117:MET:HE2	1:A:117:MET:N	2.09	0.68
1:A:117:MET:H	1:A:117:MET:CE	2.06	0.67
1:A:250:ASN:C	1:A:250:ASN:HD22	1.98	0.66
1:B:606:ILE:HG22	1:B:607:THR:N	2.08	0.66
1:B:442:MET:HA	1:B:479[A]:MET:SD	2.36	0.66
1:A:666:THR:HA	1:A:706:ASN:HB2	1.78	0.66
1:B:250:ASN:ND2	1:B:253:GLU:HG3	2.11	0.66
1:B:553:LEU:HD22	6:B:2427:HOH:O	1.96	0.65
1:B:545:LYS:HD2	1:B:558:GLU:OE1	1.96	0.65
1:B:602:SER:HB3	1:B:661:ASP:HB3	1.80	0.64
1:A:3:LEU:HD12	1:A:3:LEU:O	1.97	0.64
1:A:418:CYS:SG	2:A:1001:PYR:C	2.86	0.64
1:A:568:ASN:HB3	1:A:642[B]:LYS:HD2	1.80	0.64
1:B:706:ASN:HD21	1:B:734:GLY:N	1.97	0.63
1:B:545:LYS:HB3	1:B:558:GLU:HG2	1.79	0.63
1:A:115:ILE:HG21	1:A:138[B]:THR:HG22	1.80	0.63
1:B:330:ASP:HB2	4:B:9010:DTL:H4C2	1.81	0.63
1:A:526[B]:ILE:HD11	1:A:584:PHE:CD2	2.34	0.63
1:A:250:ASN:HD21	1:A:253:GLU:H	1.47	0.62
1:A:146[A]:GLN:CG	1:A:146[A]:GLN:HA	2.27	0.62
1:B:428[A]:GLN:HG2	1:B:519:ILE:HB	1.83	0.61
1:A:116:LYS:HB2	1:A:117:MET:CE	2.31	0.61
1:A:743:THR:O	1:A:747:GLN:HG3	2.00	0.60
1:B:295[A]:LYS:HD2	6:B:2145:HOH:O	2.01	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:143:THR:OG1	1:B:146[A]:GLN:HG2	2.01	0.60
1:B:583:ARG:O	1:B:587:LYS:HG3	2.02	0.60
1:A:406:ARG:HB3	1:A:407:PRO:HD3	1.84	0.60
1:A:146[A]:GLN:HA	1:A:146[A]:GLN:CD	2.22	0.59
1:A:465:ILE:HD11	1:A:478:ARG:HG3	1.84	0.59
1:B:680:VAL:HG12	1:B:684:ASN:ND2	2.17	0.59
1:B:3:LEU:HD12	1:B:3:LEU:O	2.03	0.59
1:A:48:GLU:HB3	6:A:2071:HOH:O	2.02	0.59
1:B:442:MET:CE	1:B:536:LEU:HG	2.28	0.59
1:B:666:THR:HA	1:B:706:ASN:HB2	1.84	0.59
1:B:748[B]:GLN:NE2	1:B:751[B]:ILE:HD11	2.18	0.58
1:A:4:ASN:OD1	1:A:6:LYS:HB2	2.03	0.58
1:B:568:ASN:HB3	1:B:642[B]:LYS:CD	2.33	0.58
1:A:614:LYS:HD2	1:A:745:GLU:OE1	2.04	0.58
1:B:313:ARG:HG2	1:B:368:GLU:O	2.04	0.58
1:B:725:TYR:HB3	1:B:728:LEU:HB2	1.84	0.58
1:B:250:ASN:C	1:B:250:ASN:HD22	2.07	0.58
1:B:566:PHE:O	1:B:635:PRO:HB3	2.03	0.58
1:B:710:MET:SD	6:B:2523:HOH:O	2.57	0.58
1:A:290:ASP:HB3	1:A:296:ILE:HG12	1.86	0.57
1:B:491:ILE:HG13	1:B:591:LEU:HD12	1.86	0.57
1:B:545:LYS:NZ	1:B:545:LYS:HB2	2.19	0.57
1:B:146[A]:GLN:NE2	6:B:2190:HOH:O	2.37	0.57
1:A:748[B]:GLN:HE22	1:A:751[B]:ILE:HD11	1.69	0.56
1:A:636:MET:HB2	1:A:639:ARG:HD2	1.88	0.56
1:A:233[A]:MET:CE	1:A:261:GLY:HA2	2.36	0.56
1:A:16:LYS:HG2	1:A:20[B]:GLN:NE2	2.21	0.55
1:A:115:ILE:HG22	6:A:2188:HOH:O	2.05	0.55
1:B:4:ASN:OD1	1:B:6:LYS:HB2	2.07	0.55
1:B:406:ARG:HB3	1:B:407:PRO:HD3	1.89	0.55
1:B:541:TYR:CE2	1:B:572:ARG:HD2	2.41	0.55
1:A:233[A]:MET:HE1	1:A:261:GLY:HA2	1.88	0.55
1:B:60:GLY:O	1:B:64:GLU:HG3	2.07	0.55
1:B:398:GLN:HB3	1:B:731:ARG:NH2	2.22	0.55
1:B:744:LYS:O	1:B:748[A]:GLN:HG2	2.07	0.55
1:B:614:LYS:HA	1:B:626:GLY:HA2	1.88	0.55
1:A:306:ASP:OD1	1:A:359:THR:HG22	2.07	0.55
1:A:706:ASN:HD21	1:A:734:GLY:H	1.54	0.54
1:A:127:ARG:NH1	6:A:2175:HOH:O	2.27	0.54
1:A:115:ILE:HG21	1:A:138[B]:THR:CG2	2.38	0.54
1:A:691:GLY:HA3	5:A:9013:PG4:H61	1.90	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:602:SER:HB3	1:A:661:ASP:CB	2.32	0.53
1:B:719:MET:SD	1:B:751[B]:ILE:HG21	2.48	0.53
1:B:457:GLN:OE1	1:B:461:LYS:HA	2.08	0.53
1:A:330:ASP:HB2	4:A:9010:DTL:H4C2	1.89	0.53
1:B:134:LYS:O	1:B:138[B]:THR:HG23	2.09	0.53
1:B:37:GLU:HA	6:B:2053:HOH:O	2.08	0.53
1:B:545:LYS:HB3	1:B:558:GLU:CG	2.39	0.53
1:A:85:ASP:HB3	6:A:2142:HOH:O	2.09	0.53
1:B:73:PHE:CZ	1:B:127:ARG:HG3	2.44	0.52
1:A:406:ARG:HG2	1:A:406:ARG:HH11	1.75	0.52
1:B:526[B]:ILE:HD11	1:B:584:PHE:CE2	2.44	0.52
1:A:744:LYS:O	1:A:748[A]:GLN:HG2	2.10	0.52
1:B:656:PHE:CD1	1:B:703:GLN:HG3	2.44	0.52
1:B:691:GLY:HA3	5:B:9013:PG4:H61	1.92	0.52
1:A:130[A]:ASP:OD2	1:A:132:MET:HB3	2.10	0.52
1:B:284:ASP:HB2	1:B:352:ASN:HB2	1.92	0.52
1:B:549:ASP:OD2	1:B:553:LEU:HB3	2.09	0.52
1:A:313:ARG:HG2	1:A:368:GLU:O	2.09	0.52
1:A:430:GLN:HG3	6:A:2492:HOH:O	2.10	0.52
1:B:677:ASP:OD2	1:B:680:VAL:HG23	2.10	0.52
1:B:40:GLU:HB2	1:B:43:LEU:HD12	1.91	0.51
1:B:176:ARG:CG	1:B:432:PHE:HB2	2.40	0.51
1:B:556:ASP:OD1	1:B:557:PHE:N	2.41	0.51
1:A:725:TYR:HB3	1:A:728:LEU:HB2	1.93	0.51
1:B:749:ASP:O	1:B:753:ARG:HG3	2.10	0.51
1:A:7:LEU:HD23	1:A:247:PRO:HG3	1.93	0.50
1:A:743:THR:OG1	1:A:746:GLN:HG3	2.11	0.50
1:A:679:GLU:HA	1:A:682:LYS:HD3	1.94	0.50
1:A:442:MET:HE2	1:A:479[B]:MET:SD	2.51	0.50
1:B:420:VAL:HG23	1:B:662:GLY:HA3	1.93	0.50
1:B:64:GLU:HB3	6:B:2084:HOH:O	2.11	0.50
1:B:550:GLU:HG2	6:B:2469:HOH:O	2.11	0.50
1:B:636:MET:HB2	1:B:639:ARG:HD2	1.94	0.49
1:A:189:ILE:HG21	1:A:234:LYS:HG3	1.93	0.49
1:B:117:MET:HE3	1:B:117:MET:N	2.27	0.49
1:B:230:LEU:HD23	1:B:233[C]:MET:HE1	1.93	0.49
1:A:460:PRO:HD3	1:A:485:TRP:CD1	2.47	0.49
1:A:33:TYR:CE1	1:A:35:PRO:HG3	2.47	0.49
1:B:704:HIS:CG	1:B:705:LEU:N	2.81	0.49
1:B:674:LEU:HB3	1:B:681:ARG:HG2	1.95	0.49
1:A:16:LYS:HG2	1:A:20[B]:GLN:OE1	2.13	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:565:GLN:C	1:B:573:VAL:HG11	2.33	0.49
1:A:230:LEU:HD23	1:A:233[C]:MET:CE	2.43	0.49
1:A:229:ALA:O	1:A:233[A]:MET:HG3	2.13	0.49
1:A:250:ASN:ND2	1:A:250:ASN:C	2.67	0.48
1:B:189:ILE:HG21	1:B:234:LYS:HG3	1.95	0.48
1:B:568:ASN:HB3	1:B:642[B]:LYS:CE	2.43	0.48
1:A:731:ARG:HD2	1:A:736:ALA:HB2	1.96	0.48
1:B:605:THR:HG23	1:B:632:GLY:HA2	1.95	0.48
1:B:81:ILE:HD11	1:B:509:SER:HB3	1.95	0.48
1:B:365:PRO:HG3	1:B:394:THR:HG22	1.95	0.48
1:A:63:LEU:HD21	6:A:2117:HOH:O	2.13	0.48
1:B:111:PRO:HD2	6:B:2122:HOH:O	2.13	0.48
1:A:134:LYS:O	1:A:138[B]:THR:HG23	2.14	0.47
1:B:569:ASN:O	1:B:571:PRO:HD3	2.14	0.47
1:B:230:LEU:HD23	1:B:233[C]:MET:CE	2.44	0.47
1:B:400:GLU:HG2	1:B:704:HIS:HB2	1.96	0.47
1:A:445:ALA:HA	1:A:482[B]:PHE:CE2	2.50	0.47
1:B:116:LYS:HB2	1:B:117:MET:CE	2.43	0.47
1:B:442:MET:HB2	1:B:479[A]:MET:CE	2.45	0.47
1:A:230:LEU:HD23	1:A:233[C]:MET:HE1	1.96	0.47
1:A:749:ASP:O	1:A:753:ARG:HG3	2.14	0.47
1:B:115:ILE:HG21	1:B:138[B]:THR:CG2	2.45	0.47
1:B:360:LEU:HD12	1:B:390:VAL:HG11	1.96	0.47
1:B:418:CYS:SG	2:B:1001:PYR:C	3.02	0.47
1:B:559:ILE:HD11	1:B:620:PRO:O	2.15	0.47
1:B:418:CYS:SG	2:B:1001:PYR:CB	3.03	0.47
1:B:547[A]:ILE:HB	1:B:556:ASP:HB3	1.97	0.47
1:A:409:PHE:HE2	1:A:422:PRO:HB2	1.80	0.47
1:A:730[A]:ILE:HD11	6:A:2573:HOH:O	2.15	0.47
1:B:324:ASP:OD2	4:B:9010:DTL:O3	2.30	0.47
1:B:706:ASN:HD21	1:B:734:GLY:CA	2.28	0.46
1:A:123:LYS:HB3	1:A:123:LYS:HE2	1.39	0.46
1:A:389:LYS:HE3	1:A:393:ASP:OD2	2.14	0.46
1:B:442:MET:HB2	1:B:479[A]:MET:HE1	1.96	0.46
1:B:708:ASN:OD1	1:B:730[A]:ILE:HG13	2.15	0.46
1:B:115:ILE:HG21	1:B:138[B]:THR:HG22	1.97	0.46
1:B:82:THR:O	1:B:239:LYS:HE3	2.16	0.46
1:B:306:ASP:OD1	1:B:359:THR:HG22	2.16	0.45
1:B:547[B]:ILE:HB	1:B:556:ASP:HB3	1.97	0.45
1:B:645:VAL:HG23	1:B:759:MET:OXT	2.16	0.45
1:A:445:ALA:HA	1:A:482[B]:PHE:CD2	2.51	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:63:LEU:O	1:B:63:LEU:HD12	2.16	0.45
1:B:95:LYS:O	1:B:96:ILE:HD13	2.16	0.45
1:A:165:LEU:HD21	1:A:490:TYR:HA	1.99	0.45
1:B:423:MET:HB2	1:B:428[B]:GLN:HB3	1.99	0.45
1:A:81:ILE:HD11	1:A:509:SER:HB3	1.98	0.45
1:A:704:HIS:CG	1:A:705:LEU:N	2.84	0.45
1:B:438:LEU:HB2	1:B:526[B]:ILE:HG23	1.98	0.45
1:A:677:ASP:O	1:A:681:ARG:HG3	2.17	0.45
1:A:568:ASN:HB3	1:A:642[B]:LYS:CD	2.47	0.45
1:B:372:THR:HG23	1:B:398:GLN:HG3	1.99	0.44
1:A:606:ILE:HG22	1:A:607:THR:H	1.83	0.44
1:A:179:GLY:HA2	1:A:514:HIS:CE1	2.52	0.44
1:A:712:ARG:HG3	1:A:751[A]:ILE:CD1	2.48	0.44
1:B:250:ASN:HD21	1:B:253:GLU:H	1.62	0.44
1:B:328:SER:HB3	1:B:746:GLN:NE2	2.32	0.44
1:A:3:LEU:HA	1:A:7:LEU:HD12	2.00	0.44
1:A:255:ILE:HG12	1:A:283:LEU:HD13	2.00	0.44
1:A:406:ARG:CB	1:A:407:PRO:HD3	2.47	0.44
1:A:712:ARG:HG3	1:A:751[A]:ILE:HD11	1.99	0.44
1:A:386:PHE:O	1:A:390:VAL:HG23	2.18	0.44
1:A:398:GLN:HB3	1:A:731:ARG:NH2	2.31	0.44
1:A:116:LYS:HB2	1:A:117:MET:HE2	2.00	0.44
1:A:62:LYS:O	1:A:66[B]:ARG:HG2	2.18	0.43
1:B:301:ALA:HA	1:B:304[A]:MET:HE2	2.01	0.43
1:A:651:VAL:HG11	1:A:665:TYR:HB2	2.00	0.43
1:B:330:ASP:N	1:B:331:PRO:CD	2.81	0.43
1:B:628:PRO:HG3	6:B:2491:HOH:O	2.18	0.43
1:A:119:GLU:CD	1:A:134:LYS:HE2	2.39	0.43
1:A:442:MET:HE2	1:A:479[A]:MET:HE2	2.01	0.43
1:B:667:PHE:HB3	1:B:705:LEU:HD11	2.01	0.43
1:B:476:MET:HE3	1:B:479[B]:MET:HB3	2.00	0.43
1:B:562:GLU:HG2	6:B:2470:HOH:O	2.18	0.43
1:A:423:MET:HB2	1:A:428[B]:GLN:HB3	2.00	0.43
1:A:627:ALA:HA	1:A:628:PRO:HD3	1.84	0.43
1:A:423:MET:HA	1:A:428[A]:GLN:OE1	2.19	0.42
1:A:478:ARG:HA	1:A:478:ARG:NE	2.34	0.42
1:B:631:PRO:HD2	6:B:2505:HOH:O	2.18	0.42
1:A:668:SER:OG	1:A:708:ASN:HB2	2.19	0.42
1:B:117:MET:HG2	1:B:171:ALA:O	2.20	0.42
1:B:159:CYS:HB3	1:B:164:VAL:HG13	2.00	0.42
1:B:333:TRP:HE1	1:B:419:CYS:HG	1.68	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:389:LYS:NZ	1:A:678:ASP:OD1	2.51	0.42
1:B:151:VAL:O	1:B:151:VAL:HG12	2.19	0.42
1:B:743:THR:O	1:B:747:GLN:HG3	2.19	0.42
1:A:711:ASN:HB3	1:A:713[B]:GLU:OE1	2.20	0.42
1:B:716:LEU:HD21	1:B:751[A]:ILE:HG12	2.01	0.42
1:A:79:SER:HB3	1:A:110[A]:ILE:HD13	2.02	0.42
1:A:117:MET:N	1:A:117:MET:CE	2.71	0.42
1:A:414:TYR:HA	1:A:424:ILE:HA	2.01	0.42
1:A:481[A]:HIS:O	1:A:484:ASP:HB2	2.20	0.42
1:A:680:VAL:HG12	1:A:684:ASN:ND2	2.35	0.42
1:B:696:GLU:CD	1:B:699:ILE:HD12	2.40	0.41
1:B:330:ASP:N	1:B:331:PRO:HD3	2.35	0.41
1:A:453:LYS:HE3	1:A:614:LYS:O	2.20	0.41
1:A:606:ILE:HG22	1:A:607:THR:N	2.36	0.41
1:A:710:MET:HE2	1:A:710:MET:HB3	1.78	0.41
1:B:135:LYS:HE3	1:B:140:TYR:OH	2.20	0.41
1:B:233[A]:MET:CE	1:B:261:GLY:HA2	2.50	0.41
1:B:540:LYS:HA	6:B:2464:HOH:O	2.21	0.41
1:B:573:VAL:HG13	1:B:574:ASP:OD1	2.20	0.41
1:A:324:ASP:OD2	4:A:9010:DTL:O3	2.39	0.41
1:B:310:MET:O	1:B:314:MET:HG3	2.21	0.41
1:B:624:ARG:NH1	6:B:2496:HOH:O	2.53	0.41
1:A:215:GLN:OE1	1:A:215:GLN:N	2.49	0.41
1:A:645:VAL:HG13	5:A:9013:PG4:H41	2.01	0.41
1:A:656:PHE:CD1	1:A:703:GLN:HG3	2.56	0.41
1:B:545:LYS:HA	1:B:546:PRO:HD3	1.92	0.41
1:A:377[B]:GLU:OE2	1:A:694:HIS:ND1	2.52	0.41
1:B:250:ASN:HD22	1:B:253:GLU:H	1.63	0.41
1:B:696:GLU:OE2	1:B:699:ILE:HD12	2.22	0.40
1:B:119:GLU:OE1	1:B:134:LYS:HE3	2.20	0.40
1:B:712:ARG:NH1	1:B:716:LEU:HD11	2.36	0.40
1:A:328:SER:HB3	1:A:746:GLN:NE2	2.36	0.40
1:A:420:VAL:O	1:A:422:PRO:HD3	2.21	0.40
1:A:677:ASP:OD2	1:A:680:VAL:HG23	2.20	0.40
1:B:409:PHE:HE2	1:B:422:PRO:HB2	1.86	0.40
1:B:717:ASP:OD2	1:B:721:ASN:ND2	2.55	0.40
1:B:162:SER:OG	1:B:164:VAL:HG12	2.21	0.40
1:B:712:ARG:HH11	1:B:712:ARG:HG2	1.85	0.40
1:A:645:VAL:HG23	1:A:759:MET:OXT	2.22	0.40
1:B:189:ILE:HD11	1:B:233[A]:MET:HE2	2.03	0.40
1:B:478:ARG:HA	1:B:478:ARG:NE	2.36	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:758[A]:SER:OG	1:B:759:MET:N	2.54	0.40

There are no symmetry-related clashes.

## 4.3 Torsion angles [i](#)

### 4.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	799/759 (105%)	763 (96%)	34 (4%)	2 (0%)	41	50
1	B	799/759 (105%)	759 (95%)	36 (4%)	4 (0%)	29	35
All	All	1598/1518 (105%)	1522 (95%)	70 (4%)	6 (0%)	34	42

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	733	SER
1	B	606	ILE
1	A	606	ILE
1	B	554	ALA
1	B	733	SER
1	B	571	PRO

### 4.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	680/638 (107%)	666 (98%)	14 (2%)	53	70
1	B	680/638 (107%)	671 (99%)	9 (1%)	69	82
All	All	1360/1276 (107%)	1337 (98%)	23 (2%)	62	76

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	117	MET
1	A	123	LYS
1	A	152	TYR
1	A	250	ASN
1	A	257	TRP
1	A	371	MET
1	A	431	PHE
1	A	435	ARG
1	A	456	MET
1	A	468[A]	ASP
1	A	468[B]	ASP
1	A	490	TYR
1	A	607	THR
1	A	733	SER
1	B	117	MET
1	B	146[A]	GLN
1	B	146[B]	GLN
1	B	152	TYR
1	B	155	ASP
1	B	250	ASN
1	B	257	TRP
1	B	435	ARG
1	B	733	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	250	ASN
1	A	358	ASN
1	A	410	ASN
1	A	706	ASN
1	B	92	GLN
1	B	250	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	358	ASN
1	B	410	ASN
1	B	727	GLN

#### 4.3.3 RNA [i](#)

There are no RNA molecules in this entry.

#### 4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 4.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 7 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	PG4	A	9011	-	12,12,12	0.51	0	11,11,11	0.54	0
4	DTL	B	9010	-	7,7,7	0.61	0	8,8,8	0.21	0
2	PYR	B	1001	-	5,5,5	1.05	0	3,6,6	1.95	1 (33%)
4	DTL	A	9009	-	7,7,7	0.40	0	8,8,8	0.56	0
2	PYR	A	1001	-	5,5,5	1.31	1 (20%)	3,6,6	1.97	1 (33%)
4	DTL	A	9010	-	7,7,7	0.41	0	8,8,8	0.36	0
4	DTL	B	9009	-	7,7,7	0.62	0	8,8,8	0.60	0
5	PG4	B	9013	-	12,12,12	0.70	0	11,11,11	0.44	0
5	PG4	B	9011	-	12,12,12	0.60	0	11,11,11	0.47	0
5	PG4	A	9012	-	12,12,12	0.61	0	11,11,11	0.55	0
5	PG4	A	9013	-	12,12,12	0.66	0	11,11,11	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PG4	A	9011	-	-	6/10/10/10	-
4	DTL	B	9010	-	-	1/8/8/8	-
2	PYR	B	1001	-	-	0/4/4/4	-
4	DTL	A	9009	-	-	2/8/8/8	-
2	PYR	A	1001	-	-	1/4/4/4	-
4	DTL	A	9010	-	-	1/8/8/8	-
4	DTL	B	9009	-	-	0/8/8/8	-
5	PG4	B	9013	-	-	8/10/10/10	-
5	PG4	B	9011	-	-	6/10/10/10	-
5	PG4	A	9012	-	-	7/10/10/10	-
5	PG4	A	9013	-	-	3/10/10/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1001	PYR	OXT-C	-2.01	1.24	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	PYR	OXT-C-CA	3.19	122.70	113.97
2	B	1001	PYR	OXT-C-CA	3.08	122.40	113.97

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	9010	DTL	C1-C2-C3-C4
4	B	9010	DTL	C1-C2-C3-C4
5	A	9011	PG4	O2-C3-C4-O3
5	A	9011	PG4	O3-C5-C6-O4
5	B	9011	PG4	O2-C3-C4-O3
5	A	9012	PG4	O2-C3-C4-O3
5	B	9013	PG4	O1-C1-C2-O2
5	B	9013	PG4	O4-C7-C8-O5
5	B	9011	PG4	O1-C1-C2-O2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	B	9011	PG4	O3-C5-C6-O4
4	A	9009	DTL	O3-C3-C4-O4
4	A	9009	DTL	C2-C3-C4-O4
5	A	9012	PG4	O3-C5-C6-O4
5	A	9013	PG4	O3-C5-C6-O4
5	A	9011	PG4	C1-C2-O2-C3
5	A	9012	PG4	C3-C4-O3-C5
5	B	9013	PG4	C4-C3-O2-C2
5	B	9011	PG4	C3-C4-O3-C5
5	B	9013	PG4	C8-C7-O4-C6
5	B	9013	PG4	C5-C6-O4-C7
5	B	9013	PG4	C6-C5-O3-C4
5	B	9013	PG4	C1-C2-O2-C3
5	A	9013	PG4	C8-C7-O4-C6
5	A	9012	PG4	O1-C1-C2-O2
5	A	9011	PG4	C3-C4-O3-C5
5	A	9012	PG4	C8-C7-O4-C6
5	A	9011	PG4	C4-C3-O2-C2
5	B	9011	PG4	C1-C2-O2-C3
2	A	1001	PYR	OXT-C-CA-O3
5	B	9011	PG4	C5-C6-O4-C7
5	A	9012	PG4	C5-C6-O4-C7
5	A	9013	PG4	C5-C6-O4-C7
5	A	9011	PG4	C6-C5-O3-C4
5	B	9013	PG4	O3-C5-C6-O4
5	A	9012	PG4	C1-C2-O2-C3

There are no ring outliers.

6 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	9010	DTL	2	0
2	B	1001	PYR	3	0
2	A	1001	PYR	2	0
4	A	9010	DTL	2	0
5	B	9013	PG4	1	0
5	A	9013	PG4	2	0

## 4.7 Other polymers [i](#)

There are no such residues in this entry.

## 4.8 Polymer linkage issues

There are no chain breaks in this entry.

## 5 Fit of model and data

### 5.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	759/759 (100%)	-0.01	46 (6%) 21 27	32, 48, 67, 115	26 (3%)
1	B	759/759 (100%)	0.13	56 (7%) 14 19	33, 51, 81, 113	27 (3%)
All	All	1518/1518 (100%)	0.06	102 (6%) 17 23	32, 50, 77, 115	53 (3%)

All (102) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	SER	12.4
1	B	1	SER	11.7
1	B	2	GLU	7.2
1	A	2	GLU	5.0
1	B	419	CYS	4.8
1	B	273	ALA	4.6
1	B	559	ILE	4.6
1	B	420	VAL	4.5
1	A	418	CYS	4.4
1	A	3	LEU	4.3
1	B	333	TRP	4.3
1	B	604	LEU	4.2
1	B	272	ALA	4.1
1	A	334	ALA	3.8
1	A	419	CYS	3.8
1	B	5	GLU	3.7
1	B	541	TYR	3.7
1	B	734	GLY	3.7
1	B	335	THR	3.6
1	A	333	TRP	3.6
1	B	418	CYS	3.6
1	A	335	THR	3.5
1	A	273	ALA	3.5
1	A	550	GLU	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	3	LEU	3.4
1	A	416	ILE	3.4
1	B	177	ILE	3.2
1	B	416	ILE	3.2
1	A	332	ILE	3.2
1	A	732	VAL	3.2
1	A	481[A]	HIS	3.1
1	B	699	ILE	3.1
1	A	417	ALA	3.1
1	A	370	ASN	3.1
1	B	664	SER	3.0
1	B	475	VAL	3.0
1	A	526[A]	ILE	2.9
1	B	526[A]	ILE	2.9
1	B	468[A]	ASP	2.9
1	A	720	GLU	2.8
1	B	417	ALA	2.7
1	B	723	GLU	2.8
1	A	734	GLY	2.7
1	A	420	VAL	2.7
1	B	372	THR	2.7
1	B	467	GLY	2.7
1	B	735	TYR	2.7
1	A	371	MET	2.7
1	A	275	SER	2.7
1	B	176	ARG	2.6
1	A	699	ILE	2.6
1	B	265	ALA	2.6
1	A	369	PRO	2.6
1	A	178	ILE	2.6
1	B	560	GLU	2.6
1	A	5	GLU	2.6
1	A	398	GLN	2.6
1	B	271	GLY	2.6
1	B	676	LYS	2.6
1	B	275	SER	2.5
1	B	332	ILE	2.5
1	B	572	ARG	2.5
1	A	523	ALA	2.5
1	A	725	TYR	2.5
1	A	372	THR	2.5
1	A	676	LYS	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	735	TYR	2.4
1	A	373	ILE	2.4
1	A	737	VAL	2.4
1	B	331	PRO	2.4
1	A	6	LYS	2.4
1	B	606	ILE	2.4
1	B	274	MET	2.4
1	A	723	GLU	2.4
1	B	605	THR	2.3
1	B	322[A]	GLU	2.3
1	B	266	VAL	2.3
1	B	733	SER	2.3
1	B	421	SER	2.3
1	A	415	ALA	2.2
1	B	632	GLY	2.2
1	B	553	LEU	2.2
1	A	4	ASN	2.2
1	B	698	SER	2.2
1	A	175	GLY	2.2
1	B	370	ASN	2.2
1	A	421	SER	2.2
1	A	604	LEU	2.1
1	B	662	GLY	2.1
1	B	631	PRO	2.1
1	B	672	ASN	2.1
1	B	561	GLY	2.1
1	A	736	ALA	2.1
1	B	674	LEU	2.1
1	B	334	ALA	2.1
1	B	602	SER	2.1
1	B	558	GLU	2.1
1	A	731	ARG	2.1
1	B	721	ASN	2.1
1	A	327	PHE	2.1
1	A	128	GLU	2.0
1	A	397	LEU	2.0

## 5.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	PG4	B	9013	13/13	0.59	0.53	104,105,106,106	0
3	NA	A	9004	1/1	0.64	0.17	95,95,95,95	0
4	DTL	B	9010	8/8	0.71	0.35	83,88,90,92	0
5	PG4	B	9011	13/13	0.72	0.27	87,89,92,93	0
5	PG4	A	9013	13/13	0.76	0.25	89,91,102,102	0
3	NA	B	9006	1/1	0.80	0.32	77,77,77,77	0
4	DTL	A	9010	8/8	0.81	0.30	81,83,84,85	0
5	PG4	A	9011	13/13	0.81	0.21	88,91,95,95	0
5	PG4	A	9012	13/13	0.81	0.25	74,76,93,95	0
4	DTL	B	9009	8/8	0.83	0.22	59,67,70,72	0
3	NA	B	9003	1/1	0.85	0.52	77,77,77,77	0
4	DTL	A	9009	8/8	0.88	0.17	71,75,77,77	0
2	PYR	B	1001	6/6	0.94	0.34	53,55,55,55	0
3	NA	B	9001	1/1	0.95	0.07	70,70,70,70	0
3	NA	A	9001	1/1	0.95	0.05	69,69,69,69	0
3	NA	A	9002	1/1	0.97	0.47	92,92,92,92	0
3	NA	B	9007	1/1	0.98	0.16	97,97,97,97	0
2	PYR	A	1001	6/6	0.99	0.28	40,42,44,45	0

### 5.5 Other polymers [i](#)

There are no such residues in this entry.