



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 27, 2024 – 09:38 PM EDT

PDB ID : 1K7H
Title : CRYSTAL STRUCTURE OF SHRIMP ALKALINE PHOSPHATASE
Authors : De Backer, M.E.; Mc Sweeney, S.; Rasmussen, H.B.; Riise, B.W.; Lindley, P.;
Hough, E.
Deposited on : 2001-10-19
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1028 (1.92-1.92)
Clashscore	180529	1100 (1.92-1.92)
Ramachandran outliers	177936	1087 (1.92-1.92)
Sidechain outliers	177891	1087 (1.92-1.92)
RSRZ outliers	164620	1028 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	476	 6% 80% 18%
1	B	476	 6% 82% 16%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALKALINE PHOSPHATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	476	3732	2333	629	756	14	0	0	0
1	B	476	3732	2333	629	756	14	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLU	-	cloning artifact	UNP Q9BHT8
A	2	GLU	-	cloning artifact	UNP Q9BHT8
A	3	ASP	-	cloning artifact	UNP Q9BHT8
A	259	ALA	ARG	conflict	UNP Q9BHT8
A	430	ALA	VAL	conflict	UNP Q9BHT8
B	1	GLU	-	cloning artifact	UNP Q9BHT8
B	2	GLU	-	cloning artifact	UNP Q9BHT8
B	3	ASP	-	cloning artifact	UNP Q9BHT8
B	259	ALA	ARG	conflict	UNP Q9BHT8
B	430	ALA	VAL	conflict	UNP Q9BHT8

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	14	8	1	5	0	0
2	B	1	14	8	1	5	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
3	A	3	3	3	0	0
3	B	3	3	3	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MALEIC ACID (three-letter code: MAE) (formula: C₄H₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 8 4 4	0	0
5	A	1	Total C O 8 4 4	0	0
5	B	1	Total C O 8 4 4	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	294	Total O 294 294	0	0
6	B	254	Total O 254 254	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ALKALINE PHOSPHATASE



- Molecule 1: ALKALINE PHOSPHATASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	171.17Å 171.17Å 84.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	119.50 – 1.92 119.50 – 1.92	Depositor EDS
% Data completeness (in resolution range)	96.9 (119.50-1.92) 96.9 (119.50-1.92)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.18	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.74 (at 1.85Å)	Xtrriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.198 , 0.227 0.207 , 0.234	Depositor DCC
R_{free} test set	4584 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	23.9	Xtrriage
Anisotropy	0.481	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8100	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 27.99 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.9929e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NAG, MAE, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.35	24/3812 (0.6%)	1.14	25/5174 (0.5%)
1	B	1.39	21/3812 (0.6%)	1.18	29/5174 (0.6%)
All	All	1.37	45/7624 (0.6%)	1.16	54/10348 (0.5%)

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	453	TYR	CE1-CZ	-18.90	1.14	1.38
1	B	453	TYR	CE2-CZ	-17.23	1.16	1.38
1	A	263	TYR	CE1-CZ	-17.07	1.16	1.38
1	B	453	TYR	CG-CD2	-16.58	1.17	1.39
1	A	387	TYR	CE1-CZ	-16.47	1.17	1.38
1	B	263	TYR	CE1-CZ	-15.56	1.18	1.38
1	B	387	TYR	CE1-CZ	-15.44	1.18	1.38
1	A	387	TYR	CG-CD2	-15.33	1.19	1.39
1	B	263	TYR	CE2-CZ	-15.02	1.19	1.38
1	B	60	ARG	CZ-NH1	-14.82	1.13	1.33
1	A	126	TYR	CE2-CZ	-14.74	1.19	1.38
1	B	126	TYR	CE2-CZ	-14.72	1.19	1.38
1	A	453	TYR	CE2-CZ	-14.65	1.19	1.38
1	A	126	TYR	CE1-CZ	-14.60	1.19	1.38
1	A	126	TYR	CG-CD1	-14.46	1.20	1.39
1	B	263	TYR	CG-CD1	-14.12	1.20	1.39
1	A	70	PHE	CE2-CZ	-13.88	1.10	1.37
1	B	70	PHE	CE2-CZ	-13.86	1.11	1.37
1	B	387	TYR	CE2-CZ	-13.70	1.20	1.38
1	A	453	TYR	CG-CD1	-13.47	1.21	1.39
1	B	263	TYR	CG-CD2	-13.14	1.22	1.39
1	B	126	TYR	CE1-CZ	-13.05	1.21	1.38
1	B	453	TYR	CG-CD1	-12.81	1.22	1.39
1	A	263	TYR	CG-CD1	-12.69	1.22	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	126	TYR	CG-CD2	-12.68	1.22	1.39
1	A	70	PHE	CE1-CZ	-12.53	1.13	1.37
1	B	70	PHE	CE1-CZ	-12.44	1.13	1.37
1	A	60	ARG	CZ-NH1	-12.44	1.16	1.33
1	A	70	PHE	CG-CD1	-12.42	1.20	1.38
1	B	387	TYR	CG-CD1	-12.34	1.23	1.39
1	A	126	TYR	CG-CD2	-12.08	1.23	1.39
1	A	453	TYR	CE1-CZ	-12.04	1.22	1.38
1	A	263	TYR	CG-CD2	-12.01	1.23	1.39
1	A	70	PHE	CG-CD2	-11.90	1.21	1.38
1	A	453	TYR	CG-CD2	-11.83	1.23	1.39
1	A	263	TYR	CE2-CZ	-11.60	1.23	1.38
1	B	70	PHE	CG-CD1	-11.58	1.21	1.38
1	B	126	TYR	CG-CD1	-11.37	1.24	1.39
1	B	387	TYR	CG-CD2	-11.20	1.24	1.39
1	A	387	TYR	CE2-CZ	-10.77	1.24	1.38
1	A	387	TYR	CG-CD1	-10.27	1.25	1.39
1	B	70	PHE	CG-CD2	-9.73	1.24	1.38
1	A	60	ARG	CZ-NH2	-5.82	1.25	1.33
1	A	141	VAL	CB-CG2	-5.18	1.42	1.52
1	A	366	TYR	CE2-CZ	-5.02	1.32	1.38

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	60	ARG	NE-CZ-NH2	25.17	132.88	120.30
1	A	60	ARG	NE-CZ-NH2	19.80	130.20	120.30
1	B	60	ARG	NH1-CZ-NH2	-10.79	107.53	119.40
1	A	182	ASP	CB-CG-OD2	9.87	127.18	118.30
1	A	60	ARG	NH1-CZ-NH2	-9.71	108.72	119.40
1	B	324	ARG	NE-CZ-NH2	-9.25	115.68	120.30
1	B	162	ARG	NE-CZ-NH1	9.23	124.91	120.30
1	A	80	ASP	CB-CG-OD2	8.14	125.63	118.30
1	B	174	ARG	CG-CD-NE	7.76	128.09	111.80
1	A	453	TYR	CB-CG-CD2	7.71	125.62	121.00
1	A	387	TYR	CB-CG-CD1	7.61	125.57	121.00
1	A	162	ARG	NE-CZ-NH1	7.59	124.10	120.30
1	B	453	TYR	CB-CG-CD1	7.41	125.44	121.00
1	A	182	ASP	OD1-CG-OD2	-7.20	109.63	123.30
1	A	274	ASP	CB-CG-OD1	7.16	124.75	118.30
1	B	174	ARG	NE-CZ-NH2	7.05	123.82	120.30
1	B	80	ASP	CB-CG-OD2	7.00	124.60	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	182	ASP	CB-CG-OD1	6.91	124.52	118.30
1	A	265	MET	CG-SD-CE	6.90	111.24	100.20
1	B	214	ASP	CB-CG-OD2	6.82	124.44	118.30
1	B	169	ASP	CB-CG-OD2	6.80	124.42	118.30
1	B	162	ARG	NE-CZ-NH2	-6.74	116.93	120.30
1	A	387	TYR	CZ-CE2-CD2	6.62	125.75	119.80
1	A	126	TYR	CB-CG-CD2	6.44	124.86	121.00
1	B	10	ASP	CB-CG-OD2	6.33	124.00	118.30
1	B	284	ASP	CB-CG-OD2	6.25	123.92	118.30
1	A	162	ARG	NE-CZ-NH2	-6.22	117.19	120.30
1	A	174	ARG	CG-CD-NE	6.22	124.86	111.80
1	B	252	ASP	CB-CG-OD2	6.17	123.85	118.30
1	A	174	ARG	NE-CZ-NH2	6.16	123.38	120.30
1	B	182	ASP	OD1-CG-OD2	-6.15	111.62	123.30
1	A	252	ASP	CB-CG-OD2	6.13	123.82	118.30
1	B	235	ASP	CB-CG-OD2	6.10	123.79	118.30
1	B	453	TYR	CZ-CE2-CD2	6.10	125.29	119.80
1	B	182	ASP	CB-CG-OD2	6.05	123.74	118.30
1	B	70	PHE	CB-CG-CD2	6.04	125.03	120.80
1	B	387	TYR	CZ-CE2-CD2	5.94	125.15	119.80
1	A	433	ASP	CB-CG-OD2	5.92	123.63	118.30
1	B	403	ASP	CB-CA-C	-5.84	98.72	110.40
1	B	387	TYR	CB-CG-CD1	5.76	124.46	121.00
1	A	214	ASP	CB-CG-OD2	5.74	123.47	118.30
1	B	324	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	B	387	TYR	CD1-CG-CD2	-5.73	111.60	117.90
1	B	453	TYR	CD1-CG-CD2	-5.60	111.74	117.90
1	B	190	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	A	126	TYR	CD1-CE1-CZ	5.52	124.77	119.80
1	A	173	ASP	CB-CG-OD2	5.47	123.23	118.30
1	A	182	ASP	CB-CG-OD1	5.40	123.16	118.30
1	B	126	TYR	CB-CG-CD1	5.25	124.15	121.00
1	A	262	ASP	CB-CG-OD2	5.22	123.00	118.30
1	B	263	TYR	CB-CG-CD2	5.22	124.13	121.00
1	A	10	ASP	CB-CG-OD2	5.11	122.90	118.30
1	A	174	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	A	217	ASP	CB-CG-OD2	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3732	0	3522	66	0
1	B	3732	0	3523	55	0
2	A	14	0	13	2	0
2	B	14	0	13	1	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	15	0	0	1	0
4	B	15	0	0	0	0
5	A	16	0	4	2	0
5	B	8	0	2	1	0
6	A	294	0	0	10	0
6	B	254	0	0	3	0
All	All	8100	0	7077	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:ASN:HD21	2:A:480:NAG:C1	1.05	1.59
1:B:114:ASN:HD21	2:B:480:NAG:C1	1.29	1.43
5:A:487:MAE:O2	6:A:1018:HOH:O	1.52	1.25
1:A:295:ILE:O	1:A:299:THR:HG23	1.78	0.83
1:A:171:VAL:HG23	1:A:177:PRO:HG3	1.62	0.81
1:B:339:MET:SD	1:B:343:MET:CE	2.72	0.78
1:B:339:MET:SD	1:B:343:MET:HE3	2.24	0.78
1:A:339:MET:SD	1:A:343:MET:HE3	2.24	0.77
1:A:299:THR:HG22	1:A:305:PHE:CE1	2.21	0.74
1:B:204:ARG:HD2	5:B:488:MAE:O2	1.88	0.73
1:A:58:PHE:HE1	6:A:904:HOH:O	1.73	0.71
1:A:339:MET:SD	1:A:343:MET:CE	2.78	0.71
1:A:171:VAL:CG2	1:A:177:PRO:HG3	2.20	0.71
1:B:214:ASP:OD2	1:B:215:ILE:O	2.09	0.70
1:A:137:ARG:HD2	6:A:935:HOH:O	1.92	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:LEU:HD22	1:B:447:HIS:CD2	2.27	0.69
1:B:23:LEU:HD22	1:B:447:HIS:HD2	1.58	0.69
1:B:171:VAL:HG23	1:B:177:PRO:HG3	1.74	0.68
1:A:318:HIS:HB3	1:A:359:HIS:CD2	2.28	0.67
1:B:295:ILE:O	1:B:299:THR:HG23	1.95	0.67
1:B:209:PRO:HD3	1:B:228:HIS:CD2	2.30	0.65
1:B:209:PRO:HD3	1:B:228:HIS:HD2	1.62	0.64
1:A:370:ASN:N	1:A:370:ASN:HD22	1.95	0.64
1:A:119:LEU:CD1	1:A:179:ILE:HD11	2.29	0.63
1:B:299:THR:HG22	1:B:305:PHE:CE2	2.33	0.63
1:A:445:PHE:CD1	1:A:447:HIS:HE1	2.18	0.62
1:A:55:THR:HB	6:A:741:HOH:O	2.00	0.61
1:B:119:LEU:CD1	1:B:179:ILE:HD11	2.30	0.61
1:A:299:THR:HG22	1:A:305:PHE:HE1	1.66	0.61
1:B:209:PRO:CD	1:B:228:HIS:CD2	2.84	0.61
1:B:215:ILE:O	1:B:216:GLU:HB2	2.01	0.60
1:A:377:ALA:HB3	1:A:387:TYR:CE1	2.37	0.60
1:A:119:LEU:HD11	1:A:179:ILE:HD11	1.82	0.60
1:B:171:VAL:CG2	1:B:177:PRO:HG3	2.31	0.60
1:B:58:PHE:HD1	6:B:802:HOH:O	1.85	0.60
1:B:119:LEU:HD11	1:B:179:ILE:HD11	1.84	0.59
1:A:105:GLY:O	1:A:158:HIS:HD2	1.87	0.58
1:B:299:THR:HG22	1:B:305:PHE:HE2	1.69	0.58
1:A:58:PHE:CE1	6:A:904:HOH:O	2.52	0.58
1:A:215:ILE:O	1:A:216:GLU:HB2	2.04	0.57
1:A:197:LYS:HE2	6:A:956:HOH:O	2.05	0.56
1:B:209:PRO:HA	1:B:223:ARG:HB2	1.87	0.56
1:B:473:THR:HG22	1:B:476:ASP:H	1.70	0.56
1:A:428:HIS:HD2	1:A:428:HIS:O	1.89	0.55
1:A:261:THR:HG22	1:A:297:MET:HE1	1.89	0.54
1:A:292:LYS:HG3	1:A:343:MET:CE	2.38	0.54
1:A:209:PRO:CD	1:A:228:HIS:CD2	2.91	0.53
1:A:358:GLY:HA3	6:A:641:HOH:O	2.08	0.53
1:A:209:PRO:HA	1:A:223:ARG:HB2	1.89	0.53
1:B:210:GLU:OE2	1:B:224:GLU:HG2	2.10	0.52
1:B:339:MET:SD	1:B:343:MET:HE1	2.49	0.52
1:A:473:THR:HG22	1:A:476:ASP:H	1.74	0.51
1:B:280:ASP:OD1	1:B:282:GLU:HB2	2.10	0.51
1:B:261:THR:HG22	1:B:297:MET:HE1	1.93	0.50
1:B:209:PRO:HG2	1:B:228:HIS:HE2	1.76	0.50
1:B:403:ASP:OD1	1:B:403:ASP:N	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:TYR:OH	1:A:151:THR:HG23	2.12	0.50
1:A:22:LYS:O	6:A:774:HOH:O	2.20	0.49
1:B:292:LYS:HG3	1:B:343:MET:CE	2.42	0.49
1:A:114:ASN:CG	2:A:480:NAG:C1	2.74	0.48
1:B:292:LYS:HE2	1:B:343:MET:HE2	1.95	0.48
1:B:397:GLY:HA3	1:B:421:TYR:O	2.13	0.48
1:B:93:TYR:OH	1:B:151:THR:HG23	2.13	0.47
1:A:29:LYS:HE2	1:A:302:GLU:O	2.14	0.47
1:B:392:TYR:O	1:B:423:SER:HA	2.13	0.47
1:A:210:GLU:OE2	1:A:224:GLU:HG2	2.14	0.47
1:A:209:PRO:HD3	1:A:228:HIS:CD2	2.50	0.46
1:A:445:PHE:CD1	1:A:447:HIS:CE1	3.01	0.46
1:A:402:GLU:HG3	4:A:482:SO4:O2	2.16	0.46
1:B:115:CYS:HB3	1:B:175:GLU:OE1	2.15	0.46
1:B:210:GLU:HA	1:B:221:GLY:O	2.17	0.45
1:A:473:THR:O	1:A:476:ASP:HB2	2.17	0.45
1:A:339:MET:SD	1:A:343:MET:HE1	2.57	0.45
1:B:78:ASN:HB2	1:B:99:THR:O	2.16	0.45
1:B:217:ASP:HB2	1:B:219:ILE:HG13	2.00	0.44
1:A:171:VAL:CG2	1:A:177:PRO:CG	2.94	0.44
1:A:352:LEU:C	1:A:352:LEU:HD23	2.38	0.44
1:A:209:PRO:CD	1:A:228:HIS:HD2	2.30	0.43
1:A:119:LEU:HD13	1:A:179:ILE:HD11	2.00	0.43
1:A:209:PRO:HD3	1:A:228:HIS:HD2	1.83	0.43
1:B:40:SER:HB3	1:B:359:HIS:H	1.84	0.43
1:B:473:THR:O	1:B:476:ASP:HB2	2.18	0.43
1:B:358:GLY:HA3	6:B:676:HOH:O	2.17	0.43
1:B:396:PRO:HG3	1:B:428:HIS:O	2.18	0.43
1:B:428:HIS:C	1:B:428:HIS:CD2	2.92	0.43
1:A:215:ILE:HG13	5:A:487:MAE:C4	2.49	0.43
1:B:112:ARG:O	1:B:113:THR:HB	2.19	0.42
1:B:90:ALA:HA	1:B:93:TYR:CE2	2.55	0.42
1:A:280:ASP:CG	1:A:283:MET:HG3	2.40	0.42
1:B:70:PHE:CD2	1:B:447:HIS:HA	2.54	0.42
1:B:112:ARG:O	1:B:113:THR:CB	2.65	0.42
1:A:280:ASP:OD1	1:A:282:GLU:HB2	2.19	0.42
1:B:209:PRO:CG	1:B:228:HIS:CD2	3.03	0.42
1:A:162:ARG:HG3	1:A:163:ASP:N	2.34	0.42
1:A:315:ASP:OD1	1:A:359:HIS:HE1	2.01	0.42
1:A:112:ARG:O	1:A:113:THR:HB	2.20	0.42
1:A:71:ALA:HA	1:A:439:ILE:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:THR:O	1:A:113:THR:HG22	2.20	0.41
1:A:428:HIS:C	1:A:428:HIS:CD2	2.91	0.41
1:A:130:HIS:ND1	1:A:191:GLU:OE1	2.46	0.41
1:B:292:LYS:HG3	1:B:343:MET:HE2	2.02	0.41
1:A:30:ASN:OD1	1:A:304:GLY:HA2	2.20	0.41
1:A:324:ARG:NH2	6:A:728:HOH:O	2.53	0.41
1:A:292:LYS:HG3	1:A:343:MET:HE2	2.03	0.41
1:B:119:LEU:HD13	1:B:179:ILE:HD11	2.00	0.41
1:B:280:ASP:CG	1:B:283:MET:HG3	2.40	0.41
1:B:314:ILE:HD11	1:B:330:THR:HA	2.02	0.41
1:A:315:ASP:OD1	1:A:359:HIS:CE1	2.74	0.41
1:A:151:THR:HB	1:A:152:PRO:CD	2.51	0.41
1:A:397:GLY:HA3	1:A:421:TYR:O	2.21	0.41
1:B:57:LYS:HD2	1:B:61:GLU:OE1	2.21	0.41
1:A:292:LYS:HG3	1:A:343:MET:HE1	2.03	0.41
1:B:151:THR:HB	1:B:152:PRO:CD	2.51	0.41
1:B:357:HIS:NE2	1:B:432:HIS:CE1	2.89	0.41
1:A:78:ASN:HB2	1:A:99:THR:O	2.21	0.40
1:B:197:LYS:HE2	6:B:931:HOH:O	2.21	0.40
1:A:247:VAL:O	1:A:266:GLY:HA2	2.21	0.40
1:A:292:LYS:HE2	1:A:343:MET:HE2	2.04	0.40
1:A:323:ILE:HG12	1:A:390:LEU:HD13	2.03	0.40
1:A:359:HIS:HD2	6:A:501:HOH:O	2.04	0.40
1:A:473:THR:HG22	1:A:475:CYS:N	2.36	0.40
1:B:287:LEU:N	1:B:288:PRO:CD	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	474/476 (100%)	460 (97%)	13 (3%)	1 (0%)	44 34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	474/476 (100%)	460 (97%)	13 (3%)	1 (0%)	44	34
All	All	948/952 (100%)	920 (97%)	26 (3%)	2 (0%)	44	34

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	216	GLU
1	B	216	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	394/394 (100%)	379 (96%)	15 (4%)	28	13
1	B	394/394 (100%)	380 (96%)	14 (4%)	30	14
All	All	788/788 (100%)	759 (96%)	29 (4%)	29	13

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLU
1	A	12	GLN
1	A	33	PHE
1	A	60	ARG
1	A	174	ARG
1	A	179	ILE
1	A	194	LYS
1	A	210	GLU
1	A	324	ARG
1	A	359	HIS
1	A	370	ASN
1	A	384	ASP
1	A	403	ASP
1	A	409	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	473	THR
1	B	1	GLU
1	B	12	GLN
1	B	33	PHE
1	B	179	ILE
1	B	194	LYS
1	B	210	GLU
1	B	239	SER
1	B	282	GLU
1	B	324	ARG
1	B	384	ASP
1	B	387	TYR
1	B	403	ASP
1	B	409	PRO
1	B	473	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	114	ASN
1	A	133	GLN
1	A	158	HIS
1	A	195	ASN
1	A	303	ASN
1	A	322	GLN
1	A	359	HIS
1	A	370	ASN
1	A	428	HIS
1	A	447	HIS
1	B	114	ASN
1	B	133	GLN
1	B	195	ASN
1	B	303	ASN
1	B	322	GLN
1	B	418	ASN
1	B	428	HIS
1	B	447	HIS

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 6 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	B	485	-	4,4,4	0.29	0	6,6,6	0.71	0
4	SO4	A	483	-	4,4,4	0.31	0	6,6,6	0.36	0
5	MAE	B	488	-	7,7,7	1.94	3 (42%)	8,8,8	2.14	3 (37%)
2	NAG	B	480	1	14,14,15	0.62	0	17,19,21	1.40	4 (23%)
5	MAE	A	489	-	7,7,7	1.93	3 (42%)	8,8,8	2.14	3 (37%)
4	SO4	A	481	-	4,4,4	0.27	0	6,6,6	0.48	0
4	SO4	A	482	-	4,4,4	0.27	0	6,6,6	0.44	0
4	SO4	B	484	-	4,4,4	0.34	0	6,6,6	0.37	0
4	SO4	B	486	-	4,4,4	0.39	0	6,6,6	0.26	0
2	NAG	A	480	1	14,14,15	1.09	1 (7%)	17,19,21	1.96	4 (23%)
5	MAE	A	487	-	7,7,7	1.94	3 (42%)	8,8,8	2.14	3 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MAE	B	488	-	-	0/5/5/5	-
2	NAG	B	480	1	-	0/6/23/26	0/1/1/1
5	MAE	A	489	-	-	0/5/5/5	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	480	1	-	0/6/23/26	0/1/1/1
5	MAE	A	487	-	-	0/5/5/5	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	480	NAG	O5-C1	-2.81	1.39	1.43
5	B	488	MAE	O2-C1	-2.68	1.23	1.30
5	A	489	MAE	O2-C1	-2.68	1.23	1.30
5	A	487	MAE	O2-C1	-2.66	1.23	1.30
5	A	487	MAE	O4-C4	-2.57	1.23	1.30
5	A	489	MAE	O4-C4	-2.52	1.24	1.30
5	B	488	MAE	O4-C4	-2.51	1.24	1.30
5	B	488	MAE	C3-C4	-2.30	1.42	1.48
5	A	487	MAE	C3-C4	-2.27	1.42	1.48
5	A	489	MAE	C3-C4	-2.25	1.42	1.48

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	480	NAG	O6-C6-C5	4.05	125.14	111.33
5	A	487	MAE	O2-C1-O1	-3.77	115.03	122.70
5	B	488	MAE	O2-C1-O1	-3.76	115.05	122.70
5	A	489	MAE	O2-C1-O1	-3.74	115.08	122.70
2	A	480	NAG	C1-C2-N2	-3.69	104.62	110.43
2	A	480	NAG	O3-C3-C4	3.62	118.91	110.38
5	B	488	MAE	O4-C4-O3	-3.54	115.49	122.70
5	A	487	MAE	O4-C4-O3	-3.53	115.51	122.70
5	A	489	MAE	O4-C4-O3	-3.53	115.52	122.70
2	B	480	NAG	C1-O5-C5	3.07	116.31	112.19
2	A	480	NAG	C6-C5-C4	2.95	120.26	113.02
2	B	480	NAG	C6-C5-C4	2.56	119.31	113.02
2	B	480	NAG	O6-C6-C5	2.47	119.74	111.33
5	A	489	MAE	O1-C1-C2	2.34	128.23	121.06
5	A	487	MAE	O1-C1-C2	2.33	128.21	121.06
5	B	488	MAE	O1-C1-C2	2.32	128.18	121.06
2	B	480	NAG	O3-C3-C4	2.12	115.39	110.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	488	MAE	1	0
2	B	480	NAG	1	0
4	A	482	SO4	1	0
2	A	480	NAG	2	0
5	A	487	MAE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	476/476 (100%)	0.38	28 (5%) 29 35	19, 27, 40, 59	0
1	B	476/476 (100%)	0.40	28 (5%) 29 35	18, 27, 40, 59	0
All	All	952/952 (100%)	0.39	56 (5%) 29 35	18, 27, 40, 59	0

All (56) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	476	ASP	5.1
1	A	215	ILE	4.6
1	B	179	ILE	4.6
1	A	179	ILE	4.3
1	A	470	THR	4.0
1	A	474	PHE	3.8
1	A	476	ASP	3.7
1	B	239	SER	3.6
1	B	474	PHE	3.4
1	A	471	GLY	3.4
1	A	131	TRP	3.3
1	A	12	GLN	3.3
1	A	403	ASP	3.2
1	A	174	ARG	3.2
1	A	1	GLU	3.1
1	B	215	ILE	3.1
1	A	177	PRO	3.0
1	B	299	THR	3.0
1	B	302	GLU	2.9
1	B	180	CYS	2.8
1	B	384	ASP	2.8
1	A	412	GLU	2.8
1	B	428	HIS	2.8
1	B	126	TYR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	126	TYR	2.7
1	B	177	PRO	2.7
1	B	58	PHE	2.5
1	B	174	ARG	2.5
1	B	475	CYS	2.5
1	A	16	ASP	2.5
1	B	282	GLU	2.5
1	A	180	CYS	2.4
1	A	283	MET	2.4
1	B	57	LYS	2.4
1	B	20	GLY	2.4
1	A	57	LYS	2.4
1	A	404	GLY	2.4
1	A	58	PHE	2.4
1	A	282	GLU	2.4
1	B	473	THR	2.4
1	A	228	HIS	2.3
1	B	260	ASN	2.3
1	B	405	LYS	2.3
1	B	241	GLY	2.3
1	A	115	CYS	2.3
1	A	402	GLU	2.3
1	A	297	MET	2.2
1	B	412	GLU	2.2
1	A	384	ASP	2.2
1	B	283	MET	2.2
1	A	475	CYS	2.2
1	B	56	GLY	2.2
1	B	297	MET	2.2
1	B	115	CYS	2.1
1	A	189	PHE	2.1
1	B	131	TRP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	B	486	5/5	0.72	0.14	63,64,64,66	0
4	SO4	A	483	5/5	0.76	0.15	58,62,64,64	0
2	NAG	B	480	14/15	0.76	0.16	46,48,54,57	0
4	SO4	A	482	5/5	0.79	0.19	51,54,54,55	0
5	MAE	B	488	8/8	0.79	0.23	67,69,74,79	0
2	NAG	A	480	14/15	0.81	0.16	36,41,47,48	0
4	SO4	B	484	5/5	0.81	0.16	45,48,54,54	0
5	MAE	A	487	8/8	0.82	0.23	67,69,74,79	0
4	SO4	B	485	5/5	0.85	0.16	50,50,52,54	0
5	MAE	A	489	8/8	0.89	0.18	67,69,74,79	0
4	SO4	A	481	5/5	0.90	0.10	48,48,52,53	0
3	ZN	A	477	1/1	0.99	0.05	23,23,23,23	0
3	ZN	A	479	1/1	0.99	0.05	27,27,27,27	1
3	ZN	B	477	1/1	0.99	0.04	22,22,22,22	0
3	ZN	A	478	1/1	1.00	0.02	23,23,23,23	0
3	ZN	B	478	1/1	1.00	0.01	22,22,22,22	0
3	ZN	B	479	1/1	1.00	0.09	28,28,28,28	1

6.5 Other polymers [i](#)

There are no such residues in this entry.