



Full wwPDB X-ray Structure Validation Report i

Oct 27, 2024 – 04:34 PM EDT

PDB ID : 1MD2
Title : CHOLERA TOXIN B-PENTAMER WITH DECAVALENT LIGAND BMSC-0013
Authors : Zhang, Z.; Merritt, E.A.; Ahn, M.; Roach, C.; Hol, W.G.J.; Fan, E.
Deposited on : 2002-08-06
Resolution : 1.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1556 (1.46-1.46)
Clashscore	180529	1653 (1.46-1.46)
Ramachandran outliers	177936	1635 (1.46-1.46)
Sidechain outliers	177891	1635 (1.46-1.46)
RSRZ outliers	164620	1556 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SQ	D	2202[B]	X	-	-	-
3	SQ	E	1205	X	-	-	-

2 Entry composition [\(i\)](#)


There are 5 unique types of molecules in this entry. The entry contains 4967 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHOLERA TOXIN B SUBUNIT.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	D	103	Total	C 823	N 517	O 143	S 156	7	0
1	E	103	Total	C 821	N 515	O 143	S 156	7	0
1	F	103	Total	C 816	N 511	O 142	S 156	7	0
1	G	103	Total	C 822	N 516	O 143	S 156	7	0
1	H	103	Total	C 818	N 513	O 142	S 156	7	0

- Molecule 2 is [5-(3,4,5-TRIHYDROXY-6-HYDROXYMETHYL-TETRAHYDRO-PYRAN-2-YLCARBAMOYL)-PENTYL]-CARBAMIC ACID METHYL ESTER (three-letter code: 233) (formula: C₁₄H₂₆N₂O₈).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	1
			48	28	4	16		
2	D	1	Total	C	N	O	0	1
			48	28	4	16		
2	E	1	Total	C	N	O	0	0
			24	14	2	8		
2	E	1	Total	C	N	O	0	0
			24	14	2	8		
2	F	1	Total	C	N	O	0	0
			24	14	2	8		

- Molecule 3 is 3-ETHYLAMINO-4-METHYLAMINO-CYCLOBUTANE-1,2-DIONE (three-letter code: SQ) (formula: C₇H₁₂N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	C	N	O	0	1
			12	8	2	2		
3	E	1	Total	C	N	O	0	0
			11	7	2	2		

- Molecule 4 is CYANIDE ION (three-letter code: CYN) (formula: CN).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	F	1	Total C N 2 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	148	Total O 148 148	0	0
5	E	124	Total O 124 124	0	0
5	F	125	Total O 125 125	0	0
5	G	130	Total O 130 130	0	0
5	H	147	Total O 147 147	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CHOLERA TOXIN B SUBUNIT




- Molecule 1: CHOLERA TOXIN B SUBUNIT




- Molecule 1: CHOLERA TOXIN B SUBUNIT



- Molecule 1: CHOLERA TOXIN B SUBUNIT



- Molecule 1: CHOLERA TOXIN B SUBUNIT



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	102.12Å 66.18Å 78.22Å 90.00° 106.33° 90.00°	Depositor
Resolution (Å)	25.00 – 1.45 25.00 – 1.45	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-1.45) 91.7 (25.00-1.45)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.10 (at 1.44Å)	Xtriage
Refinement program	REFMAC	Depositor
R , R_{free}	0.125 , 0.164 0.135 , 0.169	Depositor DCC
R_{free} test set	4071 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	12.6	Xtriage
Anisotropy	0.560	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 56.7	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4967	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SQ, 233, CYN, CSS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	D	0.92	1/838 (0.1%)	1.53	14/1129 (1.2%)
1	E	0.82	1/830 (0.1%)	1.34	7/1118 (0.6%)
1	F	0.95	1/821 (0.1%)	1.34	6/1107 (0.5%)
1	G	0.91	1/838 (0.1%)	1.47	10/1129 (0.9%)
1	H	0.98	2/829 (0.2%)	1.43	5/1118 (0.4%)
All	All	0.92	6/4156 (0.1%)	1.43	42/5601 (0.7%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	83	GLU	CD-OE1	-7.25	1.17	1.25
1	G	29	GLU	CB-CG	-5.88	1.41	1.52
1	H	29	GLU	CB-CG	-5.87	1.41	1.52
1	D	29	GLU	CB-CG	-5.55	1.41	1.52
1	E	29	GLU	CB-CG	-5.41	1.41	1.52
1	F	29	GLU	CB-CG	-5.39	1.41	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	35	ARG	NE-CZ-NH2	-14.71	112.94	120.30
1	G	67	ARG	NE-CZ-NH2	-12.89	113.86	120.30
1	D	67	ARG	NE-CZ-NH2	-12.60	114.00	120.30
1	D	7	ASP	CB-CG-OD1	8.56	126.00	118.30
1	D	73	ARG	NE-CZ-NH1	-8.40	116.10	120.30
1	G	7	ASP	CB-CG-OD1	8.05	125.54	118.30
1	D	48	PHE	CB-CG-CD1	-7.89	115.27	120.80
1	G	42	PHE	CB-CG-CD1	7.39	125.97	120.80
1	E	48	PHE	CB-CG-CD1	-7.22	115.75	120.80
1	F	11	GLU	OE1-CD-OE2	-7.14	114.73	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	73	ARG	CD-NE-CZ	7.00	133.41	123.60
1	D	67	ARG	NE-CZ-NH1	6.99	123.79	120.30
1	D	22	ASP	CB-CG-OD1	6.91	124.51	118.30
1	E	67	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	G	76	TYR	CB-CG-CD2	-6.82	116.91	121.00
1	H	27	TYR	CG-CD2-CE2	-6.75	115.90	121.30
1	D	103	ASN	CA-CB-CG	6.73	128.20	113.40
1	D	1	THR	N-CA-CB	-6.60	97.76	110.30
1	G	76	TYR	CB-CG-CD1	6.38	124.83	121.00
1	F	1	THR	N-CA-CB	-6.28	98.36	110.30
1	E	7	ASP	CB-CG-OD1	5.80	123.52	118.30
1	E	56	GLN	CA-CB-CG	5.77	126.09	113.40
1	G	1	THR	N-CA-CB	-5.68	99.51	110.30
1	D	83	GLU	OE1-CD-OE2	-5.63	116.54	123.30
1	F	35	ARG	NE-CZ-NH2	-5.56	117.52	120.30
1	F	7	ASP	CB-CG-OD1	5.53	123.28	118.30
1	D	83	GLU	CG-CD-OE1	5.52	129.33	118.30
1	E	12	TYR	CB-CG-CD2	-5.47	117.72	121.00
1	D	76	TYR	CB-CG-CD2	-5.43	117.74	121.00
1	E	67	ARG	NE-CZ-NH2	-5.41	117.59	120.30
1	H	67	ARG	NE-CZ-NH2	-5.41	117.60	120.30
1	D	76	TYR	CB-CG-CD1	5.39	124.23	121.00
1	F	79	GLU	OE1-CD-OE2	-5.38	116.85	123.30
1	G	35	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	F	59	ASP	CB-CG-OD2	5.28	123.05	118.30
1	E	48	PHE	CB-CG-CD2	5.27	124.49	120.80
1	G	56	GLN	CA-CB-CG	5.26	124.97	113.40
1	G	79	GLU	OE1-CD-OE2	-5.22	117.03	123.30
1	G	67	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	H	1	THR	CA-CB-CG2	5.10	119.54	112.40
1	D	27	TYR	CB-CG-CD1	5.09	124.06	121.00
1	H	83	GLU	OE1-CD-OE2	5.05	129.36	123.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	823	0	828	19	0
1	E	821	0	827	9	0
1	F	816	0	818	16	1
1	G	822	0	828	18	0
1	H	818	0	819	14	0
2	D	96	0	96	4	0
2	E	48	0	49	0	0
2	F	24	0	24	1	0
3	D	12	0	8	0	0
3	E	11	0	7	0	0
4	F	2	0	0	0	0
5	D	148	0	0	1	1
5	E	124	0	0	1	0
5	F	125	0	0	0	0
5	G	130	0	0	3	1
5	H	147	0	0	3	0
All	All	4967	0	4304	60	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:56:GLN:HE21	1:D:56:GLN:H	1.08	0.91
1:E:1:THR:HG22	1:F:93:PRO:HD2	1.53	0.90
1:D:18:HIS:HE1	1:D:94:HIS:HD2	1.22	0.88
2:D:2201[A]:233:H24	2:D:2203[A]:233:O15	1.74	0.86
1:E:56:GLN:HE21	1:E:56:GLN:H	1.23	0.85
1:F:3:GLN:HE22	1:G:92:THR:HG22	1.47	0.79
1:D:103:ASN:HD22	1:D:103:ASN:H	1.34	0.73
1:E:21:ASN:HA	1:E:81[A]:LYS:HE3	1.71	0.71
1:F:16:GLN:HE21	1:F:89:ASN:HD22	1.38	0.71
1:D:18:HIS:CE1	1:D:94:HIS:HD2	2.09	0.70
1:G:92:THR:HG23	5:G:155:HOH:O	1.96	0.66
1:H:9[B]:CSS:HB3	1:H:86:CYS:SG	2.35	0.66
1:F:9[B]:CSS:HB3	1:F:86:CYS:SG	2.35	0.66
1:G:1:THR:HG22	1:H:93:PRO:HD2	1.79	0.65
1:E:1:THR:HG22	1:F:93:PRO:CD	2.27	0.63
1:D:74[B]:ILE:HD13	5:E:1215:HOH:O	1.98	0.62
1:D:103:ASN:H	1:D:103:ASN:ND2	1.96	0.61
1:H:1:THR:N	5:H:207:HOH:O	2.30	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:18:HIS:HE1	1:D:94:HIS:CD2	2.11	0.60
1:D:37:MET:CE	1:H:1:THR:CG2	2.80	0.59
1:G:1:THR:HG22	1:H:93:PRO:CD	2.33	0.58
1:H:92:THR:HG23	5:H:182:HOH:O	2.04	0.58
1:D:56:GLN:HE21	1:D:56:GLN:N	1.92	0.58
2:D:2201[B]:233:H26	2:D:2201[B]:233:H20	1.86	0.57
1:H:1:THR:HG23	1:H:2:PRO:HD2	1.87	0.56
1:G:18:HIS:HE1	1:G:94:HIS:HD2	1.54	0.56
1:F:3:GLN:NE2	1:G:92:THR:HG22	2.19	0.56
1:F:18:HIS:HE1	1:F:94:HIS:ND1	2.04	0.55
1:E:81[A]:LYS:NZ	1:E:103:ASN:HB2	2.22	0.55
1:F:1:THR:HG23	1:F:2:PRO:HD2	1.89	0.55
2:D:2201[A]:233:H24	2:D:2203[A]:233:C14	2.35	0.55
1:E:9[B]:CSS:HB3	1:E:86:CYS:SG	2.47	0.54
1:E:18:HIS:NE2	1:E:94:HIS:HD2	2.05	0.53
1:G:9[B]:CSS:HB3	1:G:86:CYS:SG	2.48	0.53
1:D:37:MET:HE1	1:H:1:THR:CG2	2.40	0.52
1:D:9[B]:CSS:HB3	1:D:86:CYS:SG	2.50	0.52
1:D:21:ASN:HA	1:D:81[B]:LYS:HE3	1.91	0.51
1:G:18:HIS:CE1	1:G:94:HIS:HD2	2.28	0.51
5:D:2220:HOH:O	1:H:74[A]:ILE:HD13	2.11	0.50
1:G:1:THR:HG21	1:H:37:MET:HE3	1.93	0.49
1:G:74[B]:ILE:HD13	5:H:126:HOH:O	2.13	0.48
1:D:1:THR:OG1	1:E:35:ARG:NH1	2.47	0.48
1:F:1:THR:HG22	1:G:93:PRO:HD2	1.95	0.47
1:D:37:MET:HE3	1:H:1:THR:HG21	1.95	0.47
1:H:20:LEU:HD13	1:H:42:PHE:CZ	2.50	0.47
2:D:2201[B]:233:H26	2:D:2201[B]:233:C11	2.46	0.45
1:D:21:ASN:OD1	1:D:81[B]:LYS:HE3	2.17	0.45
1:F:1:THR:HG21	1:G:37:MET:CE	2.48	0.44
1:D:49:GLN:OE1	1:H:1:THR:HG21	2.18	0.43
1:G:43[B]:LYS:NZ	5:G:231:HOH:O	2.50	0.43
1:F:3:GLN:HE22	1:G:92:THR:CG2	2.24	0.43
1:F:1:THR:HG21	1:G:37:MET:HE3	2.01	0.43
1:G:1:THR:N	5:G:219:HOH:O	2.19	0.42
1:F:16:GLN:NE2	1:F:89:ASN:HD22	2.11	0.42
1:F:88:TRP:CD1	2:F:1207:233:H3	2.55	0.42
1:D:37:MET:HE1	1:H:1:THR:HG22	2.01	0.42
1:F:1:THR:CG2	1:G:37:MET:HE1	2.50	0.41
1:D:1:THR:HG21	1:E:37:MET:HE3	2.01	0.41
1:F:1:THR:CG2	1:G:37:MET:CE	2.99	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:15:THR:HA	1:D:87:VAL:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:55:SER:OG	1:F:55:SER:OG[2_555]	1.89	0.31
5:D:2310:HOH:O	5:G:215:HOH:O[3_445]	2.19	0.01

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	D	102/103 (99%)	101 (99%)	1 (1%)	0	100 100
1	E	101/103 (98%)	100 (99%)	1 (1%)	0	100 100
1	F	100/103 (97%)	99 (99%)	1 (1%)	0	100 100
1	G	102/103 (99%)	101 (99%)	1 (1%)	0	100 100
1	H	101/103 (98%)	100 (99%)	1 (1%)	0	100 100
All	All	506/515 (98%)	501 (99%)	5 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	D	90/88 (102%)	87 (97%)	3 (3%)	33 6
1	E	89/88 (101%)	85 (96%)	4 (4%)	23 21
1	F	88/88 (100%)	86 (98%)	2 (2%)	45 14
1	G	90/88 (102%)	89 (99%)	1 (1%)	70 43
1	H	89/88 (101%)	88 (99%)	1 (1%)	70 43
All	All	446/440 (101%)	435 (98%)	11 (2%)	42 12

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	1	THR
1	D	56	GLN
1	D	103	ASN
1	E	1	THR
1	E	43	LYS
1	E	55	SER
1	E	56	GLN
1	F	1	THR
1	F	63	LYS
1	G	1	THR
1	H	103	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	14	ASN
1	D	18	HIS
1	D	56	GLN
1	D	94	HIS
1	D	103	ASN
1	E	56	GLN
1	E	94	HIS
1	E	103	ASN
1	F	3	GLN
1	F	16	GLN
1	F	18	HIS
1	F	103	ASN
1	G	18	HIS
1	G	94	HIS
1	G	103	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	103	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

10 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CSS	H	9[B]	-	4,6,7	1.43	1 (25%)	2,6,8	0.47	0
1	CSS	E	9[B]	-	4,6,7	1.05	0	2,6,8	0.83	0
1	CSS	H	9[A]	-	4,5,7	1.68	1 (25%)	2,5,8	0.35	0
1	CSS	G	9[A]	-	4,5,7	0.95	0	2,5,8	0.87	0
1	CSS	E	9[A]	-	4,5,7	1.01	0	2,5,8	0.71	0
1	CSS	F	9[B]	-	4,6,7	0.69	0	2,6,8	0.23	0
1	CSS	D	9[B]	-	4,6,7	0.92	0	2,6,8	0.55	0
1	CSS	F	9[A]	-	4,5,7	0.72	0	2,5,8	0.06	0
1	CSS	G	9[B]	-	4,6,7	1.26	0	2,6,8	0.66	0
1	CSS	D	9[A]	-	4,5,7	0.91	0	2,5,8	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSS	H	9[B]	-	-	1/1/5/7	-
1	CSS	E	9[B]	-	-	1/1/5/7	-
1	CSS	H	9[A]	-	-	1/1/4/7	-
1	CSS	G	9[A]	-	-	1/1/4/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSS	E	9[A]	-	-	1/1/4/7	-
1	CSS	F	9[B]	-	-	1/1/5/7	-
1	CSS	D	9[B]	-	-	0/1/5/7	-
1	CSS	F	9[A]	-	-	1/1/4/7	-
1	CSS	G	9[B]	-	-	0/1/5/7	-
1	CSS	D	9[A]	-	-	1/1/4/7	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	9[A]	CSS	CB-SG	-2.86	1.72	1.81
1	H	9[B]	CSS	CB-SG	2.24	1.89	1.81

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	E	9[A]	CSS	N-CA-CB-SG
1	F	9[A]	CSS	N-CA-CB-SG
1	G	9[A]	CSS	N-CA-CB-SG
1	D	9[A]	CSS	N-CA-CB-SG
1	E	9[B]	CSS	N-CA-CB-SG
1	F	9[B]	CSS	N-CA-CB-SG
1	H	9[A]	CSS	N-CA-CB-SG
1	H	9[B]	CSS	N-CA-CB-SG

There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	H	9[B]	CSS	1	0
1	E	9[B]	CSS	1	0
1	F	9[B]	CSS	1	0
1	D	9[B]	CSS	1	0
1	G	9[B]	CSS	1	0

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 11 ligands modelled in this entry, 1 is modelled with single atom - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	233	D	2201[A]	3	24,24,24	2.94	3 (12%)	31,31,31	3.71	6 (19%)
3	SQ	E	1205	2	8,11,11	4.85	3 (37%)	5,15,15	6.86	4 (80%)
2	233	E	1204	3	24,24,24	3.06	7 (29%)	31,31,31	3.83	7 (22%)
2	233	D	2203[B]	3	24,24,24	3.17	5 (20%)	31,31,31	4.42	7 (22%)
2	233	F	1207	-	24,24,24	3.42	5 (20%)	31,31,31	4.16	11 (35%)
3	SQ	D	2202[B]	2	8,11,11	4.93	4 (50%)	5,15,15	5.00	4 (80%)
2	233	E	1206	3	24,24,24	2.69	4 (16%)	31,31,31	2.08	12 (38%)
2	233	D	2201[B]	3	24,24,24	3.14	2 (8%)	31,31,31	3.15	7 (22%)
2	233	D	2203[A]	3	24,24,24	3.06	4 (16%)	31,31,31	2.09	5 (16%)
4	CYN	F	1208	-	1,1,1	1.83	0	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	233	E	1206	3	-	3/17/37/37	0/1/1/1
2	233	D	2201[A]	3	-	4/17/37/37	0/1/1/1
2	233	E	1204	3	-	2/17/37/37	0/1/1/1
2	233	D	2203[B]	3	-	6/17/37/37	0/1/1/1
3	SQ	D	2202[B]	2	2/2/4/6	0/1/21/21	0/1/1/1
2	233	F	1207	-	-	6/17/37/37	0/1/1/1
3	SQ	E	1205	2	2/2/4/6	0/1/21/21	0/1/1/1
2	233	D	2201[B]	3	-	7/17/37/37	0/1/1/1
2	233	D	2203[A]	3	-	7/17/37/37	0/1/1/1

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1207	233	O15-C14	13.87	1.47	1.21
2	D	2201[B]	233	O15-C14	13.62	1.46	1.21
2	D	2201[A]	233	O15-C14	12.75	1.44	1.21
2	D	2203[A]	233	O15-C14	12.69	1.44	1.21
2	D	2203[B]	233	O15-C14	12.65	1.44	1.21
2	E	1204	233	O15-C14	12.16	1.43	1.21
2	E	1206	233	O15-C14	11.01	1.41	1.21
3	D	2202[B]	SQ	C1-C4	-9.75	1.39	1.57
3	E	1205	SQ	C1-C4	-9.27	1.40	1.57
3	D	2202[B]	SQ	C1-N1	-7.78	1.30	1.46
3	E	1205	SQ	C1-N1	-7.65	1.30	1.46
2	D	2203[B]	233	O16-C14	7.04	1.46	1.34
2	D	2201[B]	233	O16-C14	6.41	1.45	1.34
3	E	1205	SQ	C4-N2	-6.22	1.33	1.47
2	D	2203[A]	233	O16-C14	5.96	1.44	1.34
3	D	2202[B]	SQ	C4-N2	-5.66	1.34	1.47
2	F	1207	233	O16-C14	5.26	1.43	1.34
2	F	1207	233	C2-C1	4.88	1.58	1.53
2	E	1204	233	O16-C14	4.83	1.42	1.34
2	D	2201[A]	233	O16-C14	4.59	1.42	1.34
2	E	1204	233	C2-C1	4.16	1.57	1.53
2	E	1206	233	C2-C1	3.76	1.57	1.53
2	F	1207	233	C1-N1	3.55	1.48	1.43
2	D	2201[A]	233	C1-N1	3.18	1.47	1.43
2	E	1206	233	C1-N1	3.02	1.47	1.43
2	D	2203[A]	233	C1-N1	2.92	1.47	1.43
2	E	1204	233	O16-C17	-2.86	1.38	1.45
2	E	1206	233	O16-C14	2.81	1.39	1.34
2	E	1204	233	O5-C1	2.73	1.47	1.43
2	D	2203[B]	233	C1-N1	2.72	1.46	1.43
3	D	2202[B]	SQ	C5-N2	-2.54	1.40	1.46
2	F	1207	233	O5-C1	2.52	1.47	1.43
2	E	1204	233	C14-N13	-2.36	1.29	1.34
2	D	2203[B]	233	C14-N13	-2.35	1.29	1.34
2	D	2203[A]	233	C2-C1	2.24	1.55	1.53
2	D	2203[B]	233	C2-C1	2.22	1.55	1.53
2	E	1204	233	C1-N1	2.15	1.46	1.43

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	2203[B]	233	C12-N13-C14	22.62	160.37	121.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1207	233	O16-C14-N13	16.92	128.81	110.91
2	E	1204	233	C12-N13-C14	16.07	149.26	121.98
2	D	2201[A]	233	O16-C14-N13	13.84	125.56	110.91
2	D	2201[B]	233	O16-C14-N13	13.55	125.25	110.91
3	E	1205	SQ	C2-C1-N1	11.11	146.57	115.35
2	E	1204	233	C17-O16-C14	11.05	128.42	115.63
2	F	1207	233	O15-C14-N13	-10.36	109.33	124.93
2	D	2201[A]	233	C12-N13-C14	9.47	138.05	121.98
3	E	1205	SQ	C1-C4-C3	8.93	95.57	86.07
2	D	2201[A]	233	C17-O16-C14	7.76	124.62	115.63
2	F	1207	233	C12-N13-C14	-7.53	109.20	121.98
2	D	2201[B]	233	O15-C14-N13	-6.84	114.63	124.93
2	D	2203[A]	233	O16-C14-N13	6.60	117.90	110.91
3	D	2202[B]	SQ	C1-C4-C3	5.93	92.38	86.07
3	D	2202[B]	SQ	C3-C4-N2	5.88	131.87	115.35
3	D	2202[B]	SQ	C2-C1-N1	5.87	131.85	115.35
2	D	2203[A]	233	O15-C14-N13	-5.83	116.16	124.93
3	E	1205	SQ	C3-C4-N2	5.24	130.07	115.35
2	D	2201[A]	233	O16-C14-O15	-5.16	117.11	124.62
2	D	2201[A]	233	O15-C14-N13	-5.09	117.26	124.93
2	D	2203[A]	233	C1-N1-C7	-5.03	113.61	122.54
2	D	2203[B]	233	C17-O16-C14	4.92	121.33	115.63
2	D	2203[B]	233	O16-C14-N13	4.65	115.83	110.91
3	D	2202[B]	SQ	C4-C1-C2	4.58	90.94	86.07
2	D	2201[B]	233	C12-N13-C14	4.30	129.28	121.98
2	E	1206	233	C10-C9-C8	-4.16	97.85	113.13
2	E	1204	233	O5-C1-C2	-3.98	105.25	109.72
2	E	1206	233	O5-C1-C2	-3.92	105.32	109.72
2	E	1206	233	O16-C14-O15	-3.87	118.98	124.62
2	D	2201[B]	233	O5-C1-N1	3.83	115.12	108.12
2	D	2203[B]	233	O5-C1-C2	-3.71	105.55	109.72
2	D	2201[A]	233	O5-C1-N1	-3.69	101.37	108.12
2	F	1207	233	O5-C1-C2	-3.48	105.81	109.72
2	D	2201[B]	233	C17-O16-C14	3.48	119.66	115.63
2	F	1207	233	C1-N1-C7	-3.16	116.93	122.54
2	D	2201[B]	233	O16-C14-O15	-3.14	120.05	124.62
2	E	1206	233	C5-O5-C1	-3.11	108.15	112.47
2	F	1207	233	C2-C1-N1	-3.08	107.28	111.25
2	E	1204	233	O2-C2-C1	-3.07	104.06	109.42
2	D	2203[A]	233	O5-C1-C2	-3.04	106.31	109.72
2	E	1206	233	C2-C1-N1	-2.85	107.57	111.25
2	D	2203[B]	233	O15-C14-N13	-2.84	120.65	124.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1207	233	O3-C3-C4	-2.54	104.39	110.38
2	E	1206	233	C1-N1-C7	-2.53	118.04	122.54
2	E	1206	233	O3-C3-C4	-2.51	104.46	110.38
2	E	1206	233	C11-C12-N13	2.47	119.13	112.20
2	D	2203[B]	233	O7-C7-N1	2.46	127.12	122.95
2	E	1206	233	O16-C14-N13	2.43	113.48	110.91
2	F	1207	233	O2-C2-C1	-2.37	105.28	109.42
2	E	1204	233	O3-C3-C4	-2.36	104.81	110.38
2	D	2203[A]	233	C11-C12-N13	-2.35	105.61	112.20
2	E	1204	233	O16-C14-O15	-2.28	121.31	124.62
2	F	1207	233	C11-C10-C9	-2.22	103.17	114.37
2	E	1206	233	C8-C7-N1	-2.18	112.03	115.86
2	F	1207	233	C10-C11-C12	-2.16	103.58	113.56
2	D	2201[B]	233	C2-C1-N1	-2.16	108.47	111.25
2	E	1206	233	O7-C7-C8	2.11	125.85	122.02
2	E	1204	233	O2-C2-C3	-2.09	105.44	110.38
2	F	1207	233	O7-C7-N1	-2.08	119.43	122.95
2	D	2203[B]	233	O7-C7-C8	-2.06	118.28	122.02
3	E	1205	SQ	C4-C1-C2	2.05	88.26	86.07
2	E	1206	233	C3-C2-C1	-2.03	106.88	109.86

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	2202[B]	SQ	C4
3	D	2202[B]	SQ	C1
3	E	1205	SQ	C4
3	E	1205	SQ	C1

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	2201[A]	233	N13-C14-O16-C17
2	D	2201[A]	233	O15-C14-O16-C17
2	D	2201[B]	233	N13-C14-O16-C17
2	D	2201[B]	233	O15-C14-O16-C17
2	D	2203[A]	233	N13-C14-O16-C17
2	D	2203[B]	233	N13-C14-O16-C17
2	D	2203[B]	233	O15-C14-O16-C17
2	D	2203[B]	233	O15-C14-O16-C17
2	E	1204	233	N13-C14-O16-C17
2	E	1204	233	O15-C14-O16-C17
2	F	1207	233	N13-C14-O16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	F	1207	233	O15-C14-O16-C17
2	D	2201[B]	233	C10-C11-C12-N13
2	D	2203[A]	233	O15-C14-O16-C17
2	D	2203[A]	233	C10-C11-C12-N13
2	D	2203[B]	233	C10-C11-C12-N13
2	E	1206	233	O15-C14-O16-C17
2	D	2203[B]	233	C7-C8-C9-C10
2	F	1207	233	C10-C11-C12-N13
2	F	1207	233	C11-C10-C9-C8
2	D	2201[B]	233	C9-C10-C11-C12
2	D	2203[A]	233	C9-C10-C11-C12
2	D	2203[B]	233	C9-C10-C11-C12
2	D	2201[A]	233	C11-C10-C9-C8
2	D	2203[A]	233	C11-C10-C9-C8
2	D	2201[A]	233	C9-C10-C11-C12
2	D	2201[B]	233	C7-C8-C9-C10
2	D	2201[B]	233	O16-C14-N13-C12
2	D	2203[A]	233	O16-C14-N13-C12
2	D	2201[B]	233	O15-C14-N13-C12
2	D	2203[A]	233	O15-C14-N13-C12
2	E	1206	233	N13-C14-O16-C17
2	F	1207	233	O7-C7-C8-C9
2	D	2203[B]	233	C11-C10-C9-C8
2	F	1207	233	N1-C7-C8-C9
2	E	1206	233	C7-C8-C9-C10


There are no ring outliers.



4 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	2201[A]	233	2	0
2	F	1207	233	1	0
2	D	2201[B]	233	2	0
2	D	2203[A]	233	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	D	102/103 (99%)	-0.48	2 (1%) 64 66	8, 14, 24, 34	3 (2%)
1	E	102/103 (99%)	-0.47	4 (3%) 44 45	10, 16, 25, 36	1 (0%)
1	F	102/103 (99%)	-0.32	2 (1%) 64 66	11, 18, 27, 36	0
1	G	102/103 (99%)	-0.55	2 (1%) 64 66	8, 14, 23, 38	2 (1%)
1	H	102/103 (99%)	-0.58	2 (1%) 64 66	9, 14, 23, 38	1 (0%)
All	All	510/515 (99%)	-0.48	12 (2%) 59 60	8, 15, 25, 38	7 (1%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	1	THR	3.9
1	H	1	THR	3.5
1	H	103	ASN	3.3
1	G	1	THR	3.0
1	E	103	ASN	3.0
1	G	103	ASN	2.7
1	E	1	THR	2.6
1	D	103	ASN	2.6
1	F	55	SER	2.6
1	F	1	THR	2.2
1	E	102	ALA	2.1
1	E	55	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSS	G	9[A]	6/8	0.95	0.08	14,15,15,16	1
1	CSS	G	9[B]	7/8	0.95	0.08	9,15,16,19	2
1	CSS	F	9[A]	6/8	0.96	0.08	18,20,20,21	1
1	CSS	F	9[B]	7/8	0.96	0.08	18,20,21,21	2
1	CSS	D	9[A]	6/8	0.97	0.07	14,16,17,18	1
1	CSS	D	9[B]	7/8	0.97	0.07	15,16,17,18	2
1	CSS	E	9[A]	6/8	0.97	0.08	17,18,19,20	1
1	CSS	E	9[B]	7/8	0.97	0.08	16,18,20,22	2
1	CSS	H	9[A]	6/8	0.98	0.07	14,15,16,17	1
1	CSS	H	9[B]	7/8	0.98	0.07	13,15,17,23	2

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SQ	D	2202[B]	11/11	0.50	0.20	33,34,35,36	11
3	SQ	D	2202[A]	1/11	0.50	0.20	36,36,36,36	1
4	CYN	F	1208	2/2	0.76	0.12	48,48,48,48	2
3	SQ	E	1205	11/11	0.78	0.12	36,40,40,41	0
2	233	D	2201[A]	24/24	0.87	0.13	16,22,35,36	24
2	233	D	2201[B]	24/24	0.87	0.13	18,24,38,38	24
2	233	D	2203[B]	24/24	0.93	0.11	13,17,35,35	24
2	233	F	1207	24/24	0.93	0.11	22,29,49,49	0
2	233	D	2203[A]	24/24	0.93	0.11	11,15,34,35	24
2	233	E	1204	24/24	0.95	0.07	18,23,39,41	0
2	233	E	1206	24/24	0.98	0.06	11,15,30,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around 233 D 2203 (B):


2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 233 F 1207:**

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.