

Full wwPDB X-ray Structure Validation Report (i)

Nov 4, 2024 – 03:10 AM EST

PDB ID	:	1NWR
Title	:	Crystal structure of human cartilage gp39 (HC-gp39)
Authors	:	Fusetti, F.; Pijning, T.; Kalk, K.H.; Bos, E.; Dijkstra, B.W.
Deposited on	:	2003-02-06
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	4.02b-467
:	2022.3.0, CSD as543be (2022)
:	1.20.1
:	FAILED
:	20231227.v01 (using entries in the PDB archive December 27th 2023)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.39
	:::::::::::::::::::::::::::::::::::::::

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution					
wietric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA})$					
Clashscore	180529	3684(2.70-2.70)					
Ramachandran outliers	177936	3633 (2.70-2.70)					
Sidechain outliers	177891	3633 (2.70-2.70)					

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS failed to run properly.

Mol	Chain	Length	Quality of chain		
1	А	362	74%	24%	·
1	В	362	75%	23%	•
1	С	362	75%	23%	•
1	D	362	73%	26%	
2	Е	2	100%		
2	F	2	50%	50%	
2	G	2	50%	50%	
L	1	1	Contin	ued on next pad	<i>qe</i>



Mol	Chain	Length	Quality of chain
2	Η	2	100%



$1\mathrm{NWR}$

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 11651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms		ZeroOcc	AltConf	Trace		
1	Λ	260	Total	С	Ν	0	\mathbf{S}	0	0	0	
	A	302	2857	1825	492	529	11	0	0	0	
1	В	260	Total C N O		S	0	0	0			
	D	302	2857	1825	492	529	11	0	0	0	
1	C	260	Total	С	Ν	0	S	0	0	0	
	U	302	2857	1825	492	529	11	0	0	0	
1	П	369	Total	С	Ν	0	S	0	0	0	
I D		502	2857	1825	492	529	11	0	0	U	

• Molecule 1 is a protein called Chitinase-3 like protein 1.

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	311	ILE	THR	conflict	UNP P36222
В	311	ILE	THR	conflict	UNP P36222
С	311	ILE	THR	conflict	UNP P36222
D	311	ILE	THR	conflict	UNP P36222

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	Е	2	Total C N O 28 16 2 10	0	0	0
2	F	2	Total C N O 28 16 2 10	0	0	0
2	G	2	Total C N O 28 16 2 10	0	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	Н	2	Total C N O 28 16 2 10	0	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	38	Total O 38 38	0	0
3	В	16	Total O 16 16	0	0
3	С	28	TotalO2828	0	0
3	D	29	Total O 29 29	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS failed to run properly.

• Molecule 1: Chitinase-3 like protein 1



 \bullet Molecule 1: Chitinase-3 like protein 1

Chair	n D	:										73	8%													2	:6%	,			·		
Y22 Q33 Y34	C41	D44	R48		154 155	Y56 S57	F58	166	W69	E70	M79	L80 N81	T82		R86	N89	L90 K91	T92	S95 Moe		S103	R105	F106	1109	R116	V123	P124	F125	L127	F132	1.135	W139 1.140	Y141
P142 G143 R144	1154	091 न	K163 E164	A165	4166 P167	K170	Q171	L173	L174	S179 4180	G181	1185	0	Y189	D190	K193	L198	1201	S202	M204	T205	F208	H209 G210	A211	R213	q226	E227	D228	P231	D232 R233	F234 S235	Y239 A240	
R263 S264 F265 T266	L267	1.5/2	1278	T293	Y 297	L303	and A		H309 R310	V318	0101	D330 0331	occit		L341	L346	F359	0360 0361	S362 17262	C364	G365 D366	D367	L368	L372	T383								

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:	10	00%	
NAG1 NAG2			
• Molecule 2:	2-acetamido-2-deoxy-beta-I	D-glucopyranose-(1-4)-2-acetamid	lo-2-deoxy-beta-D-gluc
opyranose			
Chain F:	50%	50%	I
NAG1 NAG2			
• Molecule 2: opyranose	2-acetamido-2-deoxy-beta-I	D-glucopyranose-(1-4)-2-acetamid	lo-2-deoxy-beta-D-gluc
Chain G:	50%	50%	•

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:

100%

NAG1 NAG2

NAG1 NAG2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43	Depositor
Cell constants	127.30Å 127.30Å 107.76Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.79 - 2.70	Depositor
% Data completeness	82.8 (19.79-2.70)	Depositor
(in resolution range)	02.0 (15.15-2.10)	Depositor
R_{merge}	(Not available)	Depositor
R _{sym}	0.06	Depositor
$< I/\sigma(I) >$	-	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.212 , 0.239	Depositor
Wilson B-factor $(Å^2)$	25.7	Xtriage
Anisotropy	0.757	Xtriage
L-test for twinning ¹	$< L >=0.45, < L^2>=0.28$	Xtriage
Estimated twinning fraction	0.054 for h,-k,-l	Xtriage
Total number of atoms	11651	wwPDB-VP
Average B, all atoms $(Å^2)$	36.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 32.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.3595e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.40	0/2933	0.61	0/3973
1	В	0.38	0/2933	0.60	0/3973
1	С	0.41	0/2933	0.61	0/3973
1	D	0.42	0/2933	0.62	0/3973
All	All	0.41	0/11732	0.61	0/15892

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2857	0	2775	58	0
1	В	2857	0	2775	60	0
1	С	2857	0	2775	65	0
1	D	2857	0	2775	72	0
2	Е	28	0	25	5	0
2	F	28	0	25	1	0
2	G	28	0	25	2	0
2	Н	28	0	25	2	0
3	A	38	0	0	1	0



001000	iraca ji cii	r precedue	pagem			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	16	0	0	0	0
3	С	28	0	0	4	0
3	D	29	0	0	3	0
All	All	11651	0	11200	260	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (260) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:226:GLN:HE21	1:C:228:ASP:HB2	1.42	0.82	
1:B:234:PHE:HB3	1:B:239:TYR:CD2	2.15	0.81	
2:E:1:NAG:H61	2:E:2:NAG:H82	1.63	0.81	
1:D:234:PHE:HB3	1:D:239:TYR:CD2	2.16	0.80	
1:C:234:PHE:HB3	1:C:239:TYR:CD2	2.16	0.80	
1:B:92:THR:HG22	1:B:132:PHE:HD1	1.46	0.80	
1:D:226:GLN:HE21	1:D:228:ASP:HB2	1.48	0.79	
1:D:92:THR:HG22	1:D:132:PHE:HD1	1.49	0.77	
1:A:92:THR:HG22	1:A:132:PHE:HD1	1.48	0.77	
1:C:92:THR:HG22	1:C:132:PHE:HD1	1.49	0.75	
1:A:226:GLN:HE21	1:A:228:ASP:HB2	1.53	0.72	
1:B:92:THR:HG22	1:B:132:PHE:CD1	2.27	0.70	
1:C:92:THR:HG22	1:C:132:PHE:CD1	2.28	0.68	
1:D:92:THR:HG22	1:D:132:PHE:CD1	2.28	0.68	
1:D:210:GLY:O	1:D:213:ARG:HG3	1.94	0.68	
2:E:1:NAG:H61	2:E:2:NAG:C7	2.24	0.67	
1:A:92:THR:HG22	1:A:132:PHE:CD1	2.28	0.66	
2:E:1:NAG:H61	2:E:2:NAG:C8	2.25	0.66	
1:A:234:PHE:HB3	1:A:239:TYR:CD2	2.32	0.65	
1:A:203:ILE:HD11	1:A:240:ALA:HB1	1.78	0.64	
2:E:1:NAG:C6	2:E:2:NAG:H82	2.26	0.64	
1:C:341:LEU:HB2	1:C:346:LEU:HD12	1.81	0.63	
1:B:341:LEU:HB2	1:B:346:LEU:HD12	1.80	0.63	
1:D:54:ILE:HD11	3:D:455:HOH:O	2.00	0.62	
1:D:341:LEU:HB2	1:D:346:LEU:HD12	1.82	0.62	
1:A:341:LEU:HB2	1:A:346:LEU:HD12	1.80	0.62	
2:H:1:NAG:H62	2:H:2:NAG:C7	2.30	0.61	
1:C:338:VAL:O	1:C:341:LEU:HG	2.00	0.61	
1:C:234:PHE:HB3	1:C:239:TYR:CE2	2.35	0.60	
1:B:44:ASP:HB3	1:B:79:MET:HG2	1.85	0.59	



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:203:ILE:HG12	1:A:205:THR:HG23	1.83	0.59
1:B:203:ILE:HG12	1:B:205:THR:HG23	1.84	0.59
1:B:234:PHE:HB3	1:B:239:TYR:CE2	2.37	0.59
1:B:338:VAL:O	1:B:341:LEU:HG	2.03	0.59
1:D:44:ASP:HB3	1:D:79:MET:HG2	1.84	0.59
1:A:44:ASP:HB3	1:A:79:MET:HG2	1.85	0.58
1:D:338:VAL:O	1:D:341:LEU:HG	2.03	0.58
1:C:310:ARG:NH2	1:C:330:ASP:OD2	2.36	0.58
1:C:86:ARG:HD3	3:C:460:HOH:O	2.02	0.58
1:C:123:VAL:HB	1:C:124:PRO:HD3	1.85	0.58
1:C:124:PRO:HB2	1:C:125:PRO:HD3	1.86	0.58
1:D:124:PRO:HB2	1:D:125:PRO:HD3	1.86	0.58
1:C:198:LEU:HD13	1:C:201:ILE:CG2	2.34	0.58
1:A:198:LEU:HD13	1:A:201:ILE:CG2	2.34	0.58
1:A:310:ARG:NH2	1:A:330:ASP:OD2	2.36	0.57
1:B:310:ARG:NH2	1:B:330:ASP:OD2	2.38	0.57
1:B:166:GLN:N	1:B:167:PRO:HD2	2.20	0.57
1:D:44:ASP:HB3	1:D:79:MET:CG	2.35	0.57
1:C:44:ASP:HB3	1:C:79:MET:HG2	1.86	0.57
1:A:166:GLN:N	1:A:167:PRO:HD2	2.20	0.56
1:A:124:PRO:HB3	1:A:164:GLU:HG3	1.87	0.56
1:B:127:LEU:HD12	1:B:172:LEU:HD13	1.87	0.56
1:C:44:ASP:HB3	1:C:79:MET:CG	2.36	0.56
1:D:166:GLN:N	1:D:167:PRO:HD2	2.21	0.56
1:D:198:LEU:HD13	1:D:201:ILE:CG2	2.36	0.56
1:B:44:ASP:HB3	1:B:79:MET:CG	2.35	0.56
1:A:338:VAL:O	1:A:341:LEU:HG	2.06	0.56
1:C:166:GLN:N	1:C:167:PRO:HD2	2.21	0.56
1:B:123:VAL:HB	1:B:124:PRO:HD3	1.88	0.56
1:B:198:LEU:HD13	1:B:201:ILE:CG2	2.36	0.56
1:D:123:VAL:HB	1:D:124:PRO:HD3	1.88	0.55
1:D:203:ILE:HG12	1:D:205:THR:HG23	1.89	0.55
1:C:127:LEU:HD12	1:C:172:LEU:HD13	1.87	0.55
1:C:203:ILE:HG12	1:C:205:THR:HG23	1.88	0.55
1:A:127:LEU:HD12	1:A:172:LEU:HD13	1.89	0.55
1:D:141:TYR:CE2	1:D:179:SER:HB2	2.42	0.55
1:D:69:TRP:CE2	2:H:1:NAG:H82	2.42	0.54
1:D:127:LEU:HD12	1:D:172:LEU:HD13	1.88	0.54
1:D:310:ARG:NH2	1:D:330:ASP:OD2	2.40	0.54
1:A:141:TYR:CE2	1:A:179:SER:HB2	2.42	0.54
1:A:124:PRO:HB2	1:A:125:PRO:HD3	1.89	0.54



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:C:241:VAL:O	1:C:245:LEU:HG	2.08	0.54
1:B:54:ILE:HG13	1:B:90:LEU:HD11	1.89	0.54
1:B:124:PRO:HB2	1:B:125:PRO:HD3	1.90	0.54
1:D:124:PRO:HB3	1:D:164:GLU:HG3	1.88	0.54
1:A:44:ASP:HB3	1:A:79:MET:CG	2.37	0.54
1:B:105:ARG:O	1:B:109:ILE:HG13	2.07	0.54
1:B:141:TYR:CE2	1:B:179:SER:HB2	2.42	0.53
1:A:123:VAL:HB	1:A:124:PRO:HD3	1.89	0.53
1:C:198:LEU:HD13	1:C:201:ILE:HG22	1.90	0.53
1:A:66:ILE:O	1:A:66:ILE:HG23	2.08	0.53
1:B:124:PRO:HB3	1:B:164:GLU:HG3	1.89	0.53
1:C:105:ARG:O	1:C:109:ILE:HG13	2.09	0.53
1:A:69:TRP:CE2	2:E:1:NAG:H82	2.43	0.53
1:D:234:PHE:HB3	1:D:239:TYR:CE2	2.43	0.53
1:D:105:ARG:O	1:D:109:ILE:HG13	2.08	0.52
1:B:198:LEU:O	1:B:253:LYS:NZ	2.32	0.52
1:C:54:ILE:HG13	1:C:90:LEU:HD11	1.91	0.52
1:D:211:ALA:HA	1:D:265:PHE:CE1	2.45	0.52
1:D:198:LEU:HD13	1:D:201:ILE:HG22	1.92	0.52
1:A:105:ARG:O	1:A:109:ILE:HG13	2.09	0.52
1:A:198:LEU:HD13	1:A:201:ILE:HG22	1.91	0.52
1:D:209:HIS:CE1	1:D:213:ARG:HD3	2.45	0.51
1:A:170:LYS:O	1:A:170:LYS:HG3	2.11	0.51
1:D:66:ILE:HG23	1:D:66:ILE:O	2.10	0.51
1:D:54:ILE:HG13	1:D:90:LEU:HD11	1.93	0.51
1:B:80:LEU:HD12	1:B:83:LEU:HD12	1.92	0.51
1:B:198:LEU:HD13	1:B:201:ILE:HG22	1.92	0.51
1:B:66:ILE:HG23	1:B:66:ILE:O	2.10	0.51
1:C:170:LYS:O	1:C:170:LYS:HG3	2.11	0.50
1:D:210:GLY:HA3	1:D:212:TRP:CD1	2.46	0.50
1:B:154:ILE:HD13	1:B:198:LEU:HD11	1.94	0.50
1:C:141:TYR:CE2	1:C:179:SER:HB2	2.46	0.50
1:C:230:SER:HB3	3:C:441:HOH:O	2.10	0.50
1:A:203:ILE:HD12	1:A:244:MET:SD	2.52	0.50
1:B:41:CYS:HB2	1:B:359:PHE:CZ	2.46	0.50
1:B:226:GLN:HE21	1:B:228:ASP:HB2	1.75	0.50
1:B:170:LYS:HG3	1:B:170:LYS:O	2.12	0.50
1:B:208:PHE:HB3	1:B:235:SER:HB3	1.94	0.50
1:B:33:GLN:HG3	1:B:34:TYR:CD1	2.47	0.50
1:C:124:PRO:HB3	1:C:164:GLU:HG3	1.92	0.50
1:D:203:ILE:HD11	1:D:240:ALA:HB1	1.94	0.49



	lo ao pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:263:ARG:NH1	1:A:293:THR:OG1	2.45	0.49
1:C:69:TRP:CE2	2:G:1:NAG:H82	2.47	0.49
1:A:54:ILE:HG13	1:A:90:LEU:HD11	1.95	0.49
1:C:80:LEU:HD12	1:C:83:LEU:HD12	1.94	0.49
1:C:86:ARG:NH1	3:C:460:HOH:O	2.45	0.48
1:A:154:ILE:HD13	1:A:198:LEU:HD11	1.95	0.48
1:A:208:PHE:HB3	1:A:235:SER:HB3	1.94	0.48
1:A:234:PHE:HB3	1:A:239:TYR:CE2	2.47	0.48
1:D:154:ILE:HD13	1:D:198:LEU:HD11	1.94	0.48
1:A:33:GLN:HG3	1:A:34:TYR:CD1	2.48	0.48
1:B:142:PRO:HB2	1:B:188:SER:HB3	1.96	0.48
1:C:154:ILE:HD13	1:C:198:LEU:HD11	1.95	0.48
1:C:209:HIS:CD2	1:C:217:GLY:HA3	2.49	0.48
1:C:263:ARG:NH1	1:C:293:THR:OG1	2.46	0.48
1:A:80:LEU:HD12	1:A:83:LEU:HD12	1.96	0.48
1:C:174:LEU:HG	1:C:198:LEU:HD23	1.96	0.48
1:A:190:ASP:OD1	1:A:193:LYS:HE3	2.14	0.48
1:C:33:GLN:HG3	1:C:34:TYR:CD1	2.48	0.48
1:C:203:ILE:HD11	1:C:240:ALA:HB1	1.96	0.48
1:A:210:GLY:O	1:A:213:ARG:HG3	2.14	0.47
1:B:191:ILE:CG2	1:B:249:ALA:HB2	2.44	0.47
1:B:365:GLY:C	1:B:367:ASP:H	2.17	0.47
1:C:66:ILE:HG23	1:C:66:ILE:O	2.13	0.47
1:D:365:GLY:C	1:D:367:ASP:H	2.17	0.47
1:A:241:VAL:O	1:A:245:LEU:HG	2.14	0.47
1:B:105:ARG:NH1	2:F:1:NAG:H62	2.29	0.47
1:D:170:LYS:HG3	1:D:170:LYS:O	2.13	0.47
1:D:144:ARG:NH1	1:D:144:ARG:HB3	2.29	0.47
1:A:365:GLY:C	1:A:367:ASP:H	2.17	0.47
1:C:365:GLY:C	1:C:367:ASP:H	2.18	0.47
1:D:142:PRO:HB2	1:D:188:SER:HB3	1.97	0.47
1:D:211:ALA:HB2	3:D:452:HOH:O	2.14	0.47
1:D:33:GLN:HG3	1:D:34:TYR:CD1	2.50	0.47
1:B:181:GLY:O	1:B:185:ILE:HG13	2.14	0.47
1:B:263:ARG:NH1	1:B:293:THR:OG1	2.48	0.47
1:C:144:ARG:HB3	1:C:144:ARG:NH1	2.30	0.47
1:D:80:LEU:HD12	1:D:83:LEU:HD12	1.96	0.47
1:D:211:ALA:HA	1:D:265:PHE:HE1	1.80	0.46
1:B:190:ASP:OD1	1:B:193:LYS:HE3	2.16	0.46
1:C:142:PRO:HB2	1:C:188:SER:HB3	1.97	0.46
1:B:174:LEU:HG	1:B:198:LEU:HD23	1.96	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:89:ASN:O	1:B:91:LYS:HD3	2.16	0.46
1:C:190:ASP:OD1	1:C:193:LYS:HE3	2.16	0.46
1:C:57:SER:HA	1:C:58:PHE:HA	1.65	0.45
1:A:174:LEU:HG	1:A:198:LEU:HD23	1.98	0.45
1:D:263:ARG:NH1	1:D:293:THR:OG1	2.49	0.45
1:C:181:GLY:O	1:C:185:ILE:HG13	2.16	0.45
1:A:383:THR:HG22	1:A:383:THR:O	2.17	0.45
1:D:57:SER:HA	1:D:58:PHE:HA	1.67	0.45
1:B:144:ARG:NH1	1:B:144:ARG:HB3	2.32	0.45
1:D:96:VAL:HG12	1:D:135:LEU:HD11	1.97	0.45
1:C:232:ASP:HB3	1:C:234:PHE:H	1.80	0.45
1:C:383:THR:O	1:C:383:THR:HG22	2.17	0.45
1:A:181:GLY:O	1:A:185:ILE:HG13	2.17	0.45
1:B:383:THR:HG22	1:B:383:THR:O	2.17	0.44
1:C:96:VAL:HG12	1:C:135:LEU:HD11	1.99	0.44
1:D:190:ASP:OD1	1:D:193:LYS:HE3	2.16	0.44
1:D:174:LEU:HG	1:D:198:LEU:HD23	1.98	0.44
1:D:303:LEU:HA	1:D:306:ALA:HB3	1.99	0.44
1:B:61:ILE:HG21	1:B:109:ILE:HD13	1.99	0.44
1:C:81:ASN:OD1	1:C:92:THR:HG21	2.17	0.44
1:B:201:ILE:HG13	1:B:254:LEU:HD12	1.99	0.44
1:C:69:TRP:CD2	2:G:1:NAG:H82	2.53	0.44
1:C:201:ILE:HG13	1:C:254:LEU:HD12	1.99	0.44
1:C:366:GLN:O	1:C:368:LEU:N	2.51	0.44
1:D:34:TYR:HE2	1:D:70:GLU:OE2	2.01	0.44
1:A:96:VAL:HG12	1:A:135:LEU:HD11	1.98	0.44
1:B:366:GLN:O	1:B:368:LEU:N	2.51	0.44
1:D:208:PHE:HB3	1:D:235:SER:HB3	2.00	0.43
1:A:160:GLU:OE1	1:A:163:LYS:HD3	2.18	0.43
1:A:57:SER:HA	1:A:58:PHE:HA	1.67	0.43
1:A:117:ARG:HB2	3:A:416:HOH:O	2.18	0.43
1:A:144:ARG:NH1	1:A:144:ARG:HB3	2.32	0.43
1:A:214:GLY:C	1:A:278:ILE:HG12	2.39	0.43
1:B:366:GLN:C	1:B:368:LEU:H	2.22	0.43
1:D:383:THR:HG22	1:D:383:THR:O	2.18	0.43
1:A:260:THR:O	1:A:296:TYR:HB2	2.19	0.43
1:B:96:VAL:HG12	1:B:135:LEU:HD11	1.99	0.43
1:A:89:ASN:O	1:A:91:LYS:HD3	2.19	0.43
1:B:241:VAL:O	1:B:245:LEU:HG	2.18	0.43
1:C:366:GLN:C	1:C:368:LEU:N	2.72	0.43
1:D:211:ALA:O	1:D:278:ILE:HD11	2.19	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:160:GLU:OE1	1:C:163:LYS:HD3	2.18	0.43
1:C:366:GLN:C	1:C:368:LEU:H	2.22	0.43
1:D:330:ASP:HA	1:D:372:LEU:HD21	2.00	0.43
1:D:366:GLN:O	1:D:368:LEU:N	2.52	0.43
1:D:267:LEU:HD13	1:D:272:THR:HG22	2.01	0.43
1:A:330:ASP:HA	1:A:372:LEU:HD21	2.00	0.42
1:D:55:ILE:CG2	1:D:95:SER:HB2	2.49	0.42
1:C:89:ASN:O	1:C:91:LYS:HD3	2.19	0.42
1:D:89:ASN:O	1:D:91:LYS:HD3	2.19	0.42
1:D:181:GLY:O	1:D:185:ILE:HG13	2.19	0.42
1:D:361:GLY:O	1:D:367:ASP:HA	2.20	0.42
1:D:160:GLU:OE1	1:D:163:LYS:HD3	2.20	0.42
1:D:209:HIS:ND1	1:D:213:ARG:HD3	2.34	0.42
1:D:365:GLY:C	1:D:367:ASP:N	2.73	0.42
1:A:34:TYR:HE2	1:A:70:GLU:OE2	2.02	0.42
1:D:81:ASN:OD1	1:D:92:THR:HG21	2.20	0.42
1:B:366:GLN:C	1:B:368:LEU:N	2.72	0.42
1:C:303:LEU:HA	1:C:306:ALA:HB3	2.02	0.42
1:D:48:ARG:CZ	1:D:86:ARG:HD2	2.50	0.42
1:B:203:ILE:HD11	1:B:240:ALA:HB1	2.01	0.42
1:D:48:ARG:NE	1:D:86:ARG:HB2	2.35	0.42
1:A:81:ASN:OD1	1:A:92:THR:HG21	2.20	0.42
1:A:230:SER:HA	1:A:231:PRO:HD3	1.84	0.42
1:B:330:ASP:HA	1:B:372:LEU:HD21	2.02	0.42
1:A:142:PRO:HB2	1:A:188:SER:HB3	2.02	0.41
1:B:57:SER:HA	1:B:58:PHE:HA	1.65	0.41
1:C:267:LEU:HD13	1:C:272:THR:HG22	2.02	0.41
1:B:297:TYR:HB2	1:B:363:PHE:CG	2.55	0.41
1:D:116:ARG:NH2	3:D:467:HOH:O	2.52	0.41
1:B:303:LEU:HA	1:B:306:ALA:HB3	2.00	0.41
1:D:297:TYR:HB2	1:D:363:PHE:CG	2.55	0.41
1:B:195:SER:O	1:B:253:LYS:HD3	2.21	0.41
1:B:263:ARG:HD3	1:B:263:ARG:HA	1.94	0.41
1:D:232:ASP:HB3	1:D:234:PHE:H	1.85	0.41
1:A:48:ARG:NE	1:A:86:ARG:HB2	2.35	0.41
1:B:230:SER:HA	1:B:231:PRO:HD3	1.85	0.41
1:A:33:GLN:HB2	1:A:42:PHE:CZ	2.55	0.41
1:B:160:GLU:OE1	1:B:163:LYS:HD3	2.20	0.41
1:D:366:GLN:C	1:D:368:LEU:N	2.74	0.41
1:C:30:SER:O	1:C:33:GLN:HG2	2.20	0.41
1:A:361:GLY:O	1:A:367:ASP:HA	2.21	0.41



Atom 1	Atom 2	Interatomic Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:365:GLY:C	1:B:367:ASP:N	2.74	0.41	
1:C:61:ILE:HG21	1:C:109:ILE:HD13	2.02	0.41	
1:C:86:ARG:NH1	1:C:86:ARG:HG2	2.36	0.41	
1:C:297:TYR:HB2	1:C:363:PHE:CG	2.56	0.41	
1:C:330:ASP:HA	1:C:372:LEU:HD21	2.03	0.41	
1:D:86:ARG:NH1	1:D:86:ARG:HG2	2.36	0.41	
1:D:140:LEU:HA	1:D:141:TYR:HA	1.80	0.41	
1:A:267:LEU:HD13	1:A:272:THR:HG22	2.03	0.41	
1:C:331:GLN:NE2	3:C:454:HOH:O	2.46	0.41	
1:C:341:LEU:CB	1:C:346:LEU:HD12	2.51	0.41	
1:D:34:TYR:CE2	1:D:70:GLU:OE2	2.74	0.41	
1:D:366:GLN:C	1:D:368:LEU:H	2.23	0.41	
1:A:366:GLN:O	1:A:368:LEU:N	2.54	0.40	
1:B:30:SER:O	1:B:33:GLN:HG2	2.21	0.40	
1:B:34:TYR:HE2	1:B:70:GLU:OE2	2.03	0.40	
1:A:366:GLN:C	1:A:368:LEU:N	2.74	0.40	
1:D:41:CYS:HB2	1:D:359:PHE:CZ	2.57	0.40	
1:B:55:ILE:CG2	1:B:95:SER:HB2	2.51	0.40	
1:C:263:ARG:HA	1:C:263:ARG:HD3	1.93	0.40	
1:A:60:ASN:CG	1:A:61:ILE:H	2.25	0.40	
1:C:48:ARG:CZ	1:C:86:ARG:HD2	2.52	0.40	
1:C:223:PHE:HB2	1:C:313:GLY:O	2.21	0.40	
1:C:365:GLY:C	1:C:367:ASP:N	2.74	0.40	
1:D:139:TRP:O	1:D:141:TYR:HA	2.21	0.40	
1:D:309:HIS:HB2	1:D:318:TYR:CZ	2.57	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	360/362~(99%)	339 (94%)	17 (5%)	4 (1%)	12 30



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	В	360/362~(99%)	338 (94%)	19~(5%)	3 (1%)	16	38
1	С	360/362~(99%)	339 (94%)	18 (5%)	3 (1%)	16	38
1	D	360/362~(99%)	341 (95%)	16 (4%)	3 (1%)	16	38
All	All	1440/1448~(99%)	1357 (94%)	70 (5%)	13 (1%)	14	35

Continued from previous page...

All (13) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	С	231	PRO
1	D	231	PRO
1	А	231	PRO
1	В	367	ASP
1	С	367	ASP
1	D	367	ASP
1	А	367	ASP
1	В	231	PRO
1	С	103	SER
1	D	103	SER
1	А	103	SER
1	В	103	SER
1	A	191	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	301/302~(100%)	295~(98%)	6 (2%)	50 78
1	В	301/302~(100%)	295~(98%)	6 (2%)	50 78
1	С	301/302~(100%)	295~(98%)	6 (2%)	50 78
1	D	301/302~(100%)	296~(98%)	5 (2%)	56 81
All	All	1204/1208~(100%)	1181 (98%)	23 (2%)	52 79

All (23) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	106	PHE
1	А	144	ARG
1	А	193	LYS
1	А	227	GLU
1	А	234	PHE
1	А	331	GLN
1	В	106	PHE
1	В	144	ARG
1	В	193	LYS
1	В	227	GLU
1	В	234	PHE
1	В	331	GLN
1	С	106	PHE
1	С	144	ARG
1	С	193	LYS
1	С	227	GLU
1	С	234	PHE
1	С	331	GLN
1	D	106	PHE
1	D	144	ARG
1	D	193	LYS
1	D	234	PHE
1	D	331	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	100	ASN
1	А	226	GLN
1	А	331	GLN
1	А	345	GLN
1	А	366	GLN
1	В	100	ASN
1	В	226	GLN
1	В	331	GLN
1	В	345	GLN
1	В	366	GLN
1	С	100	ASN
1	С	226	GLN
1	С	331	GLN
1	С	345	GLN
1	С	366	GLN
1	D	100	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	D	226	GLN
1	D	331	GLN
1	D	345	GLN
1	D	366	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type	Chain Bog Link		Tink	Bond lengths			Bond angles		
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	1	1,2	14,14,15	0.70	0	17,19,21	0.86	1 (5%)
2	NAG	E	2	2	14,14,15	0.80	0	17,19,21	0.89	1 (5%)
2	NAG	F	1	1,2	14,14,15	0.58	0	17,19,21	0.66	0
2	NAG	F	2	2	14,14,15	0.70	0	17,19,21	0.76	0
2	NAG	G	1	1,2	14,14,15	0.55	0	17,19,21	0.73	1 (5%)
2	NAG	G	2	2	14,14,15	0.58	0	17,19,21	0.66	0
2	NAG	Н	1	1,2	14,14,15	0.71	0	17,19,21	0.70	0
2	NAG	Н	2	2	14,14,15	0.79	0	17,19,21	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	Е	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	Е	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	G	2	2	-	3/6/23/26	0/1/1/1
2	NAG	Н	1	1,2	-	3/6/23/26	0/1/1/1
2	NAG	Н	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	Е	1	NAG	C2-N2-C7	-2.88	119.05	122.90
2	Е	2	NAG	C2-N2-C7	-2.38	119.72	122.90
2	G	1	NAG	C2-N2-C7	-2.32	119.80	122.90

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	Е	2	NAG	O5-C5-C6-O6
2	G	1	NAG	O5-C5-C6-O6
2	Н	1	NAG	O5-C5-C6-O6
2	Е	2	NAG	C4-C5-C6-O6
2	Н	1	NAG	C4-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	Н	2	NAG	O5-C5-C6-O6
2	G	1	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	Н	2	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	Е	1	NAG	C1-C2-N2-C7
2	G	2	NAG	C1-C2-N2-C7
2	Н	1	NAG	O7-C7-N2-C2

There are no ring outliers.



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	Н	2	NAG	1	0
2	Н	1	NAG	2	0
2	Е	1	NAG	5	0
2	F	1	NAG	1	0
2	Е	2	NAG	4	0
2	G	1	NAG	2	0

6 monomers are involved in 10 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.















5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

6.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

