



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 06:21 AM UTC

PDB ID : 1OE7 / pdb_00001oe7
Title : 28kDa glutathione S-transferase from Schistosoma haematobium
Authors : Johnson, K.A.; Angelucci, F.; Tsernoglou, D.
Deposited on : 2003-03-19
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	211	
1	B	211	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLUTATHIONE S-TRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	204	Total 1651	C 1057	N 284	O 302	S 8	0	4	0
1	B	203	Total 1648	C 1056	N 283	O 301	S 8	0	5	0

- Molecule 2 is GLUTATHIONE (CCD ID: GSH) (formula: C₁₀H₁₇N₃O₆S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total 20	C 10	N 3	O 6	S 1	0	0
2	B	1	Total 20	C 10	N 3	O 6	S 1	0	0

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	117	Total 117	O 117	0	0
3	B	108	Total 108	O 108	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GLUTATHIONE S-TRANSFERASE

Chain A: 



- Molecule 1: GLUTATHIONE S-TRANSFERASE

Chain B: 



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.43Å 78.11Å 53.50Å 90.00° 94.21° 90.00°	Depositor
Resolution (Å)	20.00 – 1.80 20.00 – 1.81	Depositor EDS
% Data completeness (in resolution range)	96.0 (20.00-1.80) 97.4 (20.00-1.81)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.39 (at 1.81Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.229 , 0.289 0.215 , 0.271	Depositor DCC
R_{free} test set	1958 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	31.5	Xtrriage
Anisotropy	0.156	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 52.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtrriage
Estimated twinning fraction	0.488 for l,-k,h	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	3564	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GSH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.46	11/1702 (0.6%)	2.33	84/2294 (3.7%)
1	B	1.49	14/1703 (0.8%)	2.28	86/2295 (3.7%)
All	All	1.47	25/3405 (0.7%)	2.30	170/4589 (3.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	105	LEU	C-N	6.09	1.41	1.33
1	B	76	ARG	CZ-NH1	6.08	1.41	1.32
1	B	187	LYS	C-N	6.01	1.41	1.33
1	B	150	LEU	N-CA	5.82	1.54	1.45
1	A	156	VAL	C-N	5.72	1.41	1.33
1	B	156	VAL	C-N	5.69	1.41	1.33
1	A	68	MET	C-O	5.66	1.30	1.24
1	A	35	ARG	C-O	5.54	1.30	1.24
1	A	15	GLY	CA-C	5.48	1.59	1.51
1	B	78[A]	MET	C-N	5.39	1.40	1.33
1	B	78[B]	MET	C-N	5.39	1.40	1.33
1	A	169	HIS	ND1-CE1	5.36	1.38	1.32
1	A	79	ALA	C-N	-5.36	1.26	1.33
1	A	95	VAL	C-N	-5.36	1.26	1.33
1	B	35	ARG	C-O	5.29	1.30	1.24
1	B	163	LEU	N-CA	5.24	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	69	VAL	CA-C	5.23	1.59	1.52
1	B	95	VAL	CA-C	5.22	1.59	1.52
1	B	47	THR	C-N	5.20	1.37	1.32
1	A	187	LYS	C-N	5.18	1.40	1.33
1	B	68	MET	C-O	5.14	1.29	1.24
1	A	22	MET	C-O	5.11	1.30	1.24
1	A	190	GLU	N-CA	5.08	1.52	1.46
1	B	22	MET	C-O	5.05	1.30	1.24
1	B	190	GLU	N-CA	5.02	1.52	1.46

All (170) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	ARG	CD-NE-CZ	15.77	146.47	124.40
1	A	137	ASP	CA-CB-CG	-14.18	98.42	112.60
1	B	107	HIS	CA-CB-CG	-12.50	101.30	113.80
1	A	21	ARG	NE-CZ-NH2	-11.98	108.42	119.20
1	B	76	ARG	NE-CZ-NH2	10.68	128.81	119.20
1	A	107	HIS	CA-CB-CG	-10.59	103.21	113.80
1	B	182	TYR	CB-CA-C	-9.22	104.66	111.20
1	A	75	ALA	CA-C-O	-8.95	111.06	120.55
1	B	83	HIS	CA-CB-CG	-8.94	104.86	113.80
1	B	94	ASN	CA-CB-CG	-8.39	104.21	112.60
1	B	181	LYS	CA-CB-CG	8.25	130.60	114.10
1	B	7	LYS	CA-C-O	-8.23	111.41	120.38
1	A	94	ASN	CA-CB-CG	-8.12	104.48	112.60
1	A	76	ARG	NE-CZ-NH2	8.05	126.45	119.20
1	A	11	PHE	CA-CB-CG	8.04	121.84	113.80
1	B	35	ARG	NE-CZ-NH1	-7.99	113.51	121.50
1	A	189	ARG	NE-CZ-NH1	7.97	129.47	121.50
1	B	75	ALA	CA-C-O	-7.89	112.18	120.55
1	A	38	PHE	CA-CB-CG	7.88	121.68	113.80
1	A	186	HIS	O-C-N	7.87	130.17	122.07
1	B	34	GLU	OE1-CD-OE2	7.83	141.69	122.90
1	A	151	ALA	N-CA-C	7.78	119.76	111.28
1	B	76	ARG	NH1-CZ-NH2	-7.68	109.32	119.30
1	A	154	ASP	N-CA-CB	-7.65	98.35	110.98
1	B	151	ALA	N-CA-C	7.55	119.14	111.07
1	B	76	ARG	N-CA-CB	-7.45	98.73	110.28
1	A	182	TYR	CB-CA-C	-7.42	105.94	111.20
1	A	21	ARG	NE-CZ-NH1	7.41	128.91	121.50
1	B	52	ARG	CD-NE-CZ	-7.30	114.18	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	146	SER	CA-C-O	-7.30	113.81	121.55
1	A	7	LYS	CA-C-O	-7.29	112.43	120.38
1	A	124	ILE	N-CA-CB	7.20	118.50	110.51
1	B	146	SER	CA-C-O	-7.19	113.93	121.55
1	A	63	GLY	CA-C-O	-7.16	110.82	119.06
1	B	18	GLU	CA-C-O	-7.12	113.00	120.55
1	B	186	HIS	O-C-N	7.00	129.28	122.07
1	A	79	ALA	CA-C-O	-6.92	113.55	120.82
1	A	156	VAL	CA-C-O	6.89	128.94	121.36
1	B	154	ASP	N-CA-CB	-6.89	100.54	110.80
1	A	129	ASN	OD1-CG-ND2	6.88	129.47	122.60
1	A	35	ARG	NE-CZ-NH1	-6.84	114.66	121.50
1	A	95	VAL	CB-CA-C	-6.84	103.22	111.97
1	A	133	PRO	O-C-N	-6.81	113.43	122.22
1	A	64	HIS	CA-CB-CG	-6.75	107.05	113.80
1	B	76	ARG	CA-C-O	-6.74	112.22	119.97
1	A	83	HIS	CA-CB-CG	-6.74	107.06	113.80
1	B	11	PHE	CA-CB-CG	6.68	120.48	113.80
1	A	146	SER	O-C-N	6.64	130.98	122.81
1	A	105	LEU	O-C-N	-6.59	114.63	122.15
1	B	66	LYS	CA-C-O	-6.52	113.66	120.70
1	A	170	VAL	CA-CB-CG1	6.50	121.45	110.40
1	A	66	LYS	CA-C-O	-6.42	113.77	120.70
1	B	61	ASN	OD1-CG-ND2	-6.39	116.21	122.60
1	B	151	ALA	O-C-N	-6.38	115.50	122.07
1	B	117	GLU	N-CA-CB	-6.38	101.40	110.58
1	B	183	PRO	O-C-N	-6.33	114.96	122.24
1	B	8	VAL	CA-C-O	-6.30	113.79	120.53
1	B	198	ARG	O-C-N	-6.30	115.58	122.07
1	B	170	VAL	CA-CB-CG1	6.28	121.08	110.40
1	B	189	ARG	O-C-N	6.27	129.30	122.15
1	B	22	MET	CA-C-O	-6.25	113.03	120.10
1	B	71	SER	N-CA-C	6.24	118.60	111.11
1	A	189	ARG	O-C-N	6.24	128.73	122.12
1	B	146	SER	O-C-N	6.21	130.44	122.81
1	B	185	ILE	CA-C-O	6.18	127.41	120.85
1	B	38	PHE	CA-CB-CG	6.10	119.90	113.80
1	B	47	THR	CA-C-N	-6.07	116.75	123.43
1	B	47	THR	C-N-CA	-6.07	116.75	123.43
1	A	18	GLU	CA-C-O	-6.07	114.12	120.55
1	A	110	TYR	CA-C-N	6.06	130.30	120.60
1	A	110	TYR	C-N-CA	6.06	130.30	120.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	152	VAL	O-C-N	6.04	128.89	123.03
1	A	52	ARG	CD-NE-CZ	-6.03	115.96	124.40
1	B	8	VAL	O-C-N	6.01	130.13	123.10
1	A	66	LYS	N-CA-C	-6.00	99.62	109.40
1	B	49	PRO	O-C-N	6.00	129.52	122.98
1	B	95	VAL	N-CA-CB	5.97	117.54	110.55
1	A	6	ILE	CA-C-O	-5.94	114.17	120.53
1	A	177	PHE	CA-CB-CG	-5.91	107.89	113.80
1	A	30	ASN	CA-C-O	-5.88	114.71	121.47
1	A	39	GLN	CA-C-O	-5.86	114.34	120.55
1	A	5	HIS	CA-C-O	-5.86	114.05	120.43
1	B	149	LYS	CB-CG-CD	5.84	124.73	111.30
1	B	34	GLU	CA-CB-CG	-5.83	102.43	114.10
1	A	150	LEU	O-C-N	-5.82	116.44	122.84
1	B	76	ARG	O-C-N	5.76	129.35	122.27
1	B	149	LYS	O-C-N	5.76	130.32	122.37
1	B	7	LYS	O-C-N	5.75	130.08	123.29
1	A	34	GLU	N-CA-CB	-5.75	102.11	110.84
1	A	76	ARG	N-CA-CB	-5.73	101.40	110.28
1	B	149	LYS	CA-C-N	-5.72	109.89	123.16
1	B	149	LYS	C-N-CA	-5.72	109.89	123.16
1	B	91	GLU	O-C-N	5.69	128.63	122.15
1	A	76	ARG	NH1-CZ-NH2	-5.68	111.91	119.30
1	A	181	LYS	CA-C-O	-5.67	115.16	121.51
1	A	185	ILE	CA-C-O	5.66	127.33	121.05
1	A	105	LEU	CA-C-O	5.61	126.36	120.42
1	B	188	HIS	CA-CB-CG	-5.60	108.20	113.80
1	A	95	VAL	CA-C-O	-5.60	115.23	121.17
1	A	75	ALA	O-C-N	5.60	128.05	122.12
1	A	64	HIS	O-C-N	5.57	129.58	123.01
1	B	188	HIS	O-C-N	-5.55	116.24	122.12
1	A	35	ARG	NH1-CZ-NH2	5.54	126.51	119.30
1	B	165	ALA	N-CA-CB	-5.54	101.98	110.12
1	A	117	GLU	CB-CG-CD	5.54	122.01	112.60
1	B	174	ASP	CA-CB-CG	5.54	118.14	112.60
1	A	161	LEU	CA-C-O	-5.53	114.10	120.24
1	B	10[A]	TYR	CA-C-O	-5.52	115.53	121.38
1	B	10[B]	TYR	CA-C-O	-5.52	115.53	121.38
1	B	79	ALA	CA-C-O	-5.52	115.03	120.82
1	A	7	LYS	O-C-N	5.51	129.79	123.29
1	A	95	VAL	CA-CB-CG1	5.50	119.74	110.40
1	A	57	LYS	CA-C-O	-5.49	114.28	120.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	189	ARG	NE-CZ-NH2	-5.49	114.26	119.20
1	B	39	GLN	CA-C-O	-5.46	113.92	120.10
1	A	30	ASN	O-C-N	5.46	129.13	122.96
1	B	183	PRO	CA-C-N	5.46	127.59	120.28
1	B	183	PRO	C-N-CA	5.46	127.59	120.28
1	B	114	MET	O-C-N	-5.46	116.31	122.86
1	A	128	LEU	N-CA-CB	5.44	119.41	110.39
1	B	156	VAL	CA-C-O	5.43	127.05	121.23
1	A	132	VAL	O-C-N	-5.42	114.92	121.10
1	A	11	PHE	CA-C-N	-5.41	113.44	122.64
1	A	11	PHE	C-N-CA	-5.41	113.44	122.64
1	A	34	GLU	OE1-CD-OE2	5.39	135.84	122.90
1	A	30	ASN	CA-CB-CG	-5.38	107.22	112.60
1	A	115	LYS	CA-CB-CG	5.38	124.86	114.10
1	B	117	GLU	CB-CG-CD	5.36	121.72	112.60
1	B	170	VAL	O-C-N	5.34	127.14	121.91
1	A	142	SER	CA-C-O	-5.33	115.22	120.82
1	A	170	VAL	CB-CA-C	-5.33	105.15	111.97
1	A	22	MET	CA-C-O	-5.33	114.08	120.10
1	A	51	GLY	CA-C-O	-5.31	113.24	119.72
1	A	79	ALA	N-CA-C	-5.28	105.42	111.07
1	A	61	ASN	O-C-N	-5.26	116.20	122.20
1	B	114	MET	CA-C-O	5.26	128.37	122.27
1	B	96	GLU	O-C-N	-5.25	116.55	122.12
1	A	125	LYS	O-C-N	-5.25	116.08	122.22
1	A	48	ILE	O-C-N	-5.24	116.84	121.61
1	B	38	PHE	N-CA-C	-5.24	105.57	111.28
1	B	87	GLY	CA-C-N	5.24	130.74	122.36
1	B	87	GLY	C-N-CA	5.24	130.74	122.36
1	B	189	ARG	NE-CZ-NH1	5.24	126.74	121.50
1	B	11	PHE	CA-C-N	-5.21	114.89	122.65
1	B	11	PHE	C-N-CA	-5.21	114.89	122.65
1	B	163	LEU	CA-C-N	-5.21	113.02	120.42
1	B	163	LEU	C-N-CA	-5.21	113.02	120.42
1	B	64	HIS	CA-C-O	-5.21	115.11	121.05
1	A	53	LEU	O-C-N	5.20	125.88	121.20
1	B	35	ARG	NH1-CZ-NH2	5.19	126.04	119.30
1	A	83	HIS	CB-CA-C	-5.18	104.38	111.73
1	B	69	VAL	O-C-N	5.17	128.68	123.00
1	B	109	TYR	CA-C-O	-5.17	115.39	120.82
1	B	192	LEU	O-C-N	5.17	128.04	122.15
1	B	129	ASN	OD1-CG-ND2	5.15	127.75	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	18	GLU	CA-CB-CG	5.15	124.40	114.10
1	A	11	PHE	CA-C-O	-5.12	113.79	119.67
1	A	175	LYS	N-CA-C	5.11	118.77	112.54
1	B	37	SER	CA-C-O	5.11	127.84	121.81
1	B	5	HIS	CA-C-N	-5.05	116.38	123.10
1	B	5	HIS	C-N-CA	-5.05	116.38	123.10
1	A	12	ASN	O-C-N	-5.05	117.29	123.10
1	B	20	ILE	CA-C-O	-5.04	114.97	120.96
1	A	64	HIS	CA-C-O	-5.04	115.31	121.05
1	B	94	ASN	O-C-N	-5.03	116.08	122.27
1	A	198	ARG	O-C-N	-5.03	116.86	122.09
1	B	10[A]	TYR	O-C-N	5.02	128.53	123.26
1	B	10[B]	TYR	O-C-N	5.02	128.53	123.26
1	A	161	LEU	O-C-N	5.01	128.74	122.23
1	B	115	LYS	O-C-N	5.01	126.11	121.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	73	ALA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1651	0	1691	48	0
1	B	1648	0	1689	35	0
2	A	20	0	15	4	0
2	B	20	0	15	5	0
3	A	117	0	0	12	0
3	B	108	0	0	8	0
All	All	3564	0	3410	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:HIS:ND1	3:A:2044:HOH:O	1.97	0.94
1:B:64:HIS:ND1	3:B:2042:HOH:O	2.03	0.90
1:A:97:LYS:NZ	3:A:2068:HOH:O	2.05	0.88
1:A:120:LYS:NZ	3:A:2078:HOH:O	2.16	0.79
1:A:6:ILE:HG12	1:A:58:ILE:HD12	1.62	0.79
1:B:181:LYS:HE2	3:B:2097:HOH:O	1.83	0.77
1:A:106:GLU:OE1	1:A:169:HIS:HD2	1.67	0.77
1:A:7:LYS:HE2	3:A:2004:HOH:O	1.85	0.76
2:A:301:GSH:HA2	3:A:2117:HOH:O	1.86	0.75
2:B:301:GSH:HA2	3:B:2108:HOH:O	1.87	0.75
1:A:119:GLU:HA	1:A:122:LYS:HD2	1.68	0.74
1:B:106:GLU:OE1	1:B:166[B]:VAL:HG22	1.89	0.73
1:B:16[A]:ARG:NE	1:B:110:TYR:OH	2.20	0.72
1:B:33:ASP:OD2	3:B:2020:HOH:O	2.09	0.71
1:B:37:SER:OG	1:B:39:GLN:HG2	1.94	0.68
1:B:119:GLU:HA	1:B:122:LYS:HG2	1.77	0.65
1:A:14:ARG:NH1	3:A:2008:HOH:O	2.09	0.65
1:A:14:ARG:HD3	1:A:206:ARG:NH2	2.11	0.64
1:A:9:ILE:HG12	1:A:34:GLU:HG2	1.80	0.64
1:A:61:ASN:HD22	1:A:61:ASN:N	1.95	0.64
1:B:10[A]:TYR:CD2	1:B:17:ALA:CB	2.81	0.63
1:B:14:ARG:HD2	1:B:206:ARG:NH1	2.14	0.63
1:A:11:PHE:CE2	2:A:301:GSH:HB23	2.35	0.61
1:B:149:LYS:HD2	1:B:154:ASP:OD1	2.00	0.61
1:A:14:ARG:HD3	1:A:206:ARG:CZ	2.31	0.61
1:A:16[A]:ARG:NE	1:A:110:TYR:OH	2.33	0.60
1:A:24:LEU:HD21	1:A:78[B]:MET:SD	2.41	0.60
1:B:14:ARG:HD2	1:B:206:ARG:CZ	2.31	0.60
1:A:24:LEU:HD21	1:A:78[B]:MET:CE	2.31	0.59
1:B:10[A]:TYR:HD2	1:B:17:ALA:HB3	1.68	0.58
1:A:16[B]:ARG:NH1	2:A:301:GSH:SG2	2.76	0.58
1:B:11:PHE:CE2	2:B:301:GSH:HB23	2.39	0.58
1:B:10[A]:TYR:CD2	1:B:17:ALA:HB3	2.40	0.57
1:B:10[A]:TYR:CD2	1:B:17:ALA:HB2	2.40	0.57
1:A:39:GLN:NE2	1:A:39:GLN:H	2.03	0.57
1:A:80:LYS:NZ	3:A:2054:HOH:O	2.38	0.56
1:B:115:LYS:HG2	1:B:119:GLU:CG	2.35	0.56
1:A:11:PHE:HE2	2:A:301:GSH:HB23	1.70	0.55
1:A:10[A]:TYR:CD2	1:A:17:ALA:HB2	2.41	0.55
1:A:34:GLU:O	1:A:34:GLU:HG3	2.05	0.55
1:B:18:GLU:HG3	1:B:22:MET:HE3	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10[A]:TYR:CD2	1:A:17:ALA:CB	2.90	0.55
2:B:301:GSH:OE1	3:B:2108:HOH:O	2.19	0.54
1:B:106:GLU:CD	1:B:169:HIS:HD1	2.17	0.53
1:B:121:GLN:NE2	3:B:2072:HOH:O	1.98	0.53
1:A:39:GLN:H	1:A:39:GLN:HE21	1.57	0.53
1:B:140:CYS:SG	1:B:184:GLU:HB2	2.49	0.53
1:A:140:CYS:SG	1:A:184:GLU:HB2	2.49	0.52
1:B:39:GLN:HG3	3:B:2023:HOH:O	2.09	0.51
1:A:14:ARG:O	1:A:169:HIS:HE1	1.93	0.51
1:A:37:SER:HB2	1:A:39:GLN:HG2	1.93	0.50
1:A:121:GLN:HE21	1:A:121:GLN:HA	1.77	0.50
1:A:7:LYS:CE	3:A:2004:HOH:O	2.51	0.49
1:B:24:LEU:HD21	1:B:78[B]:MET:CE	2.43	0.49
1:A:120:LYS:O	1:A:124:ILE:HG13	2.12	0.49
1:A:77:TYR:O	1:A:81:LYS:HG2	2.13	0.48
1:B:24:LEU:HD21	1:B:78[B]:MET:SD	2.54	0.48
1:A:118:GLU:O	1:A:122:LYS:HG3	2.14	0.48
1:A:10[A]:TYR:HD2	1:A:17:ALA:HB3	1.79	0.48
1:B:14:ARG:HD3	1:B:18:GLU:OE1	2.13	0.48
1:A:106:GLU:OE1	1:A:169:HIS:CD2	2.58	0.48
1:A:181:LYS:CE	3:A:2100:HOH:O	2.63	0.47
1:A:18:GLU:HG3	1:A:22:MET:HE3	1.95	0.47
1:B:115:LYS:HG2	1:B:119:GLU:HG3	1.94	0.47
1:B:120:LYS:O	1:B:124:ILE:HG13	2.15	0.47
1:A:37:SER:CB	1:A:39:GLN:HG2	2.46	0.46
1:B:61:ASN:OD1	1:B:62:HIS:N	2.48	0.46
1:A:7:LYS:NZ	3:A:2004:HOH:O	2.48	0.46
1:B:37:SER:CB	1:B:39:GLN:HG2	2.46	0.46
1:B:14:ARG:NH1	1:B:206:ARG:HD2	2.31	0.46
1:B:122:LYS:N	1:B:122:LYS:HD3	2.32	0.45
1:B:11:PHE:CZ	2:B:301:GSH:HB23	2.52	0.44
1:B:10[A]:TYR:CD1	1:B:11:PHE:N	2.82	0.44
1:A:10[A]:TYR:HD2	1:A:17:ALA:CB	2.31	0.44
1:A:25:VAL:O	1:A:198:ARG:HD3	2.17	0.44
1:A:45:LYS:HB3	1:A:46:PRO:HD3	2.00	0.43
1:A:183:PRO:HG2	1:A:184:GLU:OE1	2.18	0.43
1:A:106:GLU:HG3	1:A:110:TYR:CZ	2.54	0.43
1:B:11:PHE:HE2	2:B:301:GSH:HB23	1.81	0.43
1:A:120:LYS:HD2	3:A:2076:HOH:O	2.17	0.43
1:B:43:LYS:NZ	3:B:2028:HOH:O	2.51	0.42
1:A:111:LYS:O	1:A:123:ILE:HD13	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:TYR:CD1	1:A:169:HIS:HB3	2.55	0.41
1:A:56:VAL:CG1	1:A:58:ILE:HD11	2.51	0.41
1:A:181:LYS:HE3	3:A:2100:HOH:O	2.19	0.41
1:B:123:ILE:HD13	1:B:123:ILE:N	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/211 (98%)	200 (97%)	6 (3%)	0	100	100
1	B	206/211 (98%)	202 (98%)	3 (2%)	1 (0%)	24	14
All	All	412/422 (98%)	402 (98%)	9 (2%)	1 (0%)	43	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	118	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/181 (99%)	170 (94%)	10 (6%)	19	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	180/181 (99%)	170 (94%)	10 (6%)	19	8
All	All	360/362 (99%)	340 (94%)	20 (6%)	21	8

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16[A]	ARG
1	A	16[B]	ARG
1	A	34	GLU
1	A	39	GLN
1	A	61	ASN
1	A	80	LYS
1	A	118	GLU
1	A	121	GLN
1	A	137	ASP
1	A	201	LYS
1	B	16[A]	ARG
1	B	16[B]	ARG
1	B	34	GLU
1	B	115	LYS
1	B	119	GLU
1	B	121	GLN
1	B	123	ILE
1	B	126	GLU
1	B	149	LYS
1	B	175	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	ASN
1	A	39	GLN
1	A	61	ASN
1	A	107	HIS
1	A	121	GLN
1	A	169	HIS
1	A	191	ASN
1	B	101	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GSH	A	301	-	18,19,19	1.62	4 (22%)	21,24,24	2.25	7 (33%)
2	GSH	B	301	-	18,19,19	1.55	5 (27%)	21,24,24	2.07	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GSH	A	301	-	-	2/24/24/24	-
2	GSH	B	301	-	-	3/24/24/24	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	GSH	OE1-CD1	2.98	1.29	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	GSH	O12-C1	2.81	1.30	1.22
2	B	301	GSH	OE1-CD1	2.61	1.28	1.23
2	B	301	GSH	O11-C1	-2.52	1.22	1.30
2	A	301	GSH	O11-C1	-2.49	1.22	1.30
2	B	301	GSH	O12-C1	2.38	1.29	1.22
2	B	301	GSH	CG1-CD1	2.17	1.55	1.51
2	B	301	GSH	C2-N3	2.16	1.38	1.33
2	A	301	GSH	CG1-CD1	2.15	1.55	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	GSH	C3-CA3-N3	5.20	129.23	113.06
2	A	301	GSH	CA2-CB2-SG2	5.08	119.89	114.16
2	A	301	GSH	CB1-CG1-CD1	-4.50	103.02	113.06
2	B	301	GSH	CB1-CG1-CD1	-4.10	103.92	113.06
2	B	301	GSH	CA2-CB2-SG2	4.02	118.69	114.16
2	A	301	GSH	O32-C3-CA3	-3.38	108.60	122.66
2	A	301	GSH	O31-C3-CA3	3.27	125.26	112.81
2	A	301	GSH	C3-CA3-N3	3.23	123.10	113.06
2	B	301	GSH	O31-C3-CA3	2.95	124.02	112.81
2	A	301	GSH	CB2-CA2-N2	-2.78	107.32	111.28
2	A	301	GSH	O2-C2-N3	-2.64	117.40	122.98
2	B	301	GSH	O32-C3-CA3	-2.03	114.23	122.66

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	301	GSH	N2-CA2-CB2-SG2
2	A	301	GSH	C2-CA2-CB2-SG2
2	B	301	GSH	N2-CA2-CB2-SG2
2	B	301	GSH	C2-CA2-CB2-SG2
2	B	301	GSH	O32-C3-CA3-N3

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	GSH	4	0
2	B	301	GSH	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	204/211 (96%)	-1.27	0 100 100	16, 37, 60, 82	4 (1%)
1	B	203/211 (96%)	-1.25	0 100 100	17, 37, 60, 87	5 (2%)
All	All	407/422 (96%)	-1.26	0 100 100	16, 37, 60, 87	9 (2%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GSH	A	301	20/20	0.98	0.05	36,43,50,57	0
2	GSH	B	301	20/20	0.98	0.05	37,43,49,60	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.